

## Index

### a

- abnormal insertion 248
- acac-based Ru catalyst 168
- 2-acrylate 83
- activated carbon (AC) 185, 232
- acylmethylpyridinol 131
- adsorbed CO 232
- Ag@Pd–ZnO core@shell catalyst 226
- air- and moisture-sensitive phosphine ligands 137
- air- and moisture-stable Knölker's complex 60
- AlCl<sub>3</sub>-catalyzed Friedel–Crafts reaction 172
- aliphatic PNP iron complexes 131
- aliphatic PNP pincer ligand 122, 131
- alkali/alkali metal earth (bi) carbonates 180
- alkali/alkaline earth bicarbonate 179
- alkali-promoted Cu/ZnO-based catalyst 229
- alkali-promoted MoS<sub>2</sub>-based catalyst 232
- alkyl pyridine 13
- Al<sub>2</sub>O<sub>3</sub> 189
- γ-Al<sub>2</sub>O<sub>3</sub> nanorods 191
- amide 13, 14, 33, 34, 83
- amine-assisted CO<sub>2</sub> to methanol process 102, 105
- amine-functionalized catalyst surface 151
- amine PNP ligand bis(2-(diisopropylphosphino)ethyl) amine 67
- tris*(4-aminophenyl)amine 162
- aminophosphines 56
- (3-aminopropyl)trimethoxysilane 197
- aminopyridine-based POP 170
- analogous acetate complex 98
- 4,4'- and 6,6'-dihydroxy-2,2'-bipyridine 128
- 4,4'- and 6,6'-dihydroxy-2,2'-bipyridine 70
- anionic Cp\*Ir complex bearing bipyridone ligand 279
- anionic P<sub>3</sub>N<sub>3</sub>-type tris(phosphinoamido) amine ligand 76
- anthropogenic CO<sub>2</sub> emission 3, 86, 207
- aqueous formate–amine products 39
- aqueous phase methanol dehydrogenation 275–281
- aqueous solution systems
  - iridium 272–275
  - ruthenium 270–272
- aromatic dinitriles 163
- trans*-(<sup>ar</sup>PNP)Fe(H)<sub>2</sub>CO 120
- atmospheric CO<sub>2</sub> 113
  - concentration 2, 89
- Au(OH)<sub>3</sub>/H<sub>2</sub>O slurry 180
- AUROLite 193
- azidopropyl-functionalized SBA silica 157

3-(azidopropyl)trimethoxysilane 157  
azolium-based MOFs 161

**b**

bathophenanthroline 172  
bench stable PNN-Mn(CO)<sub>3</sub>  
complex 141  
1,3,5-benzenetricarbonyl chloride 170  
benzylidiphenylphosphine  
(PPH<sub>2</sub>Bn) 268  
benzyl-substituted phosphines 268  
bidentate formate ligand 98  
bidentate ligand dppe 151  
bidentate *N,N*-ligands 77  
bidentate phosphine ligands 128  
bidentate P–N-functionalized silica (PN/  
SBA-15) 153  
2,2'-biimidazole 30  
2,2'-biimidazoline 31  
bimetallic [HM<sub>1</sub>M<sub>2</sub>L]<sup>−</sup> complexes 77  
bimetallic nanoparticles 180  
bimetallic Ni-based catalysts 75  
bimetallic PdAg nanoparticles 195  
bimetallic RuFe nanoparticles 182  
bioinspired bis-dithiolene ligands 244  
bio-inspired Mn-bromotricarbonyl  
complexes 80  
biphasic 2-methyltetrahydrofuran 98  
biphasic *n*-heptane/DMSO system 46  
4,4'-biphenyldicarbonitrile 166  
bipy (2,2'-bipyridyl) 55  
2,2'-bipyridine (BPy) 238, 272  
2,2'-bipyridine (bpy)-incorporated CTF  
(bpy-CTF) 163  
2,2'-bipyridine ligand 124  
bipyridines 54  
2,2'-bis(2-oxazoline) 77  
bis(2-(dialkylphosphino)ethyl)amine 81  
2-[bis(pyridine-2-ylmethyl)]amino-*N*-3,9-  
purin-2-one ligand 139  
1,2-bis(dicyclohexylphosphino)ethane  
(DCPE) 55  
1,2-bis(diphenylphosphino)ethane  
(DPPE) 55, 131, 169, 260

bis-hydrido Ru-PNP complex 128  
2,6-bis(benzimidazole-2-yl)-4-  
hydroxypyridine 45  
bisimidazoline ligand 273  
1,3-bis(5-cyanopyridyl)-imidazolium  
bromide 166  
bisMETAMORPhos catalyst 267  
bisMETAMORPhos ligand 266  
bis-*N*-heterocyclic carbene (bis-  
NHC) 128, 157  
1,2-[bis(dimethoxypropyl)  
phosphino]ethane 74  
2,6-bis(benzimidazole-2-yl)pyridine 45  
bis(2-methylallyl)(1,5-cyclooctadiene)  
ruthenium(II) [Ru(COD)  
(2-methylallyl)<sub>2</sub>] 182  
bi-, tri- and tetradentate phosphines 56  
boranes 14, 92  
[bpy-CTF-Ru(acac)<sub>2</sub>]Cl 168, 172  
bpy-CTF-RuCl<sub>3</sub> 170, 172  
bridging hydrides 248–249  
insertion pathways 249  
Brunauer–Emmett–Teller (BET) surface  
area 181  
bulk carbon nitride (BCN) 189  
Bullock's catalysts 136

**c**

Ca-doped PdZn/CeO<sub>2</sub> 225  
carbamates 92, 94, 100  
carbonates 92–96  
carbon-based fossil fuels 1  
carbon-based materials 184–185  
carbon capture and sequestration (CCS)  
technologies 1–2  
carbon dioxide (CO<sub>2</sub>) 1, 113  
chemicals, as feedstock 2–3  
direct use of 1  
hydrogenation products 4–6  
carbon monoxide 92, 223  
carbon nanotube-graphene (CNT-GR)  
support 185  
carbon neutral cycle 90, 91, 256  
carbon recycling and methanol 89–91

- Carbon Recycling International  
(CRI) 3, 7, 91, 211
- carbon tax 9, 10
- catalysts, survey of 238–247
- catalytic copolymerization of CO<sub>2</sub> 3
- catalyzed FA dehydrogenation 260, 272
- cesium carbonate catalyst 100
- chelating bisolefin diazadiene ligand 276
- chemically “non-innocent” cooperative  
ligand 276
- CH<sub>3</sub>OH 56, 58, 63, 70, 94
- cis*-[Co(H)<sub>2</sub>(dmpe)<sub>2</sub>]<sup>+</sup> 71
- climate change 53, 89, 113, 149
- [(η<sup>6</sup>-C<sub>6</sub>Me<sub>6</sub>)Ru(4DHBP)Cl]Cl 40
- [(η<sup>6</sup>-C<sub>6</sub>Me<sub>6</sub>)Ru(DHPT)Cl]Cl 40
- C,N*- and *N,N*-chelated ligands 13
- C,N*-chelated Ir complex 35
- Co<sub>2</sub>(CO)<sub>8</sub> 93
- Co(acac)<sub>3</sub> 70
- Co(acac)<sub>3</sub>/Triphos/HNTf<sub>2</sub> catalytic  
system 99
- [Co(dmpe)<sub>2</sub>(CO)]<sup>+</sup> 71
- [Co(H)<sub>2</sub>(PP<sub>3</sub>)<sub>2</sub>]<sup>+</sup> 70
- [Co(OCHO)(κ<sup>2</sup>-<sup>*i*</sup>PrPNP)(CO)<sub>2</sub>] 73
- [Co(P<sup>Cy</sup><sub>2</sub>N<sup>Bn</sup><sub>2</sub>)(Cp)(MeCN)]<sup>+2</sup> 250
- [Co(P<sup>R</sup><sub>2</sub>N<sup>R'</sup><sub>2</sub>)(Cp)]<sup>+</sup> 241
- [Co(P<sup>R</sup><sub>2</sub>N<sup>R'</sup><sub>2</sub>)(Cp)(MeCN)]<sup>+</sup> 251
- [Co(P<sup>R</sup><sub>2</sub>N<sup>R'</sup><sub>2</sub>)(Cp)(MeCN)]<sup>+2</sup> 241
- cobalt acetylacetonate 98
- cobalt-catalyzed CO<sub>2</sub>  
hydrogenation 69–73
- CO<sub>2</sub>-based formic acid 149
- CO<sub>2</sub> capture-hydrogenation-catalyst  
recycling system 69
- CO<sub>2</sub> capture technologies 8
- [CoCl(<sup>*i*</sup>PrPNP)] 72
- [Co(L)(CH<sub>3</sub>CN)](BF<sub>4</sub>) 72
- [Co(P<sup>Cy</sup><sub>2</sub>N<sup>Bn</sup><sub>2</sub>)(Cp)(MeCN)]<sup>+2</sup>  
complex 250
- Co(III) dihydride *trans*-[Co(L)(H)<sub>2</sub>]<sup>+</sup> 72
- CO-dissociating catalysts 231
- CO<sub>2</sub> emissions 1, 2, 3, 6, 7, 9, 89
- CO<sub>2</sub>/3H<sub>2</sub> gas mixture 92
- [CoH(dmpe)<sub>2</sub>] 71
- [CoH(<sup>*i*</sup>PrPNP)(CO)] 72
- [CoH(κ<sup>2</sup>-<sup>*i*</sup>PrPNP)(CO)<sub>2</sub>] 72
- (PNP)CoH<sub>3</sub> 115, 120
- [Co(L)H](BF<sub>4</sub>) 72
- Co(dmpe)<sub>2</sub>H complex 131
- Co(BF<sub>4</sub>)<sub>2</sub>·6H<sub>2</sub>O 70
- CO<sub>2</sub> hydrogenation  
CO<sub>2</sub> supply 6–8  
energy and H<sub>2</sub> supply 8–9  
to ethanol  
background 226  
modified Fischer–Tropsch  
catalysts 230–231  
modified-methanol synthesis  
catalysts 227–230  
modified molybdenum-based  
catalysts 232  
Rh-based catalysts 231–232  
to formic acid (FA)/formate  
Ir complexes 14–37  
precious metals 15–25  
Rh complexes 46–48  
Ru complexes 37–45  
to methanol  
catalyst development 215–217  
chemical and phase  
equilibria 212–215  
CO<sub>2</sub> to methanol 208–212  
Cu/ZnO catalysts 217–223  
industrial Cu/ZnO/Al<sub>2</sub>O<sub>3</sub>  
catalyst 223–226  
syngas to methanol 207–208  
products  
energy storage 6  
formic acid/formate 4  
methanation 5–6  
methanol 4–5  
CO<sub>2</sub>-mediated hydrogen storage energy  
cycling 179  
commercial TiO<sub>2</sub>-supported Au  
nanoparticles 193  
continuous hydrogen production 263  
4-coordinate complex [M(bpy)<sub>2</sub>]<sup>+</sup> 238  
4-coordinate complex Rh(diphos)<sub>2</sub> 238

- 6-coordinate octahedral Ru (II)  
 complex 243  
 coordination polymers 157–161  
 copper-catalyzed CO<sub>2</sub>  
 hydrogenation 77–78  
 [Co(P<sup>R</sup><sub>2</sub>N<sup>R</sup><sub>2</sub>)(Cp)I]<sup>+</sup> 240  
 [Co(<sup>i</sup>PrPNP)(CO)<sub>2</sub>]X 72  
 CO<sub>2</sub> recycling 100, 109, 113, 207  
 CO<sub>2</sub> sequestration and utilization  
 technologies 207  
 CO<sub>2</sub>-temperature programmed  
 desorption (TPD) analysis 188  
 Co(I) tetraphosphine complex 72  
 CO<sub>2</sub> to methanol  
 heterogeneous catalysis 91  
 homogeneous catalysis 92–109  
 covalent triazine frameworks  
 (CTFs) 163  
 [Cp\*Co(bipy)Cl](PF<sub>6</sub>) 70  
 [Cp\*Co(L)Cl](PF<sub>6</sub>) 70  
 [Cp\*Co(bipy)(H<sub>2</sub>O)](PF<sub>6</sub>)<sub>2</sub> 70  
 Cp\*Ir catalysts 272  
 [Cp\*Ir(4DHBP)(OH<sub>2</sub>)]<sup>2+</sup> 28–29, 124  
 [Cp\*Ir(4DHBP)(OH<sub>2</sub>)<sub>2</sub>(SO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>5</sub>] 27  
 [Cp\*Ir(6DHBP)(OH<sub>2</sub>)]<sup>2+</sup> 28, 29, 30, 124  
 [Cp\*Ir(6DHBP)(OH<sub>2</sub>)<sub>2</sub>(SO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>9</sub>] 27  
 [Cp\*Ir(6DHBP-2H<sup>+</sup>)] 124  
 [Cp\*Ir(N<sub>2</sub>)(OH<sub>2</sub>)]<sup>2+</sup> 124  
 [Cp\*IrH(4DHBP)(OH<sub>2</sub>)]<sup>2+</sup> 28  
 [Cp\*IrH(6DHBP)(OH<sub>2</sub>)]<sup>2+</sup> 28  
 [Cp\*Ir(bpy)OH<sub>2</sub>]<sup>2+</sup> 141  
 [Cp\*Ir(4DHBP)(OH<sub>2</sub>)SO<sub>4</sub>] 26–27  
 [Cp\*Ir(6,6'-R<sub>2</sub>-bpy)(OH<sub>2</sub>)SO<sub>4</sub>] 26, 124  
 [Cp\*Ir(bpy)(OH<sub>2</sub>)SO<sub>4</sub>] 28  
 [Cp\*Ir(Nn)(OH<sub>2</sub>)SO<sub>4</sub>] 30  
 [Cp\*Ir(4,4'-R<sub>2</sub>-bpy)(OH<sub>2</sub>)SO<sub>4</sub>]  
 complexes 26  
 Cs-doped Cu/ZnO catalyst 229  
 [Cu(triphos)(DBU)]<sup>+</sup> 77  
 cucurbit[*n*]urils 188  
 cucurbit[6]uril 188  
 [Cu(triphos)(MeCN)](PF<sub>6</sub>) 77  
 Cu/ZnO/Al<sub>2</sub>O<sub>3</sub> catalysts 91  
 Cu/ZnO catalysts 217  
 Cu/ZnO supported ZSM-5 223  
 cyclic diimines 54  
 cyclometalated molybdenum formate  
 complex 84  
 cyclometallated iridium catalysts 266  
 cyclopentadienyl anion 240  
 Cy<sub>2</sub>P(1-naphthoyl) 39  
 Cys176-sulfur 115
- d**  
 [DAMI][NTf<sub>2</sub>] 182  
 dendrimers 183  
 density functional theory (DFT) 113,  
 168, 241  
 deprotonation 13, 27, 28, 30–34, 42, 60,  
 65, 67, 71, 73, 76, 81, 83, 122, 131,  
 132, 141, 157  
 deprotonative dearomatization 35, 119  
 dialkoxymethane ethers 70  
 2-(dialkylphosphino)-*N*-  
 (2-(dialkylphosphino)  
 ethyl)-*N*-methylethanamine 67  
 2,6-diaminopyridine 170  
 2,6-(diaminopyridyl)diphosphine pincer  
 ligands 130  
 2,6-(diaminopyridyl) scaffold 66, 79  
 diazabicyclo[2.2.2]octane  
 (DABCO) 69  
 1,5-diazabicyclo[5.4.0]undec-5-ene  
 (DBU) 63  
 1,8-diazabicyclo[5.4.0]undec-7-ene  
 (DBU) 38, 55, 115  
 6,6'-Di(3,5-di-tert-butyl-2-  
 hydroxybenzene)-2,2'-bipyridine  
 (denoted <sup>1</sup>Budhbpy) 244  
 2,6-dicyanopyridine 166  
 diethyl amine 39, 256  
 dihydridocarbonyl complex trans-  
 [Fe(H)<sub>2</sub>(CO)(<sup>t</sup>BuPNP)] 64  
 dihydrido complex 276  
 4,4'-dihydroxy-2,2'-bipyridine  
 (4DHBP) 14, 272

- 4,7-dihydroxy-1,10-phenanthroline (DHPT) 14
- dihydroxy-pyrimidine 273
- dimeric analogue  
[Ni<sub>2</sub>(biscyclam)]<sup>4+</sup> 244
- dimethoxymethane 70, 162
- dimethyl carbonate 94
- dimethylformamide (DMF) 42, 56, 70, 150, 191, 265
- dimethyl-*n*-octylamine 74
- 2,13-dimethyl-3,6,9,12,18-pentaazabicyclo-[12.3.1]octadeca-1(18),2,12,14,16-pentaene 244
- 2,9-dimethyl-1,10-phenanthroline 77
- dimethyl sulfoxide (DMSO) 39, 100, 161, 183
- dimethyl urea 94
- dinuclear Ir complex 239
- diphenyl carbonate 3
- 4,7-diphenyl-1,10-phenanthroline 77, 172
- (tris-[(2-diphenylphosphino)ethyl]amine, NP<sub>3</sub>) 264
- 2-diphenyl phosphinobenzaldehyde (DPPBde) 159
- tris*((2-diphenylphosphino)ethyl)phosphine (PP<sub>3</sub>) 56, 115, 256, 268
- tris*(2-(diphenylphosphino)phenyl)phosphine (P<sup>Ph</sup>P<sub>3</sub>) 56
- direct air capture (DAC) 7, 86
- direct CO<sub>2</sub> hydrogenation  
through formate esters 97–99  
through oxazolidinone/formamides 100–108
- direct hydride transfer 71, 115, 117, 118, 128, 132, 266
- e**
- electrocatalysis 246, 250, 255–257
- electrocatalytic CO<sub>2</sub> 237–257
- electron rich ancillary ligands 247–248
- electron-rich tolyl-substituted triphos derivative 70
- electron transfer (ET) 13, 143, 185, 243–244, 246, 249, 251–253
- elegant sequential CO<sub>2</sub> hydrogenation process 97
- embedded single-atom catalysts 180, 198–202
- energy and H<sub>2</sub> supply 8–9
- energy storage 6, 10
- energy vectors 4–6
- enhanced oil recovery 1, 89
- environmental impacts 128, 207
- ethylene carbonate 95–96, 141, 145
- f**
- Faradaic efficiency (FE) 34, 238–247, 255–256
- Fe 54–59, 63, 67, 70, 78, 85, 115, 131, 136–137, 139, 180, 215, 268–270, 281
- Fe-based Fischer–Tropsch catalyst 230
- (PP<sub>3</sub>)Fe catalysts 130
- Fe(BF<sub>4</sub>)<sub>2</sub>·6H<sub>2</sub>O 56–58, 268
- [Fe(CO)<sub>5</sub>] 182
- Fe<sub>2</sub>(CO)<sub>9</sub> 93
- [Fe(<sup>t</sup>Bu<sub>2</sub>dhbpy)Cl] 243–244
- [Fe(dophen)(Im)<sub>2</sub>]<sup>+</sup> 243
- [Fe(H<sup>t</sup>Bu<sub>2</sub>dhbpy)] 244
- [Fe(H<sup>t</sup>Bu<sub>2</sub>dhbpy)Cl] 244
- [Fe(dophen)L<sub>2</sub>]<sup>+</sup> 243
- [Fe(H)(CO)(<sup>t</sup>BuPNzP\*)]<sub>n</sub> 65
- trans*-[Fe(H)(CO)(<sup>t</sup>BuPNzP-*t*Bu-COO)] 66
- [Fe(H)(OCHO)(*t*BuPNzP)] 65
- cis*- and *trans*-[Fe(H)<sub>2</sub>(PNP<sup>Me</sup>-*i*Pr)(CO)] 66
- trans*-(PNP)Fe(H)<sub>2</sub>CO 115, 120, 122
- [Fe(H)<sub>2</sub>(CO)(<sup>t</sup>BuPNzP)] 65
- [Fe(H)<sub>2</sub>(*rac*-P<sub>4</sub>)] 60
- [Fe(H)<sub>2</sub>(RPNMeP)(CO)] 67
- [Fe(η<sup>2</sup>-H<sub>2</sub>)(O<sub>2</sub>CH)(*rac*-P<sub>4</sub>)<sup>+</sup> 60
- [Fe(η<sup>2</sup>-H<sub>2</sub>)(OCHO)(PP<sub>3</sub>)](BF<sub>4</sub>) 56

- $[\text{Fe}(\eta^2\text{-H}_2)\text{H}(\text{rac-P}_4)]^+$  59  
 $[\text{Fe}(\text{H})_3(\text{PMe}_3)(\text{PhBPiPr}_3)]$  57  
 $[\text{Fe}(\text{O}_2\text{CH})(\text{rac-P}_4)]^+$  60  
 $[\text{Fe}(\text{OCHO})(\text{PNPMe-}i\text{Pr})\text{H}(\text{CO})]$  66  
 $[\text{Fe}(\text{Ph}_4\text{porph})]$  242  
 $[\text{Fe}(\text{PP}_3)(\text{MeCN})_2]^{2+}$  256–257  
 $[\text{FeBr}(\text{H})(i^{\text{Pr}}\text{PN}^{\text{H}}\text{P})(\text{CO})]$  68–69  
 $[\text{FeBr}(\text{PNP}^{\text{H}}-i\text{Pr})\text{H}(\text{CO})]$  66  
 $[\text{FeBr}(\text{PNP}^{\text{Me}}-i\text{Pr})\text{H}(\text{CO})]$  66  
 $[\text{Fe}_4\text{C}(\text{CO})_{12}]^{2-}$  254  
 $[\text{FeCl}(\text{CP}^{\text{I}}\text{Pr}_3)]$  57  
 $[\text{FeCl}(\text{CSiPPh}_3)]$  57  
 $[\text{FeCl}(\text{H})(\text{CO})(t\text{BuPNzP})]$  65  
 $[\text{FeF}(\text{meso-P}_4)](\text{BF}_4)$  58  
 $[\text{FeF}(\text{P}^{\text{Ph}}\text{P}_3)](\text{BF}_4)$  56  
 $[\text{FeF}(\text{rac-P}_4)](\text{BF}_4)$  58  
 $[\text{FeFe}]$ -hydrogenase 114  
 $[\text{FeH}(\mu\text{-H})(\text{L})(\text{TPB})]$  57  
 $[\text{FeH}(\eta^2\text{-H}_2)(\text{CO})(t\text{BuPNP})]^+$  64  
 $[\text{FeH}(\text{HO}_2\text{CH})(\text{rac-P}_4)]^+$  60  
 $[\text{FeH}(\text{L})(\text{SiPR}_3)]$  57  
 $[\text{FeH}(\text{rac-P}_4)]^{+1000}$  59, 62  
 $[\text{FeH}(\text{RPN}^{\text{Me}}\text{P})(\text{CO})(\kappa^1\text{-H-BH}_4)]$  67  
 $[\text{FeH}(\text{RPN}^{\text{Me}}\text{P})(\eta^2\text{-H}_2)(\text{CO})]^+$  67  
 $[\text{FeH}(\text{PP}_3)](\text{BF}_4)$  56  
 $[\text{FeH}(\text{N}_2)(\text{NPiPr}_3)](\text{PF}_6)$  57  
 $[\text{Fe}]$ -hydrogenase 29, 114–116, 131, 133, 134, 139, 143  
 $\text{Fe}(\text{II})$  hydrido carbonyl complexes 130  
 $\text{Fe}(\text{LN}_5)\text{Cl}_2]^+$  243–244  
 $[\text{Fe}(\text{MeCN})_6](\text{BF}_4)_2$  58  
*cis*- $[\text{Fe}(\text{MeCN})_2(\text{rac-P}_4)](\text{BF}_4)_2$  58  
 $[\text{Fe}_6\text{Mo}_2\text{S}_8(\text{SEt})_8]^{3-}$  246  
 $[\text{Fe}_4\text{N}(\text{CO})_{12}]^-$  246–248, 250, 251, 254  
 $[\text{Fe}_4\text{N}(\text{CO})_{12}]^{2-}$  252  
 $[\text{Fe}_4\text{N}(\text{CO})_{11}(\text{PPh}_3)]^-$  254  
 $\text{Fe}$ -phosphine catalyst 56  
 $\text{Fe}/\text{PP}_3$  catalysis 269  
ferromagnetic RuFe nanoparticles 182  
 $[\text{Fe}_4\text{S}_4(\text{SPh})_4]^{2-}$  246  
 $[\text{Fe}_4\text{S}_4(\text{SR})_4]^{2-}$  246  
 $\text{Fe}(\text{O})$  tetraphenylporphyrin denoted  
 $[\text{Fe}(\text{TPP})]$  242  
five-coordinate iron(II) formate carbonyl  
hydride species 67  
formamides 56, 67, 70, 80–81, 92, 97, 100–102, 105–109, 133, 135, 136, 256–257  
formate 98, 237  
anion-assisted deprotonation  
mechanism 131  
esters 92, 97  
salts 54  
formate-producing  $[\text{Co}(\text{P}^{\text{O}}\text{O}^{\text{Cy}}_2\text{N}^{\text{Bn}}_2)(\text{Cp})(\text{MeCN})]^{+2}$  250  
formato complex  $[\text{Cu}(\text{OCHO})(\text{triphos})]$  77  
formic acid ( $\text{HCOOH}$ ) 53–54, 56, 58, 60, 67, 85, 92, 123, 179, 185, 188, 197, 202, 259  
formic acid dehydrogenation  
aqueous solution systems 270–275  
organic solvent systems 260–270  
selective results of 261–262  
formic acid  
disproportionation 108–109, 141  
formic acid/formate 4, 13–49, 53–86, 118–133, 142, 179–202  
formylpiperidene 70  
fossil fuels 1, 6, 8–9, 89–90, 113, 179, 259  
fracking 89  
free energy 60, 70–71, 76–77, 80, 119–120, 124, 128, 130–132, 137, 139, 141, 179, 212, 227, 253  
free enthalpy of formation 53  
free gaseous  $\text{CO}_2$  101  
fuel/fuel-additive 91  
functionalized N,N-ligands 13  
**g**  
gas phase hydrogenation of  $\text{CO}_2$  179  
George Olah Renewable Methanol  
plant 3, 91  
Gibbs free energy changes 227  
global warming 1, 53, 149, 207

- GO-Cu/ZnO/ZrO<sub>2</sub> catalyst 223  
 grafted supports 150–157  
 graphene oxide (GO) 184, 220, 223, 225  
 gravimetric hydrogen density 259  
 greenhouse gas (GHG) emissions 53, 113, 259  
 group 8 metal complex 241–244  
 group 9 metal complexes 238–241  
 Group 8-11 transition metal blacks 180, 193
- h**
- H<sub>2</sub>-activated Cu-dG 201  
 half-sandwich heterogenized catalysts 166, 168  
 half-sandwich Ir complex 14, 26, 31, 40, 126, 163  
 HBARF 250  
 H-bridged bimetallic complex [(triphos)Cu(μ-H)Cu(triphos)]<sup>+</sup> 77  
 heavy hydrocarbons (HCs) 182–183  
 heptazine-based organic framework (HBF-2) 163, 165  
 heterogeneous catalysis 55, 91–92, 150, 275  
 heterogenized molecular catalysts for CO<sub>2</sub> hydrogenation  
 coordination polymers 157–161  
 porous organic polymers (POPs) 161, 164–165, 167, 171  
 on the surface of grafted supports 150–151  
 1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane 58, 61, 264  
 H-[Fe(H<sup>tBu</sup>dhbpy)] 244  
 H-[Fe<sub>4</sub>C(CO)<sub>12</sub>]<sup>2-</sup> 254  
 H-[Fe<sub>4</sub>N(CO)<sub>11</sub>(PPh<sub>3</sub>)]<sup>-</sup> 254  
 H-[Fe<sub>4</sub>N(CO)<sub>12</sub>] 247, 252, 253–255  
 HiFUEL-R120 catalyst 225  
 highly dispersed Co/SiO<sub>2</sub> catalyst 231  
 high-purity monoethylene glycol 3  
 high-quality polycarbonate 3  
 homogeneous catalysis  
 benefits of 92  
 different routes for 92  
 first homogeneous system 93  
 indirect CO<sub>2</sub> hydrogenation 94–97  
 homogeneous CO<sub>2</sub> hydrogenation 14, 54, 78, 81, 92, 94  
 homogeneous copper-catalyzed CO<sub>2</sub> hydrogenation 77  
 homogeneous [Cp\*Ir(DHPT)Cl]Cl 26  
 homogeneous Ir-PN complex 153  
 homogeneously catalytic hydrogenation of CO<sub>2</sub>  
 to formic acid/formate catalysts with non-noble metals 128–133  
 catalysts with precious metals 118–128  
 hydrogen activation 114–115  
 insertion of CO<sub>2</sub> 115–118  
 homogenous electrocatalytic CO<sub>2</sub> hydrogenation  
 electrocatalysis 255–257  
 hydride transfer mechanisms 247–249  
 kinetic factors in catalyst design 249–253  
 survey of catalysts 238–247  
 thermochemical considerations in catalyst design 253–255  
 hydricity 58, 77, 253–256  
 μ-hydrides 247–248, 253  
 hydride-[Fe(dophen)] intermediate 244  
 hydride transfer mechanisms 247–249  
 hydridocarbonyl complex 66, 79  
 hydrogen activation 77, 114–115, 120  
 hydrogenases 113–114  
 hydrogenation of CO<sub>2</sub> to methanol 89–110, 113, 133–142  
 hydrogen dissociative adsorption ability 225  
 hydrogenolysis 41, 66, 119, 221  
 hydrogen storage technology 259, 282



- 4-hydrohydropyran unit 245  
 hydrophilic BMI.OAc.IL 183  
 hydrophobic organic solvents 39  
 hydroxymethanolate 98, 137  
 4-hydroxy-*N*-methylpicolinamidate ligand 33  
 hydroxy-substituted ligands 26
- i**
- imidazole 13, 30, 31, 272  
 imidazoline 13, 30–32, 266, 272–273  
 imido complex 96–97  
 immobilized Ru molecular catalyst 157  
 impregnated Co(OAc)<sub>2</sub>·4H<sub>2</sub>O precursor 188  
 indirect CO<sub>2</sub> hydrogenation 94–97  
 industrial Cu/ZnO/Al<sub>2</sub>O<sub>3</sub> catalyst 219, 223–226, 232  
 infrared spectroelectrochemical (IR-SEC) study 239, 243, 254  
 inner sphere insertion 247–248  
 insertion of CO<sub>2</sub> 60, 64, 70, 115–119, 122, 161, 191, 200, 250  
 in situ generated bicarbonate (HCO<sub>3</sub><sup>-</sup>) 197  
 Institut Francais du Petrole (IFP) 230  
 Intergovernmental Panel on Climate Change (IPCC) 89  
 International Energy Agency (IEA) 1–2, 7–8  
 ionic liquids (ILs) 37–39, 153, 182–183  
 ionothermal trimerization 163, 166  
 Ir/AP-POP 170–171  
 Ir complexes  
 with *C,N*- and *C,C*-ligands 34–35  
*N,N*-ligands with NH group 30–32  
 with pincer ligands 35–37  
 tautomerizable *N,N*-ligands with amide group 33–34  
 tautomerizable *N,N*-ligands with OH and NH groups 32–33  
 tautomerizable *N,N*-ligands with OH groups 14–30
- Ir<sub>4</sub>(CO)<sub>12</sub> 93  
 [Ir(Cp\*)(bpy)Cl]<sup>+</sup> 239  
 [IrCp\*(bpy)Cl]Cl 163  
 [IrCp\*(bpy-CTF)Cl]Cl 163, 166, 168  
 [IrCp\*(HBF-2)Cl]Cl 163, 165  
 [IrCp\*(L)(X)]<sup>n+</sup> 241  
 [Ir<sub>2</sub>(dimen)<sub>4</sub>]<sup>2+</sup> 238–239  
 [IrH(cod){(MeIm)<sub>2</sub>CHCOO}]<sup>+</sup> 35  
 [Ir(H)<sub>3</sub>P<sup>iPr</sup>N<sup>Py</sup>P<sup>iPr</sup>] 119  
 [Ir(PN<sup>H</sup>P)H<sub>3</sub>] 240, 250, 252  
 [Ir(PN<sup>H</sup>P)(d<sub>3</sub>-MeCN)H<sub>2</sub>]<sup>+</sup> 250  
 [Ir(PN<sup>H</sup>P)(MeCN)H<sub>2</sub>]<sup>+</sup> 250  
 [Ir(POCOP)H<sub>2</sub>(MeCN)]<sup>+</sup> 240  
 iridium 95, 108, 119, 123–124, 128, 141, 159, 239, 240, 250, 266, 273, 275, 279–282  
 iridium based complex 108  
 iridium(III) trihydride complex 115, 119  
 iridium(III) trihydride PNP-pincer complex 64  
 Ir<sup>I</sup>-PC<sup>II</sup>P complexes 36  
 Ir nanoparticles 155–156, 168  
 Ir-NHC-CTF 164, 166  
 iron 281  
 and iron/molybdenum clusters 246–247  
 catalysts 270  
 iron-catalyzed CO<sub>2</sub> hydrogenation non-pincer type iron complexes 56–63  
 pincer-type iron complexes 63–69  
 iron pincer catalyst 280  
 iron scorpionate complex 108  
 iron-sulfur cluster 246  
 Ir-PNP complexes 36  
 Ir(III)-PNP complexes 37  
 Ir-PN-PEI catalyst 156  
 Ir-PN-PEI@TNT(Na<sup>+</sup>) 155–156  
 Ir-PN/SBA-15 153–155  
 Ir@sphere 166  
 [Ir{(Cp\*)(OH<sub>2</sub>)<sub>2</sub>}(THBPM)]<sup>4+</sup> 123  
 Ir-trihydride intermediate 37



- 2,2-isopropylidenebis(2-oxazoline) 77  
 2,2'-isopropylidenebis[(4R)-4-benzyl-2-oxazoline] 77
- k**
- K-CoMoS<sub>2</sub> catalyst 232  
 K-Cu/ZnO 230  
 K/Cu/ZnO/Fe<sub>2</sub>O<sub>3</sub> catalyst 230  
 K-Cu/ZnO/ZrO<sub>2</sub> 230  
 $\kappa^2$ -formato complex 85  
 kinetic factors in catalyst design 239, 249, 250  
 kinetic isotope effects (KIE) 71, 72, 248, 250  
 Knölker's iron cyclopentadienone (IC) complex 137
- l**
- Lewis acid (LA) co-catalysts 67, 79  
 life-cycle assessment (LCA) 3, 10, 85  
 light olefins 5  
 liquid organic hydrogen-rich molecules (LOHCs) 4, 54  
 low-carbon electricity generation 8  
 low-cost ethylene carbonate 95  
 lutidine-derived bis-NHC CNC-pincer-ligand-tethered silica-based Ru molecular catalyst 158  
 lutidine-derived bis-NHC CNC-pincer-ligand-tethered silica-based support 157  
 lutidine-derived pincer ligand 157
- m**
- manganese-catalyzed CO<sub>2</sub> hydrogenation 78–81  
 Matrimid® polyimide 166  
 [M(bpy)<sub>2</sub>X<sub>2</sub>]<sup>+</sup> 238  
 mbpyOH-[Ir<sup>III</sup>]-UiO 159, 160  
 mbpyOH-UiO 159  
 mbpy-UiO 159  
 [M(Cp\*)(bpy)Cl]<sup>+</sup> 238  
 [MCl<sub>3</sub>(NO)(PNP)] complexes 83
- MCM-41-supported catalyst 151  
 MeCN/H<sub>2</sub>O 238, 240, 242, 252–253, 255–256  
 MeOH dehydrogenation 277–278, 280–281  
 metal carbonyl clusters 93, 246, 254  
 metal catalyzed CO<sub>2</sub> hydrogenation to formic acid/formate 118  
 metallic Ru nanoparticles 181  
 metal-ligand cooperations (MLCs) 41–42, 64–65, 81–83, 113, 126, 133, 137, 139, 141, 249  
 metal nanoparticles  
   based catalysts 179–180  
   stabilised by ionic liquids 182–183  
   stabilized by reverse micelles 183–184  
   supported on Al<sub>2</sub>O<sub>3</sub> 189–191  
   supported on carbon-based materials 184–185  
   supported on nitrogen-doped carbon 185–189  
   supported on surface functionalized materials 194–198  
   supported on titanium dioxide (TiO<sub>2</sub>) 191–194  
   without stabilizers 181–182  
 metal-sulfur clusters 246  
 meta-trisulfonated-tris[2-(diphenylphosphino)ethyl]phosphine sodium salt (PP<sub>3</sub>TS) 268  
 methanation 5–6, 93, 232  
 methanesulfonic acid (MSA) 97–98  
 methanol 4–5  
   carbon recycling and 89–91  
   economy 5, 90  
 methanol-to-gasoline (MTG) process 5  
 2-MeTHF/H<sub>2</sub>O biphasic system 45  
 methoxy 98, 221, 223  
 methyl carbamates 94  
 methyl formates 4, 55, 70, 94, 97, 223, 280

- methyl isobutyl carbinol (MIBC) 39  
 2-methyltetrahydrofuran (2-MTHF) 44, 98  
 $\text{Mg}_{10}\text{Al}_2(\text{OH})_{24}(\text{CO}_3)\cdot\text{mH}_2\text{O}$  156  
*cis,trans*-[MH(NO)(CO)(PNP)] 83  
 MIL-101(Cr)-DPPB 159, 161  
 MIL-101(Cr)-NH<sub>2</sub> 159  
 MIL-101(Cr)-Sal 159  
 MLx(bpy-CTF)X]X 164  
 [Mn(PNP\*-*i*Pr)( $\eta^2\text{-H}_2$ )(CO)<sub>2</sub>] 80  
 Mn(I)-bipy type complexes 80  
 Mn-bound O-coordinated formate 80  
 Mn(I)-bromodicarbonyl complexes 81  
 [MnH(PNP<sup>H</sup>-*i*Pr)(CO)<sub>2</sub>] 79  
 [MnH(PNP<sup>Me</sup>-*i*Pr)(CO)<sub>2</sub>] 79  
 [MnH(<sup>R</sup>PNP)(CO)<sub>2</sub>] complex 81  
 Mn(I) hydridocarbonyl complexes 78–79  
 Mn(I)-PNP pincer catalyzed sequential one-pot homogeneous CO<sub>2</sub> hydrogenation 81  
*trans*-[M(NO)(CO)(PNP)(OCO)] 83  
 Mn-Zn-Fe-Cu-K and oxide catalysts 230  
 Mo(CO)<sub>6</sub> 93  
*cis,trans*-[M(NO)(CO)(OCHO)(PNP)] 83  
 modified Fischer-Tropsch catalysts 227, 230–231  
 modified-methanol synthesis catalysts 227–230  
 modified molybdenum-based catalysts 232  
 [MoH<sub>4</sub>(PPh<sub>3</sub>)(1-triphos)] 82  
 MoH(OCHO)(1-triphos) 82–83  
 [MoH( $\kappa^4\text{-PN}^{\text{Me}}\text{P}$ )(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>] 84  
 molecular iridium complexes 159  
 molybdenum tetrahydride species 82  
 monoamine ([mammim][TfO])- and diamine ([DAMI][TfO])-functionalized ILs 153  
 monoanionic nickel bis-dithiolene complexes 245  
 morpholine mediated CO<sub>2</sub> to methanol through formamide 101  
 [Mo( $\kappa^4\text{-PN}^{\text{Me}}\text{P}$ )(C<sub>2</sub>H<sub>4</sub>)( $\kappa^2\text{-OCHO}$ )] 84  
 Mo( $\kappa^3\text{-PN}^{\text{Me}}\text{P}$ )Cl<sub>3</sub> 84  
 multidentate ligands 75, 260–261  
 multiple metal–metal bonds 250–253  
 mutated [Fe]-hydrogenase 115
- n**
- nano-Ni catalyst 181  
 nanoporous N-doped carbon 188  
 nanostructured heterogeneous catalysts for CO<sub>2</sub> hydrogenation  
   embedded single-atom catalysts 198–202  
   supported metal nanoparticle catalysts 184–198  
   unsupported bulk metal catalysts 180–181  
   unsupported metal nanoparticle catalysts 181–184  
 natural bond orbital charge analyses 186  
*N*-heterocycles 244  
*N*-heterocyclic-carbene-functionalized CTF (NHC-CTF) 166  
*N*-heterocyclic carbene (NHC) ligands 13  
*N*-heterocyclic carbene moiety 161  
 [Ni<sub>2</sub>(biscyclam)]<sup>4+</sup> 244, 245  
 [Ni(2H-qpdtx)<sub>2</sub>] 246  
 [Ni(cyclam)]<sup>2+</sup> 244–245  
 (cyclam)Ni(II) 244  
 [Ni(OH)(<sup>t</sup>BuPCP)] 74  
 nickel-catalyzed CO<sub>2</sub> hydrogenation 73–77  
 nickel complexes 244–246  
 [NiCl<sub>2</sub>(dcpe)] 73  
 [NiCl<sub>2</sub>(dppe)] 73  
 [NiFe]-hydrogenase 114, 133, 136  
 [NiH(RPCP)] 74  
 Ni(II) hydride complex [Ni(L<sub>2</sub>)](BF<sub>4</sub>)<sub>2</sub> 74

- [Ni(<sup>t</sup>BuPCP){OC(O)OH}] 74  
 nitrogen-doped carbon 185–189  
 nitrogen-rich graphitic carbon stabilized  
   cobalt nanoparticles 188  
*N*-methylpyrrolidone (NMP)  
   solution 93  
*N,N*-bidentate picolinamide  
   derivative 241  
*N,N*-chelated ligands 13, 122  
*N,N*-chelated Ru complex *cis*-[Ru(6,6'-  
   Cl<sub>2</sub>bpy)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>](CF<sub>3</sub>SO<sub>3</sub>)<sub>2</sub> 40  
*n,n'*-dihydroxy-2,2'-bipyridine  
   (nDHBP) 26  
*N,N'*-dimethyl-3,4-ethylenediamino,  
   bis(dipheyl)  
   cyclopentadienone 63  
*N,N*-dimethyl piperazinium  
   linkage 240  
*N,N*-ligands with NH group 30–32  
*N*<sup>5</sup>,*N*<sup>10</sup>-methenyl-  
   tetrahydromethanopterin 115  
 (*N*-*N'*)RuCl(PMe<sub>3</sub>)<sub>3</sub> 38, 122  
 noble-metal-derived catalysts 149  
 non-dissociated CO 230  
 non-dissociating catalyst 231  
 non-innocent pincer ligands 13  
 non-noble metal-based homogeneous  
   catalyst system 268  
 non-noble metals 128–133  
 non-pincer type iron complexes 56–63  
 non-pincer type Ni complexes 74  
 non-precious metal-based catalysts 279  
 non-renewable sources 89  
 normal insertion mirrors 248  
 NP<sub>3</sub> (tris(2-(diphenylphosphino)ethyl)  
   amine) 75
- o**  
*tris*(4-octylphenyl)phosphine 46  
*o*-(diphenylphosphino)  
   benzaldehyde 153, 155  
 OH-substituted pyridinyl imidazoline  
   analogs 32
- organic and metal–organic  
   nanocapsules 183  
 organic solvent systems  
   Fe 268–270  
   iridium 266–267  
   ruthenium 260–266  
 organophosphines 54  
 [Os(bpy)(CO)H]<sup>+</sup> 242  
 outer sphere insertion 248, 250  
 oxazolidinone/formamides 100  
 oxazolidinones 97, 100  
 oxyanionic ligands 168
- p**  
 P123 157  
 PdAg alloy nanoparticles 193, 194  
 Pd-containing interfacially cross-linked  
   reverse micelles 183  
 PdCu/CeO<sub>2</sub> catalyst 225  
 Pd/mpg-C<sub>3</sub>N<sub>4</sub> 188  
 Pd nanoparticles 183–186, 188, 189,  
   225, 231  
 PdNi alloy nanoparticles 185  
 Pd/peptide composite 225  
 Pd sponge catalyst 180  
 Pd-supported mesoporous g-C<sub>3</sub>N<sub>4</sub>  
   (mpg-C<sub>3</sub>N<sub>4</sub>) 186  
 Pd@ zeolitic imidazolate framework  
   (ZIF-8) precursor 225  
 PEI-based Ir catalysts 162  
 PEI-PN/Ir 154, 155  
 pentaethylenhexamine  
   (PEHA) 69, 102  
 1,10-phenanthroline 14, 77  
 phenanthroline-functionalized porous  
   organic polymer (phen-POP) 172  
 Phen-POP-Ir 172  
 phenylamine-functionalized mesoporous  
   carbon 197  
 phenylamine-grafted PdAg/  
   SBA-15-Amine-5 197  
 6,6'-(phenyl)-2,2'-terpyridine (TPy) 268  
 phosgene-free technology 3

- phosphorous ligands 13, 38–40  
 picolinamide 33, 34, 241  
 pincer ligands 13, 35–37, 41–45, 65, 82,  
 119, 122, 130, 157, 267,  
 270, 278–280  
 pincer ruthenium complex 265  
 pincer-type iron complexes 63–69  
 pincer-type Ni complexes 74  
 pincer-type PNP ligands 54  
 platinum group metals (PGMs) 54, 192  
 P–N-coordinated Ir catalyst 153  
 [(P<sub>2</sub>N<sub>2</sub>)<sub>2</sub>Ni]<sup>2+</sup> catalysts 249  
 PNP–Ir(III) trihydride complex 119  
 polyamine pentaethylenhexamine  
 (PEHA) 102  
 polyethylenimine (PEI) 104, 106, 107,  
 154, 198  
 poly(acrylic acid) (PAA)-grafted  
 polyethylene (PE)  
 membranes 198  
 polymeric structured graphitic carbon  
 nitride (g-C<sub>3</sub>N<sub>4</sub>) 186  
 polystyrene (PS) support 151  
 porous, mechanically rigid CTF-based  
 spheres 166  
 porous organic frameworks (POFs) 163  
 porous organic polymers (POPs) 161,  
 164–165, 167, 171  
 porous phosphine polymers 169  
 precious metals 118  
 primary H/D kinetic isotope effect  
 (KIE) 248  
 12 principles of green chemistry 223  
 pristine SBA-15 195  
 2-propionate 83  
 proton coupled electron transfer  
 (PCET) 244  
 proton-responsive half-sandwich  
 Cp\*Ir(III) complexes 125  
 proton-switchable iridium  
 catalyst 123, 124  
 proton transfer (PT) 115, 124, 202,  
 240, 251  
 pseudo trigonal bipyramidal  
 amido-complexes 83  
*p*-tolyl group 99  
 pyridine-based PNP pincer ligand 82  
 pyridine-based PNP pincer motif 66  
 pyridinol 13, 26, 27, 139  
 pyridin-2-ol 35  
 2-pyridinol's oxygen 115  
 pyridinylazolato Ru(II) complexes 122
- q**
- quasihomogeneous systems 181  
 quaternary ammonium-based  
 surfactants 183
- r**
- random PdAg alloy nanoparticles (PdAg/  
 TiO<sub>2</sub>) 193  
 Raney Ni catalyst 180  
*cis*-[Re(<sup>t</sup>BuPNP)(CO)<sub>2</sub>(OCHO)] 83  
*cis*-[Re(<sup>t</sup>BuPNP\*)(CO)<sub>2</sub>] 82  
*cis*-[Re(<sup>t</sup>BuPNP–COO)(CO)<sub>2</sub>] 82  
 reduced graphene oxide (r-GO) 184  
*cis*-[ReH(<sup>t</sup>BuPNP)(CO)<sub>2</sub>] 82  
 renewable feedstocks 53  
 renewable hydrogen (H<sub>2</sub>) 211, 259  
 renewable sources 8, 89, 90  
 reverse micelles 183–184  
 reverse water-gas shift reaction  
 (RWGS) 3, 71, 183  
 Rh<sub>4</sub>(CO)<sub>12</sub> 93  
 Rh-based catalysts 231  
 [Rh(diphos)<sub>2</sub>Cl] 238, 241  
 Rh(diphosphine)<sub>2</sub> complex 47  
 Rh complexes 46  
 rhenium complex [ReBr(H)(NO)  
 (PR<sub>3</sub>)<sub>2</sub>] 82  
 rhodium-hydrotalcite (Rh/HT) 200  
 RPNMeP-based catalysts 68  
 Ru<sub>3</sub>(CO)<sub>12</sub> 93  
 [Ru(bpy)<sub>2</sub>(CO)<sub>2</sub>]<sup>2+</sup> 241–242  
 [Ru(cod)(methallyl)<sub>2</sub>] 39  
 Ru(IV)(OHLDH)<sub>3</sub>(OH)(H<sub>2</sub>O)<sub>2</sub> 156

- [Ru(Me-allyl)<sub>2</sub>(COD)] 182  
 Ru/Al(OH)<sub>3</sub> 199  
 Ru/Al<sub>2</sub>O<sub>3</sub> 199  
 Ru- and Ir-based catalysts 150  
 RuCl<sub>2</sub>(benzene)<sub>2</sub> 56  
 [RuCl<sub>2</sub>(C<sub>6</sub>H<sub>6</sub>)<sub>2</sub>] 260  
 RuCl<sub>2</sub>(PMe<sub>3</sub>)<sub>4</sub> 38  
 RuCl<sub>2</sub>(PPh<sub>3</sub>)<sub>3</sub> 260  
 [RuCl<sub>2</sub>(PTA)]<sub>2</sub> 39  
 [RuCl<sub>2</sub>(tppms)<sub>2</sub>]<sub>2</sub> 39  
 RuCl<sub>3</sub> 161  
 [RuCl<sub>3</sub>(NO)(PPh<sub>3</sub>)<sub>2</sub>] 39  
 [Ru(C<sub>6</sub>Me<sub>6</sub>)Cl<sub>2</sub>]<sub>2</sub> 161  
 [RuCl(H)(tBuPNHP)(CO)] 69  
*cis*-RuH<sub>2</sub>(PH<sub>3</sub>)<sub>4</sub> 118  
*cis*-Ru(H)<sub>2</sub>(PMe<sub>3</sub>)<sub>3</sub> 118  
 [Ru(Mesbpy)(CO)<sub>2</sub>Cl<sub>2</sub>] 243  
 (*N*-*N'*)RuCl(PMe<sub>3</sub>)<sub>3</sub> 122  
 RuCl(OAc)(PMe<sub>3</sub>)<sub>4</sub> 38  
*cis*-[Ru(dppm)<sub>2</sub>Cl<sub>2</sub>] 39  
 RuCl<sub>3</sub>@MIL-101(Cr)-DPPB 159, 161  
 RuCl<sub>3</sub>@MIL-101(Cr)-R 162  
 Ru complexes  
   with *N,N*- and *N,O*-ligands 40–41  
   with phosphorous ligands 38–40  
   pincer ligands 41–45  
 [RuCp\*Cl<sub>2</sub>]<sub>2</sub> 161  
 Ru dihydride complexes 128  
 RuH<sub>2</sub>(PMe<sub>3</sub>)<sub>4</sub> 38  
 [RuH(PhPNHP)(CO)] 69  
 RuHCl(CO)(PPh<sub>3</sub>)<sub>3</sub> 157  
 [Ru(diphosphine)<sub>2</sub>H<sub>2</sub>] complexes 128  
 Ru/LDH 156  
 Ru-MACHO-BH 69  
 Ru-Macho-BH 101–103  
 Ru/MgO 199  
 Ru/Mg(OH)<sub>2</sub> 199  
 Ru nanoparticles 181  
 Ru<sub>3</sub>-NHC-MOF 162  
 Ru@pDPPE 169  
 Ru-PNN complex 41  
 Ru-PNP catalysts 105  
 Ru-PNP complex 45  
 Ru(II)-PN<sup>3</sup>P pincer complex 45  
 Ru-PNP pincer complexes 41  
 ruthenium 260, 264, 270, 278  
 ruthenium based pincer complexes 94  
 ruthenium catalyzed hydrogenation of  
   CO<sub>2</sub> to formic acid 118  
 ruthenium formate species 98  
 ruthenium hydride 98  
 ruthenium-hydroxalate (Ru/HT) 200  
 ruthenium PNP pincer  
   complexes 95–96
- S**  
 Sabatier process 5  
 salicylic aldehyde 159  
 σ-bond metathesis mechanism 118  
 Schiff-base modified Au  
   nanocatalyst 197–198  
 Schultz–Flory (SF) probability  
   law 230  
 secondary coordination sphere 240  
 silanes 92  
 silica-tethered iminophosphine (P-N)-  
   functionalized hybrid  
   material 153  
 [2,5-(SiMe<sub>3</sub>)<sub>2</sub>-3,4-CH<sub>3</sub>CHSCH<sub>2</sub>  
   (η<sup>5</sup>-C<sub>4</sub>COH)]Fe(CO)<sub>2</sub>H  
   (1<sub>Fe</sub>-Casey-S-CH<sub>3</sub>) 139  
 [2,5-(SiMe<sub>3</sub>)<sub>2</sub>-3,4-(CH<sub>2</sub>)<sub>4</sub>(η<sup>5</sup>-  
   C<sub>4</sub>COH)]Fe(CO)<sub>2</sub>H 137  
 six-coordinate Fe(III)-containing  
   [Fe(dophen)L<sub>2</sub>]<sup>+</sup> 243  
 slightly modified triphos ligands 99  
 small-sized PdZn alloy particles 225  
 sol-gel-derived silica-supported  
   RuCl<sub>2</sub>[P(CH<sub>3</sub>)<sub>3</sub>]<sub>4</sub> 150  
 solvent-assisted H–H bond splitting 80  
 solvent dependence of hydricity 255  
 Soxhlet-type reflux system 159  
 star polymers 183  
 strong metal-support interaction  
   (SMSI) 191  
 substituted triarylphosphines 271

- supported metal nanoparticle catalysts 184
- surface functionalized materials 194
- t**
- tautomerizable ligands 13
- tautomerizable *N,N*-ligands  
with amide group 33–34  
with NH group 30–32  
with OH and NH groups 32–33  
with OH groups 14–30
- TB-MOP-Ru 162, 163
- terephthalaldehyde (TPAL) 189
- terminal hydride insertion pathways 248
- terminal hydrides 247–248
- 2-tert-butyl-1,1,3,3-tetramethylguanidine (TMG) 72
- tertiary amine 179
- tertiary amine-based surfactants 183
- 1,4,8,11-tetraazacyclotetradecane 244
- tetradentate ligands 56, 264
- tetraethoxysilane 157
- 4,4',6,6'-tetrahydroxy-2,2'-bipyrimidine 29
- tetrakis[3,5-bis(trifluoromethyl)phenyl]borate 250
- 2,2,6,6-tetra-Me-4-OH piperidine 180
- N,N,N',N'*-tetramethylethylenediamine (TMEDA) 55
- 4,4',5,5'-tetramethyl-2,2'-biimidazole 30
- tetramethylguanidine (TMG) 44
- 1,1,3,3-tetramethylguanidine (TMG) 63
- 3,4,7,8-tetramethyl-1,10-phenanthroline 77
- 2,2,6,6-tetramethylpiperidine (TMP) 82
- tetraphos-ligated cobalt complex 115
- thermochemical considerations in catalyst design 253
- thiol-functionalized catalyst 151
- titanate nanotubes (TNTs) 155
- titanium dioxide (TiO<sub>2</sub>) 191
- trans*- and *cis*-[Fe(MeCN)<sub>2</sub>(*meso*-P<sub>4</sub>)](BF<sub>4</sub>)<sub>2</sub> 59
- trans*-[RuCl<sub>2</sub>{P(OMe)<sub>3</sub>}<sub>4</sub>] 38
- trans*-[(<sup>t</sup>Bu-PNP)Fe(H)<sub>2</sub>(CO)] 268
- 2,4,6-triaminopyridine (TAP) 189
- tribenzylphosphine (PBn<sub>3</sub>) 268
- triblock copolymer surfactant 157
- tricarbonyliron[η<sup>5</sup>-(1,3-bis(trimethylsilyl)-4,5,6,7-tetrahydro-2H-inden-2-one)] 60
- tridentate pincer framework 168
- 1,1,1-tri(diphenylphosphinomethyl)ethane (triphos) 70, 75, 77, 260
- triflimide (HNTf<sub>2</sub>) 97–98
- trihydrido iridium complex [Ir(PNHP)H<sub>3</sub>] 240, 250
- 2,8,9-triisobutyl-2,5,8,9-tetraaza-1-phosphabicyclo[3.3.3]undecane 47
- (3-aminopropyl)trimethoxysilane 197
- trioctylphosphine 46
- triphosphinoiron species 57
- tripodal ligand-based, phosphine-free Ni catalysts 74
- Troger's base (TB-MOP) 162
- tunable, multifunctional PEI-based Ir materials 154
- turnover frequencies (TOF) 29, 54, 94, 109, 119, 153, 180, 260
- turnover numbers (TON) 26, 54, 94, 109, 119, 182, 219, 240, 260
- u**
- unsupported bulk metal catalysts 180–181
- unsupported metal nanoparticle catalysts 181–184
- unsupported nanoporous nickel (NiNPore) material 181
- ureas 92, 189
- v**
- Verkade's base 47, 48, 71, 75, 76, 133
- Vulcanol 91

**W**

- W(CO)<sub>6</sub> 93  
water-soluble chelating diphosphine 74  
water-soluble half-sandwich Cp\*Co(III)  
complexes 128  
water-soluble  $\eta^5$ -  
pentamethylcyclopentadienyl  
(Cp\*) complexes 70  
water-soluble Ir(III) complex 122, 124  
water-soluble iron catalyst 268  
water-soluble phosphine ligands 271
- water-soluble phosphine Ru  
complexes 39  
water-soluble rhodium and iridium  
complexes 128  
water-soluble Ru-TPPTS  
system 270  
wild-type [Fe]-hydrogenase 114–115

**X**

- X-ray absorption near edge spectra  
(XANES) 188





















