

## Contents

	<b>Preface</b>	<i>xi</i>
<b>1</b>	<b>Introduction</b>	<i>1</i>
	<i>Yuichiro Himeda and Matthias Beller</i>	
1.1	Direct Use of CO <sub>2</sub>	<i>1</i>
1.2	Chemicals from CO <sub>2</sub> as a Feedstock	<i>2</i>
1.3	Application and Market Studies of CO <sub>2</sub> Hydrogenation Products	<i>4</i>
1.3.1	Formic Acid/Formate	<i>4</i>
1.3.2	Methanol	<i>4</i>
1.3.3	Methanation	<i>5</i>
1.3.4	Energy Storage	<i>6</i>
1.4	Supply of Materials	<i>6</i>
1.4.1	CO <sub>2</sub> Supply	<i>6</i>
1.4.2	Energy and H <sub>2</sub> Supply	<i>8</i>
1.5	Political Aspect: Tax	<i>9</i>
1.6	Conclusion and Perspectives	<i>9</i>
	References	<i>10</i>
<b>2</b>	<b>Homogeneously Catalyzed CO<sub>2</sub> Hydrogenation to Formic Acid/Formate by Using Precious Metal Catalysts</b>	<i>13</i>
	<i>Wan-Hui Wang, Xiujuan Feng and Ming Bao</i>	
2.1	Introduction	<i>13</i>
2.2	Ir Complexes	<i>14</i>
2.2.1	Ir Complexes with <i>N,N</i> -ligands	<i>14</i>
2.2.1.1	Tautomerizable <i>N,N</i> -ligands with OH Groups	<i>14</i>
2.2.1.2	<i>N,N</i> -ligands with NH Group	<i>30</i>
2.2.1.3	Tautomerizable <i>N,N</i> -ligands with OH and NH Groups	<i>32</i>
2.2.1.4	Tautomerizable <i>N,N</i> -ligands with Amide Group	<i>33</i>
2.2.2	Ir Complexes with <i>C,N</i> - and <i>C,C</i> -ligands	<i>34</i>
2.2.3	Ir Complexes with Pincer Ligands	<i>35</i>
2.3	Ru Complexes	<i>37</i>
2.3.1	Ru Complexes with Phosphorous Ligands	<i>38</i>

2.3.2	Ru Complexes with <i>N,N</i> - and <i>N,O</i> -ligands	40
2.3.3	Ru Complexes with Pincer Ligands	41
2.4	Rh Complexes	46
2.5	Summary and Conclusions	49
	References	49
<b>3</b>	<b>Homogeneously Catalyzed CO<sub>2</sub> Hydrogenation to Formic Acid/Formate with Non-precious Metal Catalysts</b>	<b>53</b>
	<i>Luca Gonsalvi, Antonella Guerriero and Sylwia Kostera</i>	
3.1	Introduction	53
3.2	Iron-Catalyzed CO <sub>2</sub> Hydrogenation	55
3.2.1	Non-pincer-Type Iron Complexes	56
3.2.2	Pincer-Type Iron Complexes	63
3.3	Cobalt-Catalyzed CO <sub>2</sub> Hydrogenation	69
3.4	Nickel-Catalyzed CO <sub>2</sub> Hydrogenation	73
3.5	Copper-Catalyzed CO <sub>2</sub> Hydrogenation	77
3.6	Manganese-Catalyzed CO <sub>2</sub> Hydrogenation	78
3.7	Other Non-precious Metals for CO <sub>2</sub> Functionalization	81
3.8	Conclusions and Perspectives	85
	References	86
<b>4</b>	<b>Catalytic Homogeneous Hydrogenation of CO<sub>2</sub> to Methanol</b>	<b>89</b>
	<i>Sayan Kar, Alain Goepfert and G. K. Surya Prakash</i>	
4.1	Carbon Recycling and Methanol in the Early Twenty-First Century	89
4.2	Heterogeneous Catalysis for CO <sub>2</sub> to Methanol	91
4.3	Homogeneous Catalysis – An Alternative for CO <sub>2</sub> to Methanol	92
4.3.1	Benefits of Homogeneous Catalysis	92
4.3.2	CO <sub>2</sub> Hydrogenation to Methanol Through Different Routes	92
4.3.3	The First Homogeneous System for CO <sub>2</sub> Reduction to Methanol	93
4.3.4	Indirect CO <sub>2</sub> Hydrogenation	94
4.3.5	Direct CO <sub>2</sub> Hydrogenation	97
4.3.5.1	Through Formate Esters	97
4.3.5.2	Through Oxazolidinone or Formamides	100
4.3.6	CO <sub>2</sub> to Methanol via Formic Acid Disproportionation	108
4.4	Conclusion	109
	References	110
<b>5</b>	<b>Theoretical Studies of Homogeneously Catalytic Hydrogenation of Carbon Dioxide and Bioinspired Computational Design of Base-Metal Catalysts</b>	<b>113</b>
	<i>Xiuli Yan and Xinzheng Yang</i>	
5.1	Introduction	113
5.2	H <sub>2</sub> Activation and CO <sub>2</sub> Insertion Mechanisms	114
5.2.1	Hydrogen Activation	114
5.2.2	Insertion of CO <sub>2</sub>	115

5.3	Hydrogenation of CO <sub>2</sub> to Formic Acid/Formate	118
5.3.1	Catalysts with Precious Metals	118
5.3.2	Catalysts with Non-noble Metals	128
5.4	Hydrogenation of CO <sub>2</sub> to Methanol	133
5.5	Summary and Conclusions	142
	References	145
<b>6</b>	<b>Heterogenized Catalyst for the Hydrogenation of CO<sub>2</sub> to Formic Acid or Its Derivatives</b>	<b>149</b>
	<i>Kwangho Park, Gunniya Hariyanandam Gunasekar and Sungho Yoon</i>	
6.1	Introduction	149
6.2	Molecular Catalysts Heterogenized on the Surface of Grafted Supports	150
6.3	Molecular Catalysts Heterogenized on Coordination Polymers	157
6.4	Molecular Catalysts Heterogenized on Porous Organic Polymers	161
6.5	Concluding Remarks and Future Directions	172
	References	173
<b>7</b>	<b>Design and Architecture of Nanostructured Heterogeneous Catalysts for CO<sub>2</sub> Hydrogenation to Formic Acid/Formate</b>	<b>179</b>
	<i>Kohsuke Mori and Hiromi Yamashita</i>	
7.1	Introduction	179
7.2	Unsupported Bulk Metal Catalysts	180
7.3	Unsupported Metal Nanoparticle Catalysts	181
7.3.1	Metal Nanoparticles Without Stabilizers	181
7.3.2	Metal Nanoparticles Stabilized by Ionic Liquids	182
7.3.3	Metal Nanoparticles Stabilized by Reverse Micelles	183
7.4	Supported Metal Nanoparticle Catalysts	184
7.4.1	Metal Nanoparticles Supported on Carbon-Based Materials	184
7.4.2	Metal Nanoparticles Supported on Nitrogen-Doped Carbon	185
7.4.3	Metal Nanoparticles Supported on Al <sub>2</sub> O <sub>3</sub>	189
7.4.4	Metal Nanoparticles Supported on TiO <sub>2</sub>	191
7.4.5	Metal Nanoparticles Supported on Surface-Functionalized Materials	194
7.5	Embedded Single-Atom Catalysts	198
7.6	Summary and Conclusions	202
	References	203
<b>8</b>	<b>Heterogeneously Catalyzed CO<sub>2</sub> Hydrogenation to Alcohols</b>	<b>207</b>
	<i>Nat Phongprueksathat and Atsushi Urakawa</i>	
8.1	Introduction	207
8.2	CO <sub>2</sub> Hydrogenation to Methanol – Past to Present	207
8.2.1	Syngas to Methanol	207
8.2.2	CO <sub>2</sub> to Methanol	208
8.2.3	Thermodynamic Consideration – Chemical and Phase Equilibria	212
8.2.4	Catalyst Developments	215
8.2.5	Active Sites and Reaction Mechanisms: The Case of Cu/ZnO Catalysts	217

- 8.2.6 Beyond Industrial Cu/ZnO/Al<sub>2</sub>O<sub>3</sub> Catalysts 223
- 8.3 CO<sub>2</sub> Hydrogenation to Ethanol and Higher Alcohols – Past to Present 226
  - 8.3.1 Background 226
  - 8.3.2 Catalysts, Active Sites, and Reaction Mechanisms 227
    - 8.3.2.1 Modified-Methanol Synthesis Catalyst 227
    - 8.3.2.2 Modified Fischer–Tropsch Catalysts 230
    - 8.3.2.3 Rhodium-Based Catalysts 231
    - 8.3.2.4 Modified Molybdenum-Based Catalysts 232
  - 8.4 Summary 232
  - References 233

## 9 Homogeneous Electrocatalytic CO<sub>2</sub> Hydrogenation 237

*Cody R. Carr and Louise A. Berben*

- 9.1 CO<sub>2</sub> Reduction to C–H Bond-Containing Compounds: Formate or Formic Acid 237
  - 9.1.1 Survey of Catalysts 238
    - 9.1.1.1 Group 9 Metal Complexes 238
    - 9.1.1.2 Group 8 Metal Complexes 241
    - 9.1.1.3 Nickel Complexes 244
    - 9.1.1.4 Iron and Iron/Molybdenum Clusters 246
  - 9.1.2 Hydride Transfer Mechanisms in CO<sub>2</sub> Reduction to Formate 247
    - 9.1.2.1 Terminal Hydrides 247
    - 9.1.2.2 Bridging Hydrides 248
  - 9.1.3 Kinetic Factors in Catalyst Design 249
    - 9.1.3.1 Roles of Metal–Ligand Cooperation 249
    - 9.1.3.2 Roles of Multiple Metal–Metal Bonds 250
  - 9.1.4 Thermochemical Considerations in Catalyst Design 253
    - 9.1.4.1 Selectivity for Formate over H<sub>2</sub> as a Function of Hydricity 254
    - 9.1.4.2 Solvent Dependence of Hydricity 255
- 9.2 Prospects in Electrocatalysis: CO<sub>2</sub> Reduction Beyond Formation of One C–H Bond 255
- References 257

## 10 Recent Advances in Homogeneous Catalysts for Hydrogen Production from Formic Acid and Methanol 259

*Naoya Onishi and Yuichiro Himeda*

- 10.1 Introduction 259
- 10.2 Formic Acid Dehydrogenation 260
  - 10.2.1 Organic Solvent Systems 260
    - 10.2.1.1 Ru 260
    - 10.2.1.2 Ir 266
    - 10.2.1.3 Fe 268

10.2.2	Aqueous Solution Systems	270
10.2.2.1	Ru	270
10.2.2.2	Ir	272
10.3	Aqueous-phase Methanol Dehydrogenation	275
10.3.1.1	Ir	279
10.3.1.2	Non-precious Metals	279
10.4	Conclusion	281
	References	282
	<b>Index</b>	285

