# Index


***a***

accessible intraparticle porosity 77
acrylate-based resin, pore size distributions of 128
adsorbed phase diffusion 184, 193, 218, 222
adsorption
  azeotropes 256–257
  definition 159
  equilibrium 69, 78, 89, 159–180, 219, 231, 237, 244, 251, 255, 256, 258–259, 265, 275, 289, 296, 304, 342, 371, 381–382
  isotherm 161–165, 167, 174, 177–179, 204, 206, 212, 216–219, 221, 233–234, 236, 241–243, 246, 254–255, 259, 278, 294, 301, 313, 320, 338, 366, 381
adsorptive membranes 119, 121, 133, 268, 358
adventitious agents 18, 44, 49, 51, 355, 358
affinity purification systems 111
agarose polymers 122–123
aggregates 6, 37, 40–41, 48, 51, 95–96, 169, 355, 358, 364
air sensors 156
AKTA Pure systems
  dynamic mixer used in 145
  pump head in 143
  tandem piston pumps 144
alcohol oxidase promoter (AOX) expression system 45
amino acids 3, 5
  naturally found 3, 4
  side chains 5
  structure 3
amino residues 107
ammonium sulfate 10, 32–33, 66, 99, 100, 163, 179, 333–337, 358
amphipathic α-helices 7, 11
ampholytes 345–346
anion exchangers 15, 28, 103–104, 106, 118, 172, 250–251, 261, 312, 340–341, 345–346, 349, 351
antibodies 1–2, 7, 11–12, 26–27, 29–30, 41–43, 46–47, 49, 52–53, 55, 56, 59–60, 66, 72, 74, 96, 100–101, 103, 109–114, 118, 124, 166–167, 173, 177–179, 183, 190, 195, 202, 214, 248–251, 336–340, 343, 345, 359–361, 370, 405–407
arginine 118
artificial chaperones 58
asymmetry factor 158, 270, 271, 273, 275
attenuated total reflectance Fourier transform infrared spectroscopy (ATR-FTIR) 180
  conformational changes of protein 3D-structure 9
axial diffusion 78–79, 82–83, 228, 286
axial dispersion 82, 201, 227–233, 237, 243, 250, 265, 276, 278, 283–285, 288, 290, 291, 303, 314, 338, 386, 388
axial dispersion effects 78–79
axially-dispersed plug flow model 227–228, 278


*Protein Chromatography: Process Development and Scale-Up,*
Second Edition. Giorgio Carta and Alois Jungbauer.
© 2020 Wiley-VCH Verlag GmbH & Co. KGaA. Published 2020 by Wiley-VCH Verlag GmbH & Co. KGaA.

## b

bacterial immunoglobulin-binding proteins 110, 113
band broadening factors 78, 265, 381, 386
batch adsorption
  advantage 202
  binding kinetics control 210
  in an infinite bath 211
  laboratory studies 203
  LDF rate equation 210–211
  of 1 mg/ml α-chymotrypsinogen on SP-Sepharose-FF 212
  rate equations 204
  with external mass transfer control 207
  with pore diffusion control 208–210
  with solid diffusion control 207–208
beads 54–55, 95, 119, 121–123, 126, 129–131, 157
BET isotherm 168
bi-Langmuir isotherm 166–167
bind-wash-elute sequence 312
biological products 1, 47–48, 54
biopharmaceutical manufacturing 42, 54, 273, 357, 359
  environmental impact 59–60
biopharmaceutical process development
  purity requirements 51–52
  quality by design (QbD) 50
  validation of 50–51
biopharmaceuticals 1
  downstream processes 355
  market share 1, 2
  product quality requirements 46
bioprocessing operations
  shear rates in 35
biosimilars 52–53
biospecific interaction chromatography (BIC) 66, 93, 94
  advantage 109
  fusion protein concept 110
  steps in 108
biospecific ligands classification 110
Biot number 210, 213
blood plasma fractionation 1
boundary layer mass transfer coefficient 185
bubble traps 78, 149, 156–157
buffers 18, 58, 60, 101, 115, 117–120, 140–141, 145–146, 250, 253, 255–256, 341–346, 349, 356, 372–374

## c

capacity utilization (CU) 73, 356, 365–369
capture downstream process 357
  adsorbed contaminants 361
  CIP step 364
  compressible media 368, 369
  continuous capture 370–375
  effluent profiles 362
  elution step 364
  feed load 361
  load steps 362–363
  productivity and capacity utilization 365–369
  re-equilibration step 365
  rigid particles 365, 366
  wash step 363–364
carboxyhemoglobin, solubility of 32
Carman–Kozeny equation 133, 197–198, 366, 369
cation exchangers 27–28, 72, 103–104, 106, 117, 129, 169, 171–173, 176–178, 191–192, 195, 221, 250–251, 259, 262, 312, 340–341, 346–347, 351
cell disruption 359
ceramic hydroxyapatite
  amino acids, peptides and proteins, retention of 117
  SEM and TEM of 116
ceramic hydroxyapatite (CHT) 115–117
chaotropic salts 34, 359
chemical stability, of proteins 33
chromatofocusing 345, 349
chromatographic capture 71, 367
chromatographic columns 53
  efficiency 81–84
  flow non-uniformity 78, 79

fluid flow 77
laminar flow conditions 77
length requirements 86
packed 77
scaling 88–90
separation performance 78, 79
velocities in 139
chromatographic methods 68, 161
chromatographic process
capture 357
volume reduction 357
chromatographic resolution 84
adsorption equilibrium 382
band-broadening effects 381
feed volume 376
isocratic elution 378
linear isotherm and isocratic elution 379–382
pulse injections 376
chromatographic separation 1, 14, 50, 64, 73–74, 78–79, 84, 89, 204, 270, 339, 350, 358
chromatographic systems 140
specially designed workstations 139
superficial mobile phase velocities and column lengths 140
chromatographic velocity 232, 337, 344
chromatography 63, 67
defined 63
displacement 71–72
elution 69–70
frontal analysis 70–71
modern liquid chromatography, branches of 66, 67
performance factors 76–80
scaling relationships 87–90
chromatography columns
axially-dispersed plug flow model 227
displacement chromatography 255–263
disposable 150, 151
local equilibrium theory
chromatographic velocity 232
coupling of flow and adsorption equilibrium 231
frontal loading of column 234–236, 241–243
isocratic elution, preparative injection 239–241
linear isocratic elution 233–234
mobile and stationary phases 231
protein breakthrough curves 243
saturated elution of column, Langmuir isotherm 236–239
modes of operation, entrance conditions
dimensionless equations 230–231
displacement chromatography 229
elution chromatography 229
frontal analysis 229
radial flow 153–155
multicomponent systems
breakthrough profiles 248–250
characteristic velocities 247
characteristic velocity 245
coherent paths 245, 246, 248
column dynamic behavior 252
frontal analysis behavior, for binary mixture 246–248
$Na^+$ adsorption isotherms and outlet profiles 254
outlet concentration profiles 248
pH and sodium concentration profiles 256
pH transitions 250–252
protein ion exchange chromatography 250
quaternary ammonium ion (Q) functional groups 250
theory of coherence 244
chromatography media 94
base matrices 119, 121
buffers and mobile phases 117–118
categories 118, 121
electrostatic interaction 103–106
hydrophobic interaction 96–103
mixed mode interaction 113–117
particle size and particle size distribution 131

chromatography media (*contd.*)
porosity, pore size and surface area 125
steric interaction 94–96
clean-in-place (CIP) protocols 122–123, 125, 361–362, 364–365, 372
coherence, theory of 244
colloidal models 174
column chromatography 64, 65, 67, 139, 140
column efficiency 265–275
plate model 275–278
competitive adsorption systems 303–308
extracolumn contributions 268
flow and thermodynamics 266
HETP 265–267, 272–275
linear isotherm 266
rate models
with linear isotherms 278–287
with non-linear isotherms 287–303
combined mass transfer resistances, analytical solutions for 211
commercial simulators 338
competitive adsorption systems 178, 219, 287, 303–308
compression factor 157, 318, 321, 329, 332–333
conductivity monitors 147, 149, 267
confocal scanning laser microscopy (CLSM) 215, 217, 222
conformational stability, of a protein 33
constant-separation factor isotherm 166, 244
contaminants 2–40, 48, 49, 53, 101, 238, 248, 355, 357, 361–363, 365–366
continuous annular chromatography (CAC) 57, 64, 65
continuous bed structures 76
continuous stationary phases 119
controlled porous glass (CPG) 124, 125
cosmeceuticals 2
countercurrent adsorption process, for binary separations 75
critical impurities 48
critical operational parameters 50
critical velocity 134–135, 368
culture broth, components of 45
culture media 18, 44, 45
cysteine 5, 6, 108

## *d*

deamidation 13, 15, 16, 26, 355
Debye length 104, 160, 174, 191
Debye–Hückel theory 32, 98, 342
design space 50, 51
diaphragm dampeners 143
differential migration process 64
diffusional hindrance coefficient 188–190, 192, 195, 301
diffusivity
of non-globular proteins 39–40
of proteins 38
dispersion and rate process, on column performanceband broadening factors 265
empirical characterization, of column efficiency 270, 271
extracolumn contributions 268
flow and thermodynamics 266
HETP 265–267, 272–275
linear isotherm 266
symmetrical peaks 268
plate model 275–278
rate models
competitive adsorption systems 303–308
with linear isotherms 278–287
with non-linear isotherms 287–303
dispersion-repulsion forces 159
dispersive factors 69, 78–79, 81–83, 87, 243, 275, 289–290, 338
displacement chromatography 71
adsorption azeotropes 256
feed components 255
isotachic train 255, 257–262
transient profiles 262–263

disulfide bond formation 6
DNA 16, 17
  purity 22
  specific mass extinction coefficient 22
downstream processing 1, 355, 360
  chromatography in 53–59
  flow sheet for proteins purification 55
  post-translational modifications 12–16
  solubility 31–33
dynamic binding capacity (DBC) 86–89, 287–288, 291–296, 301–303, 361–369
dynamic light scattering (DLS) 24, 40

## e

*E. coli*, protein expression in 41
economic viability 355
effective pore diffusivities 188, 190–194, 212–213, 219, 222, 285–287, 296, 298, 300–302, 306, 320, 325, 363, 365–366, 373
electron microscopy methods 129
electrostatic forces 159–160
Elelyso (taliglucerasealfa) 42
elution chromatography 63, 67–71, 76, 84, 100, 229, 235, 279, 311–351, 391
endotoxin units (EU) 18, 46
endotoxin-free water 18
endotoxins 18
  chemical structure 18, 19
  coagulation test 20
  concentrations 20
  detection 18
engineered Protein A 110
environmental scanning microscopy (ESM) technique 129
equilibrium binding capacity (EBC) 87, 89, 287–288, 291, 293–296, 302–303, 363, 365–369
equilibrium factors 78, 81
exponentially modified Gaussian (EMG) function 271–274
expression systems, for recombinant proteins 40
  *E. coli* BL21 41
  mammalian expression system 42
  plants and plant cells 42
  transgenic mammals 42
external mass transfer coefficient 187
external mass transfer resistance 185, 325
extraction systems
  liquid–liquid 53
extraparticle porosities 76–77, 125, 127, 133, 228, 243, 365, 368–369

## f

favorable adsorption isotherm 234
film model 184
flow behavior index 36
flow consistency index 36
flow-through process 86
fluorescence spectroscopy
  of amino acids 11
free surface model 197–198
Freundlich isotherm 167
frontal analysis 68, 70–72, 74, 161, 206, 229, 244–246, 248–251, 275, 304, 307–308
fusion protein concept 110

## g

gas chromatography (GC) 83
Gaussian distribution 277
gel filtration chromatography 93
gel permeation chromatography 93
generalized van Deemter curves 81, 82
generalized van Deemter equation 83
Gibbsian dividing surface 159
globular proteins
  diffusivity of 39
globular proteins, size of 22
glycosylation 13–15
gradient elution chromatography 69, 70
  with pH Gradients 340–351
  “bind-wash-elute” sequence 312
  at high protein loads 337–340
  LGE relationships

gradient elution chromatography (*contd.*)
conditions, for minimize 331–332
experimental data 325–327
for RPC and HIC 332–337
HETP experiments 323–325
mobile phase modulator 320
protein retention factor 320
retention factor and mass action law parameters 322–323
salt concentration at elution, determination of 327–329
linear gradients 312
mobile phase composition 312, 313
mobile phase modulator 311
pH gradients 312
reversed phase chromatography (RPC) 311
with linear isotherms
axial dispersion and flow heterogeneities 314
characteristic velocities 314
equilibrium parameters 317
isocratic elution experiments 317
linear driving force (LDF) approximation 319
linear gradient elution 313
peak compression 314
protein characteristic velocity 317
retention factors 317
gradient mixers 145
gradient SMB 76

***h***

Hamaker constant 174
height equivalent to a theoretical plate (HETP) 81, 265–267, 272, 273
contributions 82
estimation 83–84
preparative/process protein chromatography 83
reduced 81, 83
α-helices 6–7, 11
hemoglobin 3, 11, 21, 243
Henry's law 69, 85, 241
high-pressure mixing 145, 146
His residues 107, 108
His-tags 108–109
histones 17
Hofmeister series 33, 99
homogeneous diffusion 193
host cells composition 43
human serum albumin 27
positive and negative charge distribution 29
human von Willebrand factor 2
hydrodynamic dispersion 78–79, 82–84, 214, 228, 286
hydrogen-deuterium exchange mass spectrometry (HDMS) 335
hydrophilic α-helices 7
hydrophilic interaction liquid chromatography (HILIC) 93
hydrophobic α-helices 7
hydrophobic chromatography 66, 96
hydrophobic interaction chromatography (HIC) 29, 58, 93, 94, 96, 311
ammonium sulfate 99
characteristics of 97
elution 101
isocratic elution 96, 98
labile proteins and virus purification 102
ligands used in 96, 97
limitations 100
polishing of antibodies 103
protein retention vs. ionic strength 100
protein retention vs. salt concentration 96, 98
retention behavior 98
vs. RPC 100, 101
hydrophobicity of proteins 28
hydroxyapatite 115, 117
column, pH transients in 117, 118
retention characteristics of biomolecules 116
hydroxyapatite crystal functional groups 116

***i***

ideal adsorbed solution theory (IAS) 338

iminodiacetic acid (IDA) 106–109
immobilized folding catalysts 58
immobilized metal affinity chromatography (IMAC) 58, 106, 108
  performance of 109
immunoglobulin-binding bacterial proteins 113
impingers 146
induced pH gradients 346–351
inorganic materials 123, 124
insulin 1, 2, 41
interstitial velocity 77, 81, 86, 139, 140, 231
intraparticle convection 77–78, 196–201, 287, 293
intraparticle Peclet number 199–201
intraparticle porosities 76, 77, 125–126, 188, 323, 332, 363, 366, 379
intrinsic viscosity
  defined 36
  of biologically important macromolecules 37, 38
inverse size exclusion chromatography (iSEC) 126–127, 129–130
ion exchange chromatography (IEC) 93, 94, 103, 311
  advantages 104
  ligands used 103
  separation power 104
  stoichiometric displacement model 104
ion exchange column 106, 251–255, 296, 358
ion-exchange chromatography (IEC) 66, 72, 93, 94, 103, 104, 113, 118, 162, 180, 311–312, 314, 320–333, 340–341, 358
iso-resolution Curve 320–332
isocractic elution 85
isocratic elution 69–70, 72–73, 76, 78–79, 85, 87, 96, 100, 140, 161, 231–235, 239–241, 283, 314, 317–319, 325, 336, 338, 377–382
isoelectric focusing (IEF) gel separation, of recombinant human erythropoietin 14
isoelectric point 14, 15, 26–28, 31, 104
isopropyl-β-D-thiogalactopyranoside (IPTG) 44
isotachic pattern 71
isotachic train 71

*j*

Jones–Dole B-coefficient 33

*k*

kinetic stability, of proteins 34
kinetics of protein binding 201
Kohlrausch law 147
kosmotropic salts 34, 94, 99, 163

*l*

laboratory scale chromatographic systems
  components 140, 141
  corrections for extracolumn effects 149, 150
  mixers 145–146
  monitors 146–149
  pump types 141–144
α-lactalbumin 12, 35, 57, 100
  CD-spectrum of 9
β-lactoglobulin, solubility of 31
Lambert–Beer law 21, 146
Langmuir isotherm 163, 164, 166–168, 174–179, 202, 207, 209–210, 234–240, 246–248, 258–261, 263, 288, 291, 303–304, 306, 338, 371–373, 381
Langmuir model 165, 167, 172, 176, 206, 298, 338
Langmuir parameters 165
Langmuir–Freundlich isotherm 167–168, 179, 241243
Laplace transform 284
limulus amoebocyte lysate (LAL) test 18
linear driving force (LDF) 278
  approximation 205, 319
  rate coefficient 205

linear gradient elution (LGE) 161, 313, 315, 317, 320–337
linear isotherms 85, 170, 172–174, 177, 206, 208, 211, 231–233, 235, 256, 269–270, 277, 278–287, 289, 312–320, 333, 339–340, 359, 363, 376–377, 379–382, 388–391
liquid–liquid extraction systems 53
low-pressure mixing 145
lyotropic series 33
lysozyme
  net charge of 26, 27
  positive and negative charge distribution 29
  surface hydrophobicity 30

*m*
machine learning methods 178
macropore diffusion 188
MagneVist 80
mammalian cell system 41–46, 49, 359
Mark–Houwink equation 37
mass spectrometry 25–26, 146, 180, 335
mass transfer effects 78, 82, 161, 262, 266, 386
mass transfer enhancement 200
matrix-assisted refolding 57–58
mechanical stability, of proteins 35
melting temperature 34
mercury intrusion 126–128
metal chelate affinity chromatography 106
metal chelate chromatography 93
metal interaction chromatography (MIC) 66, 93, 94, 106, 108
metal ion interaction 106–108
methanol 45, 96
microheterogeneity 355
micropore diffusion 193
mixed mode chromatography (MMC) 66, 93–94, 113, 115
mobile phase 12, 63, 93, 139, 161, 183, 227, 266, 311, 358
mobile phase modifier 69, 101, 107
mobile phase modulator 66, 68, 70, 311, 316, 320, 358, 361
modifier 66, 69, 96, 100–101, 107, 169, 332–333, 382
modulator 66, 68–70, 229, 279, 311–316, 318, 320, 332–333, 338, 358, 361
molal surface tension increments 98, 99
molecular diffusion coefficient 38
monoliths 77, 119, 121, 126, 129–131, 133, 140, 153, 155, 183, 201–202, 214, 268
moving bed system 65
multicolumn countercurrent solvent gradient purification process (MCSGP) 76
multicomponent adsorption kinetics 218, 223
multimodal chromatography (MMC) 66, 93, 94, 115
multimodal interaction 113, 115

*n*
natural carbohydrate polymers 121–122
nitrilotriacetic acid (NTA) 107–109
nitrogen adsorption 126–127
non-critical impurity 48
non-proteinaceous biomolecules 1
normal phase chromatography (NPC) 93
nucleic acids 21–22, 43–44, 359
  UV absorbance 21
nucleotides 16, 45
  in DNA 17

*o*
oxygen transport proteins 45

*p*
packed chromatographic columns 77
particle conservation equations 204, 206
particle size distribution (PSD) 131–132, 204, 206, 213, 299
PCC system 371, 373–375
peak compression 314, 317–318, 320–322, 325, 329, 332–333

PEGylated proteins 40
peptide bond formation 3
percolation processes 63
perfusion 42, 78, 140, 196, 198, 370
perfusion chromatography 140
periodic countercurrent process 73
periodic countercurrent strategy 371
peristaltic pumps 143, 156
pH 5, 66, 93, 141, 162, 212, 250, 272, 312, 359
pH monitors 141, 149
plasmid DNA 16, 17, 36
plasmids 1, 17, 22, 38, 40, 116, 130
plate model 275–278, 321, 326–327
plate number 81, 86–88, 266–267, 279, 321–322, 358
Poisson distribution 276
polishing, downstream process 358
polynucleotides 16–17
pore diffusion 81–82, 183–184, 188–193, 195, 199–200, 202, 208–217, 219, 222, 266–267, 269–270, 279, 283–285, 294, 297, 299–303, 307, 319, 363–364, 366, 371, 373
pore size
  for SP-Sepharose-FF 129
  of Protein A adsorbents 129, 130
porous glass 124
post-translational modifications, of proteins 12–15
pressurized continuous annular chromatography (P-CAC) 57
primary recovery 54
Process Analytical Technologies (PAT) 51
Process Mass Intensity (PMI) 59, 60
process robustness 355
process scale chromatography system
  flow diagram 155
  gas bubbles 156
  peristaltic pumps 156
rotary lobe pumps 156
process scale columns 151
  design 150
  large-scale 150
  packing 157, 158
process-related impurities 48
process-scale columns
  pre-packed 152
  pre-packed, disposable 153
  single use, pre-packed 152
product-related impurities 48, 357–359
proline 5
Protein A affinity chromatography 103, 117–118
Protein A media 110, 111, 114
  protein adsorption 195
  rate mechanisms 183–202
  in spherical adsorbent particles 205
  transport and kinetic resistances 184
protein adsorption equilibrium
  attractive/repulsive interactions 160
  charged and hydrophobic groups 159
  chromatographic methods 161
  diffusional resistances 160
  empirical correlation of data 178
  empirical/semi-empirical approaches 160
  frontal analysis experiments 161
  ionic strength 160
  multicomponent systems
    Langmuir isotherm 174
    native and deamidated antibody isoforms 178
  multiple binding sites/ligands 159
  protein conformational changes 180
  robotic operated equipment 160
  single component systems
    bi-Langmuir isotherm 166
    bi-Langmuir model 167
    colloidal models 174
    constant-separation factor isotherm 166
    deamidated isoform 173
    empirical isotherm models 167
    IEC, HIC, and BIC 162
    ion-exchange and hydrophobic adsorption 162
    isotherm data 171, 172

protein adsorption equilibrium (*contd.*)
Langmuir isotherm model 163, 167
low-loading behavior 172
mobile phase composition 164
pH values 163
protein concentration and free protein 161
protein retention and salt concentration 170
protein-counterion exchange 169
steric mass action model (SMA) 170
with Langmuir parameters 165
protein mass transfer data examples 194
protein refolding, reaction scheme for 56
proteins
attenuated total reflectance Fourier transform infrared spectroscopy 9
biochemical and biophysical properties 20–40
CD-spectroscopy 7, 9
charges 26–28
chemical stability 33–34
in cosmetics 1
description 2–3
diffusivity of 38–40
folding process 12
α-helices in 6
hydrophobicity of 28–31
ionization methods 25
isoelectric points 26, 28
loops in 7
mechanical stability of 34–35
oligonucleotides and polynucleotides 16–17
post-translational modifications of 12–16
primary structure 3–11
quaternary structure 3, 11–12
secondary structure 3
shape of 40
β-sheets in 6–8
size 22–26
solubility 31–33
specific absorbance of 22
tertiary structure 3, 11
UV absorbance 20–22
viscosity of 35–38
with quaternary structure 11
secondary structure 6
pulsation dampeners 143
pyrogens 18

***q***

quality by design (QbD) 50

***r***

radial flow chromatography columns 153–155
rate factors 78, 231
recombinant antibody
purification of 55, 56
surface hydrophobicity 30
recombinant human erythropoietin (rhEPO), isoelectric focusing of 14
recombinant Protein A 41, 110
recombinant proteins
host cells composition 43
single cells composition 43
reduced HETP 81–83, 158, 266, 325
refolding yield of protein 58
reproducibility 101, 273, 345, 355
retention factor 85–86, 96, 99–101, 230, 279, 281, 314, 317–320, 322–323, 326–327, 329, 332–333, 336–337, 363, 376, 379
reversed phase chromatography (RPC) 93, 311, 332
characteristics of 97
elution 101
*vs.* HIC 100, 101
ligands used in 96, 97
mobile phase modifier, qualitative effect of 101
retention 93
retention factor 101
retention mechanisms 100
Reynolds number 77, 188, 286
rhizo-secretion 42

RNA 16, 17, 21, 22, 44
molecules, classes of 17

***S***

*Saccharomyces cerevisiae* 41
salt tolerance 115
scanning electron microscopy (SEM) 115, 129, 130
SDS-polyacrylamide gel electrophoresis (SDS-PAGE) 5, 25, 41, 102–103, 105, 109
sensitivity coefficient 99, 101, 332–333
separation factor 166, 206, 244, 263, 288, 291–292
separation performance metrics 81–90
septic shock 18
shallow bed adsorption systems 203, 204
β-sheets 6–8, 11
Sherwood number 185–186
shock layer thickness 303, 306–308
short-range repulsive forces 159
shrinking core model 210, 217, 221–222, 294, 307
Simpson rule 243
simulated moving bed (SMB) process 57, 65, 66, 73
advantages 76
design 382–391
principle of operation 74
single piston syringe pump 142
size exclusion chromatography (SEC) 23–25, 93, 94, 358
advantage 96
porous chromatography particles 94, 95
promoted refolding 57
purposes of 95
separation in 93
solid core particles 125
solid diffusion 192–196, 205, 207–208, 210–211, 214–215, 218–219, 293, 299
solubility
of ammonium sulfate solutions 33
of carboxyhemoglobin 32
of β-lactoglobulin 31
of proteins 31
solvophobic theory 96, 98, 100, 333, 337
Sorbex process 74
SP-Sepharose-FF
effective pore diffusivities for lysozyme in 191
particle size distribution 132
pore size of 129
specific hydraulic permeabilities 88, 133
spiking experiments 48, 49
*Spodoptera frugiperda* (Sf9) 42
standard operating protocol (SOP) 50
*Staphylococcal Protein A* (SpA) 55, 109, 110–111, 125
static capacity 87
static light scattering 23
static mixers 146
stationary phase 54, 63, 93, 139, 160, 183, 227, 265, 312, 356
steady-state chromatographic separation 64
stepwise elution 70, 140
steric exclusion, of molecules 94
steric mass action (SMA) model 104, 170–173, 176–178, 259–261, 296–297
stirred batch adsorption systems 203
stoichiometric displacement (SD) model 104, 169–171, 320, 323
strong ion exchangers 104
superficial velocity 77, 88–89, 139, 140, 155, 187, 197, 298, 300, 306, 369
surface diffusion 193
synthetic polymers 122–124, 134
syringe pumps 142

***t***

Temkin isotherm 167
thermodynamic stabilities, of proteins 34
Thomas solution 288–290
tortuosity factor 188, 192, 286
transition analysis 266

transmission electron microscopy (TEM) 115, 123, 129–130
transport mechanisms, in protein chromatography 214
Trp residues 30, 107
true countercurrent moving bed (TMB) system 74–75, 382–386, 388–390
turnaround time 370–373

***u***

UV absorbance, in protein solution 20–21

***v***

validation, of biopharmaceutical process development 50
van der Waals forces 28, 66, 96, 159, 188, 196
viral contamination 51
virus clearance values of retroviridae virus 49
virus filtration 55, 359
viscous fingering effects 79, 358, 364
volume overloaded 283, 326, 376

***w***

weak cation exchangers 104, 106, 117, 251, 346–347
weak ion exchangers 104
wetting angle of agarose beads 122
wetting angle of polymethacrylate 122
width of mass transfer zone 282
wild-type Protein A 110–111

***z***

zirconium salt treatment 124