

Index

a

- Abiraterone acetate 373
 acetate cocktail 122
 acetone 95
 acetonitrile 202
 acetophenone 158
 acetoxylation 36, 39
 reactions 224
 acetylated *o*-bromoanilines 87
 acid derivatives
 benzoic acids 20–23
 hydrocinnamic 10–16
 phenylacetic 16–20
 acredinone 93
 acrylates 18
 activated olefins 82
 acyl chlorides 90
 aerobic oxidation processes 353
 aerobic remote oxidation 354
 alcohol derivatives 44
 aldehyde moiety 71
 aliphatic C(sp³)-H functionalization 4
 alkoxy-palladium species 69
 alkylation and alkenylation 234
 alkylation/dearomatization sequence 71
 alkyl bromide moieties 64
 alkyl bromides 71, 147
 alkyl halides 144
 alkyl hydroperoxide 335
 2-alkylpyrroles 101
 alkyl radical 144
 2-alkyl-substituted aziridines 77
 alkyl-substituted pyridines 372
 alkyne-tethered alkyl bromides 71, 73, 74
 alkynylpalladium intermediate 69
 α -alkoxycarbonyl selanes 94
 amide-substituted norbornene 91
 amide-tethered iodoarenes 96
 amine derivatives
 aniline derivatives 23–27
 benzylamine derivatives 27
 N-heterocyclic arene derivatives 29–33
 phenylethylamine derivatives 27–29
 amine-functionalized arylacetylene-
 containing polymers 99
 amine-tethered iodoarenes 84
 4-aminoindoles 97
 8-amino-5-methoxyquinoline 285
 8-aminoquinoline bidentate 280
 2- and 4-alkylpiperidines 372
 androstenediol derivative 404, 407, 408
 anhydrides 90
 aniline derivatives 94, 95, 208
 anilines 178, 183
 anisoles 158
 arene C(sp²)-H functionalization 4
 arene-free ruthenacycles 149
 arene-limited non-directed carboxylation
 210
 arene-limited oxidative coupling 207
 arene-tethered alcohols 46
 artemisinin 392
 aryl alkyl ketones 91
 arylamines 196
 aryl-aryl coupling 78, 87
 aryl boronic acids 80, 108
 aryl boronic esters 95
 aryl boroxines 108
 aryl carbamoyl chlorides 93
 aryl diazonium initiated remote C(sp³)-H
 functionalization 319
 aryl halides 59, 89
 aryl iodides 82
 aryl ketone products 91
 aryl ketones 90
 aryl-norbornyl coupling 78, 87

- arylnorbornylpalladacycle (ANP) 60, 77, 115
 arylpalladium(II) species 61
 arylpropionic acids 91
 6-arylpurines 157
 2-arylpuridines 140
 2-aryl-substituted aziridines 76
 aryl-substituted 2*H*-azirines 75
 aryl sulfamate 243
 arylsulfonyl chlorides 161
 aryl triazenes 317–318
 aspidospermidine 101
 asymmetric *ortho*-alkylation of iodoarenes under Pd/NBE catalysis 68
 azaheterocycles 328
 2,2'-azanediyl dibenzonitrile directing template 10, 11
 aziridines 76
 azoarene-directed *meta*-sulfonation 154
 azobenzenes 140
- b**
- Baran's electrochemical oxidation 353
 Barton's nitrite photolysis 315
 Barton-type 1,5-hydrogen atom transfer processes 315, 348
 benzocrown 413
 benzocrown (BC) 374, 413
 18-benzocrown-6-ether 413
 benzo[*d*]thiazoles 91
 benzofuran-containing substrate 73
 benzo-fused carbocycles 61
 benzo-fused cyclic ketones 93
 benzoic acid derivatives 20
 benzoic acids 158, 230
 benzomorpholine scaffolds 84
 benzothiophene 262
 benzoxazoles 91
 benzyl alcohols 53, 243
 benzylamine derivatives 27
 benzylamines 178, 183
 benzyl chlorides 146, 148, 149
 benzyl halides 116
 benzylsulfonates 53
 benzylsulfonyl esters 47
 biaryl-2-trifluoroacetamide derivatives 121
 bicyclo[2.2.1]hept-5-ene-2,3-dicarboxylate 118
 bicyclo[2.1.0]pentane 346
 bidentate (bisoxazoline) ligands 335
 bifunctional acylation reagents 91, 93
 bifunctional aryl bromides 82
 bifunctional aryl halides 83
- bioinspired catalysts
 aliphatic C–H oxidation 387
 C–H bond oxidations 383–385
 innate substrate of C–H oxidations
 C–H bond strength 388
 chirality 395
 directing groups 392–393
 electronic effects 388–391
 stereoelectronic effects 393–395
 steric effects 391–392
 bipyridine ligand 179
 biscyclometalated ruthenium complex 157
 bis(pinacolato)diboron 95
 1,2-bis(diphenylphosphino)-ethane 193
 3,5-bis(trifluoromethyl)-iodobenzene 119
 (*R*)-BNDHP (1,1'-binaphthyl-2,2'-diyl hydrogen phosphate) 132
 bond dissociation energy (BDE) 344–346, 388
 boronic acids 68
 boryl 193
 borylation 240
 bridgehead-modified norbornenes 89, 91, 99
 bridgehead-substituted norbornenes 99
 bromine-catalyzed intramolecular C(sp³)-H amination reaction 326
 α-bromo-α-fluoro esters 159
 bromoalkylamines 71
 2-bromoanisole 81
 bromoarenes 80
 bromobenzylamines 82
 4-bromo-1,2-dimethylbenzene 202
 α-bromo esters 158
 1-bromohexane 138
 2-bromo-6-iodoanisole 96
 1-bromo-2-naphthols 81
 1-bromo-2-nitrobenzene 87
 2-bromophenols 80
 4-bromophenols 81
 Brønsted and Lewis acids addition 367
 Buchwald–Hartwig coupling 97
 Buchwald–Hartwig cross coupling reactions 196
 Buchwald–Hartwig reaction 95
 Buchwald's Ruphos-Pd-G4 precatalyst 77
- c**
- carbazoles 87
 carbene precursors 95
 2-carbomethoxynorbornene (NBE-CO₂Me) 89
 carbonate anhydrides 94

- carbonate-based unsymmetrical anhydrides 93
- carbon-heteroatom formation
 - amination 196–200
 - electrophilic aromatic fluorination 202–203
 - Lewis acid-catalyzed halogenation 202
 - nucleophilic ^{18}F -fluorination 203
 - oxygenation 200–202
 - silylation 195–196
 - thianthrenation 205
- carboxylate-assisted C–H ruthenation of arene 144
- carboxylate residue 385
- carboxylic acids 386
- catalyst-Cu-substrate complexes 406
- catalytic cycle 115, 117, 139
- catalytic pyridine-based bifunctional template 33
- Catellani reaction/aza-Michael addition sequence 77
- Catellani reactions 2, 3
- Catellani-type reactions 68, 92, 105
- C–C bond forming reactions
 - alkenylation/olefination 208–210
 - C–H arylation 206–208
 - C–H carboxylation of arenes 213
 - cyanation 210–213
- C8–C9 oxidation 374
- CD_4 -Mn(Porph) 404
- ceric ammonium nitrate (CAN) 47, 285
- C–H acylation ruthenium catalysis 151
- C–H alkylation
 - ruthenium-catalyzed meta-selective C–H functionalizations
 - alkyl bromides 147
 - alpha-bromocarbonyl compounds 145
 - arene-ligand-free ruthenium complex 147
 - benzylations 146–150
 - mono- and difluoromethylations 144
 - n*-hexyl bromide 139
 - removable directing groups 143
 - secondary alkyl halides 140
 - tertiary alkyl halides 141
 - transformable/removable directing groups 143
 - via *ortho*-ruthenation 142
 - visible light irradiation 148
- C–H carboxylation 150
 - of arenes 213
- C–H deuteration 16
- chelating functionality (CF) 8, 9
- C–H functionalization of arenes
 - under Pd/NBE catalysis 64
- chirality 395
- chlorides 82
- cholestane 347
- C–H sulfonylation ruthenium-catalysis
 - meta/ortho* selective C–H functionalizations 161
 - meta*-selective C–H functionalizations 151
 - para*-selective C–H functionalizations 161
- cinchona alkaloid 81
- cis trans* mixture 408
- cobalt-catalyzed γ -benzyl $\text{C}(\text{sp}^3)\text{-H}$
 - dehydrogenative amination 289
- concerted metalation deprotonation (CMD)
 - mechanism 192, 208
 - pathway 54–55
 - process 96
- copper-catalyzed direct arylation of 3-pivaloylindoles with diaryliodonium triflates 261
- copper-catalyzed *meta*-selective arylation strategy 261
- copper-catalyzed remote $\text{C}(\text{sp}^3)\text{-H}$ azidation of benzohydrazides 330
- copper cyanide 91
- copper dependent oxygenases 385
- copper(I) iodide 68
- coumarins 47
- $\text{Cp}^*\text{Rh}(\text{III})$ catalysis 259
- cross-coupling/aza-Michael addition sequence 82
- cross-coupling/oxa-Michael addition product 81
- cross-dehydrogenative coupling 208
- cross dehydrogenative coupling (CDC) 206
- Curtin–Hammett principle 300
- cyanide anion 80
- cyanides 68, 95
- cyanobenzoyl based biphenyl DG 224
- 2-cyanobenzoyl group 27
- 2-cyanophenol template 51
- 2-cyano-phenylethylamine 21
- 2-cyano-phenylethylamine template 22
- cyclic ethers 365, 366
- cycloalkanes 158

- cyclodextrins (CD) 404
 cyclometalated complexes 137
 cyclometallation 279
 cyclopentanone-containing alkyl bromides 71
 cyclopropane ring 346
 cytochrome P-450 384
- d**
- dearomatization process 71, 73
 decatungstate photocatalysis
 in aliphatic ketones and esters 352
 aliphatic nitriles 352
 fluorination and ¹⁸F-fluorination of aminoacids 348, 350
 HAT or SET 348
 Ibuprofen derivative 350–351
 N-fluorobenzenesulfonimide 348
 steric and electronic effects 353
 steric hindrance 354, 356
 decylammonium 413
 δ - ϵ -C(sp³)-H bond a of aliphatic amines
 amino acid derivatives 301, 303
 cyclopalladation complex 298
 iterative (hetero)arylation of 295, 297
 mechanistic experiments and proposed catalytic cycle 300–302
 palladium catalyst
 alkyl amines via transient directing strategy 299–300
 anilines and aryl iodides 298
 arylation of alkyl picolinamides 293–295
 free amines 298–299
 intramolecular amination 292
 iodoarenes 295–296
 methylated products 293–294
 oxalyl amide 293–294
 vs. pyrrolidines synthesis 292–293
 remote arylation of anti-influenza virus A agent 293–295
 remote ϵ -C(sp³)-H alkylation of alkyl amine 295–297
 picolinamide directing group 300–301
 deuterium-labeled compounds 19, 37
 Dextromethorphan 373
 DG assisted *para*-functionalization 222
 2,6-diacylaminopyridine 415
 dialkyne 99
 diaryliodonium salts (Ph₂IBF₄) 207
 diastereomeric ratios 358
 diazoderivatives 357
 dibenzoazepines 82
 dibenzonitrile directing template 16
 dibenzoylmethane (dbm) 102
 dibenzyl phosphate 293
 1,2-dichlorobenzene 194
 1,4-dichlorobenzene 194
 1,3-dichloropropane 92
 2,3-dihydrobenzofuran products 77
 dihydrodibenzazepine derivatives 89
 5,6-dihydrophenanthridine derivatives 82
 3,4-dihydroquinolones 413
 diiodide 99
 1,3-diiodo-5,5-dimethylhydantoin (DIH) 45
 diisopropylsilyl moiety 224
 di-*meta*-olefination 51
 1,2-dimethoxy benzene 199
 1,2-dimethoxyethane (DME) 80
 1,1-dimethyl-2-alkynols 69, 70, 95
 5,5'-dimethyl-2,2'-bipyridine ligand 178
 dimethyldioxirane (DDO) 346
 1,3-dimethyl-2-imidazolidone 92
 dioxiranes 346–348
 diphosphine 194
 di-polar induced methods 242
 directed C4-selective C–H functionalization of benzothiophenes 264
 directed metal-catalyzed site-selective C(sp³)-H functionalization 279, 280
 directing group (DG) 2, 222
 directing group assisted distal arene *meta*-functionalization 2
 directing group assisted *meta*-C–H functionalization of arenes
 transient mediator norbornene catalytic cycle 115, 117
 enantioselective *meta*-C–H functionalization 130–133
 meta-C–H alkylation of arenes 116–119
 meta-C–H alkylation of arenes 130
 meta-C–H amination of arenes 129–130
 meta-C–H arylation of arenes 119–127
 meta-C–H chlorination of arenes 127–129
 directing group assisted site-selective C–H functionalization of arenes 116
 directing group-assisted transition-metal catalyzed C–H functionalization 279

- directing template assisted *meta*-C–H bond functionalization 8
- dirhodium catalyst 199
- distal arene C(sp²)-H functionalization 3
- distal arene *para*-C–H functionalizations 4
- distal arene-tethered tertiary amine derivatives 28
- distal C(sp²)-H functionalization of arenes
non-covalent interactions 169
non-directed methods 192
- 1,2-disubstituted aniline derivatives 204
- 1,2-disubstituted arenes 207
- 1,3-disubstituted arenes 173
- di-*tert*-butyl azodiformate (DBAD) 338
- 4,4'-di-*tert*-butylbipyridine (dtbpy) 172
- 4,4'-di-*tert*-butyl-2,2'-bipyridine 193
- di-*tert*-butylperoxide (DTBP) 146
- dopamine- β -hydroxylase (D β H) 385
- drug molecules 149
- e**
- electrochemical fluorination 355
- electrochemistry 332, 354
- electron-deficient 95
arenes 20
bromoarenes 84
olefins 80
- electron-donating group (EDG) 80
- electron paramagnetic resonance (EPR)
experiments 142
- electron-poor trifluoromethyl benzene 198
- electron-rich olefins 95
- electron-withdrawing groups (EWGs) 343, 347
- electrophilic oxygen-transfer reagent 346
- electrophilic palladation 23
- enantioenriched iodolactone 69
- enantioenriched secondary alkyl iodide 67
- enantioenriched secondary halides 67
- enantioselective C–H oxidation 413
- enantioselective *meta*-C–H functionalization 130
- 2e-oxidants 385
- epoxides 75, 77
- ethereal oxygen 393
- ethyl iodoacetate 116
- ethyl 2-(4-nitrophenyl)acetate 198
- f**
- Fe(CF₃)pdp) 392
- Fe(TIP^S)pdp) 392
- Fe(CF₃)pdp) catalyst 391
- Fe(pdp) catalyst 373, 389, 391, 394
- Fe(PDP) complexes 372–373
- Fenton type 386
- (Fe(TIP^S)mcp) 391
- fluorinated alcohol solvents 397
- 4-fluorobromobenzene 79
- Flurbiprofen 19
- Friedel–Crafts acylation reactions 214
- Friedel–Crafts reaction 4, 221
- Friedel–Crafts type arylation process 207
- Fujiwara–Moritani reaction 208
- Fujiwara–Moritani-type olefination 16
- Fukui analysis 204
- g**
- γ -C(sp³)-H functionalization of aliphatic acids
cobalt catalyst 285
palladium catalysis 281
- γ -C(sp³)-H functionalization of aliphatic ketones/aldehydes 301
- γ -/ δ -C(sp³)-H bond functionalization of aliphatic alcohols 305
- germanylation 42
- γ -fluoroleucine 350
- goniomitine 101
- Grignard reagent 321
- h**
- α -halo carbonyl compounds 142
- α -haloesters 261
- Hantzsch ester 329, 333
- HAT transfer mechanism 348
- 2*H*-azirines 75
- HBpin 363, 364
- 6*H*-dibenzopyran derivatives 81
- 6*H*-dibenzopyran products 84
- 6*H*-dibenzopyrans 84
- Heck acceptors 63, 64, 68, 82, 91
- Heck reactions 65, 71, 87, 208
- helical alkenes 74
- heme dependent oxygenases 384
- heptafluoroisopropyl iodide 146
- heteroarenes 139
- heteroaromatic compounds
indole 253–262
pyridine 266–270
pyrrole 264–266
quinoline 271–272
thiazole 271
(benzo)thiophene 262–264
- heterocycle functionalizations 4

- hexafluoroisopropanol (HFIP) 8, 10, 11, 14, 18, 24, 44, 55, 224, 354
 1,1,1,3,3,3-hexafluoro-2-propanol (HFIP) 256, 264, 376, 397
 hexamethyldisilane 39, 226
 HFIP 400, 401
 9*H*-fluoren-9-ols 84
 9*H*-fluoren-9-one 84
 Hofmann–Löffler–Freitag (HLF) reaction 5, 315
 Hofmann–Löffler reaction
 catalytic bromine-mediated 326
 catalytic Iodine-mediated 325
 visible-light-induced photoredox catalyzed 327
 homobenzylamines 105
 Horner–Wadsworth–Emmons reactions 51
 1,5-H radical abstraction 315
 hydride donor 80
 hydrocinnamic acid derivatives 10, 16
 hydrocinnamic acids 10–12, 16
 hydrogen atom 315, 331
 hydrogen atom transfer (HAT) 385
 hydrogen atom translocation/atom-transfer radical cyclization (HAT/ATRC) 321
 hydrogen bond acceptor (HBA) 397
 hydrogen bond donors (HBD) 397
 hydrogen bonding 408
 1,5-hydrogen migration 317
 1,5-hydrogen transfer 323
 (+)10β-hydroxy-artemisinin 392
 2-hydroxybenzonitrile directing template 33
 2-hydroxybenzonitrile template 11, 16
 hydroxybiphenyl products 84
 hydroxylamine 199
 hydroxylases 385
 2-hydroxy-4-methoxy benzonitrile template 17, 36
 hyperconjugation effects 345, 393
 hypervalent metal-oxos 386
- i**
- ibuprofen 16, 18, 170, 408
 ibuprofen derivative 350
 imidazole residues 385
 iminyl radicals 329–330
 indanes derivatives 71
 indenones 93
 indole C–H functionalization reactions
 C4 position 254–258
 C5 position 261
 C6 position 261–262
 C7 position 258–260
 indole-containing alkyl bromides 71
 indoles 73
 indolines 71
 intramolecular enolate coupling 71
 intramolecular hydrogen-atom transfer (HAT) 5, 315
 iodides 71
 iodination of phenylacetic acid derivatives 20
 iodoarenes 60, 65, 68, 73, 74, 96
 iodobenzene 61
 1-(2-iodobenzyl)-1*H*-pyrrole 73
 iodomethane 116
 1-iodonaphthalene 76
 4-iodophenylacetylene 99
 1-(2-iodophenyl)-1*H*-pyrrole 73
 2-iodopyrrole derivative 87
 iodopyrrole substrate 87
 3-iodotoluene 91
 ion-pair induced methods 243
ipso-Sonogashira reactions 68
ipso-thiolation products 91
 (η⁶-mes)Ir(Bpin)₃ 365, 366
 iridium-catalysed borylation
 bipyridine ligands 172
 mechanism of 173
 non-covalent interactions in 174–176
 regioselectivity of 173, 174
 iridium-catalyzed amidation with tosylazides 259
 iridium-catalyzed borylation 193, 195
 iridium-catalyzed β-selective C–H borylation of *N*-TIPS pyrroles 265
 iridium-catalyzed C7-selective C–H borylation, NH indoles 258
 iridium catalyzed methods 241
 iron complexes 386
 iron dependent hydroxylases 384
 iron hydroxylases 386
 iron-oxo species 385
 Ir/phenanthroline system 196
 isopropanol 94
 isopropyl carbonate anhydride 91
- k**
- ketimines 161
 α-ketoglutarate dependent oxygenases 384
 ketoprofen 18
 ketoximes 157
 KOtBu-mediated selective carbon-carbon coupling 319

L

- lenalidomide derivative 124
- Leuconoxine 322–323
- Lewis acid catalyst 182
- Lewis acid-catalyzed halogenation 202
- ligand-enabled γ -C(sp³)-H arylation of aliphatic ketones 304
- ligand-promoted γ -C(sp³)-H arylation of aliphatic aldehydes 305
- ligand-substrate non-covalent interactions 171
- Li-Li auxiliary 22
- (+)-linoxepin 69, 70
- lipophilic interactions 403
- lipophilic recognition by cyclodextrins 404
- L₂Ir(Bpin)₃ 193
- L-*iso*-leucine derivative 280
- L-*tert*-leucine derivatives 280
- L-valine derivative 280

m

- macrocyclopalladation processes 16, 17, 32
- macrolactones 94
- Maiti-Bera-Modak (MBM) auxiliary 16
- manganese center (Mn(terpy-COOH)) 408
- manganese complexes 387
- manganese porphyrin complex 170
- Melodinine E 322–323
- Mersicarpine 323
- mesylation 202
- meta*-benzylated product 149
- meta*-bromination 155
- meta*-C-H acetoxylation
 - of electron-deficient benzoic acid derivatives 22
 - of indoline derivatives 30, 32
- meta*-C-H activation of benzylylsulfonic acid derivatives 33
- meta*-C-H activation reaction 16
- meta*-C-H alkylation of arenes
 - benzylylsulfonamide derivatives 119
 - phenylacetic amide derivatives 118
- meta*-C-H alkylation of benzylphosphonates 51
- meta*-C-H alkylation of phosphonates 53
- meta*-C-H alkynylation of arenes 130
- meta*-C-H allylation of alcohol derivatives 49
- meta*-C-H allylation of benzylylsulfonyl esters 40
- meta*-C-H amination of arenes 129

- meta*-C-H arylation
 - of arenes
 - acetal-based quinolone, directing group 126
 - amide as directing group 119–121
 - free carboxylic acid, directing group 126–127
 - sulfonamide as directing group 122
 - tertiary amine as directing group 122–123
 - tethered pyridine-type directing group 123–126
 - of hydrocinnamic acids with arylboronic esters 14, 15
 - of hydrocinnamic acids with aryl iodides 14, 15
- meta*-C-H bond functionalization of arenes
 - directing template assisted 8
 - mechanisms of 53–55
 - Pd or Rh catalysts 8
 - template assisted 9–53
- meta*-C-H chlorination of arenes 127
- meta*-C-H cyanation of benzylphosphonates 51
- meta*-C-H cyanation of benzylylsulfonyl 37, 41
- meta*-C-H deuteration of alcohols 50
- meta*-C-H deuteration of benzylylsulfonyl esters 39, 42
- meta*-C-H deuteration of phenylacetic acid derivatives 20
- meta*-C-H deuteration of phosphonates 53
- meta*-C-H functionalization of anilines 25
- meta*-C-H functionalization of benzylylsulfonyl esters 33
- meta*-C-H functionalizations of phosphonates 52
- meta*-C-H hydroxylation/acetoxylation 51
- meta*-C-H iodination, benzyl and phenylethyl alcohols 45–46
- meta*-C-H olefination
 - and alkylation of benzylylsulfonyl 38
 - of aniline derivatives 24
 - of arene-tethered diols 49
 - of benzoic acid derivatives 24
 - of benzoic acids 54
 - of benzyl alcohols 44–45
 - of benzyl and phenyl ethyl alcohols 45–46
 - of benzylylsulfonic acids 36
 - of benzylylsulfonyl 33
 - catalytic cycle for 54
 - of distal arene-tethered alcohols 47

- meta*-C–H olefination (*contd.*)
- of hydrocinnamic acid derivatives 10–16
 - of *N*-heterocycles 32
 - of *N*-methyl-phenylethylamine derivatives 27
 - of 2-phenethylsulphonic acid derivatives 33
 - of phenylacetate 16
 - of phenylacetic acid derivatives 17
 - pyridine-based template assisted 18
 - pyrimidine-based template assisted 18
 - of phenylacetic acid rhodium-catalyzed 17
 - of phenylethylamine derivatives 27–29
 - of 2-phenyl phenol derivatives 45
 - of 3-phenylpyridines 34
 - of tertiary anilines 26
 - of tertiary benzylamines 27–28
 - toluene derivatives 9
- meta*-C–H oxygenation of benzylsulfonyl esters 41
- meta*-C–H perfluoroalkenylation of benzylsulfonic acid derivatives 36
- meta*-C–H perfluoroalkenylation of benzylsulfonyl esters 40
- meta*-C–H perfluoroalkenylation of phenylacetic acid derivatives 18
- meta*-C–H silylation 42
- meta*-decorated products 149
- metal-carbon bonds
- reactions occurring via formation
 - Pt-based Shilov chemistry 361–362
 - Rh- and Ir-catalyzed C–H borylation of (functionalized) alkanes 363–367
 - reactions occurring without formation
 - carbene insertion 356–360
 - decatungstate-photocatalyzed remote functionalization 348–353
 - electrochemical remote functionalizations 353–356
 - oxidations with dioxiranes 346–348
- metal catalyzed borylation reactions 363
- metal-catalyzed C–H amination with organic azides 328
- metalloporphyrin complexes 404
- metalloporphyrin (bipy)₄-Mn(Porph) 406
- meta*-selective alkenylation 2
- meta*-selective borylation 176
- meta*-selective C–H acetoxylation method 27
- meta*-selective C–H acetoxylation of benzylamine derivatives 27
- (5-phenylisoxazol-3-yl)(piperidin-1-yl) methanone 199
- 1-methoxynaphthalene 206
- methyl benzoate 208
- methyl boronic acids 95
- methyl-2-bromobenzoate 84
- methyl(trifluoromethyl)dioxirane (TFDO) 346–348, 354
- methyl ester 22
- methylsilanes 263, 363
- methyl vinyl ketone 82
- mixed-anhydride 91
- Mizoroki–Heck-type dearomatization 89
- Mn₂(terpy) 408
- Mn(CR^{CR}pdp) 413
- Mn(pdp) complexes 413
- Mn-porphyrin catalyst 413
- Mn(III) porphyrin complex (CholMn(porph)) 403
- mono-alkylarenes 210
- mono and dicopper dependent oxygenases 385
- mono-*N*-protected amino acid (MPAA) ligand 8, 10, 14, 23, 24, 55
- monoprotected amino acids (MPAA) 139
- mono-selective *meta*-C–H olefination of hydrocinnamic acids 11
- multicyclic δ -lactam 87
- multi-functionalized aromatic carboxylic esters 94
- n**
- N*-acetyl glycine (Ac-Gly-OH) 8
- N*-alkoxyphthalimides 333–334
- N*-aminated dihydropyridine 329
- naphthalene-based iodoarenes 74
- naphthylamine 74
- N*-aryl-*N'*-chloromethyldiazoniabicyclo [2.2.2]octane salts 197
- natural products 93
- N*-based heteroarene-containing templates 16
- NBE-CO₂Me 103
- NBE-derived mediator 2-carbomethoxynorbornene 117
- N*-benzoyloxyamines 94, 97, 99
- N*-benzoyloxyamines and norbornadiene (NBD) 96
- N*-bromosuccinimide 202
- N*-(4-chlorophenyl)-*S*-(trifluoromethyl) thiohydroxylamine 204
- N*-containing heteroarene-based templates 18

- N*-containing pyrimidine-based template 18
- N*-cyclohexylamides 394–395
- negative radical clock tests 347
- N*-fluorobenzenesulfonimide (NFBS) 196, 348
- N*-formyl-protected glycine (Formyl-Gly-OH) 17
- NFSI 202
- N*-heterocyclic arene derivatives 29
- NH-sulfoximines 84
- nickel/aluminum-catalyzed C4-selective C–H alkylation of pyridines with alkenes 269
- nitrile-based carbamate template 24
- nitrile-based directing template 9
- nitrile-based or *N*-heterocycle-based templates 20
- nitrile-based phenolic directing template 16
- nitrile-based templates 18, 23
- nitrogen-containing molecules 395
- nitrogen donor heterocycle 386
- N,N*-dihexylbenzylamide 176
- non-arene-limited Fujiwara-Moritani reaction 209
- non-covalent interactions
 - induced *para*-C–H functionalization
 - di-polar induced methods 242–243
 - ion-pair induced methods 243–244
 - iridium-catalysed borylation 171–174
 - in metal catalyzed C–H bond functionalisation 170–171
 - meta*-selective borylation 176–181
 - para*-selective borylation 181–185
- non-directed functionalizations of aliphatic compounds 5
- non-directed Fujiwara–Moritani reaction 208
- non-directed methods
 - carbon–heteroatom formation (Lewis)acid-catalyzed halogenation 202
 - amination 196–200
 - borylation 193–195
 - electrophilic aromatic fluorination 202
 - oxygenation 200–202
 - silylation 195–196
 - thianthrenation 205
 - carbon–heteroatom formation
 - electrophilic aromatic fluorination 203
- C–C bond forming reactions
 - alkenylation/olefination 208–210
 - C–H arylation 206–208
 - C–H carboxylation of arenes 213–214
 - cyanation 210–213
 - mechanisms 192
 - non heme iron dependent oxygenases 384
 - non-oxidative coupling homocoupling 207
 - non-porphyrinic iron catalysts 386
 - norbornane 346
 - norbornene (NBE) 2
 - 5-norbornene-2-carboxylic acid (NBE-CO₂H) 71
 - norbornene-containing
 - dihydrophenanthrene products 89
 - norbornylpalladium intermediate 60
 - N*-silylketimines 82
 - N*-substituted aziridines 75
 - N*-sulfonylated 87
 - N*-tosylhydrazones 68
 - N*-trifluoroacetylated benzylamines 179
 - N*-trifluoroacetyl glycine 126
 - nucleophilic ¹⁸F-fluorination 203
 - nucleotides 149
- O**
- o*-biaryl carbaldehydes or ketones 84
- O*-borylation 175
- o*-bromoarene-and heteroarene-carboxylic acids 82
- o*-Bromophenols 84
- o*-bromophenylacetamides 89
- Odanacetib 350
- oestrone 99
- O–H bond 333, 336–338
- o*-iodoaniline derivatives 97
- olefin-containing alkyl bromides 61
- olefin-containing bifunctional acylation reagents 93
- olefinic alcohol-containing alkyl bromides 71
- olefins 84
- organic field-effect transistors (OFETs) 262
- organofluorine compounds 36, 141
- organosilicon compounds 226
- organosilicon template assisted *meta*-C–H olefination of phenol derivatives 41, 43
- ortho*-acylation/*ipso*-borylation protocol 93
- ortho*-acylation *ipso*-selenation reaction 94
- ortho*-acylation of aryl iodides
 - aliphatic carboxylic acid derivatives 93
 - bifunctional acylation reagents 92

- ortho*-acylation of aryl iodides (*contd.*)
 norbornene derivatives, mediator 91
 pre-formed or in-situ generated
 anhydrides 90
 terminating reagents 92
 thioesters 91
ortho-acylation product 91
ortho-acylation reactions of iodoarenes 91
ortho-alkoxycarbonylation/*ipso*-reduction
 product 94
ortho-alkoxycarbonylation of aryl iodides
 94
ortho-alkylated aryl Pd(II) species 69
ortho-alkylation/*ipso*-alkynylation reactions
 70
ortho-alkylation/*ipso*-Heck coupling of
 iodoarene 70
ortho-alkylation/*ipso*-Suzuki coupling
 sequence 68
ortho-alkylation of iodoarenes 68
ortho-alkylation reactions 68
ortho-alkylation with enantioenriched
 secondary alkyl iodides 67
ortho-alkylation with racemic secondary
 alkyl iodides 66
ortho-aminated dihydroquinolinones 96
ortho-amination of iodoarenes
 bridgehead-substituted norbornenes 99
N-benzoyloxyamines 94–98
ortho-thiolation 101
ortho-aminocarbonylation 94
ortho-arylation/*ipso*-1,2-addition sequence
 84
ortho-arylation/*ipso*-amination 84
ortho-arylation/*ipso*-reduction reactions
 80
ortho-bisarylated products 89
ortho-bromoarenesulfonylanilines 82
ortho-C–H alkylation of aryl iodides
 Lautens' modified reaction conditions
 61
 olefin-containing alkyl bromides 61
ortho-C–H functionalization 7
ortho-chloro-*N*-silylaldimines 82
ortho-C–H palladation 103
ortho-C–H trifluoroethylation iodoarenes
 with trifluoroethyl iodide 64, 65
ortho effect 78, 87–90
ortho-electron-withdrawing group (*o*-EWG)
 15
ortho-functionalized arenes 99
ortho-functionalized aryl-Pd(II)
 intermediate 63
ortho-iodo(hetero)arylsulfonyl protected
 alcohols 319
ortho-substituted aryl iodides 82
ortho-substituted iodoarenes 61
ortho-thiolation 101
ortho-unsubstituted iodoarenes 99
ortho-xylene 202
 oxa-Michael addition 77
 oxidation with dioxiranes 346, 347
 oxidative ruthenium-catalyzed
meta-benzylation with toluene
 derivatives 148
 oxidative transformations 137
 9-oxo-artemisinin 392
 oxygenases 385
- p**
 palladacycle 102, 103
 palladacyclic complex 115
 palladium-catalyzed C3-selective
 C–H alkenylation of pyridines with
 acrylates 266
 C–H arylation of pyridines with aryl
 (pseudo)halides 266
 C–H arylation with aryl bromides 268
 palladium-catalyzed γ -C(sp³)-H
 alkenylation of carboxylic acids 282,
 286
 alkylation of Lli-valine derivative 281
 alkynylation of 3,-dimethylbutyric amide
 283
 arylation of a ketone 304
 arylation of aliphatic carboxylic acids
 280, 282
 arylation of amino acids 281
 arylation of *N*-Phth valine 287, 290
 arylation of *N*-protected amino acid and
 oligopeptides 287, 291
 chalcogenation of carboxylic acids 285
 of free aliphatic acids 287, 290
 intramolecular amination 285, 289
 olefination and carbonylation
 ligand-enabled 284
 sequential 282, 285
 quinoline-ligand enabled 281
 silylation and germanylation of carboxylic
 acids 283, 287
 Palladium(II)-catalyzed *meta*-selective
 C–H allylation of alcohol
 derivatives 47
 Palladium(II)-catalyzed *meta*-selective C–H
 allylation of benzylsulfonyl esters
 36

- Palladium-catalyzed *meta*-selective C–H deuteration of benzylphosphonates 53
- palladium-catalyzed *meta*-selective C–H olefination of phenols 42
- palladium catalyzed methods
 template assisted *para*-selective C–H functionalization
 acetoxylation 230–232
 alkenylation 224–226
 cyanation 232–233
 ketonization 227–230
 silylation 226–227
- palladium-catalyzed oxidative direct arylation with arylboronic acids 260
- palladium/norbornene ((Pd/NBE)) catalysis
 Pd(II)-catalyzed C–H functionalization of arenes 101
- palladium/norbornene (Pd/NBE) catalysis
 bisfunctionalization of aryl (pseudo)halides 62
 Catellani's initial report on 60
ortho-C–H alkylation of aryl iodides 60
ortho-C–H alkylation of *ortho*-substituted iodoarenes 61
 Pd(II)-initiated C–H functionalization of arenes 63, 64
 Pd(0)-initiated reactions 64
- para*-alkylation of benzenesulfonamides 239
- para*-borylation of arenes 241
- para*-C–H borylation 180
- para*-C–H functionalization
 DG assisted 222
 non-covalent interaction induced
 di-polar induced methods 242–243
 ion-pair induced methods 243–244
 rhodium catalyzed functionalization 233
 steric controlled selective distal C–H functionalization 234
 template assisted 224–233
- para*-selective borylation 181
- para*-selective C–H borylation 243
- particulate methane monooxygenase (pMMO) 385
- Pd–Ag heterodimeric transition state 54
- Pd-catalyzed aryl C–H imidation of arenes 196
- Pd(II)-catalyzed C–H functionalization of arenes
 C2-functionalization of indoles and pyrroles 101–102
meta-C–H functionalization 102–105
ortho-C–H functionalization of arylboron species 105–108
- Pd(0)-catalyzed C–H functionalization of aryl (pseudo)halides
ortho-acylation and alkoxyacylation 89–94
ortho-alkylation
 alkyl halides 64–70
 with bifunctional alkylating reagents 70–74
 three-membered heterocycles 75–77
ortho-alkylation reactions 77–89
ortho-amination 94–100
- Pd-catalyzed *meta*-C–H allylation of phenylacetic acid derivatives 20
- Pd-catalyzed *meta*-C–H deuteration of phenylacetic acid derivatives 19
- Pd-catalyzed *meta*-C–H olefination of phenylacetic acid 18
- Pd-catalyzed *meta*-C–H olefination of 2-phenyl phenol derivatives 42
- Pd(II)-catalyzed *meta*-C–H olefination of phosphonates 51
- Pd-catalyzed remote *meta*-C–H olefination 46
- Pd(IV) intermediate 87
- Pd(II) salt 61
- pentasubstituted arene 93
- peptides 149
- perfluoroalkenylation 18
- perfluoroolefins 18, 36
- peroxides 385
- phenanthridine derivatives 84
- phenanthridines 82
- phenanthridinones 93
- 6-phenanthridinones 82
- phenanthroline 77
- phenethylamines 179
- 2-phenethylsulphonyl esters 33, 37, 38, 41
- phenol derivatives 40
- phenol-derived substrates 74
- phenol-derived sulfate salts 184
- phenol-tethered iodoarenes 96
- phenoxazine product 84
- α -phenoxycarboxylic acids 40
- phenoxypyridines 140, 161
- phenylacetic acid derivatives 16
- phenylacetic acid esters 18
- phenylacetic acid frameworks 18
- phenylalanine derivatives 118

- phenylboronic acid (PhB(OH)₂) 207
 2-phenylethanesulfonic acids 39
 2-phenylethyl 46
 phenylethyl alcohols 47
 phenylethylamine derivatives 27
 phenylnorbornylpalladium(II) (PNP) 2, 59
 2-phenylpiperidine 27
 3-phenylpropane-1-sulfonic acid 39
 3-phenylpropyl alcohols 46
 phenylpropylamines 179
 phenylpyridine 138
 2-phenylpyridine 152
 phenyl-pyrrole biaryl coupling 87
 2-phenylpyrrolidine 27
 phosphine-free conditions 69
 phosphine ligand 63
 phosphonate derivatives 51
 3-phosphonatedquinolinone photocatalyst 335
 phosphoramidite 87
 phosphoramidite ligand 71
 photochemical remote amine functionalization 374
 photoredox/copper catalysis 335
 photoredox ruthenium catalysis 146
 phtalocyanins 386
 picolinamide directing group 289, 300, 301
 poisoning effect 196
 polarity reversal
 activation and deactivation 368
 alcohols and amides via hydrogen bond interactions 376–378
 aliphatic amines via quaternary ammonium salts 368–376
 Brønsted and Lewis acids addition 367
 remote oxidation
 amide containing substrates by methylation 397
 amine containing substrates by protonation 395–397
 via fluorinated alcohol solvents 397–401
 polycyclic substituted vinylarenes 68
 polydentate ligands 386
 polyfluoroarene-substituted benzofuran derivatives 68
 polyheterocyclic sulfoximines 84
 polyoxometalate (POM) 348
 porphyrin complexes 386
 porphyrinic ligation 386
 porphyrins 386
 propiolic acids 95
 protodepalladation 103
 pseudohalides 59, 89
 pyrimidine-based template 49
 pyridine 266
 pyridine-based template assisted
 meta-C–H arylation 20
 pyridine-based template assisted
 meta-C–H olefination of phenylacetic acid derivatives 18
 pyridine derivative 102
 pyrimidine-based template 47
 pyrimidine-based template assisted
 meta-C–H olefination of phenylacetic acid derivatives 18
 pyrimidylanilines 158
 pyrrole 264
- q**
 quaternized 2-chlorobenzylamine 178
 quinazoline-2,4-dione moieties 415
 quinoline 271
 quinoline ligand 103
- r**
 radical addition-translocation-cyclization (RATC) 374, 376
 radical initiated distal C(sp³)-H functionalizations 5
 radical-mediated distal C(sp³)-H functionalization
 Hofmann-Löffler-Freytag (HLF) reaction 315
 hydrogen-atom transfer (HAT) 322
 hydrogen transfer 317
 nitrogen-centered radicals
 alkyl radical 322–323
 aryl iodide 318
 aryl triazenes 317–318
 hydrogen-atom transfer 322
 1,5-hydrogen transfer 323
 KOTBu-mediated selective carbon-carbon coupling 319
 N–H bonds 332
 N–N bond 328–329
 N–O bond 329–331
 N–X (X=F, Cl, Br, I) bond 325–328
 radical arylation 319–320
 using aryl diazonium salt reagents 317
 vinyl radical 321–323
 oxygen-centered radicals 333–338
 radiochemical yields (RCYs) 203
 regiodivergent C–H activation 28

- remote *meta-para*-selective C–H activation 138
- remote oxidations
 reversal of polarity 395–401
 supramolecular recognition
 hydrogen bonding 408–416
 ligand to metal coordination 406–408
 lipophilic interactions 403–404
 lyophilic recognition by cyclodextrins 404–406
- remote*-selective C–H olefination 28
- remote-selective *meta*-C–H olefination of hydrocinnamic acids 12
- reticulated vitreous carbon (RVC) anode 354
- retro*-Diels–Alder reaction 97
- retro*-Mannich reaction 82
- rhazinal 87
- Rh-based chiral Lewis acid catalysis 334
- Rh(III)-catalyzed *meta*-C–H alkenylation of hydrocinnamic acids 12
- Rh-catalyzed *meta*-C–H olefination of benzylsulfonyl esters 39
- Rh(III)-catalyzed *meta*-C–H olefination of phenol derivatives 43
- Rh-catalyzed silylation 195
- rhodium-catalyzed *meta*-C–H olefination of phenylacetic acid 17
- rhodium catalyzed *para*-selective alkenylation 233
- rhodium nitrenoids 199
- Rh triphenylmethanecarboxylate complex Rh₂ (TPA) 357
- Rieske oxygenases 384
- riphenylcyclopropanecarboxylate complex 357
- Ritter's electrophilic method 203
- [Ru(bpy)₃](PF₆)₂ 198
- Ru-porphyrin catalysts 412
- ruthenacycle 144, 149, 159
- ruthenacycle intermediate 144
- ruthenium-benzene complexes 137
- ruthenium catalysis
meta-C–H functionalizations
 acylation 151
 alkylations 138–146
 carboxylation reactions 150–151
 C–H benzylations 146–150
 halogenation 152–155
 nitration 155–158
 sulfonylation 151–152
meta-ortho-C–H difunctionalizations 161
para-C–H functionalizations 158–161
- ruthenium catalyzed distal *meta* and *para*-C–H functionalization 3
- ruthenium-catalyzed *meta*-bromination 154
- ruthenium-catalyzed *meta*-halogenation 155, 156
- ruthenium-catalyzed *meta*-nitration 156, 157
- ruthenium-catalyzed remote C–H nitration 158
- ruthenium(II) complex 149, 157
- ruthenium(III) intermediate 144
- S**
- Sclareolide 348, 354
- Se*-aryl and *Se*-alkyl compound 92
- secondary α -methyl substituent 18
- Selectfluor 202, 355, 356
- selective aliphatic C–H oxidation at dicopper complexes 416
- selective C–H oxidation 5
- selenoates 92
- sequential remote-selective regiodivergent C–H olefination of 2-fluorophenylethylamine 28, 29
- Shilov oxidation method 367
- Shilov system 361
- Sigma Aldrich
 Li–Li auxiliary 22
 Maiti–Bera–Modak (MBM) auxiliary 16
 Yu–Li auxiliary 10
- silane derivatives 50
- silylation 195
- spirocarbocyclic products 81
- spirocyclic compounds 89
- spirodihydroindenones 71
- spiroindenes 96
- spiroindolenine-containing pentacyclic products 73
- spiroindolenine derivatives 71
- spiro-polycycles 73
- spiro-polycyclic scaffold 74
- stereoelectronic effects
- steric controlled selective distal C–H functionalization
 nickel catalyzed methods
 alkylation and alkenylation 234–240
 iridium catalyzed methods 240–242
- steric effects 391
- steric hindrance 347, 351, 354, 356

- steric shield 183, 184
 - steroid substrate 170
 - Stigmasteryl acetate 359
 - strain release 394
 - and torsional effects 394
 - strychnine 99
 - sulfamate 243
 - sulfonamide 118
 - sulfonamide chelating template 22
 - sulfonated bipyridine ligands 178, 179
 - sulfonated ligand 179
 - sulfonic acid derivatives 33
 - supramolecular catalysts 413
 - supramolecular recognition
 - hydrogen bonding 408–416
 - ligand to metal coordination 406–408
 - lipophilic interactions 403–404
 - lyophilic recognition by cyclodextrins 404–406
 - synergistic ruthenium-phosphine catalysis 146
- t**
- TADDOL-derived chiral ligand 97
 - template assisted *meta*-C–H
 - functionalization
 - acid derivatives
 - benzoic acids 20–23
 - hydrocinnamic 10–16
 - phenylacetic 16–20
 - alcohol derivatives 44–50
 - aniline derivatives 23–27
 - N*-heterocyclic arene derivatives 29–33
 - phenol derivatives 40–44
 - phosphonate derivatives 51
 - silane derivatives 50–51
 - sulfonic acid derivatives 33–40
 - toluene derivatives 9–10
 - template assisted *para*-selective C–H
 - functionalization
 - palladium catalyzed methods
 - acetoxylation 230–232
 - alkenylation 224–226
 - cyanation 232–233
 - ketonization 227–230
 - silylation 226–227
 - terpyridine ligand (Terpy-COOH) 408
 - tert*-butylbenzene 195
 - tertiary amine 105
 - tertiary anilines 25
 - tertiary bridgehead carbons 346
 - tethered pyridine-type directing group 128
 - tetraalkylammonium counterion 243, 244
 - tetraamido macrocyclic ligands (TAML) 386
 - tetrabutylammonium acetate (TBA-OAc) 155
 - tetrabutylammonium oxone (TBAO) 408
 - tetrabutylammonium (TBA) salt 14
 - tetracyclic fused pyrroles 73
 - tetrahydrofuran 393
 - tetrahydroisoquinolines 77
 - tetrahydronaphthalene 71, 295
 - tetrahydropyran 393
 - tetrahydroquinoline 24
 - tetrahydroquinolines 23, 30, 71
 - 3,4,7,8-tetramethyl-1,10-phenanthroline (tmphen) 172
 - tetra-*n*-butylammonium sulfate 243
 - tetra-*n*-butylammonium cation 243
 - tetra-*n*-propylammonium sulfates 243
 - thermal/photochemical decomposition 315
 - thiazole 271
 - thioates 92
 - 2-thiocyanimidazolium salts 210
 - thiofluoromethylation 205
 - thiophene 262
 - thiophenol 204
 - Thorpe–Ingold effect 9
 - three-membered heterocycles 75
 - titration experiments 413
 - Togni's reagent 323, 329
 - toluene derivatives 9, 146
 - torsional effects 394
 - tosylation 202
 - trans*-1,2-DMCH 392
 - transition metal catalysed distal C–H
 - functionalization 5
 - transition-metal-catalyzed cross-coupling
 - methods 206
 - transition metal-catalyzed cross coupling
 - reactions 59
 - transition-metal-catalyzed *meta*-C–H
 - activation of benzoic acids 20
 - transition-metal catalyzed *meta*-C–H
 - functionalizations of (hetero)
 - arenes 21
 - transition metal-Lewis acid co-operative
 - catalytic process 222
 - tri-alkenylated arenes 51
 - triarylcyclopropanecarboxylate-based
 - catalysts 358

2,4,6-trichlorobenzoyl chloride 91
tricyclic benzonitriles 64
tricyclic mescaline analogue 64
triflation 202
trifluoroethanol (TFE) 397
tri-2-furylphosphine (TFP) 63
triiodide-mediated δ -amination of inert
C–H bonds 326
tri(isopropyl)silyl (TIPS) 254, 391
tryptophan-type substrate 254

u

unsaturated carboxylic acid anhydrides
93
U-turn lactam ring ((Lactam)Ru(porph))
412

v

vinyl azide 329
Vismodegib, 155
vitamin D2 derivatives 347

w

water-soluble poly(*p*-phenylene ethynylene)
(PPEs) 99

x

XPhos 17
Xphos 36

y

Yu-Li auxiliary 10

