

Contents

- 1 Introduction 1**
Uttam Dutta, Srimanta Guin, and Debabrata Maiti
- 2 Transition Metal-Catalyzed Remote *meta*-C–H Functionalization of Arenes Assisted by *meta*-Directing Templates 7**
Yuzhen Gao and Gang Li
 - 2.1 Introduction 7
 - 2.2 Template-Assisted *meta*-C–H Functionalization 9
 - 2.2.1 Toluene Derivatives 9
 - 2.2.2 Acid Derivatives 10
 - 2.2.2.1 Hydrocinnamic Acid Derivatives 10
 - 2.2.2.2 Phenylacetic Acid Derivatives 16
 - 2.2.2.3 Benzoic Acid Derivatives 20
 - 2.2.3 Amine and *N*-Heterocyclic Arene Derivatives 23
 - 2.2.3.1 Aniline Derivatives 23
 - 2.2.3.2 Benzylamine Derivatives 27
 - 2.2.3.3 Phenylethylamine Derivatives 27
 - 2.2.3.4 *N*-Heterocyclic Arene Derivatives 29
 - 2.2.4 Sulfonic Acid Derivatives 33
 - 2.2.5 Phenol Derivatives 40
 - 2.2.6 Alcohol Derivatives 44
 - 2.2.7 Silane Derivatives 50
 - 2.2.8 Phosphonate Derivatives 51
 - 2.3 Mechanistic Considerations 53
 - 2.4 Conclusion 55

Abbreviations 56
References 57
- 3 C–H Functionalization of Arenes Under Palladium/Norbornene Catalysis 59**
Juntao Ye and Mark Lautens
 - 3.1 Introduction 59
 - 3.2 Pd(0)-Catalyzed C–H Functionalization of Aryl (Pseudo)Halides 64

- 3.2.1 *ortho*-Alkylation 64
 - 3.2.1.1 *ortho*-Alkylation with Simple Alkyl Halides 64
 - 3.2.1.2 *ortho*-Alkylation with Bifunctional Alkylating Reagents 70
 - 3.2.1.3 *ortho*-Alkylation with Three-Membered Heterocycles 75
- 3.2.2 *ortho*-Arylation 77
- 3.2.3 *ortho*-Acylation and Alkoxyacylation 89
- 3.2.4 *ortho*-Amination 94
- 3.2.5 *ortho*-Thiolation 101
- 3.3 Pd(II)-Catalyzed C–H Functionalization of Arenes 101
 - 3.3.1 C2-Functionalization of Indoles and Pyrroles 101
 - 3.3.2 *meta*-C–H Functionalization of Arenes Containing an *ortho*-Directing Group 102
 - 3.3.3 *ortho*-C–H Functionalization of Arylboron Species 105
- 3.4 Conclusions and Outlook 108
 - Acknowledgments 109
 - References 110
- 4 Directing Group Assisted *meta*-C–H Functionalization of Arenes Aided by Norbornene as Transient Mediator 115**
Hong-Gang Cheng and Qianghui Zhou
 - 4.1 Introduction 115
 - 4.2 *meta*-C–H Alkylation of Arenes 116
 - 4.2.1 Amide as Directing Group 116
 - 4.2.2 Sulfonamide as Directing Group 118
 - 4.3 *meta*-C–H Arylation of Arenes 119
 - 4.3.1 Amide as Directing Group 119
 - 4.3.2 Sulfonamide as Directing Group 122
 - 4.3.3 Tertiary Amine as Directing Group 122
 - 4.3.4 Tethered Pyridine-Type Directing Group 123
 - 4.3.5 Acetal-Based Quinoline as Directing Group 126
 - 4.3.6 Free Carboxylic Acid as Directing Group 126
 - 4.4 *meta*-C–H Chlorination of Arenes 127
 - 4.5 *meta*-C–H Amination of Arenes 129
 - 4.6 *meta*-C–H Alkynylation of Arenes 130
 - 4.7 Enantioselective *meta*-C–H Functionalization 130
 - 4.8 Conclusion 133
 - Abbreviations 134
 - References 134
- 5 Ruthenium-Catalyzed Remote C–H Functionalizations 137**
Korkit Korvorapun, Ramesh C. Samanta, Torben Rogge, and Lutz Ackermann
 - 5.1 Introduction 137
 - 5.2 *meta*-C–H Functionalizations 138
 - 5.2.1 C–H Alkylation 138
 - 5.2.2 C–H Benzoylation 146
 - 5.2.3 C–H Carboxylation 150

5.2.4	C–H Acylation	151
5.2.5	C–H Sulfonylation	151
5.2.6	C–H Halogenation	152
5.2.7	C–H Nitration	155
5.3	<i>para</i> -C–H Functionalizations	158
5.4	<i>meta</i> -/ <i>ortho</i> -C–H Difunctionalizations	161
5.5	Conclusions	161
	Acknowledgments	163
	References	163
6	Harnessing Non-covalent Interactions for Distal C(sp²)-H Functionalization of Arenes	169
	<i>Georgi R. Genov, Madalina T. Mihai, and Robert J. Phipps</i>	
6.1	Introduction	169
6.2	Non-covalent Interactions in Metal Catalyzed C–H Bond Functionalization	170
6.3	Overview of Iridium-Catalyzed Borylation	171
6.4	Non-covalent Interactions in Ir-Catalyzed Borylation	174
6.5	<i>meta</i> -Selective Borylation using Non-covalent Interactions	176
6.6	<i>para</i> -Selective Borylation using Non-covalent Interactions	181
6.7	Conclusions	186
	References	186
7	The Non-directed Distal C(sp²)-H Functionalization of Arenes	191
	<i>Arup Mondal, Philipp Wedi, and Manuel van Gemmeren</i>	
7.1	Introduction	191
7.1.1	Mechanisms	192
7.2	C–Het Formation	193
7.2.1	Borylation	193
7.2.2	Silylation	195
7.2.3	Amination	196
7.2.4	Oxygenation	200
7.2.5	Other C–Het Bond Forming Reactions	202
7.3	C–C Bond Forming Reactions	205
7.3.1	C–H-Arylation	206
7.3.2	Alkenylation/Olefination	207
7.3.3	Cyanation	209
7.3.4	Other C–C Bond Forming Reactions	212
7.4	Outlook	212
	References	213
8	Transition Metal Catalyzed Distal <i>para</i>-Selective C–H Functionalization	221
	<i>Uttam Dutta and Debabrata Maiti</i>	
8.1	Introduction	221

8.2	Template Assisted <i>para</i> -Selective C–H Functionalization	224
8.2.1	Palladium Catalyzed Methods	224
8.2.1.1	Alkenylation	224
8.2.1.2	Silylation	226
8.2.1.3	Ketonization	227
8.2.1.4	Acetoxylation	230
8.2.1.5	Cyanation	232
8.2.2	Rhodium Catalyzed Functionalization	233
8.2.2.1	Alkenylation	233
8.3	Steric Controlled and Lewis Acid-Transition Metal Cooperative Catalysis	233
8.3.1	Nickel Catalyzed Methods	234
8.3.1.1	Alkylation and Alkenylation	234
8.3.2	Iridium Catalyzed Methods	240
8.3.2.1	Borylation	240
8.4	Non-covalent Interaction Induced <i>para</i> -C–H Functionalization	242
8.4.1	Di-polar Induced Methods	242
8.4.2	Ion-Pair Induced Methods	243
8.5	Conclusion and the Prospect	244
	Acknowledgments	246
	References	246
9	Regioselective C–H Functionalization of Heteroaromatics at Unusual Positions	253
	<i>Koji Hirano and Masahiro Miura</i>	
9.1	Introduction	253
9.2	Indole	253
9.2.1	C–H Functionalization at C4 Position	254
9.2.2	C–H Functionalization at C7 Position	258
9.2.3	C–H Functionalization at C5 Position	261
9.2.4	C–H Functionalization at C6 Position	261
9.3	(Benzo)Thiophene	262
9.4	Pyrrole	264
9.5	Pyridine	266
9.6	Miscellaneous Heteroarenes	271
9.6.1	Thiazole	271
9.6.2	Quinoline	271
9.7	Conclusion	272
	References	273
10	Directing Group Assisted Distal C(sp³)–H Functionalization of Aliphatic Substrates	279
	<i>Ya Li, Qi Zhang, and Bing-Feng Shi</i>	
10.1	Introduction	279
10.2	γ -C(sp ³)–H Functionalization of Aliphatic Acids	280

- 10.3 δ -/ ε -C(sp³)—H Bond Functionalization of Aliphatic Amines 288
- 10.4 γ -C(sp³)—H Bond Functionalization of Aliphatic Ketones or Aldehydes 301
- 10.5 γ -/ δ -C(sp³)—H Bond Functionalization of Aliphatic Alcohols 305
- 10.6 Conclusions and Outlook 307
References 309

- 11 Radically Initiated Distal C(sp³)—H Functionalization 315**
Weipeng Li and Chengjian Zhu
- 11.1 Introduction 315
- 11.2 Distal C(sp³)—H Functionalization Promoted by Carbon-Centered Radicals 317
- 11.3 Distal C(sp³)—H Functionalization Promoted by Nitrogen-Centered Radicals 325
 - 11.3.1 Generation of Nitrogen Radical from N—X (X = F, Cl, Br, I) Bond 325
 - 11.3.2 Generation of Nitrogen Radical from N—N Bond 328
 - 11.3.3 Generation of Nitrogen Radical from N—O Bond 329
 - 11.3.4 Nitrogen Radical Generated Directly from N—H Bond 331
- 11.4 Oxygen-Centered Radicals Initiate Distal C(sp³)—H Functionalization 333
 - 11.4.1 Oxygen Radical Generated from O—X (X = N, O) bond 333
 - 11.4.2 Oxygen Radical Generated Directly from O—H Bond 336
- 11.5 Summary and Outlook 338
References 339

- 12 Non-Directed Functionalization of Distal C(sp³)—H Bonds 343**
Carlo Sambigioglio and Bert U. W. Maes
- 12.1 Introduction 343
 - 12.1.1 Bond Dissociation Energy (BDE) of C—H Bonds 344
 - 12.1.2 Scope of the Chapter 346
- 12.2 Reactions Occurring Without Formation of Metal—Carbon Bonds 346
 - 12.2.1 Oxidations with Dioxiranes 346
 - 12.2.2 Decatungstate-Photocatalyzed Remote Functionalization 348
 - 12.2.3 Electrochemical Remote Functionalizations 353
 - 12.2.4 Carbene Insertion into C—H Bonds 356
- 12.3 Reactions Occurring via Formation of Metal—Carbon Bonds 360
 - 12.3.1 Pt-Based Shilov Chemistry 361
 - 12.3.2 Rh- and Ir-Catalyzed C—H Borylation of (Functionalized) Alkanes 363
- 12.4 Altering Innate Reactivity by Polarity Reversal Strategies 367
 - 12.4.1 Remote Functionalization of Aliphatic Amines via Quaternary Ammonium Salts 368
 - 12.4.2 Remote Functionalization of Alcohols and Amides via Hydrogen Bond Interactions 376
- Acknowledgments 378
References 378

13	Remote Oxidation of Aliphatic C—H Bonds with Biologically Inspired Catalysts	383
	<i>Miquel Costas</i>	
13.1	Introduction	383
13.1.1	Bioinspired Catalysis as a Tool for Site Selective C—H Bond Oxidation	383
13.1.2	Typology of Bioinspired Catalysts	385
13.1.3	Site Selectivity in Aliphatic C—H Oxidation: Basic Considerations	387
13.2	Innate Substrate Based Aspects Governing Site Selectivity in C—H Oxidations	388
13.2.1	C—H Bond Strength	388
13.2.2	Electronic Effects	388
13.2.3	Steric Effects	391
13.2.4	Directing Groups	392
13.2.5	Stereoelectronic Effects	393
13.2.5.1	Hyperconjugation Effects	393
13.2.5.2	Strain Release and Torsional Effects	394
13.2.6	Chirality	395
13.3	Remote Oxidations by Reversal of Polarity	395
13.3.1	Remote Oxidation in Amine Containing Substrates by Protonation of the Amine Site	395
13.3.2	Remote Oxidation of Amide Containing Substrates by Methylation of the Amide Moiety	397
13.3.3	Remote Oxidation via Polarity Reversal Exerted by Fluorinated Alcohol Solvents	397
13.4	Remote Oxidations Guided by Supramolecular Recognition	401
13.4.1	Lipophilic Interactions	403
13.4.2	Lipophilic Recognition by Cyclodextrins	404
13.4.3	Ligand to Metal Coordination	406
13.4.4	Hydrogen Bonding	408
13.5	Selective Aliphatic C—H Oxidation at Dicopper Complexes	416
13.6	Conclusions	417
	References	418
	Index	423