

Index

a

AB-type monomers 149, 160, 161
 AB₂-type monomer 154, 155, 161, 162
 Abbe refractometer 177, 185, 308, 309
 2-(acetylthio)ethyl methacrylate
 (AcSEMA) 244, 245
 achromats 315
 acrylamides 237, 238, 253, 414, 421
 acrylics 235, 237, 242, 244, 245, 400
 acylated rapeseed protein isolate
 (ARPI)-based nanogel 415
 adipoyl chloride 247
 aggregation-induced emission (AIE)
 property 28, 157, 164, 211, 225,
 227, 399, 418, 419
 alcohols 14–16, 18, 26, 73, 86, 104,
 183, 206, 223, 345
 aldehydes 2–4, 12, 34, 211–213, 236,
 237, 371
 alicyclic norbornyldimer crosslinker
 (NBD2) 333
 aliphatic 1,6-hexanediamine 10
 aliphaticdiamines 5–9, 11–13, 65, 68,
 201, 203
 aliphatic polythioesters 179–185
 aliphatic polythioureas 65, 66
 aliphatic/aromatic diamines 9–11
 aliphatic/benzyl diamines 3
 alkanedithiols 374
 alkenes 41–44, 196, 253, 329
 3-alkenyloxindole 18
 alkoxy metal salts 89, 96
 alkoxyl pyridinium 280

alkyl thioacrylates 242
 alkyl sulfonylazides 14, 215
 alkynes 2, 5, 6, 12, 14–18, 20, 22–26,
 34, 148, 154, 209, 211, 218, 219,
 221, 249
 allyl-telechelic PIB 150
 amide based initiators 253
 amine derivatives 218
 amines 5–7, 9, 11, 14–16, 26, 34, 64,
 84, 86, 163, 193, 197, 200, 201,
 221, 236, 237, 246, 252, 253, 327,
 371, 397
 2-aminobenzonitrile 17, 221
 1-(2-aminoethyl)piperazine (AEPZ)
 399
 4-amino-iminocoumarin-containing
 poly(sulfonylimidate)
 fluorescent 223
 5-aminosalicylic acid (5-ASA) 200,
 201
 amino esters 14, 15, 215, 217, 218, 396
 ammonium persulphate ((NH₄)₂S₂O₈)
 268
 amphiphilic block copolymers 381,
 389
 amphiphilic copolymers 396, 403
 amphiphilic cyclodextrins 414
 amphiphilic polymers 349, 381, 385,
 398, 403
 anti-Markovnikov additive
 poly(vinylene sulfide)s 156, 165
 anti-Markovnikov thioether 148

- anticancer drug Camptothecin (CPT) 385, 387, 407, 408, 419, 420
 anticancer drug curcumin (CUR) 415, 418
 anticounterfeiting 358, 359
 apolar aprotic solvents 199
 aromatic acid dichlorides 172, 174
 aromatic dialdehydes 3, 5
 aromatic diamines 9–11, 13, 65, 68, 315
 aromatic diynes 5, 18, 159, 160
 aromatic macrocycles 371
 aromatic poly(disulfide)s 172–179, 247, 320, 325, 369–374, 377, 379, 381
 aromatic poly(dithioester)s 173, 175, 176
 aromatic polythioesters 172, 174–179, 247
 aromatic sulfonylazides 215, 218
 arteriosclerosis 413
 aryl sulfonyl hydrazide 21
 arylsulfonohydrazides 20
 arylsulfonyl azides 209
 asymmetric diselenide-containing molecule 349
 atom transfer radical polymerization (ATRP) 123, 237, 238, 246, 253, 256, 344, 362, 395, 396, 404, 416, 417
 atom-exchange coordination polymerization 91
 atomic sulfur 42
 attachable/cleavable materials 359, 362
 Avogadro constant 310
 aza-disulfides 200
 azobisisobutyronitrile (AIBN) 25, 151, 244, 342
 2,2'-azobisisobutyronitrile (AIBN) 25, 244, 342
 2,2'-azobis(2-methylpropionitrile) 25, 150, 244, 342
 azodithiocarbonate anion 57
- b**
- B3 monomer 380
 base-catalyzed thiol-*para*-fluorine click polymerization 165
 Beavon sulfur removal process 87
 benzaldimine 7
 1,4-benzenedimethanol 345
 benzyl diamines 3, 7–9
 benzyl mercaptan 184
 benzyl/aliphatic diamines 5, 6
 bibenzonorbornenylidene 42, 43
 bifunctional catalyst 94, 95
 bifunctional chromium catalyst 122
 bifunctional organoboron 276
 bimetallic synergistic effect 123
 biodegradable PLA-based sheddable micelles 397
 bioreducible nanoparticles 404
 birefringence 311–315, 320, 321, 325, 326, 334
N,N'-bis(acryloyl)cystamine (BAC) 399, 407
 1,3-bis(diphenylphosphino)propane 269, 270
 bis(2,3-epithiopropyl) ether 174
 bis(2-aminoethyl) selenide 340
 bis(2-hydroxyethyl) selenide 340
 bis(2-methacryloyl) oxyethyl disulfide (BMOD) 421
 1,6-bis(methylamino)hexane yielded polymer 199
 2,2-bismethylol propionic acid (bis-MPA) 400
 bis(4,4-mercaptophenyl)sulfide (MPS) 172, 174, 175
 bis(methacrylate)s 26, 27
 bis(sulfenyl thiocarbonates) 376
 bis-diselenide macrocycle 351
 bis-disulfide cycle 351
 1,3-bis(4-piperidyl)propane 199
 bis-thiol compounds 248
 bisnorbornenes 150
 bisphenoldithiol monomers 370

- block copolymers 101, 164, 185, 248, 273, 284, 369, 381, 389, 395, 402, 403, 414
- block copolymers (BCPs) 101, 109, 110, 123, 124, 133, 135, 136, 164, 183, 185, 244, 248, 273, 284, 369, 381, 395, 402, 403, 414
- N*-Boc cysteine 181
- N*-Boc-L-cysteine methyl ester 181
- bond-exchange reactions 204
- α,ω -dibromoalkane 175
- 2-bromo-5-bromomagnesio-3-hexylthiophene 271
- 5-bromo-2-bromomagnesio-3-hexylthiophene 271
- 2-bromo-5-chloromagnesio-3-hexylthiophene 272
- 2-bromoethyl methacrylate 244
- (5-bromo-4-hexylthiophen-2-yl)magnesium bromide 269
- 2-bromo-3-hexylthiophene 269
- 2-bromo-5-iodo-3-hexylthiophene 271
- α -bromoisobutyryl bromide 123, 381
- α,β -dibromopropionyl chloride 242
- Z*-butene 42
- buthionine sulfoximine (BSO) 399
- C**
- cancer theranostics 418
- ϵ -caprolactone 182
- carbanion nucleophiles 237
- carbon dioxide 40, 52
- carbon disulfide 11, 39–74, 82–83, 147, 326
- carbon–carbon (C–C) bond 367
- carbonate 47, 48, 50, 52, 55–60, 63, 86, 90, 91, 98, 113, 115, 117, 118, 121, 122, 149, 242, 248, 276, 325, 345, 346, 381, 385, 387, 394
- carbonate monomers 73, 345
- carbonyl sulfide (COS)
- ammonia and amines, reaction with 86
 - Claus reaction 87
 - copolymerization
- alkoxy metal salts 89, 96
- chromium (Cr) 93–95
- cyclic ethers 89, 92, 93
- epoxides and oxetane 89
- heterogeneous catalysts 89
- iron (Fe) and cobalt (Co) 95–96
- monosubstituted epoxides 90, 91
- organocatalysts 98–99
- zinc-cobalt(III) double-metal cyanide complex 88–93
- COS-derived block polymers 123–124
- COS-derived polymers
- crystalline properties 126–129
 - electronic properties 132–137
 - optical properties 129–132
 - thermal properties 124–126
- crystalline COS-derived polymers 121–123
- environmental and safety considerations 83–84
- hydrolysis 84–85
- miscellaneous reactions 86
- oxidation 85
- oxygen-sulfur exchange reaction 110–113
- physical properties 81
- poly(thioether)s
- CS₂ 115
 - cyclic thiocarbonates 114
 - poly(monothiocarbonate) (PMTC) repurpose 120–121
 - synthetic methods of 113, 114
- preparation methods
- carbon disulfide (CS₂) using of 82–83
 - CO and sulfur, direct reaction of 82
 - laboratory preparation 83
 - reduction 85–86
 - SO₂ reaction 86
 - thermal decomposition 84
- carbonyl sulfide adduct 40
- cationic polymer 160
- Cauchy equation 312

- cell imaging 30–31
 cell penetrating poly(disulfide)
 (CPPDS) 388, 389
 cellular glutathione 395
 Chain Transfer Agents (CTAs) 40,
 235, 238, 239, 256, 342
 chemical oxidation 266, 268, 374
 chemical oxidation polymerization
 266
 chemosensors 28–29, 34, 225, 227
 chiral amino esters 14, 15
 chitosan-thiobutylamidine 418
 2-chloro-3,4-alkylenedioxythiophene
 283, 284
 4-chlorobutanoyl chloride 345
N-chlorophthalimide 197
 chromium (Cr) 93–95
 Claus reaction 87
 cocatalyst 47, 48, 55, 57, 59, 88, 92–94,
 96, 104, 278
 comonomer ring-opening 177
 conjugated polyelectrolyte
 (CPE)-phospholipid interfaces
 288, 289
 conjugated polymers 265, 266, 271,
 273, 276, 280, 282, 285–289
 conventional approach episulfides 41
 conventional organic solvents 194,
 197
 conventional spectroscopic techniques
 218
 conventional transmetalation
 cross-couplings 276
 copolymerization 266
 episulfides 185
 PO and PTA 177, 178
 copolymerization reactions, of carbon
 disulfide
 and episulfides 44–51
 and epoxides 51–58
 diamines 71
 primary and secondary diamines 68
 scrambling mechanism, for
 sulfur/oxygen atoms 58–60
 copolymers 39–40, 46, 52, 74, 90–91,
 94–95, 98–101, 111, 113, 115,
 117–118, 121–123, 125–126, 129,
 131–132, 135, 137–138, 152–153,
 161, 163–164, 171, 177, 179, 183,
 185, 244, 249, 266, 273, 276, 331,
 369, 395, 399, 402–403, 414
 copper-mediated RDRP 238
 COS/epoxide copolymerization 88, 93,
 96, 98, 100, 101, 104, 107, 124,
 125, 147
 couple-monomer method 155
 CPT monomer (CPTM) 407
 crosslinked polymeric nanomedicines
 403
 crosslinked polyurethane 358
 Cu-acetylide complex 14
 cyclic allenes 44
 cyclic disulfide oligomers 371, 375
 cyclic dithiocarbonates 25–26, 34
 cyclic ketene acetal (CKA) 176
 cyclic monomers 41, 237
 cyclic thioanhydrides 185, 186
 cyclic thiolactone 2, 26–28, 184
 cyclic trithiocarbonates 46, 48, 58,
 117, 326
 1,4-cyclohexanediamine 9
 cyclohexene 42, 48, 52, 54, 55, 60, 61,
 63, 91, 93
 cyclohexene oxide 52, 54, 55, 60
trans-cyclohexene trithiocarbonate 60
 1,2-cyclononadiene 44
trans-cyclononene episulfide 43
 cyclopent-3-enecarbothioate 242
 cyclopentene 48, 54, 56, 58, 60, 237,
 245
cis-cyclopentene carbonate 50, 57, 60,
 63, 64
 3-cyclopentene-1-carboxylic acid 242
 cyclopentene oxide(CPO) 48, 54–59,
 61–63, 95, 123, 129, 132
 cyclopentene sulfide 47–49, 56, 58, 60,
 63, 64
 cyclopentene trithiocarbonate 48, 50,
 57, 58, 60, 62, 63

- cis*-cyclopentene trithiocarbonate 48
trans-cyclopentene trithiocarbonate 48, 50, 57, 58, 60, 62, 63
 cystamine bisacrylamide (CBA) 396, 397
- d**
- DCBABCDE-type sequence-controlled polymer 26
 de-cross-linking experiments 204
 decomposing, of peroxides 339
 1,2-decyloxirane 115
 degradable polymers 137, 171, 235, 394, 396
 dendrimer 148, 164, 345–348, 399–401
 2-deoxy-D-ribose 73
 detection of limit (LOD) 226
 di-(1-hydroxyundecyl) diselenide (DiSe) 356
 di-*n*-butyltin dilaurate (DBTDL) 204, 356
 diacylates 152, 248, 396
 diacyl halides 173
 dialdehydes 2–5
 dialkylacetylenedicarboxylates 157, 158, 165
 dialkylxanthate 237
 4',6-diamidino-2-phenylindole 224, 225
 diamine(s) 3–16, 20, 25–27, 64–66, 68–69, 71, 74, 101, 193–194, 196–197, 199, 201–203, 215–216, 228, 315–316, 320, 345
 diamine monomers 5, 11, 26, 69, 201
 diamines reactions 66
 1,8-diamino-3,6-dioxaoctane 66
 diaminosulfides 196, 199
 diaryl diselenid 342
 diaryl acetic acids 9–11
 1,8-diazabicyclo[5.4.0]undecane (DBU) 152
 2,5-dibromo-3,4-ethylenedioxothiophene (DBEDOT) 281, 282
 dibutyltin dilaurate (DBTDL) 204, 356
- dicarboxylic acids 2, 172, 175
 1,2-dichloroethane (DCE) 158, 275
 dielectric relaxation 66
 Diels–Alder reaction 152, 348
 dienes 113, 149–151
 differential scanning calorimetry (DSC) analysis 56, 66, 128, 131, 180, 206, 207, 242, 348
 diisocyanate 163, 204, 340, 341, 357
 diisocyanides 11–13
 diisopropylethylamine 14, 184
 diisothiocyanate 11
 diithiobiscyclohexanedicarboximide 202, 203
 dilute hydrogen peroxide 372
 2,5-dimercapto-1,3,4-thiadiazole (DMCT) 374
 1,4-di(mercaptopethyl)-tetramethylbenzene phthaloyl 247
 2,2-dimethoxy-2-phenylacetophenone (DMPA) 150
 dimethylacrylamide 249
 (2-dimethylamino) ethyl methacrylate (DMAEMA) 416
 4-dimethylaminopyridine (DMAP) 161, 201, 355
N,N-dimethylarenesulfonimidamides 205
N,N-dimethylacetamide (DMAc) 3, 17, 211, 278, 321
N,N-dimethylformamide (DMF) 3, 156, 184, 341
N,N'-dimethyl-1,6-hexanediamine 203
 dimethylphenylphosphine (DMPP) 151, 152
 4,4-dimethyl-3,5,8-trioxa-bicyclo-[5.1.0]octane (CXO) 95
 4,9-dioxadodecanediamine 345
 4,4'-diphenylmethane diisocyanate (MDI) 357
 1,2-dithiane (DT) 375, 376
 2,2'-dithiodiethanol diacrylate 396
 diols 15, 16, 20, 26, 27, 73, 74, 207–209, 325, 326, 341, 416

- diphenyl dichalcogen 20, 21, 34
 diphenyl diselenide 20
 diphenyl phosphite 65
 diphenyl acetylene derivatives 155, 156, 165
 dipropiolate 26, 27
 dipyridyl disulfide 378
 directarylation method 276–278
 directarylation polymerization (DArP) 276–278
 diselenide metathesis reaction 349, 357
 diselenide-containing polymers 344–346, 352
 diselenide-containing polystyrene (PSSe_2) 344
 diselenocarbonates 344
 disulfenamide derivatives 194
 disulfenylchloride derivatives 194
 disulfide (S-S) bond 367
 disulfide bond 199, 201, 251, 348, 367, 371, 374–376, 388, 389, 396, 397, 399, 401, 403, 407, 410, 412, 414–416, 420, 422, 423
 disulfide crosslinkers 414, 416
 disulfide functionality 367, 369
 disulfide linkage 203, 387, 394–399, 403–405, 407, 415, 418, 420, 423
 disulfide-containing crosslinkers 405
 disulfide-containing crosslinking hydrogels
 disulfide-crosslinked macroscopic hydrogels 407–410
 disulfide-crosslinked micro/nanogels 407–409
 disulfide-crosslinked natural hydrogels 410–412
 disulfide-containing dendritic polymers
 disulfide-containing dendrimers 400–401
 disulfide-containing hyperbranched polymers 399–400
 disulfide-containing linear polymers
 linear polymers, with cleavable backbones 396–397
 linear polymers, with cleavable side chains 397–398
 disulfide-containing polymers, for biomedical applications
 biomedical imaging 418–419
 drug conjugates 419–420
 gene delivery 416–418
 nano-assemblies
 targeted drug delivery 413–414
 self-healing/self-repairing 420–421
 targeted drug delivery 412–413
 hydrogels 415–416
 nanogels 414–415
 disulfide-containing polypeptides and proteins 401–403
 controlled fabrication, of solution nano-assemblies 406
 disulfide linker for amphiphilic polymers 403–404
 disulfide linker for nano-assemblies 404–406
 disulfide-crosslinked hyaluronic acid (HA) hydrogels 410, 412
 disulfide-crosslinked nanogel 407
 disulfide-functionalized hyperbranched poly(amido amine) (ssHPA) 399
 disulfidatediamine moiety 201
 disulfonylazide(s) 15–18, 22, 28, 209–215, 217, 221
 disulfonylazide monomers 16
 dithiobiscyclohexanedicarboximide 202, 203
 dithiobisphthalimide 201, 202
 dithiobissuccinimide 201, 202
 dithiocarbamate group 237
 dithiocarbonates 25, 26, 171, 237, 321, 326
 dithiols 113, 149–152, 156–161, 163, 172, 173, 175, 194, 247–249, 315, 316, 370–374
 dithiosuccinimides 194, 195, 198
 dithiothreitol (DTT) 355, 367, 394, 414

- possibly, dithiols 149, 150
 diverse ring-opening polymerization techniques 237
 diynes 5–7, 14–18, 20, 21, 25, 26, 28, 157–160, 208–217, 221
 DL-dithiothreitol (DTT) 355, 367, 377, 394, 396, 398, 400, 401, 410, 411, 413, 414, 422
 DL-homocysteine 403
 DMAc (*N,N*-dimethyl acetamide) 3, 17, 211, 278, 321, 375
 DMSO (dimethyl sulfoxide) 5, 10, 28, 29, 65, 197, 201, 206, 209, 211, 225–227, 321, 355, 367, 371, 372, 375
 DNA-like polymers 183, 248
 donor-acceptor (D-A) copolymers 276
 double metal cyanide complex (DMCC) 51, 89–93
 Dox-loaded polymers 385
 dual-site Lewis pair 101–104
 dynamic combinatorial library (DCL) 351
 dynamic covalent bond (DCB) 199, 348, 351, 353–357, 360, 362, 363
- e**
 electrochemical polymerization 266, 268, 269, 280, 374
 electron charge distribution 310
 elemental sulfur 1–13, 34, 39, 41–44, 56, 74, 86, 147, 199, 332
 enantiopure binaphthol-linked binuclear Co(III) complexes 95
 enantiopure binaphthol-linked dinuclear Co(III) complex 123
 epicholorohydrin (ECH) 121, 122, 126
 episulfides 41–51, 60, 74, 117, 185, 186
 epoxide(s) 54, 60, 63, 88–90, 93, 96, 98, 100–102, 104, 107, 108, 110, 113–115, 118, 122, 124–126, 135, 147, 161, 249, 345
 epoxide/COS copolymerization 90
 epoxide/CS₂ copolymerization 90
 1,2-epoxybutane 115
- 1,2-epoxyheptane 115
 1,2-epoxyhexane 115, 125
 1,2-epoxypentane 115
 3,4-epoxytetrahydrofuran (COPO) 95, 123, 129
 1,2-epoxy-4-vinylcyclohexane 115
 2-ethoxy-2-oxo-1,3,2-dioxaphospholane (EOP) 383
 2,2'-(ethylenedioxy) diethanethiol 407
N-ethylmethylamine 194
 ethyl acrylate (EA) 244, 245, 256
 ethyl 2-mercaptopropionate 24, 25
 ethylthioacrylate (ETA) 245, 256
 ethylenediamine 9, 65, 97, 101, 201
 exothiiranes 44, 45
- f**
 field-effect transistors (FET) 285, 360
 Fiesslmann cyclocondensation 25
 flame retardants 193, 227–228
 fluorescent chemosensors 34, 225, 227
 fluorescent photopatterns 157, 218
 fluorescent polymer 160, 254, 387
 fluorescent polythiourea 30
 folate (FA)-modified triblock copolymer P 418
 forster resonance energy transfer (FRET) 288
 fragmentation polymerization 375–377
 free radical polymerization (FRP) 98, 204, 205, 237, 244, 342, 398
 freethiols 235, 245, 246, 253, 256, 367, 372, 377, 387, 412
 frustrated Lewis pairs (FLPs) 97, 98
 functional chalcogenide hybrid inorganic/organic polymers 147
 functional poly(thioamide)s 147
- g**
 gas chromatography-mass spectrometry (GC-MS) 48, 57, 59, 63, 90, 102, 272

- gel permeation chromatography (GPC) 103, 120, 121, 184, 254, 255, 341, 344
- glutathione (GSH) 249, 339, 367–369, 381, 384, 387, 393, 399, 413
- glutathione enzymatic system 367, 368
- glutathione monoester (GSH-OEt) 399
- glutathione peroxidase (GPx) 339, 346, 353, 362, 368
- glutathione redox couple (GSSG/GSH) 367, 369
- glutathione reduced (GSH) 367–369, 381, 383–385, 387, 393–395, 398, 399, 404, 405, 412–414, 418–420, 423
- glutathione tripeptide 367, 393
- glutathione reductase 368
- glycidol benzyl ether 115
- glycidyl propargyl ether 249
- gold nanoclusters 245
- green fluorescence protein (GFP) 416, 418
- Grignard metathesis (GRIM)
metalation 270–273, 275
- Grignard metathesis (GRIM) method 270–273, 275
- GSH/glutathione disulfide (GSSG) 367–369, 413
- h**
- H NMR spectroscopy 100, 120
- head-to-head (HH) 93, 267
- head-to-tail (HT) 93, 267, 285
- HeLa cells 30, 33, 383, 385–387, 399, 416
- heptamethylenediamine 65
- N*-heterocyclic olefins 40
- 1,6-hexamethylenediamine 9
- hexamethylene diisocyanate (HDI) 204, 358
- hexane-1,6-dithiol 180, 247
- 1,6-hexane dithiol 378
- 1,2-hexyloxirane 115
- 3-hexyl-5-bromo-2-(phenylsulfonyl)-thiophene 270
- 3-hexyl-2-(phenylsulfonyl)thiophene 270
- (4-hexyl-5-(phenylsulfonyl)thiophen-2-yl)magnesium chloride 270
- 3-hexylthiophene concentrations 268
- high refractive index sulfur-containing polymers (HRISPs) 314–315
- inverse vulcanization 328–334
- optics
absorption and refraction 306–307
birefringence 312–313
dispersion 311–312
refractive index 307–311
- polycarbonates and polyesters 325–327
- sulfur containing
polyimides and polyamides 315–321
poly(meth)acrylates 321, 323–325
polythioacrylates 321, 323–325
- thermosets 327–328
- high-molecular-weight polyisobutylenes (PIBs) 150
- HMF-derived poly(β -thioether ester)s 152
- homocysteine thiolactone 237, 242
- homopolymerization 147, 183, 184, 245, 246, 269, 270, 275, 277, 290
- human carbonic anhydrase (HCA) zinc enzyme 85
- human umbilical vein endothelial cell (HUVEC) 416
- hydrodesulfurization processes 39, 40, 74
- hydrogen peroxide (H_2O_2) 149, 196, 268, 346, 367, 368, 372, 393
- hydrophilic diselenide molecule ($HOEG4Se_2$) 360

- hydrophilic diselenide polymer
(mPEGSe₂) 349
- hydrophilic ditetraglycol diselenide 349
- hydrophilic oligoethylene glycol 404
- hydrophilic/hydrophobic blocks 395
- hydrophobic alkyl chains 398
- hydrophobic chemotherapeutic drugs 399
- hydrophobic diselenide polymer
(PSSe₂) 349
- hydrophobic drug molecules 398
- hydrothiolation 25
- ortho*-hydroxy acetophenone 17, 211–213
- 2-hydroxybenzonitrile 17, 213, 214
- 3-hydroxybutyrate (3HB) 179, 180
- N*-hydroxyethyl acrylamide (HEAA) 421
- hydroxyl terminated poly(disulfide)s 381
- 5-hydroxymethylfurfural (HMF) 151, 152
- 4-hydroxyproline-derived bicyclic thiolactone monomers 184
- hyperbranched copolymers 399, 403
- hyperbranched poly(β -hydroxythioether)s 161, 162
- hyperbranched (poly(*N,N'*-bis(acryloyl) cystamine-1-(2-aminoethyl) piperazine-poly(ethylene glycol) 407
- hyperbranched poly(thioether)s 150, 151, 155
- hyperbranched poly(vinyl sulfide)s 155
- hyperbranched polydiselenide 348
- hyperbranched polydisulfide (HBPDS) 380, 382
- hyperbranched polymers 2, 22, 23, 150, 151, 154, 155, 159, 161, 345–347, 399–400, 422
- hyperbranched selenium-containing polystyrene 346
- i**
- iminocoumarin derivatives 223
- iminocoumarin-containing poly(*N*-sulfonylimine) 28, 213, 223
- iminophosphine 28
- Iminophosphorane 18, 22, 218, 219
- indium tin oxide (ITO) surface 374, 377
- inductively coupled plasma atomic emission spectroscopic technique (ICP-AES) 71
- infrared spectroscopy 51, 52, 55, 371
- intelligent polymeric nanoparticles 418
- intermolecular cyclization 345
- intermolecular disulfide bonds 410, 412
- intramolecular catalyst-transfer mechanism 275
- intramolecular disulfide bonds 410, 412
- iron trichloride (FeCl₃) 268, 285
- iSDA-MBAm copolymers 152
- isocyanides 2, 11–13, 30, 34
- isophthaloyl 247
- isophthalaldehyde 3
- isophthaloyl chloride 172–174
- isosorbide diacrylate (iSDA) 152
- isothiocyanates 42
- k**
- Kramers–Kronig relation 310
- Kumada-and Negishi-type polymerizations 270, 273, 274
- Kumada-type homopolymerization 269
- l**
- L-cysteine methyl ester (Cys-ME) 181, 251, 254
- Lewis acid 46, 94, 98, 102, 107, 110, 206, 236, 284
- Lewis pairs 97, 100, 104, 107–109
- L-glutathione 249, 339, 367–369, 381, 384, 387, 393, 398, 399, 403, 413

- linear diselenide-containing polyurethane (PUSeSe) 341
- linear poly(β -hydroxythio-ether)s 160, 161
- linear poly(thioether)s 149, 155
- linear poly(thiourethane)s 163
- LiOH-catalyzed thiol-epoxy click polymerization 160
- lipoic acid (LPA) 375, 376, 416
- liquefied petroleum gas (LPG) 87
- Lorentz–Lorenz equation 310, 314, 326
- low molecular weight (LMW) 150, 180, 183, 202, 247, 371, 401
- 2,6-lutidine 14
- lysosome imaging dye 30
- LysoTracker Red (LTR) 30, 33
- m**
- main-chain poly(sulfenamide) synthesis 194
- MALDI spectrum 68
- MALDI-TOF-MS 68, 74, 102, 106, 248, 254, 401
- maleimide 151, 152, 154, 237, 314
- manganese oxide 86
- Markovnikov additive poly(vinylidene sulfide)s 159, 165
- mechanophotopatterning substrates 362
- 5-membered γ -thionobutyrolactone 181
- 5-membered γ -thionolactone 181
- 5-membered γ -thiolactone 181
- mercaptoalkanoic acid 180
- 2-mercptoethanol (β -ME) 367
- 3-mercaptopropionate (3MB) 179
- mercury absorption process 72
- meso-epoxides 95, 121, 123, 129, 131, 132
- metal-free copolymerization process 101
- metal-hydroxide (M-OH) bond catalysis 110
- metal-ion detection 221, 225–227
- metallopolymers 164, 165
- methacrylic acid (MAA) 407, 408
- methacryloyl chloride 242, 244
- 2-(methacryloyloxy)ethyl trimethylammonium chloride (META) 320, 421
- 2-(2-(2-methoxyethoxy)ethoxy)ethyl methacrylate (TEGMA) 383
- N,N'*-methylenebisacrylamide (MBAm) 152, 407
- 1-methylimidazole (NMI) 120
- methyl mercaptoacetate 247
- methyl monothiocarbonate ($\text{CH}_3\text{OC(O)S}^-$) 96
- 5-methyl-1,3-oxathiolan-2-one 112, 114, 120, 121
- N*-methyl-2-pyrrolidinone (NMP) 7, 157, 181, 321
- N*-methyl-3,3'-bis(methylamino)dipropylamine 197
- 7-methyl-1,5,7-triazabicyclo[4.4.0]dec-5-ene (MTBD) 104, 105, 109, 117, 120, 182, 183
- Michael addition 26, 148, 151–154, 242, 248, 397, 399, 400, 408
- Michael-type polyaddition 396
- microanalysis 55, 57, 64
- microflow reaction 269
- microphase-separated morphology 133, 135
- molecular polarizability 310
- molecular refractivity 310–311
- monofunctional impurity technique 380
- monomers 16–19, 22–28, 69, 72, 73, 149, 160–161, 177, 238–246, 345, 370, 380
- monosubstituted epoxides 90, 95
- monothiocarbonate 52, 90, 91, 93–94, 96, 99, 113, 120, 122, 132
- monothiocarbonate units 91
- multi-sequence-ordered polythioester 173

- multicomponent polymerizations
(MCP)
characteristics 1
alkyne, carbonyl chloride, and thiol
22, 24, 25
cell imaging 30, 33
chemosensors 28–29
cyclic dithiocarbonate 25–26
metal ion removal/enrichment
29–32
sulfonyl azides
alkynes and diphenyl dichalcogen
20, 21
alkynes and monomers 16–19
alkynes, and amines/alcohols
14–16
topological polymers 20, 22, 23
sulfur
benzylamines, and aliphatic
amines 7–9
dialdehydes, and diamines 3–5
diarylacetic acids, and aliphatic/
aromatic diamines 9–11
diisocyanides, and aliphatic
diamines 11–13
diynes, and aliphatic amines 5–7
with cyclic thiolactone 26–28
multifunctional poly(thioether)s 164
- n**
N,N'-acryl-oxy succinimide units 413
N-isopropylacrylamide (NIPAM) 383,
414
N–*S*–*N* bond polymers 199
nanophase separation 152–154
native chemical ligation (NCL) method
251, 253
Ni-catalyzed coupling 271
Ni-catalyzed Suzuki catalyst-transfer
polymerization (SCTP) 270,
275
NMP (*N*-methyl-2-pyrrolidone) 7,
157, 181, 321
NMR scrambling studies 60, 61
NMR spectroscopic analysis 177
- non-substituted polythiophene 266
nonamethylenediamine 65
Nozaki's catalyst/co-catalyst system
47
nucleophilic alkoxide 60
nucleophilic reagents 123
- o**
O–B coordination bond 107
oligoethylenedithiol 372
oligothiophene 273, 279, 377
one-pot Michael addition
polymerization 407
optical properties, of
polythiocarbonates 328
organic electronic materials 265, 266
organic photovoltaics (OPVs) 265,
281, 284, 286–287
organic thin film transistors (OTFTs)
265, 276, 282, 284–286
organosulfur compound 228, 236, 238
organotin compounds 276
oxetane 39, 87, 89, 95
oxidation 7, 9, 20, 83–85, 87, 159, 193,
199, 266, 268–269, 282, 341–342,
344–346, 360, 367–368, 370–372,
374–375, 393, 420
oxidative polymerization 266–269,
370–374
4,4'-oxybis(benzenethiol) 372
oxygen/sulfur exchange reactions (O/S
ERs) 85, 90–91, 93–94, 97–98,
100–101, 105, 110–111, 113–121,
138
- p**
p-(phenylselenomethyl) styrene 346
p-methylselenostyrene 342
p-phenylselenostyrene 342
paclitaxel (PTX) 403, 410
Pd-catalyzed cross-coupling
polycondensations 273
Pd-catalyzed transmetalation
cross-coupling reactions 276
pentafluorophenyl 246

- pentamethylenediamine 65
 perylenediimides (PDI) 244, 247–248,
 268–271, 273–278, 341, 345, 377
 phenyl benzenesulfonimidate
 205–206
 1,4-phenylenediacetic acid 10
 phenylselenyl bromine (PhSeBr)
 354–355, 360–362
 phenylselenyl halogen species (PhSeBr)
 354
 phosphinodiselenoic acid esters
 (DPPSB) 343
 phosphonate aryl halide initiators 272
 phosphorus oxychloride (POCl_3) 348
 photo-/thermoinitiated thiol-ene click
 polymerization 149
 photo-/thermoinitiated thiol-yne click
 polymerization 154–155
 photoinduced polymerization 266,
 278–279
 photoinitiated polymerization
 278–280
 photoinitiator Irgacure 2959 149
 photolithography process 218
 photoluminescence (PL) intensity 6,
 28, 29, 31, 226
 phthalic thioanhydride (PTA)
 177–178
 piperidinium 175
 PLA-based amphiphilic copolymers
 396
 platinum-catalyzed hydrosilylation
 150
 poly methacrylates 205, 244, 253
 poly(β -amino ester) (PBAE) hydrogel
 396, 415
 poly(β -hydroxythio-ether)s 160–163,
 165
 poly(3,4-ethylenedioxythiophene)
 (PEDOT) 280–283
 poly(3,4-ethylenedioxythiophene)/poly
 (styrene sulfonate) (PEDOT/PSS)
 280
 poly(3-alkylthiophene)s (P3ATs) 266,
 268–269, 286
 poly(3-alkylthiophene)s (rr-P3ATs)
 266–267, 269
 poly(3-hexylthiophene) (P3HT)
 265–266, 272, 283, 285
 poly(3-mercaptop-butyrate) (PMP) 180
 poly(3-mercaptopropionate) (PMB)
 180
 poly([thio]tricarbonate-co-thioether)
 45
 poly(β -thioesters) 248
 poly(*N*-acylsulfonamide)s 18
 poly(*N*-isopropyl-acrylamide)
 (PNIPAAm) 414–415
 poly(*N*-sulfonylamidine)s 14, 16
 poly(*N*-sulfonylimidate)s product 16
 poly(aminodisulfide)s 199–201, 228
 poly(aminoxothiazenes) 205
 poly(bithienylmethylene)s (PBTM)
 273
 poly(cyclohexene monothiocarbonate)
 91, 93–94
 poly(cyclopentene [thio]carbonate)s
 58
 poly(diaminodisulfide)s 191, 199,
 201–205, 228
 poly(diaminosulfide)s 191, 196–199,
 223, 225
 poly(disulfide)s (PDS) 372
 amphiphilic PDS and drug delivery
 application 381–388
 cell penetrating poly(disulfide)s
 (CPPDS) 388
 disulfide functionality 367
 ethylene dichloride and sodium
 polysulfide 370
 fragmentation polymerization 375
 oxidative polymerization of dithiols
 370
 photo-induced disulfide metathesis
 375–377
 ROP of cyclic disulfide 374–375
 self-organizing surface-initiated
 polymerization (SOSIP)
 377–378
 thiokol method 370

- thiol-disulfide exchange reaction 378–381
- poly(dithioester)s 173, 175, 176
- poly(ethylene glycol) methyl ether methacrylate (PEGMA) 421
- poly(ethylene terephthalate) (PET) 172
- poly(fluorooxothiazenes) 205
- poly(iminocoumarin) 17
- poly(methyl methacrylate) (PMMA) 126, 129, 313, 321, 331, 342
- poly(monothiocarbonate)s (PMTC) 96, 107, 110, 120–121, 147
- poly(oxothiazene)s 205–207
- poly(phenyloxothiazene) 205
- poly(phosphorus amidine)s 18, 22, 28
- poly(propylene monothiocarbonate) (PPMTC) 93–96, 98, 100–104, 120–121, 123–124, 133–137
- poly(propylene oxide) (PPO) polyols 89–90, 102, 109–110
- poly(propylene trithiocarbonate)s 45, 47
- poly(styrene) 91, 94, 253, 280
- poly(sulfenamide)s 191–196, 202, 222–223
- poly(sulfonylimidate)s 207–214, 218, 223, 225, 227
- poly(thiocabrolactone) 181–182
- poly(thioether)s 83, 113–121, 124, 126–127, 132–133, 148–151, 155, 157, 158, 164–165, 367
- poly(thionocabrolactone) 182
- poly(thiourea)s 147, 367
- poly(thiourethane)s 163, 165, 367
- poly(thiovalerolactone) 181
- poly(trimethylene monothiocarbonate) (PTMMTC) 122, 127–130, 135–137
- poly(vinyl alcohol) 223
- poly(vinyl sulfide)s 148, 154–157, 165
- poly(vinylene sulfide)s 156–160, 165
- poly(vinylidene sulfide)s 159, 165
- poly-L-lysine (PLL) 416
- poly[thio]carbonate 55, 59
- polyaddition 174–175, 179, 327–329, 396
- polycondensation(s) 11, 64–66, 68, 172–175, 179–181, 206, 209, 211, 247, 256, 273, 276, 315–316, 327
- polycondensation reaction 65, 207, 325, 369, 380
- polydimethylsiloxane 249
- polydispersity(ies) 67, 74, 155, 165, 185, 222–223, 245, 268, 342–345, 362, 400
- polyethylene glycol (PEG) 288, 341, 396
- polyethylene glycol (PEO) 100
- polyethylenimine (PEI) 404, 416, 418
- polyhydroxyalkanoates (PHAs) 179–180
- polymerization process 52, 104, 237–238, 247–248, 254, 283, 342–343, 372, 378
- polymer-to-monomer method 120–121
- polymethyl-vinylsiloxanes 249
- polyselenoureas 13
- polysiloxane-based hyperbranched poly(thioether)s 150, 151
- polysiloxanes 150–151, 249
- polystyrene-*block*-poly(propylene monothiocarbonate)-*block*-polystyrene (PS-*b*-PPMTC-*b*-PS) 123
- polysulfide anions 2–3, 5, 9, 11
- polysulfonylamides 2
- polysulfonylimines 2
- polytetramethylene glycol (PTMG) 356–358
- polythiazyl 191–192, 197
- polythioamides 2–3, 5–6, 9–11, 30, 32, 34, 320, 322
- polythioesters 172
- aliphatic polythioesters 179–185
 - aromatic polythioesters 172–174
 - definition 172
- poly(ethylene terephthalate) (PET) 172

- polythioesters (*contd.*)

 semi-aromatic polythioesters 174

 polythioethers 1, 2, 34, 113, 155, 248, 321

 polythiophenes 265, 267
 biological applications 288–290
 OLED 287–288
 organic photovoltaics 286–287
 OTFT 285–286
 synthesis of 268

 polythioureas 2, 11–13, 30, 31, 34, 63–69

 polyurethanes (PU) 40, 66, 90, 152, 154, 204, 327, 340–341, 356–357

 potassium dichromate ($K_2Cr_2O_7$) 268, 279

 potassium thioacetate 244, 253

 primary diamines 8, 26, 27, 194

 prism-coupling method 309

 pristine polythiophene chain 288

 1,2-propanediol 123

 propargyl methacrylate 26, 27

 propylene oxide (PO) 40, 52, 58–59, 89–91, 93, 95, 98, 100–102, 104–106, 109–110, 114–115, 117, 123, 125, 177–178

 propylene sulfide 44–49, 115, 121, 185, 342, 402

 N -protected isatins 18

 α -protons 266

 pyridine 5, 64, 65, 109, 354–355, 362

 2-pyridothione 378

 pyridyl-disulfide (Py-Ds) 378, 380

 pyridyldisulfide ethylacrylamide 249
- q**
- quaternary onium salts 98, 101, 107, 174
- r**
- radical polymerization mechanism 342

 radical thiol-ene polymerization 246

 radical-initiated thiol-ene click reaction 148–149, 151
- s**
- radical-initiated thiol-yne click polymerization 154–156, 165

 reactive oxygen species (ROS) 289, 360, 368, 413

 redox equilibrium 339

 redox-responsive nano-assemblies 413

 reduction-responsive disulfide-containing polymers

 disulfide-containing topological polymers 395–415

 disulfide linkages 395, 396

 regioirregular poly(3-alkylthiophene) 267

 regioregularity (*rr*) 46, 100, 268–269, 277, 285, 289–290

 reversible addition-fragmentation chain transfer polymerization (RAFT) 176, 237, 342–343, 395

 reversible deactivation radical polymerization (RDRP) techniques 164, 237–238

 reversible-activation fragmentation-transfer radical (RAFT) polymerization 176–177, 237–238, 244–247, 249, 256, 342–344, 362, 395, 404, 413

 Rh(I)/NHC-catalyzed thiol-yne click polymerization 165

 Rh(PPh_3)₃Cl-catalyzed thiol-yne click polymerizations 158–159, 165

 rhodamine 222, 224

 rhodium complex 44

 ring opening metathesis polymerisation (ROMP) 245

 ring walking 272

 ring-opening polymerization (ROP) 73–74, 89, 102, 109–110, 113–115, 117, 120, 123, 177, 179, 181–184, 186, 237, 247–248, 328, 340, 345, 346, 348, 362, 374–376, 378, 383, 395–396, 416
- salicylic aldehyde 211–213

 selenium 13, 339–363

- selenium carbene-containing ($\text{C}=\text{Se}$)
monomer 340
- selenium-containing compounds 339, 343–344, 362
- selenium-containing dynamic materials
selenium-containing elastomer 356–359
- selenium-containing nanomaterials 360–362
- selenium-containing
surface/interface materials 360
- selenium-containing dynamic polymers
covalent chemistry 348–356
diselenide bond 348–352
Se–N bond 353–356
Se–S bond 351, 353
Se–Te bond 351, 353, 354
- synthesis of
dendrimer 345–348
- hyperbranched
selenium-containing polymer 345–348
- radical polymerization 342–345
- ring-opening polymerization 345, 346
- step growth polymerization 340–341
- selenium-containing poly(vinyl sulfone) 20, 21
- selenolactone 345, 346
- γ -selenobutyrolactone 345, 346
- self-healing polythiourea 67
- self-organizing surface-initiated polymerization (SOSIP) 377–378, 388
- semi-aromatic polythioesters 174–179
- sequence-regulated poly(ester-amine)s 2
- shell-crosslinked (SCL) micelles 413, 414
- shell-crosslinked knedel-like (SCK)
particles 405
- side-chain poly(sulfenamide) derivative 195
- silyl-free analogues 207
- N-silylsulfonimidates 206–207
- N*-silylsulfonimidoyl chloride derivatives 206
- N*-silylsulfonimidoyl chlorides 207
- single molecule force spectroscopy (SMFS) 348
- sodium hydrogen selenide (NaHSe) 341, 344–346
- sol-gel phase-transition 415
- solid polymer electrolytes (SPEs) 124, 133, 135
- solid-state polymerization (SSP) 266, 280–283, 290
- Sonogashira coupling reaction 22, 25
- step polymerization 147, 202
- E*-stereoregular poly(vinylene sulfide)s 158
- Z*-stereoregular poly(vinylene sulfide)s 157
- Stille coupling method 273, 275–276
- N*-substituted *cis*-4-thio-L-proline thiolactone (NR-PTL) 184
- sugar thiol 370
- sugar-based poly(β -thioether ester) 152
- sulfenamides 193–196, 223, 227
- sulfenyl thiocarbonate 376
- sulfonamides 31, 193–194, 222
- N*-sulfonylamide 16, 209, 211
- N*-sulfonyl amide structures 16
- N*-sulfonylamidine derivatives 221
- sulfonyl azides 2, 13–20, 22, 26–28, 34, 208–219, 221
- sulfonyl hydrazides 2, 20, 34
- sulfonylimidate formation 207
- sulfur 1–34, 58–60, 82, 110–113, 147–165, 171, 191–229, 305–334
- sulfur transfer reagents 196–198
- sulfur-containing polymers 147–165, 305–334
MCP 1–34
- sulfur-nitrogen polymers
biomedical applications 221–225
energy storage applications 228–229
flame retardants 227–228

- sulfur-nitrogen polymers (*contd.*)
 metal-ion detection 225–227
 poly(aminodisulfide)s 200–201
 poly(diaminodisulfide)s 201–205
 poly(oxothiazene)s 205–207
 poly(sulfenamide)s 192–196
 poly(sulfonylimidate)s 207–213
 sulfur-nitrogen-phosphorous polymers
 192
 sulfur-selenium hybrid polymers 332
 supramolecular anion 107–110, 138
 surface patterning of materials 358
 sustainable chemical recycling 180
 Suzuki coupling method 273–275, 290
 swelling-induced
 mechanophotopatterning
 358–359
- t**
 tail-to-tail (TT) 93, 267, 272, 276
 template direct synthesis (TDS)
 183–184
 terephthalaldehyde 3
 terephthaloyl chloride 174, 247, 340
 terephthaloyl dichloride 25
 terpolymerization process 132
 tetrabutylammonium chloride 45, 174
 tetraethylenepentamine-grafted
 polycation 404
 tetrahydrofuran (THF) 18, 22, 46, 74,
 91, 117, 150, 151, 159–161, 164,
 181, 184, 209–211, 218, 271, 272,
 275, 341
 2,2,6,6-tetramethylpiperidine-1-sulfanyl
 (TEMPS) dimers 203–204
 tetraphenylethene (TPE) fluorogen
 399
 tetraphenylethene-containing diyne
 25, 28
 tetrathiaanthracenes 315
 tetrathioester initiator 255
 tetrathiophthalic acid 173, 175
 tetravinyl tin (TVSn) 333
 thermogravimetric analysis (TGA)
 203, 205, 213, 218, 242
 thermoplastic aliphatic polythioesters
 179
 thermoplastic elastomer 154
 thermoplastic polyurethane elastomers
 152
 thermosensitive triblock copolymer
 413
 thermotropic liquid crystal polymers
 (TLCPs) 175
 thio-Michael addition 248
 thiaanthracenes 315
 thiiranes (episulfides) synthesis
 41–44, 74
 ε-thiocaprolactone 181–182, 247–248
 1,1'-thiocarbonyldiimidazole 11, 66
 β-thiolactone 181
 γ-thiolactones 248
 ε-thionocaprolactone 181–183
 N-thiosuccinimides 197
 thio(meth)acrylates 237–239, 321, 323
 thio-thioester exchange 184
 thioactone 26, 27
 thioamide 3, 5–7, 9, 30, 31
 thioamide moieties 5, 7
 thiobenzamide 7
 thioester functionalized cyclopentene
 monomer 237, 242
 thioesters 172
 acid-catalyzed S acetylation 236
 acrylics, vinyls, and cyclic monomers
 237
 acyl compound, esterification
 reactions of 236
 amidation process 236
 categorization 238
 chain end of polymer 246–247
 monomer side chain 238
 monomer, initiator, CTAs 239, 240
 polymerization process 247–249
 post-modification approach
 249–251
 post-polymerisation modification
 251–254
 thioester functionalities 237
 Thiokol method 370

- thiol 22–28, 147–165, 376, 378–381
 thiol-based click polymerization
 base-mediated thiol-yne click
 polymerization 156–157
 metal-catalyzed thiol-yne click
 polymerization 157–159
 radical-initiated thiol-ene click
 polymerization 148–151
 radical-initiated thiol-yne click
 polymerization 154–156
 radical-mediated click
 polymerization 148
 spontaneous thiol-yne click
 polymerization 159
 thiol-ene Michael addition click
 polymerization 151–154
 thiol-epoxy click reaction 160–163
 thiol-isocyanate click polymerization
 163–164
 thiol-Michael addition click
 polymerization 148
 thiol-disulfide exchange reaction
 377–381, 388, 394, 395, 406–407,
 410, 420
 thiol-isocyanate click polymerization
 163–164
 thiol-maleimide click polymerization
 152, 154
 thiol-maleimide thermoplastic
 elastomer 154
 thiol-Michael addition reaction 26,
 148
 thiolactones (TLs) 26–27, 242
 amide 242
 derived vinyl monomers 243
 isocyanate 242
 monomer 183–184
 thiomethacrylates 242, 244
 thionolactone monomer 177
 thiophene rings 25, 266–267, 272–273,
 278, 280, 282, 286
 thiophene's β -position 265–266, 280
 thiophene-based polymers 265–266
 development of synthetic methods
 electrochemical polymerization
 266–269
 oxidative polymerization
 266–269
 transmetalation polymerization
 269–278
 polymerization methods
 acid-catalyzed polymerization
 283–284
 photoinitiated polymerization
 278–280
 solid-state polymerization
 280–282
 thiophenol 196, 254
 thiophosgene 11
 thiosulfinate 194
 thiosulfone containing polyamides
 320
 thiourea 11–12, 30, 31, 53, 68–69,
 104–107, 109, 183
 thiourea-organic base pairs 104–107
 toluene diisocyanate (TDI) 341, 356
 4-tolylacetylene 44
 transesterification 107, 109, 177, 249,
 325
 transmetalation polymerization
 polymerization with Ni catalysis
 269–273
 polymerization with pd catalysis
 273–278
 direct arylation method 276–278
 Stille coupling method 275–276
 Suzuki coupling method 274–275
 transthioamidation 7, 9
 1,5,7-triazabicyclo[4.4.0]dec-5-ene
 (TBD) 73, 95, 97–98, 107, 117,
 120, 157, 158, 165
 1,2,4-trichlorobenzene (TCB) 120
 triethyl borane (TEB)/organic bases
 97–101, 132
 triethylamine (TEA) 14, 16–18, 22,
 152, 161, 163–164, 184, 200, 209,
 211, 215, 348, 372, 376
 trifluoroacetic acid 284, 355
 4,4'-trimethylene dipiperidine 3, 396

- triphenylsulfonium 280
tris (2-carboxyethyl) phosphine (TCEP)
367, 413
tris(benzyltriazolylmethyl) amine 14
trithiocarbonate 45–48, 50, 52,
57–58, 60, 62–63, 74, 113, 117,
132, 326
TT-connection thiophene dimer 272
turnover frequencies (TOFs) 52, 91,
93–96, 101–102, 104–106, 108,
110, 117, 177
two-photon bioimaging 418–419
- V**
 δ -valerolactone 182–183
value-added poly(aryl ether sulfone)s
121
Van der Waals radius 310–311
vanadium(III) acetylacetone 268
- vascular endothelial growth factor
(VEGF) 418
vinyl polymerization 346, 347
volume phase-transition 415
- W**
Willgerodt–Kindler reaction 3–5
- X**
X-ray crystallography 48, 211
D-xylose-derived diols 73
m-xylylenediamine 7, 65
p-xylylenediamine 3, 7, 9
- Z**
Zinc-cobalt(III) double-metal cyanide
(DMC) complex 51–52, 89–93
zwitterionic conjugated polyelectrolytes
288–289

