

Contents

Introduction *xiii*

- 1 Synthesis of Sulfur-Containing Polymers Through Multicomponent Polymerizations** *1*
Yuzhang Huang, Rongrong Hu, and Ben Zhong Tang
- 1.1 Introduction *1*
 - 1.2 Multicomponent Polymerizations of Elemental Sulfur *2*
 - 1.2.1 Multicomponent Polymerization of Sulfur, Dialdehydes, and Diamines *3*
 - 1.2.2 Multicomponent Polymerization of Sulfur, Dienes, and Aliphatic Amines *5*
 - 1.2.3 Multicomponent Polymerization of Sulfur, Benzyl Diamines, and Aliphatic Diamines *7*
 - 1.2.4 Multicomponent Polymerization of Sulfur, Diarylacetic Acids, and Aliphatic/Aromatic Diamines *9*
 - 1.2.5 Multicomponent Polymerization of Sulfur, Diisocyanides, and Aliphatic Diamines *11*
 - 1.3 Cu(I)-Catalyzed Multicomponent Polymerizations of Sulfonyl Azides/Hydrazides *13*
 - 1.3.1 Multicomponent Polymerization of Sulfonyl Azides, Alkynes, and Amines/Alcohols *14*
 - 1.3.2 Multicomponent Polymerization of Sulfonyl Azides, Alkynes, and Other Monomers *16*
 - 1.3.3 Multicomponent Polymerization of Sulfonyl Hydrazide, Alkynes, and Diphenyl Dichalcogen *20*
 - 1.3.4 Topological Polymers Prepared from Sulfonyl Azides and Alkyne-Based MCPs *20*
 - 1.4 Multicomponent Polymerizations with Thiol-Related Monomers *22*
 - 1.4.1 One-Pot Multicomponent Tandem Polymerization of Alkyne, Carbonyl Chloride, and Thiol *22*
 - 1.4.2 Multicomponent Polymerizations with Cyclic Dithiocarbonate *25*
 - 1.4.3 Multicomponent Polymerizations with Cyclic Thiolactone *26*

- 1.5 The Applications of Sulfur-Containing Polymers Prepared from MCP 28
 - 1.5.1 Chemosensors 28
 - 1.5.2 Metal Ion Removal/Enrichment 29
 - 1.5.3 Cell Imaging 30
- 1.6 Conclusion 31
 - Acknowledgments 34
 - References 34

- 2 Carbon Disulfide Derived Polymers 39**
Gulzar A. Bhat and Donald J. Darensbourg
 - 2.1 Introduction 39
 - 2.2 Synthesis of Thiiranes (Episulfides) 41
 - 2.3 Copolymerization Reactions 44
 - 2.3.1 Copolymerization of Carbon Disulfide and Episulfides 44
 - 2.3.2 Copolymerization of Carbon Disulfide and Epoxides 51
 - 2.3.2.1 Scrambling Mechanism for Sulfur/Oxygen Atoms 58
 - 2.3.2.2 NMR Scrambling Studies 60
 - 2.3.2.3 Mixed Species Scrambling 60
 - 2.4 Other Related CS₂-Based Polymers 63
 - 2.5 Concluding Remarks 74
 - Acknowledgments 74
 - References 74

- 3 Carbonyl Sulfide Derived Polymers 81**
Cheng-Jian Zhang, Jia-Liang Yang, Xiao-Han Cao, and Xing-Hong Zhang
 - 3.1 Introduction 81
 - 3.1.1 Overview of COS 81
 - 3.1.2 Preparation of COS 82
 - 3.1.2.1 Direct Reaction of CO and Sulfur 82
 - 3.1.2.2 Using Carbon Disulfide (CS₂) 82
 - 3.1.2.3 Laboratory Preparation of COS 83
 - 3.1.3 Environmental and Safety Considerations 83
 - 3.1.4 COS Chemistry 84
 - 3.1.4.1 Dissociation 84
 - 3.1.4.2 Hydrolysis 84
 - 3.1.4.3 Oxidation 85
 - 3.1.4.4 Reduction 85
 - 3.1.4.5 Reaction with SO₂ 86
 - 3.1.4.6 Reaction with Ammonia and Amines 86
 - 3.1.4.7 Miscellaneous Reactions 86
 - 3.1.4.8 The Claus Reaction 87
 - 3.2 Metal Catalysts for COS Copolymerization 87
 - 3.2.1 Zinc-Cobalt(III) Double-Metal Cyanide Complex 89
 - 3.2.2 Catalysts Centered with Chromium (Cr) 93

| | | |
|-------|--|-----|
| 3.2.3 | Catalyst Centered with Iron (Fe) and Cobalt (Co) | 95 |
| 3.2.4 | Alkoxy Metal Salts | 96 |
| 3.3 | Organocatalysts for COS Copolymerization | 96 |
| 3.3.1 | TEB-Organic Base Pair | 97 |
| 3.3.2 | Dual-Site Lewis Pair | 101 |
| 3.3.3 | Thiourea-Organic Base Pairs | 104 |
| 3.3.4 | Supramolecular Anion | 107 |
| 3.4 | Oxygen-Sulfur Exchange Reaction | 110 |
| 3.5 | Utilization of O/S ER for Poly(thioether)s | 113 |
| 3.5.1 | COS-Epoxides Route to Poly(thioether)s | 113 |
| 3.5.2 | CS ₂ -Epoxides Route to Poly(thioether)s | 115 |
| 3.5.3 | Repurposing Poly(monothiocarbonate)s to Poly(thioether)s | 120 |
| 3.6 | Crystalline COS-Derived Polymers | 121 |
| 3.7 | COS-Derived Block Polymers | 123 |
| 3.8 | Properties of COS-Derived Polymers | 124 |
| 3.8.1 | Thermal Properties | 124 |
| 3.8.2 | Crystalline Properties | 126 |
| 3.8.3 | Optical Properties | 129 |
| 3.8.4 | Electronic Properties | 132 |
| 3.9 | Summary and Outlook | 137 |
| | References | 138 |

4 Thiol-Based Click Polymerizations for Sulfur-Containing Polymers 147

Die Huang, Anjun Qin, and Ben Zhong Tang

| | | |
|-------|--|-----|
| 4.1 | Introduction | 147 |
| 4.2 | Thiol-Ene Click Polymerization | 148 |
| 4.2.1 | Radical-Initiated Thiol-Ene Click Polymerization | 148 |
| 4.2.2 | Thiol-Ene Michael Addition Click Polymerization | 151 |
| 4.3 | Thiol-Yne Click Polymerization | 154 |
| 4.3.1 | Radical-Initiated Thiol-Yne Click Polymerization | 154 |
| 4.3.2 | Base-Mediated Thiol-Yne Click Polymerization | 156 |
| 4.3.3 | Metal-Catalyzed Thiol-Yne Click Polymerization | 157 |
| 4.3.4 | Spontaneous Thiol-Yne Click Polymerization | 159 |
| 4.4 | Other Thiol-Based Click Polymerizations | 159 |
| 4.4.1 | Thiol-Epoxy Click Polymerization | 160 |
| 4.4.2 | Thiol-Isocyanate Click Polymerization | 163 |
| 4.4.3 | Thiol-Halogen Click Polymerization | 164 |
| 4.5 | Conclusion | 164 |
| | Acknowledgments | 166 |
| | References | 166 |

5 Synthesis of Polythioesters 171

Li-Yang Wang and Wei-Min Ren

| | | |
|-----|--------------|-----|
| 5.1 | Introduction | 171 |
|-----|--------------|-----|

| | | |
|----------|--|------------|
| 5.2 | Synthesis of Aromatic Polythioesters | 172 |
| 5.3 | Synthesis of Semi-aromatic Polythioesters | 174 |
| 5.4 | Synthesis of Aliphatic Polythioesters | 179 |
| 5.5 | Summary and Concluding Remarks | 185 |
| | Acknowledgments | 186 |
| | References | 186 |
| 6 | Polymers with Sulfur-Nitrogen Bonds | 191 |
| | <i>Hatice Mutlu and Patrick Theato</i> | |
| 6.1 | Introduction | 191 |
| 6.2 | Synthesis of Sulfur-Nitrogen Containing Polymers | 192 |
| 6.2.1 | Poly(sulfenamide)s | 192 |
| 6.2.2 | Poly(diaminosulfide)s | 196 |
| 6.2.3 | Poly(aminodisulfide)s and Poly(diaminodisulfide)s | 199 |
| 6.2.3.1 | Poly(aminodisulfide)s | 200 |
| 6.2.3.2 | Poly(diaminodisulfide)s | 201 |
| 6.2.4 | Poly(oxothiazene)s | 205 |
| 6.2.5 | Poly(sulfonylimidate)s | 207 |
| 6.2.6 | Poly(sulfonylamidine)s | 213 |
| 6.3 | Applications of Polymers with Sulfur-Nitrogen Bond | 221 |
| 6.3.1 | Biomedical Applications | 221 |
| 6.3.2 | Metal-Ion Detection | 225 |
| 6.3.3 | Flame Retardant Chemicals Based on Polymers with Sulfur-Nitrogen Bonds | 227 |
| 6.3.4 | Energy Storage Applications | 228 |
| 6.4 | Conclusion and Outlook | 229 |
| | References | 229 |
| 7 | Thioester Functional Polymers | 235 |
| | <i>Suzan Aksakal, Resat Aksakal, and C. Remzi Becer</i> | |
| 7.1 | Introduction | 235 |
| 7.2 | Thioesters: Structural Features, Reactivities, and Reactions | 236 |
| 7.3 | Preparation of Thioester Containing Structures | 237 |
| 7.3.1 | Access to Thioester Containing Polymers: Thioesters in the Side Chain | 238 |
| 7.3.2 | Access to Thioester Containing Polymers: Thioester in the Chain End | 246 |
| 7.3.3 | Access to Thioester Containing Polymers via Polymerization Process | 247 |
| 7.3.4 | Access to Thioester-Bearing Structures via Post-modification Approach | 249 |
| 7.4 | Post-Polymerization Modification of Thioesters | 251 |
| 7.5 | Conclusion and Outlook | 254 |
| | References | 256 |

| | | |
|----------|--|------------|
| 8 | Thiophene-Based Polymers: Synthesis and Applications | 265 |
| | <i>Haifeng Ji and Xiaojie Zhang</i> | |
| 8.1 | Introduction | 265 |
| 8.2 | Development of Synthetic Methods | 266 |
| 8.2.1 | Oxidative Polymerization and Electrochemical Polymerization | 266 |
| 8.2.2 | Transmetalation Polymerization | 269 |
| 8.2.2.1 | Polymerization with Ni Catalysis | 269 |
| 8.2.2.2 | Polymerization with Pd Catalysis | 273 |
| 8.2.2.3 | Suzuki Coupling Method | 274 |
| 8.2.2.4 | Stille Coupling Method | 275 |
| 8.2.2.5 | Direct Arylation Method | 276 |
| 8.2.3 | Other Polymerization Methods | 278 |
| 8.2.3.1 | Photoinitiated Polymerization | 278 |
| 8.2.3.2 | Solid-State Polymerization | 280 |
| 8.2.3.3 | Acid-Catalyzed Polymerization | 283 |
| 8.3 | Applications of Polythiophene and Its Derivatives | 284 |
| 8.3.1 | Organic Thin-Film Transistors | 285 |
| 8.3.2 | Organic Photovoltaics | 286 |
| 8.3.3 | Organic Light-Emitting Diodes | 287 |
| 8.3.4 | Biological Applications | 288 |
| 8.4 | Conclusions and Future Scope | 290 |
| | References | 290 |
| | | |
| 9 | High Refractive Index Sulfur-Containing Polymers (HRISPs) | 305 |
| | <i>Johannes M. Scheiger and Patrick Theato</i> | |
| 9.1 | Introduction | 305 |
| 9.2 | Basics of Optics | 306 |
| 9.2.1 | Absorption and Refraction | 306 |
| 9.2.2 | Refractive Index | 307 |
| 9.2.2.1 | Refractive Index Determination | 308 |
| 9.2.3 | Dispersion | 311 |
| 9.2.4 | Birefringence | 312 |
| 9.3 | High Refractive Index Polymers (HRIPs) | 313 |
| 9.3.1 | General Strategies and Applications | 314 |
| 9.4 | Sulfur-Containing HRIPs | 315 |
| 9.4.1 | Polyimides and Polyamides | 315 |
| 9.4.2 | Poly(meth)acrylates and Polythioacrylates | 321 |
| 9.4.3 | Polycarbonates and Polyesters | 325 |
| 9.4.4 | Thermosets | 327 |
| 9.4.5 | Inverse Vulcanization | 328 |
| 9.5 | Conclusion and Outlook | 334 |
| | References | 335 |

- 10 Selenium-Containing Dynamic Polymers: From Synthesis to Functions** 339
Jiahao Xia and Huaping Xu
- 10.1 Introduction 339
 - 10.2 Synthesis of Selenium-Containing Polymers 340
 - 10.2.1 Step Growth Polymerization 340
 - 10.2.2 Radical Polymerization 342
 - 10.2.3 Ring-Opening Polymerization 345
 - 10.2.4 Synthesis of Dendrimer and Hyperbranched Selenium-Containing Polymer 345
 - 10.3 Selenium-Containing Dynamic Covalent Chemistry 348
 - 10.3.1 Diselenide Bond 348
 - 10.3.2 Se—S Bond 351
 - 10.3.3 Se—Te Bond 351
 - 10.3.4 Se—N Bond 353
 - 10.4 Selenium-Containing Dynamic Materials 356
 - 10.4.1 Selenium-Containing Elastomer 356
 - 10.4.2 Selenium-Containing Surface/Interface Materials 360
 - 10.4.3 Selenium-Containing Nanomaterials 360
 - 10.5 Conclusion and Outlook 362
 - Acknowledgments 363
 - References 363
- 11 Poly(disulfide)s** 367
Raju Bej and Suhrit Ghosh
- 11.1 Introduction 367
 - 11.2 Synthesis of Poly(disulfide)s 369
 - 11.2.1 Oxidative Polymerization of Dithiols 370
 - 11.2.2 Ring-Opening Polymerization (ROP) of Cyclic Disulfide 374
 - 11.2.3 Photo-Induced Disulfide Metathesis 375
 - 11.2.4 Fragmentation Polymerization 375
 - 11.2.5 Self-Organizing Surface-Initiated Polymerization (SOSIP) 377
 - 11.2.6 Thiol-Disulfide Exchange Reaction 378
 - 11.3 Amphiphilic PDS and Drug Delivery Application 381
 - 11.4 Cell-Penetrating Poly(disulfide)s 388
 - 11.5 Summary and Outlook 389
 - References 389
- 12 Reduction-Responsive Disulfide-Containing Polymers for Biomedical Applications** 393
Xing Wang and Decheng Wu
- 12.1 Introduction 393
 - 12.2 Disulfide-Containing Topological Polymers 395
 - 12.2.1 Systems with the Disulfide Linkages 395
 - 12.2.2 Disulfide-Containing Linear Polymers 395

| | | |
|----------|---|------------|
| 12.2.2.1 | Linear Polymers with Cleavable Backbones | 396 |
| 12.2.2.2 | Linear Polymers with Cleavable Side Chains | 397 |
| 12.2.3 | Disulfide-Containing Dendritic Polymers | 398 |
| 12.2.3.1 | Disulfide-Containing Hyperbranched Polymers | 399 |
| 12.2.3.2 | Disulfide-Containing Dendrimers | 400 |
| 12.2.4 | Disulfide-Containing Polypeptides and Proteins | 401 |
| 12.2.5 | Disulfide-Containing Polymeric Nanoparticles | 403 |
| 12.2.5.1 | Disulfide Linker for Amphiphilic Polymers | 403 |
| 12.2.5.2 | Disulfide Linker for Nano-Assemblies | 404 |
| 12.2.5.3 | Controlled Fabrication of Solution Nano-Assemblies | 406 |
| 12.2.6 | Disulfide-Containing Crosslinking Hydrogels | 407 |
| 12.2.6.1 | Disulfide-Crosslinked Micro-/Nanogels | 407 |
| 12.2.6.2 | Disulfide-Crosslinked Macroscopic Hydrogels | 407 |
| 12.2.6.3 | Disulfide-Crosslinked Natural Hydrogels | 410 |
| 12.3 | Disulfide-Containing Polymers for Biomedical Applications | 412 |
| 12.3.1 | Targeted Drug Delivery | 412 |
| 12.3.1.1 | Disulfide-Containing Nano-Assemblies for Targeted Drug Delivery | 413 |
| 12.3.1.2 | Disulfide-Containing Nanogels for Drug Delivery | 414 |
| 12.3.1.3 | Disulfide-Containing Hydrogels for Drug Delivery | 415 |
| 12.3.2 | Gene Delivery | 416 |
| 12.3.3 | Biomedical Imaging | 418 |
| 12.3.4 | Drug Conjugates | 419 |
| 12.3.5 | Self-healing/Self-repairing | 420 |
| 12.4 | Summary and Perspectives | 422 |
| | References | 424 |
| | Index | 429 |

