

Contents

About the Editors *xix*

- 1 Natural and Synthetic Fibers for Hybrid Composites 1**
Brijesh Gangil, Lalit Ranakoti, Shashikant Verma, Tej Singh, and Sandeep Kumar
 - 1.1 Introduction 1
 - 1.2 Natural Fibers 2
 - 1.3 Microstructure of Natural Fibers 3
 - 1.4 Natural Fiber-Reinforced Polymer Composites 3
 - 1.4.1 Synthetic Fibers 7
 - 1.4.2 Glass Fibers 8
 - 1.4.3 Carbon Fibers 8
 - 1.4.4 Kevlar or Aramid Fibers 9
 - 1.4.5 Comparison Between Natural and Synthetic Fibers 9
 - 1.5 Hybrid Fiber-Based Polymer Composites 10
 - 1.5.1 Applications 11
 - 1.6 Conclusion 12
 - References 13

- 2 Effect of Process Engineering on the Performance of Hybrid Fiber Composites 17**
Madhu Puttegowda, Yashas Gowda Thyavihalli Girijappa, Sanjay Mavinkere Rangappa, Jyotishkumar Parameswaranpillai, and Suchart Siengchin
 - 2.1 Introduction 17
 - 2.2 Fibers 18
 - 2.3 Polymers 20
 - 2.4 Hybrid Polymer Composites 21
 - 2.5 Fiber Extraction Methods 22
 - 2.6 Fiber Treatments 22
 - 2.7 Processing Methods of Hybrid Composites 24
 - 2.7.1 Pultrusion 24
 - 2.7.2 Hand Lay-up/Wet Lay-up 25
 - 2.7.3 Vacuum Bagging 25
 - 2.7.4 Filament Winding 26
 - 2.7.5 Resin Transfer Molding 27

2.7.6	Compression Molding	27
2.7.7	Injection Molding	28
2.8	Application of Each Hybrid Polymer Composite Processing Methods	29
2.8.1	Pultrusion	29
2.8.2	Hand Lay-up	29
2.8.3	Vacuum Bagging	31
2.8.4	Filament Winding	31
2.8.5	Resin Transfer Molding	31
2.8.6	Compression Molding	31
2.8.7	Injection Molding	32
2.9	Conclusion	32
	References	32

3 Mechanical and Physical Test of Hybrid Fiber

Composites 41

Mohit Hemath, Arul Mozhi Selvan Varadhappan, Hemath Kumar Govindarajulu, Sanjay Mavinkere Rangappa, Suchart Siengchin, and Harinandan Kumar

3.1	Introduction	41
3.2	Materials and Methods	44
3.2.1	Materials	44
3.2.2	Extraction of Sugarcane Nanocellulose Fiber (SNCF)	44
3.2.3	Synthesis of Al–SiC Nanoparticles	44
3.2.4	Fabrication of SNCF/Al–SiC Vinyl Ester Nanocomposites	44
3.2.5	Design of Experiments (DOE)	45
3.2.6	Development of Experimental Models and Optimization	45
3.2.7	Characterization on SNCF/Al–SiC Vinyl Ester Hybrid Nanocomposites	46
3.2.7.1	FTIR Spectra and XRD Curves	46
3.2.7.2	Physical Properties	47
3.2.7.3	Mechanical Properties	47
3.2.7.4	Viscoelastic Properties	48
3.2.7.5	Morphological Properties	48
3.3	Results and Discussion	48
3.3.1	Optimization	48
3.3.2	Maximization	52
3.3.3	FTIR and XRD Curves	54
3.3.4	Mechanical Properties	55
3.3.4.1	Flexural Properties	55
3.3.4.2	Morphological Properties	57
3.3.4.3	Compression Properties	58
3.3.4.4	Tensile Properties	58
3.3.5	Viscoelastic Properties	58
3.3.5.1	Storage Modulus	58
3.3.5.2	Loss Modulus	60
3.3.5.3	Damping Factor	60

3.3.5.4	Glass Transition Temperature	60
3.3.6	Impact Strength	61
3.3.7	Vickers Hardness	62
3.3.8	Physical Properties	62
3.4	Conclusion	63
	References	63
4	Experimental Investigations in the Drilling of Hybrid Fiber Composites	69
	<i>Sathish Kumar Palaniappan, Samir Kumar Pal, Rajasekar Rathanasamy, Gobinath Velu Kaliyannan, and Moganapriya Chinnasamy</i>	
4.1	Introduction	69
4.2	Characteristics of Drilling	70
4.3	Hybrid Fiber Composites	70
4.4	Machining Limitation on Hybrid Fiber Composite Drilling	71
4.5	Investigation of Hybrid Fiber Composites Drilling	71
4.5.1	Condition for Hybrid Composites Drill	72
4.5.2	Factors Affecting Drilling	72
4.5.3	Drilling of GF-Reinforced Hybrid Composites	73
4.5.4	Survey on NF-Reinforced Hybrid Composites Drilling	75
4.5.5	Drilling of CF Reinforced Hybrid Composites	77
4.6	Conclusion	79
	References	79
5	Fracture Analysis on Silk and Glass Fiber-Reinforced Hybrid Composites	87
	<i>Gangaplara Basavarajappa Manjunatha and Kurki Nagaraja Bharath</i>	
5.1	Introduction	87
5.2	Materials and Methods	88
5.2.1	Materials and Specimen Preparation	88
5.2.2	Compact Tension Shear (CTS) Test	90
5.2.3	Single-Edge Notched Bend (SENB)	90
5.3	Results and Discussion	92
5.3.1	Compact Tension Shear (CTS) Test	92
5.3.2	Mode I, Mode II, and Mixed Mode Fracture Toughness for Different Loading Angle	93
5.3.3	Single-Edge Notched Bend (SENB)	93
5.3.4	Fracture Toughness of SENB Test	95
5.4	Conclusion	96
	References	96
6	Failure Mechanisms of Fiber Composites	99
	<i>Cătălin Iulian Pruncu and Maria-Luminita Scutaru</i>	
6.1	Introduction	99
6.2	Industrial Benefits and Applications	100
6.3	Materials for Reinforcing	104

- 6.3.1 Composites Reinforced with Continuous Fibers 104
- 6.3.2 Composites Reinforced with Discontinuous Fibers 105
- 6.3.3 Composites Reinforced with Fillers 106
- 6.4 Resin Type 106
 - 6.4.1 Epoxy Resins 106
 - 6.4.2 Formaldehyde Resins 107
 - 6.4.3 Polyurethane Resins 107
 - 6.4.4 Polyester Resins 108
 - 6.4.5 Silicone Resins 108
- 6.5 Interfacial of Composite Structure 109
- 6.6 Micromechanics 110
 - 6.6.1 Mechanical Properties 110
 - 6.6.1.1 Coefficients of Thermal Expansion and Heat Transfer Properties 111
- 6.7 Short Overview of Specific Failure Modes 112
- 6.8 Future Perspective 113
- 6.9 Conclusions 114
- References 114

- 7 Ballistic Behavior of Fiber Composites 117**
Ignacio Rubio, Josué Aranda Ruiz, Marcos Rodriguez Millan, José Antonio Loya, and Marta María Moure
 - 7.1 Introduction 117
 - 7.2 High-Velocity Impact Test 119
 - 7.2.1 Material 119
 - 7.2.2 Experimental Setup 119
 - 7.2.3 Analysis and Results 121
 - 7.2.3.1 Ballistic Curves 121
 - 7.2.3.2 Failure Modes 123
 - 7.2.3.3 Back-Face Displacement 123
 - 7.3 Computational Methods 124
 - 7.4 Conclusions 126
 - References 127

- 8 Mechanical Behavior of Synthetic/Natural Fibers in Hybrid Composites 129**
Navasingh Rajesh Jesudoss Hynes, Ramakrishnan Sankaranarayanan, Jegadeesaperumal Senthil Kumar, Sanjay Mavinkere Rangappa, and Suchart Siengchin
 - 8.1 Introduction 129
 - 8.2 Impact Strength of Natural Fiber (Flax), Synthetic Fiber (Carbon), and Hybrid (Carbon/Flax) Composites 130
 - 8.3 Kenaf/Aramid (Epoxy) Hybrid Composites with Different Fiber Orientation 132
 - 8.4 Impact Strength of Carbon/Flax (Epoxy) Hybrid Composites with Different Fiber Orientation 134

8.5	Comparison of Absorbed Impact Energy of Different Hybrid Composites	135
8.6	Comparison of Strength of Natural Fiber (Ramie), Synthetic Fiber (Glass), and Hybrid (Ramie/Glass) Composites	137
8.6.1	Tensile Strength of Natural Fiber (Ramie), Synthetic Fiber (Glass), and Hybrid (Ramie/Glass) Composites	138
8.6.2	Flexural Strength of Natural Fiber (Ramie), Synthetic Fiber (Glass), and Hybrid (Ramie/Glass) Composites	139
8.6.3	Impact Strength of Natural Fiber (Ramie), Synthetic Fiber (Glass), and Hybrid (Ramie/Glass) Composites	140
8.7	Summary and Outlook	141
	References	143
9	Bast Fiber-Based Polymer Composites	147
	<i>Sandeep Kumar, Brijesh Gangil, Krishan Kant Singh Mer, Manoj Kumar Gupta, and Vinay Kumar Patel</i>	
9.1	Introduction	147
9.1.1	Bast Fiber as Reinforcing Material	149
9.2	Polymer Composites Reinforced with Bast Fibers	149
9.2.1	Polymer Composites Reinforced with Flax Fibers	150
9.2.2	Polymer Composites Reinforced with Grewia Optiva Fiber	152
9.2.3	Polymer Composites Reinforced with Hemp Fiber	155
9.2.4	Polymer Composites Reinforced with Nettle Fiber	156
9.2.5	Polymer Composites Reinforced with Jute Fiber	158
9.3	Applications of Polymer Composites Reinforced with Bast Fibers	160
9.4	Conclusion	161
	References	161
10	Flame-Retardant Balsa Wood/GFRP Sandwich Composites, Mechanical Evaluation, and Comparisons with Other Sandwich Composites	169
	<i>Subin Shaji George, Vivek Arjuna, Venkata Prudhvi Pallapolu, and Padmanabhan Krishnan</i>	
10.1	Introduction	169
10.2	Literature Survey	171
10.2.1	Sandwich Composite Structure and Properties	171
10.2.2	Knowledge Gained from the Literature Review	172
10.2.3	Gaps Identified from Literature Survey	172
10.2.4	Objective of the Project	173
10.2.5	Motivation	173
10.3	Methodology and Experimental Work	173
10.3.1	Hand Lay-up Procedure	173
10.3.2	Vacuum Bagging	174
10.3.3	Testing and Evaluations	175
10.3.4	Technical Specification	177

10.3.5	Design Approach Details	177
10.3.6	Codes and Standards	178
10.3.7	Fabrication Methodology	178
10.4	Results and Discussion	179
10.4.1	Compression Testing	179
10.4.1.1	Flatwise Transverse Grain Test	179
10.4.1.2	Edgewise Transverse Grain Compression	180
10.4.1.3	Edgewise Longitudinal Grain Compression	182
10.4.1.4	Discussion and Comment (Compression Test)	183
10.4.2	Three-Point Bending Test (Flexural Test)	183
10.4.2.1	Experimental Results for Three-Point Bending Test of Balsa Wood	184
10.4.2.2	Experimental Results for Three-Point Bending Test of Composite of Skin-to-Core Ratio 1 : 1	184
10.4.2.3	Experimental Results for Three-Point Bending Test of Composite of Skin-to-Core Ratio 2 : 1	184
10.4.2.4	Experimental Result for Three-Point Bending Test of Composite of Skin-to-Core Ratio 3 : 1	187
10.4.2.5	Experimental Results for Three-Point Bending Test of Composite of Skin-to-Core Ratio 4 : 1	187
10.4.2.6	Experimental Results for Three-Point Bending Test of Composite of Skin-to-Core Ratio 5 : 1	188
10.4.2.7	Mean, Minimum, and Maximum Mechanical Properties of Sandwich Composites	188
10.4.2.8	Mechanical Properties of Sandwich Composite for Different Core Materials	189
10.4.2.9	Discussion and Comments (Flexural Testing/Three-Point Bending Test)	189
10.4.3	Types and Modes of Failure During the Test on Sandwich Composites	190
10.5	Conclusions	192
10.6	Scope for Future Work	193
	Acknowledgment	193
	List of Symbols and Abbreviations	193
	References	193
11	Biocomposites Reinforced with Animal and Regenerated Fibers	197
	<i>Manickam Ramesh, Chinnaiyan Deepa, Sanjay Mavinkere Rangappa, and Suchart Siengchin</i>	
11.1	Introduction	197
11.2	Animal Fibers	198
11.2.1	Silk	199
11.2.2	Wool	200
11.2.3	Chicken Feather	201

11.3	Regenerated Fibers	202
11.3.1	Lyocell	205
11.3.2	Viscose	206
11.3.3	Regenerated Keratin Fibers	207
11.4	Industrial Applications	207
11.5	Summary and Discussion	207
11.6	Conclusions and Scope for Future Research	208
	References	208
12	Characterization of Mechanical and Tribological Properties of Vinyl Ester-Based Hybrid Green Composites	217
	<i>B. Suresha, R. Hemanth, and P.A. Udaya Kumar</i>	
12.1	Introduction	217
12.2	Materials and Methods	221
12.2.1	Matrix	221
12.2.2	Reinforcements	222
12.2.2.1	Coir Fiber and Coconut Shell Powder	222
12.2.2.2	Aramid Fiber	223
12.2.3	Chemical Treatment	223
12.2.4	Fabrication of Vinyl Ester-Based Hybrid Composites	223
12.3	Characterization	224
12.3.1	Physicomechanical Characterizations	224
12.3.1.1	Hardness	224
12.3.1.2	Tensile Testing	225
12.3.1.3	Flexural Testing	225
12.3.1.4	Impact Testing	226
12.3.2	Wear Testing	226
12.3.3	Fractography Analysis Using Scanning Electron Microscope	227
12.4	Surface Treatment of Reinforcements	228
12.5	Results and Discussion	229
12.5.1	Hardness of Vinyl Ester and Their Hybrid Composites	229
12.5.2	Tensile Properties of Vinyl Ester and Their Hybrid Composites	230
12.5.2.1	Fractography Analysis	231
12.5.3	Flexural Properties of Vinyl Ester and Their Hybrid Composites	232
12.5.3.1	Fractography Analysis	232
12.5.4	Impact Strength of Vinyl Ester and Their Hybrid Composites	233
12.5.4.1	Fractography Analysis	234
12.5.5	Tribology of Vinyl Ester Hybrid Composites	235
12.5.5.1	Effect of Fiber and Filler on Coefficient of Friction	236
12.5.5.2	Effects of Sliding Distance and Applied Load on Specific Wear Rate	238
12.5.5.3	Worn Surface Morphology	240
12.6	Conclusions	244
	References	244

13	Thermomechanical Characterization of Vacuum Resin Infusion-Molded Ceramic Rock-Derived Natural Wool-Reinforced Epoxy and Cashew Nut Shell Liquid-Based Composites	249
	<i>Nikunj Viramgama, Anmol Garg, Kevin Thomas, and Padmanabhan Krishnan</i>	
13.1	Introduction	249
13.1.1	Natural Fibers as a Substitute for Synthetic Fibers	249
13.1.2	Biocomposites	249
13.1.3	Rockwool Fibers	250
13.1.4	Composites with Rockwool Fiber as Reinforcement	250
13.1.5	Resin or Matrix Materials	251
13.1.6	Gaps in the Literature Review	251
13.2	Methodology and Approach	251
13.2.1	Fabrication and Experimentation	252
13.3	Results and Discussion	254
13.3.1	Energy-Dispersive X-ray Spectroscopy (EDS of Rockwool)	254
13.3.2	Thermogravimetric Analysis (TGA of Rockwool)	256
13.3.3	Differential Scanning Calorimetry of Rockwool	256
13.3.4	Volume Fraction of Fabricated Composite	257
13.3.4.1	Volume Fraction of Rockwool for Epoxy-Based Composite	257
13.3.4.2	Volume Fraction of Rockwool Fiber for CNSL Composite	258
13.3.5	Epoxy-Based Composite Tests and Analyses	258
13.3.5.1	Tensile Test	258
13.3.5.2	Compression Test	264
13.3.5.3	Flexure Test	268
13.3.6	Scanning Electron Microscopy (SEM) Analysis of Epoxy-Based Composites	273
13.3.7	Rockwool/CNSL Composite Test Results	278
13.3.7.1	Tensile Test Results	278
13.3.7.2	Compression Test Results	281
13.3.7.3	Flexure Test Results	283
13.3.8	Scanning Electron Microscopy (SEM) Analysis of the CNSL-Based Composite	285
13.3.9	Further Scope of Research	288
	Acknowledgments	289
	References	289
14	Hydrogel Scaffold-Based Fiber Composites for Engineering Applications	291
	<i>Ikram Ahmad, Josè Heriberto Oliveira do Nascimento, Sobia Tabassum, Amna Mumtaz, Sadia Khalid, and Awais Ahmad</i>	
14.1	Introduction	291
14.1.1	Hydrogels	291
14.1.2	Hydrogels as Compared to Gels	292
14.1.3	Classification of Hydrogels	292
14.1.3.1	Hydrogel Origin	292

- 14.1.3.2 Hydrogel Durability 292
- 14.1.3.3 Hydrogel Response to Environmental Stimuli 293
- 14.1.4 Methods of Preparation of Hydrogels 293
 - 14.1.4.1 Free Radical Polymerization 293
 - 14.1.4.2 Irradiation Cross-linking of Hydrogel Polymeric Precursors 294
 - 14.1.4.3 Chemical Cross-linking of Hydrogel Polymeric Precursors 294
 - 14.1.4.4 Physical Cross-linking of Hydrogel Polymeric Precursors 294
- 14.1.5 Scaffold 295
 - 14.1.5.1 Biocompatibility 296
 - 14.1.5.2 Biodegradability 296
 - 14.1.5.3 Mechanical Properties 296
 - 14.1.5.4 Structure 296
 - 14.1.5.5 Nature 297
- 14.2 Potential Applications of Hydrogels as Scaffold in Biomedical Application 297
 - 14.2.1 Hydrogel and Tissue Engineering 298
 - 14.2.2 Hydrogels as Carriers for Cell Transplantation 298
 - 14.2.3 Hydrogels as a Barrier Against Rest Enosis 298
 - 14.2.4 Hydrogels as Drug Depots 299
- 14.3 Design Criteria for Hydrogel Scaffolds in Tissue Engineering 299
 - 14.3.1 Biodegradation 300
 - 14.3.2 Biocompatibility 300
 - 14.3.3 Pore Size and Porosity Extent 301
 - 14.3.4 Mechanical Characteristics 301
 - 14.3.5 Surface Characteristics 301
 - 14.3.6 Vascularization 302
- 14.4 Hydrogel Scaffold: A Main Tool for Tissue Engineering 302
 - 14.4.1 Fabrication of Hydrogel Scaffolds for Tissue Engineering 302
 - 14.4.1.1 Emulsification 302
 - 14.4.2 Lyophilization 303
 - 14.4.2.1 Emulsification Lyophilization 304
 - 14.4.2.2 Solvent Casting Leaching 304
 - 14.4.2.3 Gas Foaming Leaching 304
 - 14.4.2.4 Photolithography 305
 - 14.4.2.5 Electrospinning 305
 - 14.4.2.6 Microfluidics 306
 - 14.4.2.7 Micromolding 306
 - 14.4.2.8 Three-Dimensional Organ/Tissue Printing 307
 - 14.5 Hydrogel Scaffolds for Cardiac Tissue Engineering 308
 - 14.6 Hydrogel Scaffold Fabrication for Skin Regeneration 310
 - 14.6.1 Molding Scaffolds 310
 - 14.6.2 Nanofiber Fabrication Scaffolds 310
 - 14.6.3 Three-Dimensional (3D) Printing 311
 - 14.7 Osteochondral Tissue Regeneration 311
 - 14.7.1 Single-Layer Gelatinous Scaffolds 311
 - 14.7.2 Multilayer Gelatinous Scaffolds 312
 - 14.7.3 Gel/Fiber Scaffolds 313

- 14.7.4 Fabrication of Gradient Hydrogels 314
- 14.7.5 Fabrication of Gradient Hydrogel/Fiber Composites 315
- 14.8 Biopolymer-Based Hydrogel Systems 316
 - 14.8.1 Polysaccharide Hydrogels as Scaffolds 316
 - 14.8.1.1 Chondroitin Sulfate 316
 - 14.8.1.2 Hyaluronic Acid 317
 - 14.8.1.3 Chitosan 318
 - 14.8.1.4 Cellulose Derivatives 319
 - 14.8.1.5 Alginate 320
 - 14.8.1.6 Collagen 321
 - 14.8.1.7 Gelatin 321
 - 14.8.1.8 Elastin 323
 - 14.8.1.9 Fibroin 323
- 14.9 Summary 324
- References 324

- 15 Experimental Analysis of Styrene, Particle Size, and Fiber Content in the Mechanical Properties of Sisal Fiber Powder Composites 335**
Kátia Melo, Thiago Santos, Carolyn Santos, Rubens Fonseca, Nestor Dantas, and Marcos Aquino
- 15.1 Introduction 335
- 15.2 Materials and Methods 336
- 15.3 Results and Discussion 337
- 15.4 Conclusions 348
- Acknowledgments 348
- References 349

- 16 Influence of Fiber Content in the Water Absorption and Mechanical Properties of Sisal Fiber Powder Composites 353**
Kátia Melo, Thiago Santos, Carolyn Santos, Rubens Fonseca, Nestor Dantas, and Marcos Aquino
- 16.1 Introduction 353
- 16.2 Materials and Methods 354
 - 16.2.1 Mechanical Test 354
 - 16.2.2 Water Absorption 354
- 16.3 Results and Discussion 355
- 16.4 Conclusions 360
- Acknowledgments 361
- References 361

- 17 Recent Advances of Hybrid Fiber Composites for Various Applications 365**
Praveen Kumar Alagesan
- 17.1 Introduction 365
- 17.2 What Is a Hybrid Composite? 368

17.3	Hybrid Biocomposites	370
17.4	Hybrid Nanobiocomposites	372
17.5	Potential Applications of Hybrid Composites in Various Applications	373
17.5.1	Aerospace Applications	373
17.5.2	Automotive Applications	375
17.5.3	Ballistic Applications	378
17.5.4	Impact Loading Applications	379
17.6	Challenges, Prospects, and Future Trends	381
17.7	Conclusions	382
	Acknowledgments	382
	References	382
	Index	389

