

Index

a

- AB Enzymes 468
 absorbance 8, 13, 36
 acetonitrile 129, 131, 174, 254, 383, 418
 acetophenone 104, 159, 162, 173,
 257, 335–336
 derivatives 335
N-acetyl amino acrylate 408
N-acetylneuraminic acid lyase 414
Acidithiobacillus caldus sucrose
 synthase 229
Acinetobacter calcoaceticus (AcCHMO) 48,
 202, 203, 208, 322, 393
Acinetobacter calcoaceticus NCIMB
 9871 322
 active pharmaceutical ingredients
 (APIs) 118, 121, 143, 174, 299,
 305–306, 361, 429–431, 431, 443,
 449, 452
 Adaptive Laboratory Evolution (ALE)
 experiments 50
 adenosine 5'-diphosphate
 (ADP) 229–230, 275
 adenosine 5'-monophosphate (AMP) 275
 adenosine 5'-triphosphate (ATP) 275
 adenosine triphosphate (ATP) 282
 adenylate kinase (AK) 96
 ADH from horse liver (HLADH) 190–191,
 209–210, 263, 383
 Advanced Enzymes Technologies, Ltd. 480
Aerococcus viridans (*S*)- α -HAO 367
 affinity chromatography with protein
 tags 20–22
 affinity immobilization 70
 agarose 12–14, 18, 66, 73–75, 81
 agarose bead technologies (ABT) 68
Agrobacterium radiobacter AD1 (HHDH) 367
Ajellomyces dermatitidis (AdRedAm) 376
 D-alanine 152, 153, 155, 372
 alanine dehydrogenase (AlaDH) 153, 363,
 389, 472
 alcohol dehydrogenases (ADHs) 45, 276,
 332, 468, 471
 disproportionation of
 rac-2-phenylpropanal 209
 stereoselective reduction reactions
 atorvastatin 189
 bulky-bulky substrates 186
 bulky-non bulky substrates 186
 dynamic kinetic resolution
 (DKR) 189–190
 montelukast 188
 ‘Prelog’ and ‘anti-Prelog’ selectivity 185
 (*S*)-alcohols 188, 190, 369, 374, 382
 aldehyde 70, 128, 131, 133, 144, 152, 157,
 160–161, 167, 172–173, 190, 364,
 378–379, 393, 419
 aldehyde dehydrogenase (Ald-DH) 379,
 389, 394
 aldo-keto reductases (AKR) 184
 aldol condensation reaction 117, 128,
 129, 133
 affinity chromatography with protein
 tags 20–22
 affinity immobilization 70
 agarose 12–14, 18, 66, 73–75, 81
 agarose bead technologies (ABT) 68
Agrobacterium radiobacter AD1 (HHDH) 367
Ajellomyces dermatitidis (AdRedAm) 376
 D-alanine 152, 153, 155, 372
 alanine dehydrogenase (AlaDH) 153, 363,
 389, 472
 alcohol dehydrogenases (ADHs) 45, 276,
 332, 468, 471
 disproportionation of
 rac-2-phenylpropanal 209
 stereoselective reduction reactions
 atorvastatin 189
 bulky-bulky substrates 186
 bulky-non bulky substrates 186
 dynamic kinetic resolution
 (DKR) 189–190
 montelukast 188
 ‘Prelog’ and ‘anti-Prelog’ selectivity 185
 (*S*)-alcohols 188, 190, 369, 374, 382
 aldehyde 70, 128, 131, 133, 144, 152, 157,
 160–161, 167, 172–173, 190, 364,
 378–379, 393, 419
 aldehyde dehydrogenase (Ald-DH) 379,
 389, 394
 aldo-keto reductases (AKR) 184
 aldol condensation reaction 117, 128,
 129, 133

- aldol reaction
 C-C ligations 126
 hydrolases 130–134
 PPL and RNL 135–136
- algal fatty acid photodecarboxylase 328
- alkane hydroxylation 322–326
- alkane oxyfunctionalization 324
- alkane production 328–330
- 1-alkene: β -hydroxy acid 328
- alkene production 327–328
- alkenes monooxygenases 204, 206
- alkyl cycloalkenecarboxylates 386
- allosterically controlled Kemp eliminase (AlleyCat) 43, 44
- allylamine 364, 369
- N*-allylcyclohexylamine 369
- allylic alcohols 204, 205, 266, 310, 370, 381, 382, 412
- allylic amines 369
- allylic epoxy alcohols 381
- Almac 468
- Amano Enzyme Co., Ltd 480
- (*R*)-amide 149, 306
- amination of alcohols 368–371
- amine(s)
 ammonia lyases 144, 162–167, 173
 α -chiral amines 143–144
 cytochrome P450s 169–171, 174
 dehydrogenases 155–162, 172–173
 hydrolases
 BASF industrial scale KR of
 α -methylbenzylamine 148–149
 dynamic kinetic resolution 146–148
 kinetic resolution 145–146
 norsertaline 149
 norsertaline intermediate 171
 rac-methylbenzylamine, kinetic resolution 171
 serine protease family 145
 imine reductases 155, 172
 monoamine oxidases 172
 oxidases 149–152
 Pictet–Spenglerases 167–169, 173–174
 reductive aminases 155–162
 transaminases 144, 152–155
 ω -transaminases 172
- amine dehydrogenase (AmDH) 144, 145, 155–162, 172–173, 368, 369, 371, 390, 472
- amine-form pyridoxamine (PMP) 152, 415
- amine oxidases
 desymmetrisation of *meso*-compounds 152, 440
 flavin-dependent 149–150
 kinetic resolution and
 deracemisation 150–151
 one-pot one-enzyme oxidative Pictet–Spengler approach, deracemisation 151–152
- amine synthesis 143, 156, 162, 174, 175, 343, 363–365, 368, 410
- amine transaminase/acyl transferase cascade 366
- amine transaminases (ATAs) 48, 89, 98, 349, 363, 368, 369, 370, 371, 372, 373, 374, 376, 383, 468
- D-amino acid aminotransferase 385
- L-amino acid deaminase 385
- (*S*)- α -amino acids 394
- L- α -amino acids 408
- amino acid synthesis 383–386, 392, 393
- L-amino acylase-catalyzed hydrolytic resolution 408
- aminoacylases 117, 118, 470
- (2*R*,4*R*)-amino alcohol 374
- (*S*)- β -amino alcohols 394
- amino alcohol synthesis 372–374, 389
- (*R*)-2-aminobutanoic acid 385
- ω -amino carboxylic acids 392
- 4-aminocyclohexanol 364
- (1*S*,2*R*)-2-amino-1-(2,5-dimethoxyphenyl)propan-1-ol 372
- amino ether 433
- (*S*)-2-amino-3-(3-fluorophenyl)propanoic acid 386
- (*R*)-2-aminohexanedioic acid 385
- 6-amino hexanoic acid 392–393
- rac*-1-aminoindane 119
- (1*S*,3*S*)-1-amino-3-methylcyclohexane 374
- (*Z*)-12-aminooctadec-9-enoic acid 364

- 2-amino-2-phenylethanol 374
 4-amino-1-phenylpentane-1-ol 373
 1-aminotetraline 307
 aminotransferases 144, 152–155
 ammonia lyase (PAL) 144, 162–167, 173,
 386, 388, 389, 394, 474
 ammonium fumarate 166
 ammonium sulfate fractionation 4, 6–7, 15
 α -monobenzoate glycerol (α -MBG) 7
 amorphous carbon nitride (ACN) 289, 290,
 344, 345
 amorphous organic monomer
 assembly 290
 amphiphilic molecules 96
 amylases 3, 474, 476, 480, 481
 α -amylases 476
Anabaena variabilis (AvPAL) 386
 analytical gel filtration 5, 21
 Ancestral Sequence Reconstruction
 (ASR) 38
 anion-exchange chromatography 7, 235
 4-anisaldehyde 383
 anodized TiO₂ nanotube array 287
 antenna protein 283
 antihypertensive Dilevalol 307
 anti-Markovnikov alkene
 hydroamination 388
 antipode (*S*)-1-phenylethane-1,2-diol 394
 “anti-Prelog” ADHs 182, 185
 apparent kinetic parameters 76–77
 aqueous superabsorber matrix 419
Arabidopsis thaliana 19, 367
 Archaea microorganisms 116
 aromatic aldehyde 419
 aromatic amino acid ammonia lyases and
 mutases 164, 165
Aromatoleum aromaticum alcohol
 dehydrogenase (AaADH) 368–369
 artificial cofactor recycling photosystem 326
 artificial enzymes 115
 artificial transfer hydrogenase
 (ATHase) 372
 (*R*)- β -arylalanines 386
 aryl alcohol oxidases (AAO) 20, 349
 1-arylprop-2-yn-1-ols 382
 asparagine (Asn) 193, 194, 336, 448
 aspartase 163–164, 166
 L-aspartate 122, 166
 aspartate ammonia lyases 162–167
Aspergillus fumigatus 410
Aspergillus fumigatus (AfLCAO) 363
Aspergillus melleus 131, 408
Aspergillus oryzae (AspRedAm) 157, 364,
 369, 370, 451
Aspergillus terreus 348, 349
 Assembly of Designed Oligonucleotides
 (ADO) 35
 AstraZeneca 121, 435
 asymmetric carbon-carbon bond
 formation 413
 asymmetric organocatalysis 413, 414
 asymmetric organocatalytic Mannich-type
 reaction 414
 asymmetric radical dehalogenation 345
 atorvastatin 189
 Aumgene Biosciences 481
 2-azaadamantane *N*-oxyl (AZADO) 416
 AZD6738 435
 2,2'-azino-bis(3-ethylbenzothiazoline-6-
 sulfonic acid) (ABTS) 278
Azotobacter vinelandii 15, 20
- b**
Bacillus licheniformis 131, 310
Bacillus megaterium 47, 170, 253, 256, 324,
 348, 373, 376
Bacillus megaterium transaminase
 (BmTA) 373, 376
Bacillus sphaericus (D-ATA) 385
Bacillus subtilis (BsPAD) 101, 106, 172, 254,
 337, 380
Bacillus subtilis ERED 380
 Baeyer–Villiger monooxygenase
 (BVMO) 20, 21, 47, 198, 200, 201,
 204, 207, 208, 210–211, 379, 380, 387,
 392, 435, 436, 468
 asymmetric sulfoxidation 211
 biocatalytic applications and prototypical
 substrate 199–200
 Criegee intermediate 199

- Baeyer–Villiger monooxygenase
(BVMO) (*Contd.*)
 FMN-dependent and specific for
 NADH 199
 kinetic resolution of a racemic
 ketone 210–211
 NADPH-specific FAD-dependent
 monooxygenases 199
 practical approach 203–204
 stereoselectivity 201–203
- Baeyer–Villiger (BV) oxidation 115, 126,
 182, 198–200, 206, 321–322, 436
- benzaldehyde lyase (BAL) 349
 catalysed carboligation 377
- benzoin derivatives 378
- benzoylformate decarboxylase variant
 L461A 378
- (*S*)-benzylamide 311
- benzylamine 126, 158, 311, 364, 389
- 1-benzyl-3-carbamoylpyridinium bromide
 (mNAD⁺) 340
- N*-benzyl-2-methoxyacetamide 366
- berberine bridge enzyme (BBE)-catalysed
 aerobic C–H activation 371
- BetaCavityWeb 49
- biaryl alcohol 409, 410
- biaryl and alkene compounds 409
- biaryl ketones 409
- biaryl-substituted amines 410
- bicyclic lactone 48
- bienzymatic linear cascades 365–366
- bio-affinity chromatography 11–14, 18
- bio-based liquids
 CO₂-expanded 264–265
 CPME 261–262
 MeTHF 260–261
 potential application for 262
- biocatalysis
 advances of 275
 compartmentalization in 89–108
 under continuous-flow conditions
 asymmetric synthesis 311–312
 dynamic kinetic resolutions 310–311
 esterification 301–304
 kinetic resolutions 305–310
 transesterification 304–305
 nonaqueous media 247–267
 in pharmaceutical industry 430–442
- biocatalysts 275, 469
 heterogeneous 419–420
 hydrolases 468
 immobilization techniques 63–82
 industrial processes 429–460
 stability
 half-life time of biocatalysts 78
 residual activity 77
 stabilization factor 79
 TTN 77–78
 types of 450
- biocatalytically-inactive NAD(P)H isomers
 and dimers 332
- biodiesel 99, 100, 254, 388
- biotransformations 63, 209–211, 408–419
- (*R*)-biphenylalanine 442–445, 447,
 452, 454–455
- biphenylpyruvic acid 443, 444, 445, 455
- 2,2'-bipyridyl-containing poly(arylene-
 ethynylene)-alt-poly(arylene-vinylene)
 polymer 284
- bisulfite adduct 441
- boceprevir 152, 439–442
- N*-Boc-piperidin-4-one 20
- Bornscheuer's group 48, 155, 306, 410, 419
- bovine pancreatic lipase (BPL) 129
- branched-chain alcohol dehydrogenase 12
- 2-bromobenzaldehyde 390
- (*S*)-2-bromo-2-cyclohexen-1-ol 276
- Burkholderia cepacia* 254, 309
- Burkholderia* (formerly *Pseudomonas*) *cepacia*
 lipase (BCL) 310
- 1,4-butanediol (1,4-BD) 258
- 2,3-butanediol dehydrogenase (BDHA) 389
- (*R*)-*sec*-butylamine 11
- butyl hexanoate 302
- (*R*)-2-[(*S*)-*sec*-butyl]piperidine 375
- C**
- cadmium sulfide [CdS] 278, 285, 287
- 1-caffeoylglycerol 9
- CAL-B (CAL-B@SNFs-PE) 100

- CAL-B Ser105Ala mutant 128, 129, 265
 calcium carbonate microspheres 287
 calmodulin 40, 43, 44
Candida antarctica 122
Candida antarctica lipase A (CAL-A) 15, 310, 383
Candida antarctica lipase B (CAL-B) 76, 99–100, 117, 122, 124–126, 128–130, 133–134, 149, 171, 251, 365, 469, 478
Candida freundii (CfTPL) 384, 392
Candida parapsilosis carbonyl reductase (CPCR) 257
Candida rugosa lipase (CRL) 119, 260, 262, 310
 catalyzed hydrolysis 260
 ϵ -caprolactam hydrolysis 392
 carbon-doped TiO₂ 279, 285
 carbon dots (CDs) 285, 286, 340, 341, 342
 carbon nanodot (CND) 285, 290, 340, 342
 catalyst 325
 carbon nanodots-silica hybrid
 semiconductors (CNDSH) 285
 carbon nitrides 288, 289, 319, 345
 carbonyl reductase (CR) 184, 253, 257, 364, 374, 389
 carbonyl reduction 182, 332–336, 349, 377, 379, 380, 387, 392
 carvolactones 380
 cascade chemo-enzymatic/multi-enzymatic reactions 313, 314
 cascade triacylglycerol 304
 catalytically active enzyme-bound flavin (FMNH₂) 336, 337, 379
 catalytically active flavin 341
 catalytic promiscuity 116–117, 122–130, 133, 134, 137, 166
 catalytic worlds 90
 CAVER 49
 C2-centered α -amino alkyl radical 342
 CCGMAQSP 283, 284, 333, 335
 Celite® 365
 cell-free cytochrome P450 solution 326
 cell-free extracts (CFE) 5, 7, 81, 98, 168, 184, 187, 211, 259, 329, 468
 cell lysates 448, 450, 455
 centrifugal partition reactor (CPR) 302, 303, 324, 326, 330
 C-glucosyltransferase reaction 229
 C-glycosylation of phloretin 229
 charge transfer pathway 280
 chemically converted graphene (CCG) 284, 335
 chemical mutagenesis 35
 chemical regeneration method 276, 279
 chemoenzymatic cascade reactions 92, 101
 chemoenzymatic cascades 90, 92, 93, 96, 97, 100, 101, 105, 266, 405, 407
 Chemophor® 383
 chimeric amine dehydrogenase (Chi1AmDH) 368, 369
 chiral alcohols 98, 106, 107, 212, 312, 332, 335, 349, 377, 411, 436, 437
 chiral amines 143, 144, 145, 149, 150, 153, 155, 158, 160, 162, 174, 175, 306, 307, 348, 349, 363, 368, 369, 371, 374, 391, 416, 417, 420, 458, 472
 synthesis 306
 α -chiral amines 143–145, 149–150, 153, 155, 158, 160, 174–175, 307
 chiral biaryl alcohols 409
 chiral diamine 414
 chiral 3-oxoesters 386
 chiral Zn(II) catalyst 413
Chlamydomonas reinhardtii 332
 4-chlorobenzylamine 389
 (–)-chlorodiisopinocampheylborane 437, 439
 chlorophyll 283, 319
 chloroplast matrix 282
 chloroplast membranes 282
 chromatography media 22, 24
Chromobacterium violaceum (CvTA) 98, 172, 363, 374, 389
Chromobacterium violaceum TA variant (Cv2025 TA) 376
 α -chymotrypsin 126, 128, 254
 Cibacron Blue dye affinity matrix 12
 cinnamic acid derivative 100, 166
 cinnamic acids 97, 98, 100, 165, 166, 173

- Citrobacter freundii* (CfTPL) 384, 392
classical enzymatic kinetic resolution 310
C-Lecta 469
Clostridium acetobutylicum
(CLAP450) 366
Clustered Regularly Interspaced Short
Palindromic Repeats (CRISPR)
system 50
Codexis, Inc. 90, 152, 155, 172, 188, 189,
207, 260, 364, 375, 381, 433,
460, 475–476
CO₂-expanded bio-based
liquids 264–265, 267
cofactor 275
recycling 104, 187, 211, 326, 327, 331,
334, 335, 336, 344, 375, 378, 382, 387,
393, 413, 415
regeneration efficiency 284
co-immobilization 81, 92, 304, 362, 369,
374, 419
column materials 14, 22–24
combination of photooxidation and
enzymatic transformation 348–351
Combinatorial Active Site Saturation Test
(CASTing) 37, 38
Combinatorial Saturation Mutagenesis
(CSM) 37, 187
commercial carriers 68
compartmentalization
cell 93–94
classical enzyme immobilization 92
concept of 89
continuous flow synthesis 105
micellar systems 96–100
molecular encapsulation 100
one pot reactions 92
PDMS thimbles 104–105
pickering emulsions 98
protein assemblies 95–96
tea-bag synthetic technology 103–105
concurrent cascade 89, 90, 91, 105
metal-biocatalytic processes 90–91
conduction band (CB) 210, 280, 287, 338,
339, 341, 344
continuous-flow protocols 299
continuous flow synthesis 105, 302
copper-dependent amine oxidases 149
corticotrophin-releasing factor (CRF-1)
antagonist 307
covalent binding 70, 253
covalent-organic frameworks
(COFs) 288, 290
covalent triazine frameworks (CTFs) 290
[Cp*Rh(bpy)(H₂O)]²⁺ 279, 326
Cremophor EL[®] 98
Criegee intermediate 199, 200
cross-linked enzyme aggregates
(CLEAs) 70
C1-shortened alkanes 328
cyanide dihydratases 468
4-cyanobenzaldehyde (4-CN_B) 135–136
cyanuric acid-melamine (CM)
complex 289
cyanuric chloride 290
cyclic deracemization 143, 342, 343, 344
cyclic ketones 130, 131, 201, 202, 203, 259,
321, 322
cycloalkenecarboxylates 386
cyclohexane-1,4-dione 364, 365
cyclohexanone (CHX) 20, 48, 98, 131–132,
134, 135–136, 159, 160, 167, 199, 201,
202, 203, 208, 322, 338, 393
cyclohexanone monooxygenase (CHMO) 20,
48, 199, 202, 203, 208, 322, 393
N-cyclohexyl-2-aminoethanesulfonic acid
(CHES) 366
2-cyclohexyl-1-methyl-1-pyrrolinium
iodide 344
cyclopentyl methyl ether (CPME) 259,
261–262, 441
cyclopropylamine 158, 364
cyclopropylethylamine 307
cysteine (Cys) 17, 40, 42, 70, 81, 131, 170,
193, 384, 448
cytochrome b₆f complex 282
cytochrome P450 20, 47, 49, 144, 169–171,
174, 204, 206, 207, 326, 384, 468, 469,
474, 481

- catalysed hydroxylation 384
 monooxygenase 20, 47, 204, 206–207,
 207, 323–324, 326, 366–367
 cytochrome P411_{CHA} 170–171, 174
- d**
- Danisco[®] food enzymes 476
 D-*anti*-4,5-dihydroxynorvaline
 (DHNV) 372, 373
 deacetalization–Henry process 100
 deacetalization–Knoevenagel process 100
 deacetoxylation 347–348
 DEAE-Sepharose 8, 10, 17
 column 8
 O-dealkylation 326–327
 deazariboflavin (dRF) 334
 decarboxylation
 alkane production 328–330
 alkene production 327–330
 deep eutectic solvents (DES) 101, 106, 107,
 248, 250, 251, 265–266, 303, 305, 320,
 352, 410
 dehalogenation 189, 345–347
 dehydrogenases
 alcohol 185–187, 209–210
 amine 155–162, 172–173
de novo design 40, 50
de novo enzyme design 34, 39–40, 50
 fragment-based computational
 design 39–40
 minimalist approach 39
 minimalistic approaches 40
 rational parametric design 40
 rational parametric design of functional
 assemblies 39
 Rosetta model 40
 2-deoxyribose 5-phosphate aldolase
 (DERA) 130
 deracemisation of amines 371–372
 deracemisation of alcohols 106
 dialkyl glyoxylamide 414
 2,2-diallylmalonate 411
 α,ω -diamine transaminase (YgjG) 365
 diaphorase 80
 diastereomerically enriched
 N-heterocycles 375
 diastereomeric *anti*- and *syn*-aldols 135
 diastereoselectivity, aldol reaction 131, 134,
 135, 136, 194, 377, 419, 430, 431, 432,
 433, 459
 diatomite 288
 1,8-diazabicycloundec-7-ene 311
 diazotization–iodization processes 100
 1,4-dicarbonyl alkene 412
 α,ω -dicarboxylic acids 392
 2,3-dihydrofuran 415
 dihydroxyacetone (DHA)-dependent aldolase
 mutant Fsa1-A129S 378
 (S)-1-(3,4-dihydroxybenzyl)-1,2,3,4-
 tetrahydroisoquinoline-6,7-diol 376
 4,4'-dihydroxystilbenes 100–101
 1,5-dihydroxy-1,2,3,4-
 tetrahydronaphthalene 309
 2,6-dimethoxy-4-allylphenol 367
 2,5-dimethoxybenzaldehyde 373
 dimethyl carbonate 304
 dimethylsulfoxide (DMSO) 129, 153, 172,
 174, 210, 211, 232, 233, 253, 256, 329,
 330, 331, 336, 346, 351, 365, 367, 370,
 371, 387, 413, 433, 434, 435, 453
 1,3-diols 413, 419
 dioxygenases 8–9, 482
 directed enzyme evolution 95, 275, 459
 directed evolution (DE) 33
 advantage of 34
 definition 34–35
de novo enzyme design 34
 genetic recombination 35
 (ultra)high-throughput screening and
 selection 35–36
 non-homologous recombination 35
 non-recombining 34
 pH-dependent inactivation 36–37
 random approach 33–34
 random mutagenesis approaches 34–35
 recombining methods 34
 solvent tolerance 36
 thermostability 36–37

- direct regeneration method 276
- 2,5-disubstituted pyrrolidines 375
- D-mandelate dehydrogenase (DMDH) 393
- DNA (or gene) shuffling 35
- donor-acceptor electron transfer
 - mechanism 288, 290
- doped TiO₂ 279, 285, 286, 319, 339
- double-stranded DNA (dsDNA) 35
- D-phenylglycine aminotransferase (DpgAT) 393, 394
- DSM 166, 186, 253, 258, 381, 392, 475
- DuPont 476
- Dupont Nutrition & Biosciences 476
- dynamic kinetic resolutions (DKRs) 14, 89, 118, 119, 143, 146, 189–190, 310–311
- dynamic membraneless compartments 96

- e**
- electrochemical regeneration
 - method 276, 279
- electron mediator 278, 279, 283, 292, 327, 334
- electron-withdrawing group (EWG) 192, 193, 195, 196
- enantio- and diastereomerically pure (2*R*,5*S*)-2-methyl-5-alkylpyrrolidines 376
- enantio- and diastereopure (1*R*,2*R*)-1-phenylpropane-1,2-diol 378
- enantioenriched
 - 2-methyl-1-phenylpropan-1-ol 336
- enantiomerically enriched diester 431
- enantiomerically pure (–)-chlorodiisopinocampheylborane 437
- enantiomerically pure ester acid 431, 439
- enantio- or diastereoselectivity 430
- enantiopure amines 119, 143, 146, 306, 372
- enantiopure (*S*)-berbines 371
- enantiopure (*R*)-1-(3-bromophenyl)ethylamine 370
- enantiopure (*S*)-1-(4-bromophenyl)propan-1-ol 383
- enantiopure (*R*)-2-heptanamine 369
- enantiopure L-phenylglycine 393
- enantiopure
 - (2*R*,5*S*)-2-methyl-5-phenylpyrrolidine 376
- enantiopure (*R*)-2-pentanamine 369
- enantiopure (*R*)-phenylglycidol 389
- enantioselectively provide Δ^1 -pyrroline 439
- enantioselectivity
 - of biocatalysts 37–39
 - of bulky–bulky ketones 266
 - of enzyme 151
 - value 262
- ENARASE[®] 469
- endocyclic tertiary alcohol 387
- endotoxins 449, 451
- ene-reductases (ERs or EREDs) 183, 191, 198, 335, 336, 349, 355, 374, 379, 380, 472, 481
- energy currency 292
- Enginzyme AB 68, 307
- ensemble docking 41
- Enterobacter cloacae* 339
- environmental aspects 442, 453–454
- enzymatic commercial sources
 - AB Enzymes 468
 - Advanced Enzymes Technologies, Ltd. 480
 - Almac 468
 - Amano Enzyme Co., Ltd. 480
 - Aumgene Biosciences 481
 - Biocatalysts 469
 - c-Lecta 469
 - Codexis, Inc. 475–476
 - DSM 475
 - Dupont Nutrition & Biosciences 476
 - EnzymeWorks 481
 - Enzymicals 470
 - Evoxx Technologies GmBH 470–471
 - Groningen Enzyme and Coenzymes Company 471–472
 - IBEX Pharmaceuticals Inc. 476–477
 - Inofea AG 472
 - Johnson-Matthey 472–473
 - Meito Sangyo Co., Ltd. 481
 - Metgen Oy 473

- MP Biomedicals 477
 Novozymes 474
 Oriental Yeast 482
 Prozomix 474–475
 Sigma-Aldrich 477–478
 Strem Chemicals, Inc. 478
 Takabio 482
 Toyobo Co., Ltd. 482–483
 Worthington Biochemical Corp. 479
 enzymatic ketone reduction 409, 410, 411, 413
 enzymatic promiscuity 116, 134
 enzymatic regeneration method 276
 enzyme-bound flavin 336, 337, 338, 339, 341
 enzyme engineering 3, 33, 34, 35, 36, 37, 38, 41, 42, 49, 51, 90, 165, 423
 enzyme engineering strategies
 de novo enzyme design 34
 fragment-based computational design 39–40
 minimalistic approaches 39, 40
 rational parametric design 39–40
 Rosetta model 40
 powerful computational algorithms 37
 random approach 33
 rational enzyme design 34
 calmodulin 43
 enantiomerically pure synthesis 45–47
 experimental assays for 41
 identification of tunnels 48–49
 Kemp elimination 43
 MD simulations 40–41
 metalloproteins 45
 molecular docking methods 40–41
 protein stability 42–43
 QM/MM techniques 40–41
 substrate scope 47–48
 semi-rational design 34, 37–38
 enzyme release testing 456–457
 EnzymeWorks 481
 Enzymicals 470
 Enzzen[®] Technology 472
 Eosin Y 319, 324, 326
 epoxidations 91, 115, 116, 126, 128, 129, 169, 182, 189, 204–206, 207, 208, 265, 330–331, 381, 389, 390, 418
 equipment cleaning 443, 455–456
 equipment utilization and throughput time 442, 455
 error-prone PCR (epPCR) 35
 esomeprazole 207, 208, 435–436
 esterification 46, 116, 124, 125, 126, 128, 247, 248, 257, 261, 262, 263, 264, 301–303, 304–305, 330, 415
 7-ethoxycoumarin 324, 326–327
 ethyl acetate 146, 210, 262, 305, 306, 311, 365, 439
 ethyl (*S*)-3,4-chloro-3-hydroxybutyrate 367
 ethylenediamine-*N,N'*-disuccinic acid lyase (EDDS lyase) 164, 166
 ethyl 4-oxo-pent-2-enoates 380
 ethyl 4,4,4-trifluoroacetoacetate 258
 eugenol oxidase 19, 367
 Eupergit[®] C 65
 Evoxx Technologies GmbH 470–471
 expression system 253, 446, 451
 Eyring equation 300
 EziG-immobilized ω -transaminases 308–309
- f**
fac-Ir(ppy)₃ 319
 Fe³⁺/polyphenol-coated melamine precursor 289
 ferredoxin (Fd) 282, 327, 332, 333
 ferryl hydroxyl moiety 323–324
 flavin 319
 dependent amine oxidases 149
 dependent monooxygenase 199, 204, 206, 321
 flavin adenine dinucleotide (FAD) 10, 15, 16, 17, 20, 21, 149, 150, 199, 207, 322, 324, 329, 330, 331, 337, 341, 435, 436, 439
 flavin-dependent ene-reductases (EREDs) 335, 336, 374, 375, 379, 380
 flavin hydroquinone (FMN_{hq}) cofactor 335

flavin mononucleotide (FMN) 14, 21, 149, 191, 192, 193, 199, 275, 324, 325, 328, 337, 338, 339
 dependent proteins 191
 flavin-semiquinone intermediate 338
Flavobacterium JS-7 cells 17
 flavocytochrome c3 (fcc3) 341, 342
 flavocytochromes 341
 flavoenzyme CvFAP 329
 flavoenzyme 4-hydroxybenzoate 3-hydroxylase 8
 flavonoids 225, 227–228, 235, 237
 flavoprotein (Fp) 15–16, 16, 20, 21, 282, 336
 flavoprotein alditol oxidase (AldO) 21
 flow systems 106, 107, 302, 305, 306, 308, 309, 313
 fluorescein 319
 fluorescence 36, 459
 fluorescence-activated cell sorting (FACS) 36
 fluorescence-activated droplets sorting (FADS) 36
 fluorinated NADH (FNADH) 263
 D-4-fluoroalanine 385
 4-fluorobenzaldehyde 131
 4-fluorobenzylamine 389
 D-4-fluorophenylglycine 394
 focused random mutagenesis 34
 formate dehydrogenase (FDH) 162, 172, 173, 183, 276, 285, 325, 334, 387, 392
 fragment-based computational design 39–40
 fumarate 163, 164, 166, 196, 341, 342
 fused-monooxygenase 390
 fusion-tags 20

g

D-galactoside derivative 420
 g-C₃N₄ mesoporous spheres (CNMS) 288
 gel-filtration 4, 5, 6, 9–11, 15, 17, 21
 genetic recombination 34, 35
 β-glucanases 476
Gluconobacter oxydans (GoSCR) 389–390
 glucose dehydrogenase (GDH) 172, 189, 276, 336, 339, 345, 346, 347, 363, 372, 381, 382, 384, 413, 437, 474
 glucosidase 254

glutamate dehydrogenase (GIDH/ GluDH) 344, 345, 393, 394
 glutamine (Gln) 448
 glutathione transferase (GST) 20
 glycerin carbonate 304
 glycerol dehydrogenase (GlyDH) 73, 74, 75, 77
 glycoaldehyde 372
 glycosylated natural products 225–227
 glycosyltransferase cascades
 enzyme expression 230–232
 flavonoids 227–228
 Leloir 227
 natural products 225–227
 nothofagin production at 100 g scale 233–237
 nothofagin synthesis 229–230
 solvent engineering, substrate solubilization 232–233
 glycosyltransferases 225–227, 228, 229, 230, 231, 237, 481
GmSuSy 229–233, 235
 Golden Gate gene 50
 gold-loaded TiO₂ (Au-TiO₂) 324, 325, 337, 339, 349, 351
 graphene derivatized with
 multianthraquinone-substituted porphyrin (CCGCMAQSP) 283, 284, 335
 graphitic carbon nitride (g-C₃N₄) 288, 289, 290
 COFs 290
 g-C₃N₄@ α-Fe₂O₃/C core@shell photocatalyst 289
 nanorod 289
 green carriers 66
 green chemistry 50, 275, 302
 Groningen Enzyme and Coenzymes Company (GECCO) 471–472

h

haloalkane dehalogenases (DhaA) 49, 256
 halogenated aromatic aldehydes 131
 α-halolactones 345
 health 227, 445, 453, 456, 458, 459, 476

- Heck reaction 106, 409, 410, 411, 424
 (*Z*)-heptadec-8-ene 329
 heptan-2-amine racemates 374
 heteroatom oxidation
 Baeyer–Villiger oxidation
 reactions 206–207
 heterogeneous biocatalysts 64, 65, 66, 67,
 68, 69, 72, 73, 74, 75, 76, 77, 79, 80, 82,
 312, 313, 419–420
 heterogeneous
 rhodium-diphosphane-complex 408
 heterogeneous, titanium-grafted silica
 catalyst Ti/SiO₂ 418
 heterogenized alcohol dehydrogenase 419
 heterogenized chemocatalysts 418
 heterojunction 280, 285, 287, 289, 290
 heterostructured photocatalysts 287
 high chemoselectivity 429, 430
 (–)-himbacine 310
 His₆-SUMO-HMFO fusion 20
 His-tagged proteins 19–20
 histidine (His) 19, 44, 45, 70, 118, 122, 145,
 165, 312, 448
 histidine-tagged benzaldehyde lyase 312
 homologous recombination methods 35
 horse liver alcohol dehydrogenase
 (HLADH) 186, 191, 209, 210, 263, 276
 horseradish peroxidase (HRP) 96, 254, 367
 HotSpot Wizard server 38
 Hydroclassified CSM (HCSM) 37
 hydrogen bond acceptor (HBA) 250
 hydrogen bond donor (HBD) 250, 251, 262
 α/β-hydrolase folding 122
 hydrolases 467
 aldol reaction 130–134
 amines
 BASF industrial scale KR of
 α-methylbenzylamine 148
 dynamic kinetic resolution 146–148
 kinetic resolution 145–146
 norsertraline 149
 norsertraline intermediate 171
 rac-methylbenzylamine, kinetic
 resolution 171
 serine protease family 145
 catalytic promiscuity 116–117, 122–130
 catalyze C–C bond formation
 reactions 125
 esterases 117–118
 lipases 122
 organic synthesis 118
 proteases 118
 hydrolytic enzymes 3, 122, 474, 481
 hydrolytic KR 143
 hydrophobic β central leaf
 composition 122
 hydrophobic interaction chromatography
 (HIC) 6, 14–15, 17, 18
 hydroquinone dioxygenase 7, 10
 γ-hydroxy-α-amino acids 372
 (*S*)-α-hydroxy acids 394
 hydroxyapatite (HAP)
 chromatography 15–17
 3-hydroxybenzoate 6-hydroxylase 11, 19
 2-hydroxycycloalkanone
 intermediates 379
 7-hydroxyheptanitrile 364
 β-hydroxy ketone 419
 (*R*)-2-hydroxy-1-phenyl-propanone 312
 5-hydroxymethylfurfural (5-HMF) 261
 5-(hydroxymethyl)furfural oxidase
 (HFMO) 19–20
 hydroxynitrile lyases (HNL) 349, 383
 3-hydroxyphenylacetate 6-hydroxylase from
 Flavobacterium JS-7 17–18
 p-hydroxyphenyl lactic acid
 enantiomers 391–392
 4-hydroxy-5-phenylpentan-2-one 373–374
 (*R*)-4-hydroxy-5-phenylpentan-2-
 one 373–374
 2-hydroxypropyl-β-
 cyclodextrin 233, 235–237
 para-hydroxystyrenes 100–101
 hygrine 365
 hyperthermostable laminarinase 19
- i**
- IBEX Pharmaceuticals Inc 476
Ideonella sakaiensis 47
 imine intermediate 143, 167

imine reductases (IREDs) 144, 145,
155–162, 172–173, 363, 374, 375, 470,
474, 476, 481

imine reduction 342–344, 372

immobilization yield (IY) 72, 73, 82, 308

immobilized enzyme 64, 65, 66, 67, 68, 71,
72, 73, 74, 75, 76–77, 79, 80, 81, 104,
160, 305, 307, 309, 310, 420, 450

immobilized glucose isomerase 67

immobilized metal affinity chromatography
(IMAC) 18–20

impurities 6, 24, 445, 446–450, 451, 452

Incremental Truncation of the Creation of
Hybrid enzymes (ITCHY) 35

indirect regeneration method 276

(*S*)-2-indolinecarboxylic acid 165, 166

industrial applications 3, 33, 46, 63, 65, 107,
115, 116, 136, 198, 225, 275, 276, 285,
405, 442, 443, 468, 469, 474, 482

Inofea AG 472

inorganic semiconductors 285–287,
288, 290

in situ-formed aldol adduct 413

internally modified CdS-QDs microcapsules
(CdS/PTi) 286, 287

in vitro compartmentalization (IVC)
methods 36

ion-exchange chromatography (IEC) 4, 7, 8,
10, 15, 17, 18

ionic liquid 107, 247, 310, 320, 352, 410

irreversible immobilization 64, 69

isobutanol 253, 333

isolated enzyme 3, 63, 307, 448, 450, 451,
455, 468

isolated salt 433

isomerases 361, 467

isopropylamine (IPA) 312, 313, 348, 349,
370, 390, 416, 433, 434, 435, 444, 454

(*S*)-2-isopropylpiperidine 375

Iterative Saturation Mutagenesis
(ISM) 37, 38

j

Jeotgalicoccus sp. ATCC 8456 327

Johnson-Matthey 472–473

k

Kazlauskas model 121

Keep It Simple and Smart (KISS) 35

Kemp elimination reaction 40, 43, 44

keto acid 333, 374, 391, 393, 443, 457

keto acid decarboxylase (KDC) 333

keto acid intermediate 374, 393

2-keto-3-deoxy sugar acids 105–106

γ -keto ester 380

α -ketoglutarate 344–345

ketoisophorone 338, 339, 366, 367

2-ketoisovalerate 333

ketoreductases (KREDs) 16, 98, 184, 312,
332, 345, 346, 349, 364, 373, 481

“keyhole-lock-key” model 48–49

kinetic resolutions (KRs) 9, 89, 118, 119,
142, 189–190, 305–311, 371

Kluyveromyces polysporus 186

Knoevenagel condensation 125, 128

Knoevenagel reaction 125, 126, 128

Kosmotropic salts 10, 14, 15

l

laccase-mediated oxidation 386

laccase mediator systems 369, 370, 381,
382, 387

laccases 98, 369, 374, 471, 481

laccase/TEMPO-catalytic system 416

β -lactam antibiotics 65

Lactobacillus brevis alcohol dehydrogenase
(LbADH) 184, 368

Lactobacillus kefir alcohol dehydrogenase
(LkADH) 104, 184, 364

Lactococcus lactis, 333

L-amino acid dehydrogenase (L-AADH)-
catalysed reductive amination 393

L. confuses DSM 20196 392

Leloir glycosyltransferases 225–228, 230,
231, 237

(*R*)-levodione 339–340

ligases 361, 467

light-driven cofactor recycling
approach 326, 344

light-driven thio-Michael addition 351

(-)-limonene 418

- limonene epoxide hydrolase 418
 Lineweaver–Burk plot 76
 lipase from pig pancreas (PPL) 119, 125, 130
 lipases 116, 122
 mediated promiscuous reactions 126, 128
 solvent-free system 257
 lipidic plastoquinone molecules 282
 lipoamide dehydrogenase 10, 15
 lipoglycans 449
 lipophilic organisms 253
 lipopolysaccharides 449
 liquid CO₂ 248, 250, 262–263, 267
 L-lactate dehydrogenase (L-LDH) 80
 L-lysine AADH (LysEDH) 159, 162
 Lobucavir 125, 126
 long-chain dehydrogenase/reductases
 (LDR) 184
 low complexity domains (LCDs) 96
 lowest unoccupied molecular orbital
 (LUMO) 280
L. paracasei (L-Hic) 392
 lyases 144, 162–167, 173, 349, 361, 372, 377,
 378, 467, 474
 lyophilization 96, 98, 251, 252, 254, 450, 477
 lyophilized enzymes 71, 457
 lyophilized (isolated) enzymes 448
- m**
- Machine Learning techniques 37, 38
 maltose-binding protein (MBP) 20–21
 mandelate racemase (MR) 393, 394
 (S)-mandelic acid 395
Manihot esculenta hydroxyl nitrile lyase
 (MeHNL) 383
 Mannich reaction 115, 117, 126, 127, 365,
 366, 414, 415
 mass spectrometry 5, 21
 MBP-TtProDH 21
 mediator Ru(trpy)Cl₃ 283
 medium-chain dehydrogenase/reductases
 (MDR) 184, 192
 Meito Sangyo Co., Ltd 481
 membrane-associated proline
 dehydrogenase 21
 1,3-mercaptoalkanols 351
 Merck KGaA 68, 477
 metal- and biocatalysis 320
 metal- and photocatalysis 320
 metal-catalyzed alkene
 hydroformylation 421
 metalloproteins 45
 metal organic frameworks (MOFs) 79
 Metgen Oy 473
 methionine (Met) 448
 (S)-4-methoxymandelonitrile benzoate 383
 1-(4-methoxyphenyl)butan-2-ol 368
ortho-methylacetophenone 336
 3-methylaspartate ammonia
 lyases 163–164
 (1S,3S)- and
 (1R,3S)-3-methylcyclohexanol 387
 (R)-2-methylcyclohexanone 338
 (S)-3-methylcyclohexan-1-one 382
 1-methylcyclohex-2-en-1-ol 387
 2-methylcyclohex-2-enone 338, 340, 374
 3-methylcyclohex-2-enone 374
 methyl
 4-deoxy-6-aldehydo-β-D-xylo-
 hexapyranoside 420
 1-methyl-3,4-dihydroisoquinoline 344, 372
 1-methyl-3,4-dihydroisoquinoline
 (MDQ) 344, 372
 methylene blue 319, 325
 5-methylene-3,5-dihydro-4*H*-imidazol-4-one
 (MIO) 163
 methyl ester 167, 260, 330, 387, 432,
 441, 442
Methylovorus sp. strain MP688 19, 20
 (E)-2-methyl-3-phenylacrylaldehyde 379
 (S)-3-methyl-4-phenylbutan-2-one 382
 (E)-3-methyl-4-phenylbut-3-en-2-ol 382
 (S)-2-methyl-3-phenylpropanoic acid 379
 2-methyl-1-phenylprop-2-en-1-one 336
 β-methylstyrene 390
 2-methyltetrahydrofuran (MeTHF) 250,
 260–261, 264
 (R)-1-methyl-1,2,3,4-tetrahydroisoquinoline
 (MTQ) 372
 α-methyltryptamine intermediates 377
 methyl viologen 278, 334, 338

- micellar catalysis 96
- Michael addition reaction 129
- Michael additions 115, 117, 126, 128, 129, 351
- Michaelis–Menten complex 45
- micro-aqueous system 258–259
- microbial cells 4, 452
- microbial enzymes 467, 480
- microcapillary single-cell analysis and laser extraction (μ SCALE) 36
- Micrococcus luteus* alcohol dehydrogenase (MIADH) 364
- microsomal epoxide hydrolase (mEH) 46
- mild reaction conditions 361, 377, 395, 429, 430, 446, 459
- “minimal DES” system 266
- minimalist approach 39
- mixed cultures 93, 94
- MOLE 49
- molecular biology techniques 90, 115
- molecular docking methods 41
- molecular encapsulation 100
- molecular memory 252
- monoamine oxidase (MAO-N-9) 119, 143, 145, 149, 150, 172, 343, 371, 372, 376, 439, 441, 474, 476, 481
- monoamine oxidase N from *Aspergillus niger* (MAO-N) 150, 151, 160, 169, 172, 343, 371, 376
- monoamine oxidases (MAO) 172, 371, 384
- monoaminoethyl-*N*-aminoethyl (MANAE)-agarose carrier 73
- mono- and disubstituted chiral piperidines 391
- monoliths 67
- monooxygenase
- cyclohexanone 20, 48, 199, 202, 203, 208, 322, 393
 - cytochrome P450 20, 47, 204, 206, 207, 326
 - phenylacetone 47, 199, 202, 203, 208, 322
 - polycyclic ketone 21
 - styrene 19, 199, 204–205, 331, 381, 388–389, 394
 - xylene 204
- monostearin 303
- monoterpenic alcohols 305
- montelukast 188, 436–439
- 2-(*N*-morpholino)ethanesulfonic acid (MES) 342
- 3-(*N*-morpholino)propanesulfonic acid (MOPS) 12
- (3-(*N*-morpholino)propanesulfonic acid)-based buffer 322
- MP Biomedicals 477
- Mucor miehei* lipase (MML) 126, 133
- multianthraquinone substituted porphyrins (MAQSP) 284
- multi-catalytic reactions 93
- multienzymatic transformations 361–395
- multi-enzyme cascade reactions 90, 103
- Multiple Sequence Alignment (MSA) 38, 39
- Mycobacterium smegmatis* acyltransferase (*MsAcT*) 125, 366
- n**
- ($\text{Na}_3[\text{Ir}(\text{sppy})_3]_3$) 342
- NADP^+ 104, 161, 172, 187, 191, 282, 327, 332, 335, 346, 347, 436, 437
- NAD(P)H dependent enzymes 276
- NAD(P)H regeneration 183, 276, 283, 287
- NAD(P)H regeneration efficiency 287
- 1,4-NAD(P)H regioisomer 276
- NADPH-specific ferredoxin-NADP⁺ reductase (FNR) 332, 333, 334
- nanoparticles immobilization 254
- natural deep eutectic solvents (NADES) 248, 251, 262, 265–266, 267
- natural nicotinamide cofactors 183, 340
- natural polymers 66
- natural products, glycosylated 225–227
- nature photosensitizers 282, 283
- N-doped carbon nanodots (N-CDs) 285, 286, 340
- 2D N-graphdiyne (NGDY) nanosheets 290
- N*-(4-hydroxybenzoyl)aminoethyl agarose affinity matrix 12–13
- nickel Raney-catalysed hydrogenation 383
- Nicotiana tabacum* double-bond reductase (*NtDBR*) 347
- nicotinamide adenine dinucleotide (NADH) 10, 12, 80, 93, 107, 144, 181, 187, 275, 277, 292, 312, 321, 381, 449, 454, 474

- nicotinamide adenine dinucleotide/
 nicotinamide adenine dinucleotide
 phosphate (NADH/NADPH) 449
 nicotinamide adenine dinucleotide phosphate
 (NADPH) 12, 107, 181, 184, 275, 312,
 321, 381, 474
 nicotinamide-dependent
 dehydrogenases 332
 nicotinamide-dependent flavoproteins 336
 NifL PAS domain 20
 Ni-NTA affinity chromatography 19, 20, 21
 Ni-NTA-sepharose 312
 nitrilases 468, 469, 481
 nitrile-triacetic acid (NTA) 19, 20, 21, 312
 4-nitrobenzaldehyde 130–134
 5-nitrobenzisoxazole 40
 nitrogen-doped carbon nanodot (N-CD) 340
p-nitrophenyl-2-phenylpropanoate 45
Nocardia iowensis (NiCAR) 378
 nonane-2,6-dione 375
 non-aqueous media
 advantages 248
 bio-based liquids
 CO₂-expanded 264–265
 CPME 261–262
 MeTHF 260–261
 potential application for 262
 disadvantages 248
 enzymatic activity 251–252
 enzyme immobilization 253–254
 enzyme preparation 254–255
 inactivation of enzymes 252
 ionic liquids (ILs) 247, 250
 liquid CO₂ 262–263
 micro-aqueous system 258–259
 NADES 265
 organic solvents 247–248
 pressurized gas 250
 protein engineering 255–256
 solvent-free system 256–258
 tolerant enzymes or host cells 252–253
 non-chiral amines 363
 non-homologous recombination 35
 non-stereoselective bienzymatic
 transformations
 amine synthesis 363–365
 bienzymatic linear cascades 365–367
 norbornadiene ruthenium complexes
 (Rh[nbd]) 95
 norcochlorine synthase (NCS) 167–168,
 376, 390
 norcochlorine synthase-catalysed Pictet–
 Spengler reaction 390
 norcochlorine synthase D29TfNCS 376
 norhygrine 365
 norsedaminone 365
 nothofagin 227, 228, 229, 230, 232, 233, 235,
 236, 237
 nothofagin synthesis 227, 229, 230, 232,
 233, 235, 236
 Novozym[®] 435 302, 304, 305, 306, 307, 309,
 310, 474
 Novozymes 474
 catalyzed transesterification 264–265
 N-protected α -amino γ -butyrolactone 415
 nucleophilic attack 46, 70, 122, 133,
 145, 198
 nucleoside diphosphate (NDP)-sugar 225
 nylon-6 monomer 392
- O**
Ochrobactrum anthropi amine transaminase
 (OaATA) 385
 oct-7-yn-1-ol 364
 Old Yellow Enzymes (OYEs) 191–194, 196,
 198, 210, 374
 olefin reduction 336–342
 one-pot megaprimer PCR 37
 one-pot multienzymatic
 transformations 362
 one-pot one-enzyme oxidative Pictet–
 Spengler approach,
 deracemisation 151
 one pot reactions 92, 348
Ophiorrhiza pumila strictosidine synthase
 (OpSTR) 377
 Oppenauer oxidation 106
 optically active benzylamines 369
 optically active gamma-butyrolactones 380
 optically active vicinal diols 379
 optically pure amines 306
 organic compound synthesis 377–383

- organic dyes 319, 338, 345
- organic-inorganic hybrid nanoflower 254
- organic molecular photosensitizers 282–285
- organic semiconductors 288–290
- organic solvent-tolerant organisms 252
- organic synthesis
 - hydrolases 118–122
 - reactions 37
- organo- and biocatalysis 320, 415
- organo- and photocatalysis 320
- organocatalytic oxidation 415–417, 424
- organocatalytic reaction with a
 - biotransformation 413–418
- Oriental Yeast 482
- OSCARR methodology (One-pot Simple
 - methodology for CAsSette
 - Randomization and Recombination) 37
- osmotic shock 4
- O₂-tolerant deazaflavin 337
- 4-oxalocrotonate tautomerase (4-OT) 117
- oxidases 8–9
 - amine 149–152
 - monoamine 172
- oxidoreductases 6, 275, 467
 - C=C bonds reduction
 - enzymes 193
 - oxidoreductase enzymes 144
 - OYEs mechanism 191–192
 - enantiopure molecules 181–183
 - heteroatom oxidation
 - Baeyer–Villiger oxidation
 - reactions 206–208
 - nicotinamide cofactor 183
 - oxygenations 198–204
 - recombinant enzymes 184
 - reduction of C=O bonds
 - ADH 185
 - Aldo-keto reductases (AKR) 184
 - long-chain dehydrogenase/reductases (LDR) 184
 - medium-chain dehydrogenase/reductases (MDR) 184
 - NAD(P)H-regeneration strategies 183
 - SDR 184
 - 2-oxohexanedioic acid 385
- oxygenations
 - alkenes epoxidation 204–206
 - BVMOs 198–204, 210–211
 - OYE 210
- p**
 - palladium catalysis 409
 - pancreatic porcine lipase (PPL) 118–119, 125–126, 128–131, 131, 304
 - pancreatic porcine lipase type II (PPL-II) 116, 131, 135–136
 - (*R*)-pantolactone 414
 - para*-nitrophenyl esters
 - spectrophotometrically 36
 - P450 BM3 variants 384
 - Pd-catalyzed Heck reaction 411, 424
 - PEG diester 306–307
 - Penicillin G acylase (PGA) 65
 - Penicillium simplicissimum* 6, 10
 - pentaerythritol tetranitrate reductase 339
 - pentamethylcyclopentadienyl rhodium
 - bipyridine complex [Cp*Rh(bpy)(H₂O)]²⁺ 276, 334
 - Perkin condensation of
 - 2'-chlorobenzaldehyde 166
 - perovskites 319–320
 - peroxidases 6, 8–9, 17, 79–80, 96, 207, 254, 367, 471, 482
 - peroxycarboxylic acids 115, 116, 126
 - peroxygenase-catalyzed oxyfunctionalization
 - reaction 324
 - peroxygenases 183, 207–209, 324–325, 349, 351
 - perylene diimide 290
 - PETase (PET-digesting enzyme) 47
 - P450 fatty acid decarboxylase 327
 - Phage-assisted continuous evolution (PACE) 35
 - pharmaceutical industry 3
 - (*R*)-biphenylalanine 442
 - boceprevir 439–442
 - environmental aspects 454
 - enzyme release testing 456–457
 - equipment cleaning 455–456

- equipment utilization and throughput
 time 455
 esomeprazole 435–436
 health 453
 identification of the suitable enzyme 443
 impurities 446–450
 montelukast 436–439
 pregabalin 431–432
 process development 443–445
 process safety 453–454
 route of administration 451
 sitagliptin 433–435
 transport and storage 457–458
 type of expression system 451
 types of biocatalysts 450
 vernakalant 432–433
 phase junction 280
 pH-dependent inactivation 36
 phenolic acid decarboxylase (PAD) 98, 100,
 101, 106, 388–389, 394
 phenylacetaldehyde 167, 388, 390
 phenylacetaldehyde reductase (PAR) 388–389
 phenylacetone monooxygenase (PAMO) 47,
 199, 202, 203, 208, 322
 phenylacrylic acid decarboxylase
 (PAD) 388, 394
 L-phenylalanine 158, 388, 389, 394
 phenylalanine aminomutase
 (PAM) 162–163, 165, 386
 phenylalanine ammonia lyase
 (PAL) 162–163, 165–166, 386,
 388–389, 394
 phenylalanine self-assembled peptide
 nanotubes 283
 4-phenylbutan-2-amine 374
 (*R*)-4-phenylbutan-2-amine 11
 (*S*)-4-phenylbutan-2-amine 371
 4-phenylbutan-2-ol 368
 2-phenyletanol 389
 1-phenylethane-1,2-diol 374
 (*R*)-1-phenylethane-1,2-diol 394
 2-phenylethanol 387–388
rac-1-phenylethylamine 306–308
 (*S*)-1-phenylethylamine with cellulose
 immobilized transaminase 312
 (*R*)-1-phenylethyl propionate 15
 (*S*)-phenylglycidol 390
 (*S*)-phenylglycine 395
 D-phenylglycines 393, 394
 1-phenylpentane-1,4-dione 376
 (*S*)-2-phenylpiperidine 391
 1-phenylpropane-1,2-diol 259, 377–378
 1-phenylpropane-1,2-diol stereoisomers 378
 (*S*)-phenylpropan-2-ol 369
 phenylpropanolamines 167, 390
 1-phenylprop-2-en-1-ol 382
 1-phenylprop-2-yn-1-ol 382
 Phenyl Sepharose column 6–7
 phloxine B 338, 345
 pH memory 251
 phosphane-free palladium catalyst 410
 phosphine-free perfluoro-tagged palladium
 nanoparticle 410
 phosphite dehydrogenase 21, 276
 photo- and biocatalysis 320
 photobiocatalysis
 alkane hydroxylation 322–326
 Baeyer–Villiger (BV) oxidation 321–322
 carbonyl reduction 332–336
 combination of photooxidation and
 enzymatic transformation 348–351
 deacetoxylation 347–348
 decarboxylation 327–330
 dehalogenation 345–347
 epoxidations 330–331
 imine reduction 342–344
 O-dealkylation 326–327
 olefin reduction 336–342
 reductive amination 344–345
 photocatalytic NADH regeneration 278–292
 aspects of measuring 281–282
 expectations 290–291
 inorganic semiconductors 285–287
 nature photosensitizers 282
 organic molecular
 photosensitizers 282–285
 organic semiconductors 288–290
 processes and mechanism associated
 with 279–281
 recycling 292

- photoredox system 322, 324
- photosensitizers P680 282
- photosensitizers P700 282
- Pichia pastoris* alcohol oxidase (PpAOX) 378, 451
- pickering emulsions 98–100
- Pictet–Spenglerases 173–174
 - catalytic mechanism 167
 - (*R*)-harmicine 168–169
 - norcoclaurine synthase 167
 - strictosidine synthase 167
- Pictet–Spengler reaction 167, 169, 173–174, 390, 420
- plastocyanin (PC) 282
- platinum nanoparticles 283
- Pleurotus eryngii* 20
- polyacrylamide 5, 66
- polycyclic ketone monooxygenase (PockeMO) 21
- polydimethylsiloxane (PDMS)
 - thimbles 103–105
- polyethylene terephthalate (PET) 47
- polymerase chain reaction (PCR) 35, 37, 448
- polymersomes 101–103
- polymethacrylate 66
- porcine pancreas lipase type II (PPL-II) 135–136
- porcine pancreatic lipase (PPL) 129–130
- porcine pancreas (PPL) 118
- porous carriers
 - commercial 68
 - definition 66
 - dimensions 67–68
 - geometry
 - beads 67
 - monoliths 67
 - inorganic materials 66–67
 - membranes 67
 - organic materials 66
- porous membranes 67, 101
- porphyrin π radical ferryl intermediate 323
- porphyrins 283–284, 323, 335
- pregabalin 431–432
- Prelog's rule 45, 185
- Prelog-type alcohols 185
- pressurized gas 247–250, 253, 264, 267
- primary amine 119, 126, 145, 156, 167, 364, 472
- process safety 430, 442, 453–454
- proline-derived organocatalyst 413
- promiscuity
 - catalytic 116–117
 - hydrolases
 - aldol reaction 130–134
 - catalytic promiscuity 122–130
 - esterases 117–118
 - lipases 122
 - organic synthesis 118–122
 - proteases 118
- rac*-1,2-propanediol 309
- propan-2-ol 104, 266, 309, 369
- propanol-rinsed enzyme preparation (PREP) 254
- propargylamine 364
- propargylic alcohols 382
- propiofenone 266, 382
- proteases 3, 5, 13, 20, 39, 46, 91, 95, 117–119, 131, 145–146, 262, 305, 310, 439, 453, 468, 474, 476–478, 480
- protein-based stains 118
- protein cage 95
- protein complex photosystem I (PS I) 282
- protein complex photosystem II (PS II) 282
- Protein Data Bank (PDB) 38, 40, 42, 49, 186, 193
- protein design automation (PDA) 38
- protein engineering 36, 47–50, 63–64, 82, 116, 155–156, 158–159, 162–163, 186, 188, 197–198, 201, 247, 255–256, 267, 374, 425, 459, 475, 481
 - techniques 374
- protein immobilization
 - affinity immobilization 70
 - apparent kinetic parameters 76–77
 - biocatalyst stability 77–78
 - carriers nature 64
 - challenges and opportunities 79–81
 - chemical and geometrical congruence 65

- covalent binding 70
 - cross-linking 70
 - entrapment/encapsulation 70
 - enzymatic solution preparation 71
 - enzyme spatial organization 65–66
 - GlyDH 73
 - heterogeneous biocatalysts 74, 76
 - immobilization chemistry 64
 - parameters
 - expressed activity/apparent activity 72–73
 - immobilization yield (IY) 72
 - immobilized biocatalyst (SA) 73
 - physical adsorption 69
 - porous carriers
 - commercial 68
 - definition 66
 - dimensions 67–68
 - geometry 67
 - inorganic materials 66–67
 - membranes 67
 - monoliths 67
 - organic materials 66
 - protein attachment 65
 - protein orientation 64–65
 - reversible and irreversible immobilization 69
 - soluble enzyme stability 71
 - protein stability 42–43, 361, 475
 - PROtein Structure Activity Relationship (ProSAR) algorithm 38
 - proteolytic degradation 5
 - Proteus mirabilis* 385
 - Proteus myxofaciens* 392
 - Prozomix 351, 375, 474–475
 - Pseudomonas cepacia* lipase (PSL)-catalyzed transesterification 261
 - Pseudomonas fluorescens* lipase (PFL) 8, 10, 15, 17, 48
 - catalyzed transesterification 263
 - Pseudomonas fluorescens* BAL (PFBAL) 351, 377
 - Pseudomonas oleovorans* 206
 - Pseudomonas putida* (MorB) 94, 334, 335, 378
 - Pseudomonas* species styrene monooxygenase (Fus-SMO) 390
 - Pseudomonas stutzeri* lipase (PSL) 261, 310
 - PTDH-PockeMO protein 21
 - pure 4-hydroxybenzoate 3-hydroxylase (PHBH) 10
 - Purified ADH from Codex®
 - Screening Kit 266
 - Purolite Ltd 68
 - putidaredoxin-NAD⁺ reductase (PDR) 334
 - pyridoxal 5'-phosphate (PLP) 416, 433, 454
 - dependent enzymes 11
 - Pyrococcus furiosus* 19, 95
 - 1-pyrrolines 342–343
 - pyruvate aldolase (PyrAL) 372
 - pyruvate decarboxylase (PDC) 153, 379
 - pyruvic acid 372–373
- q**
- Q-Sepharose ion-exchange chromatography 7
 - Q-Sepharose ion exchanger 21
 - quantitative structure activity relationship (QSAR) algorithm 38
 - quantum dots (QDs) 289, 319, 320, 332–333, 338–339
 - nanocrystals 285
 - quantum dots@flake g-C₃N₄ isotype heterojunctions 289
 - quantum dots@flake graphitic carbon nitride (QDs@flake g-C₃N₄) isotype heterojunctions 289
 - quantum mechanical (QM) methods 40–41
 - “Quick E” assay 36
 - Quick Quality Control (QCC) 35
- r**
- rAaeUPO-catalyzed hydroxylation 325
 - racemic α -acetoxytetralones 347
 - racemic amino acid 386, 431
 - racemic 2-aminobutanoic acid 385
 - racemic 1-aminotetralin 149
 - racemic 1-arylalkanol 370
 - racemic benzylisoquinolines 371
 - racemic *cis*-4-methyl-2-phenylpiperidine 391

- racemic cyano diester 431
- racemic *in situ*-formed hexahydrofuro[2,3-*b*]
furan-3-ol 415
- racemic 1,2-isopropylidene glycerol 303, 304
- racemic ketone 234–235, 433
- racemic mandelic acid 393–394
- racemic methylbenzylamine (*rac*-MBA) 364
- racemic *N*-Boc-phenylalanine ethyl
thioester 310–311
- racemic phenyl alanine derivatives 385
- racemic sulfoxide 436
- racemic 1-(trityloxy)propan-2-ol 309
- rac*-1,2-propanediol 309
- rac*-1-(trityloxy) propan-2-ol 309
- Ralstonia* species alcohol dehydrogenase
(*Ras*ADH) 377
- Random CHimeragenesis on Transient
Templates (RACHITT) 35
- random mutagenesis approaches 34–35
- Random MUTagenesis Strategy flowchart
(RAMUS) 35
- rational enzyme design 34
- calmodulin 43
- enantiomerically pure synthesis 45–47
- identification of tunnels 48–49
- Kemp elimination 43–44
- MD simulations 41
- metalloproteins 45
- molecular docking methods 41
- protein stability 42–43
- QM/MM techniques 41
- substrate scope 47–48
- rational parametric design 39, 40
- Rauvolfia serpentina* strictosidine synthase
(*Rs*STR) 168–169
- recombinant enzyme purification
- affinity chromatography with protein
tags 20–22
- IMAC 18–20
- reconstructing evolutionary adaptive paths
(REAP) methods 38
- reduced nicotinamide cofactor 332, 372
- reductases 8–9, 155–162, 184, 347, 390,
392, 470
- reductive aminases (RedAms) 144, 155–162,
365, 376
- reductive amination 143–144, 155, 157–162,
172–173, 344–345, 348–349, 393
- renewable catalysts 275
- renewable electric energy 276
- residual activity 77, 90
- Resindion Srl 68
- retro-biosynthesis approach 48
- reversible covalent bonds 70
- reversible immobilization 15, 64, 69–70
- Reynolds numbers 300
- Rh-catalyzed diazoester 424
- Rhizomucor miehei* (RM IM) 8
- Rhizopus niveus* lipase (RNL) 116, 131,
134–136, 135
- Rhizopus oryzae* 387
- rhodamine G 319
- Rhodococcus erythropolis* DSM
43297 ADH 381
- rose bengal (RB) 319, 338, 345
- Rosetta-guided protein stapling
(R-GPS) 256
- Rosetta model 40
- [Ru(bpy)₃]²⁺ 319
- Ru(bpy)₃Cl₂ 335–336, 344
- [Ru^{II}(bpy)₂(4,4'-(PO₃H₂)₂bpy)]Br₂
(RuP) 341–342
- ruspolinone 365
- ruthenium-catalyzed isomerization 266
- S**
- saccharose-producing mutant 94
- saturation mutagenesis 37, 39, 187
- Saxagliptin 124–125
- SCHEMA 35
- SCRATCHY 35
- SDS-PAGE 5, 6, 14, 446, 457
- secologanin 168, 169, 377
- secondary α -bromoamides 347
- Segniliparus rugosus* 364
- selectAZymesTM kits 468
- selection techniques 36
- semi-rational design 34
- computational methods 38
- high-throughput screening methods 37
- sequence-based enzyme engineering 38
- sequence-based redesign 39

- structure-based enzyme redesign 37–38
- structure-based redesign 38–39
- sequence-based enzyme engineering 38
- sequence-based redesign 39
- Sequence Homology-Independent Protein RECombination (SHIPREC) 35
- Sequence-Independent Site-Directed Chimeragenesis (SISDC) 35
- sequential cascade 90, 93
- sequential chemoenzymatic one-pot synthesis
 - combining more than two reactions 420–422
 - metal-catalyzed reaction with a biotransformation 408
 - organocatalytic reaction with a biotransformation 413–418
 - practical approaches 422–425
 - reaction catalyzed by a heterogeneous biocatalyst with a chemocatalytic transformation 419–420
 - reaction catalyzed by a heterogeneous chemocatalyst with a biotransformation 418–419
- serine-histidine-aspartate residues (Ser-His-Asp) 118
- serine protease family 145
- Sertraline 307
- Shewanella frigidimarina* NCIMB400 341
- short-chain dehydrogenase/reductases (SDR) 184, 192
- short-chain esters 305
- Sigma-Aldrich 477–478
- silica nanoflowers (SNFs) 99–100
- Silicibacter pomeroyi* amine transaminase (SpATA) 366
- silicone 66
- single electron transfer (SET) 322, 326, 330, 336–345, 348
- single enzyme immobilization 92
- sitagliptin 155, 433–435
- site-saturation mutagenesis (SSM) 34, 37
- six-membered α -bromolactones 346
- size exclusion chromatography (SEC) 9–10, 17, 237
- small ubiquitin modifier (SUMO) 20–21
- (*S*)-mandelate dehydrogenase (SMDH) 389, 394
- sodium cyanide (NaCN) 367
- sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) 5–6, 14, 446, 457
- Solanum tuberosum* epoxide hydrolases (StEH) 390
- solar energy 278–280, 282–283, 285, 292
- solubility tags 20–21
- soluble epoxide hydrolase (sEH) 46
- solvent engineering 91–92, 232–233, 410
- solvent tolerance 36
- (*S*)-specific oxidoreductase 381
- Sphingobium yanoikuyae* 186, 369
- Sphingomonas* species HXN200 (SpEH) 390, 394
- SpinChem reactor 378
- SpinChem rotating bed reactor 103
- stabilization factor (SF) 79
- staggered extension process (StEP) 35
- stearic acid 303–304, 328
- stereocontrol
 - dynamic kinetic resolution 197–198
 - enzyme-based approach 197
 - OYEs advantage 196
 - substrate-based approach 196–197
- stereoselective bienzymatic transformations
 - amination of alcohols 368–371
 - amino acid synthesis 383–386
 - amino alcohol synthesis 372–374
 - deracemisation of amines 371–372
 - organic compound synthesis 377–383
 - other synthesis 374–377
- stereoselective KRED-catalyzed carbonyl reduction 349
- stilbenes 97, 106
- Strem Chemicals, Inc. 478
- Streptomyces coelicolor* 21, 369
- Streptomyces maritimus* (EncP) 386
- strictosidine synthase (STR) 167–169, 173–174, 377
- structure-based enzyme redesign 37–38
- styrene monooxygenase (SMO) 19, 199, 204–205, 331, 381, 388–389, 394
- (*S*)-styrene oxide 394

- styrene oxide isomerase (SOI) 388–389
 2-substitued-1-pyrrolines 342
 2-substituted N-heterocycle alkaloids 365
 substrate coupling method 276
 Subtilisin Carlsberg (SC) 46, 254, 310
 sugar component 225
Sulfolobus solfataricus dihydroxyacid
 dehydratase (SsDHAD) 105
 supercritical CO₂ (scCO₂) 250–251, 253, 310
 surface defects 280
 Surface-Enhanced Resonance Raman
 Scattering (SERRS) 36
 Suzuki coupling reaction 409–410, 424
 Suzuki–Miyaura cross-coupling 105
Symbiobacterium thermophilum 385
 syn- and anti-aldols 24
 synthetic biology 50, 231, 275, 292
 synthetic nicotinamide cofactor analogues
 (mNADHs) 340
 synthetic polymers 66
- t**
- Takabio 482
 tandem/domino reaction 362
 tea-bag synthetic technology 103–104
 telescoping 90
 (S)-tembamide 383
 N-terminal MBP solubility tag 21
 tertiary enantioenriched (*R*)-amine 344
 (S)-6,8,13,13a-tetrahydro-5*H*-
 isoquinolino[3,2-*a*]isoquinoline-
 2,3,10,11-
 tetraol 376
 1,2,3,4-tetrahydroisoquinolines 390
 (1*S*,3*S*,4*R*)-1,2,3,4-
 tetrahydroisoquinolines 391
 2,2,6,6-tetramethylpiperidine-1-oxyl
 (TEMPO) 381, 415
Thalictrum flavum 167, 169
 theoretical enzyme or theozyme 40
Thermoanaerobacter ethanolicus alcohol
 dehydrogenase (*Tes*ADH) 45, 253,
 258, 368–369
Thermoanaerobacter pseudoethanolicus 339
Thermoanaerobacter species 380
Thermoanaerobium brockii 332
Thermocrispum municipale
 cyclohexanone monooxygenase
 (*Tm*CHMO) 20
 thermophilic Old Yellow Enzyme
 (TOYE) 339
Thermothelomyces thermophila 20
Thermothelomyces thermophile 21
Thermus scotoductus old yellow enzyme
 (*Ts*OYE) 338–340
Thermus thermophilus proline dehydrogenase
 (*Tt*ProDH) 11, 21–22
 thiophene-modified double shell hollow
 g-C₃N₄ nanosphere 289
 thioredoxin (Trx) 20
 three dimensional aromatic polymer
 (3DAP) 290
 thylakoid membrane 94, 282–283
 thylakoids 94, 282–283
 Ticagrelor 121–122
 TiO₂-CdS nanotube film (NT-film) 287
 total turnover number (TTN) 78–79, 208,
 230, 233, 313, 432
 Toyobo Co., Ltd. 482–483
 Toyobo Enzymes 483
 traditional enzyme purification
 ammonium sulfate fractionation 6–7
 bio-affinity chromatography 11–14
 cell-free extract 5
 cleared cell extract 4
 gel-filtration 9–11
 HAP 15–17
 HIC 14–15
 3-hydroxyphenylacetate 6-hydroxylase
 from *Flavobacterium* JS-7 17–18
 IEC 7–9
 inactivation and/or aggregation 5
 microbial cells 4
 SDS-PAGE gel 5–6
 separation methods 5
 theoretical example 4
Trametes versicolor laccase (LTv) 369
 transaminase-catalyzed amine
 synthesis 410
 transaminases 144, 384

- asymmetric synthesis from prochiral ketone 155
 kinetic resolution and deracemisation 153–155
 ping-pong bi-bi mechanism 152
 practical approach 153
 pyridoxamine 152
 reversible catalytic cycle 152
 ωTAs 152
 α- or β-transaminases 152
 ω-transaminases 11, 152, 172, 363, 468
 transesterification reactions 46, 116, 118, 124–126, 128, 248, 261–264, 304–305, 330, 415
 transferases 12, 24, 156, 361, 467, 474
 translocases 467
 triacylglycerols (TG) 64, 122
 lipases 116
 triazine-linked 4'-difluoro-4-bora-3*a*,4*a*-diazas-indacene (BODIPY) 335, 364
 tricarboxylic acid cycle 94
 triethanolamine (TEOA) 188, 259, 280–281, 283, 287, 292, 324, 326–327, 334–335, 338–340, 345, 434, 437
 2,2,2-trifluoroacetophenone 253
 α,α,α-trifluorotoluene 418
 (3*S*,4*R*)-1,3,4-trihydroxy-5-phenylpentan-2-one 378
 tris(hydroxymethyl)aminomethane (Tris) 71
 trisubstituted tetrahydroisoquinolines 390
 1,3,4-trisubstituted tetrahydroisoquinolines 420
 (*S*)-trolline 169
 tryptamine 151, 168, 169, 173
 tryptophan (Trp) 448
 tubular molecular photosensitizer 283
 turnover frequency 283, 285, 322
 turnover number 14, 257, 276, 322
 two-dimensional sp²-carbon COF (TP-COF) 290
 tyrosine (Tyr) 70, 156, 165, 192–193, 283, 348, 384, 392, 448
 tyrosine aminomutase (TAM) 165
 L-tyrosine derivatives 383–384
 Tyr-ZnDPEG 283
- U**
 ubiquinone 275
 UDP-glucose 228–230, 235
 Ugi reaction 115, 126
 ultra high-throughput screening and selection 35–36
 α,β-unsaturated acetophenones 336
 α,β-unsaturated aldehydes 379
 α,β-unsaturated imines 375
 α,β-unsaturated ketone 351, 381
 uridine 5'-diphospho (UDP)-glucose 228
- V**
 vanillyl alcohol oxidase 6, 10, 17, 19
 vernakalant 432–433
Vibrio fluvialis (VfATA) 364
 virus capsids 95–96
 volatile sulfur compounds (VSCs) 351
- W**
 Wacker oxidation of styrene 104
 W110A/G198D variant 368
 water-*N,N*-dimethylformamide (DMF) reaction media 410
 water-soluble palladium nanoparticles 409
 water-soluble palladium-TSPP-tris(3-sulfonatophenyl)phosphine hydrate 410
 whole cells 3, 63, 89, 103, 157, 160, 166, 170, 184, 204, 206–207, 257–261, 266, 343, 377, 385, 391, 449–450, 455, 468, 484
 Worthington Biochemical Corp. 479
 WS₂/g-C₃N₄ heterojunction 290
- X**
 X-Cube (ThalesNano) system 303
 xylanases 476
 xylene monooxygenase 204
- Z**
 zinc porphyrins (ZnDPEG) 283
 zinc porphyrins (Zn-porphyrins) 283
 zinc sulfide [ZnS] 285
 Z-scheme 282

