

Index

a

AA'BO₃ perovskite electrodes 162–165
 ABB'O₃ perovskite electrodes 168–170
 ABO₃ electrodes 145, 147–151
 activated carbons 16, 19, 56–59, 65, 90,
 218, 234, 245, 265, 288–295, 299
 adhesives 3, 25, 56–63
 adhesive conductive film 61
 Adler's molecular model 30
 agglomeration 142, 144, 159, 210, 213,
 258–259, 302, 304, 314, 317
 aluminum foil 56, 58–59, 61–63, 65, 116
 anion-intercalation supercapacitors 162,
 175
 anionic intercalation 156
 anisotropic crystal growth 259
 annealing process 32

b

BBSC perovskite 171–172
 BG/PANI composite fabrication 215
 biochars 7–13, 16–18
 biomedical engineering applications 114
 Boudouard reaction 8

c

cadmium hydroxide 91–93
 camphor sulfonic acid (CS) 115
 carbon aerogel 33, 54, 68, 245, 290–291
 carbon black 57, 59, 63, 194, 236, 256,
 292, 304, 311
 carbon fibers (CFs) 68, 208–209, 258,
 267, 313

carbon nanochannels 290
 carbon nanocrystallites 34
 carbon nanotubes 19, 54, 187, 207–208,
 212, 245, 289, 299, 302
 carbon-based materials 114, 117, 141,
 187, 190, 290–295, 304, 306, 313
 carbonaceous nanofiller 208
 carbonization process 301
 carbonization-in-a-day approach 301
 Cd(OH)₂ interconnected nanowire 94
 cellulose 31
 cellulose fibers 2
 cellulose films/membranes 2
 ethanol production 1–2
 cellulose films/membranes 2
 cetyltrimethylammonium bromide
 (CTAB) 211, 265
 char gasification reaction 8
 charge storage process 172
 charge-discharge process 156, 321
 charge-transfer process 175
 chemical vapor deposition (CVD)
 255–256, 315
 cobalt hydroxide 86–89
 condensed-phase optimized molecular
 potentials for atomistic
 simulation studies (COMPASS)
 25
 conducting polymers (CPs) 114, 300
 carbonaceous material
 carbon fibers (CFs) 208–209
 carbon nanotubes 207–208

- conducting polymers (CPs) (*contd.*)
 - graphene and graphene oxide (GO) 209
 - reduced graphene oxide (RGO) 209
 - charging-discharging mechanism 205
 - chemically modified graphene 214
 - CNT nanocomposites 210–212
 - graphene composites 212–218
 - graphene oxide 213–214
 - intrinsically semi-conducting polymers 205
 - limitations of 207
 - poly (3,4-ethylenedioxythiophene) (PEDOT) 206
 - polyaniline (PANI) 206
 - polypyrrole (PPy) 206
- conductive polymers 19, 54, 80, 187–190, 205–211, 218, 289, 304
- conventional batteries 55, 187
- conventional capacitors 13–14, 53, 245
- copper hydroxide 93–94
- Coulomb attractions 25
- Cu(OH)₂ nanorods 94
- cyclic voltammetry (CV) 89, 92, 113, 214, 234–236, 247, 292, 311
- cyclic voltammogram 118, 141, 144, 154, 168, 192, 256

- d**
- density functional theory (DFT) 19, 22–24, 26, 29, 35, 91
- devolatilization 8
- (1,4)-dimethoxy- β -D-glucopyranose 27
- dispersion corrected DFT (DFT-D) 26
- dodecyl benzenesulfonic acid (DBSA) 115–116
- doping pseudocapacitance 79–80
- drying 8, 59, 82, 190–192, 194, 267, 290–292, 311

- e**
- EDTA-citrate complexing (EDTA-CA) method 171
- electric double layer capacitors (EDLC) 114, 141, 189, 302
- carbon materials for
 - chemical activation 17–18
 - hybrid supercapacitors (HSC) 19
 - physical activation 16–17
 - pseudocapacitors 18–19
- Gouy–Chapman model 15
- Helmholtz model 14–15
- molecular dynamics (MD) 34–35
- Stern model 15–16
- electric double-layer (EDL) model 34, 79
- electrocatalyst 226
- electrochemical double-layer capacitors (EDLC) 188, 246, 289, 299
 - combined electrode for 60–63
 - electrode fabrication method 57–60
- electrochemical impedance spectroscopy (EIS) 161, 235–236, 248, 266, 294, 311
- electrode fabrication method 57–60
- electrode materials
 - energy density 249
 - mixed transition metal oxides
 - metal cobaltite 263–266
 - metal molybdenates 270–271
 - metal phosphates 270
 - metal tungstate 266
 - metal vanadates 266–269
- properties 249
- transition metal oxides
 - Bi₂O₃ 260–263
 - Co₃O₄ 254
 - iron oxides 256–258
 - MnO₂ 251–253
 - MoO₂/MoO₃ 254–256
 - NiO 253–254
 - RuO₂ 250–251, 252
 - SnO₂ 256
 - WO₃ 259–260
- electrolytic capacitors 116, 289, 303
- electrolytic mobility 166
- electroplating 255
- electrospun approach 152
- energy distribution spectroscopy (EDS) analysis 215, 227, 230–231
- exfoliation process 301–302

f

faradaic supercapacitor 174
 faradic charge transfer 79, 189
 fast Fourier transform (FFT) 32

g

galactomannans 3
 galvanostatic charge–discharge (GCD)
 86, 154–156, 174, 216, 234, 236,
 291, 311–312, 320
 Goldschmidt relation 134
 Goldschmidt tolerance factor 136–137
 Gouy–Chapman model 15
 graphene 67
 composite 304
 sulfonated 304
 grass lignin 5

h

hardwood lignin 5
 Helmholtz model 14, 15
 hemicellulose 1–7, 10, 25, 31–32, 34,
 285, 290
 hollow carbon spheres (HCS) 226,
 231–233, 236–238, 252
 hybrid capacitors 246
 hybrid organic-inorganic nanocomposites
 188
 hybrid supercapacitors (HSC) 18–19,
 209–218, 289
 hydrothermal method 97, 174, 191–192,
 251, 256, 266, 271
 3 hydroxycinnamyl alcohols 20

i

imidazolium chloride anions 27
 in situ polymerization method
 212, 217
 insulator-metal transition 131
 intercalation elements 162
 intercalation oxygen ions 167
 intercalation pseudocapacitance 79–80
 intermediate pyrolysis 11
 International Energy Agency (IEA)
 80

intrinsically conducting polymers (ICP)
 300

iron hydroxide 89–91
 iron oxides 90, 256–258, 314, 316

k

Klason lignin 5
 kraft lignin 5

l

lattice distortion 152–153, 156, 160–161,
 175, 309
 Lennard–Jones (LJ) function 25, 144
 Li battery technology 13
 Li-air batteries 226
 lignin 31
 computational approaches
 CHARMM potential 24
 COMPASS 25
 DFT methodologies 22
 3 hydroxycinnamyl alcohols 20
 interactions lignin-cellulose 24
 intermolecular interaction 22
 lignin molecular surfaces 24
 MD simulations 22, 24
 molecular model 25
 pyrolysis-simulated molecular
 dynamics 26–31
 solvation effects 19
 grass lignin 5
 hardwood lignin 5
 Klason lignin 5
 kraft lignin 5
 molecular model of 27
 Soda lignin 6
 softwood lignin 5
 sulphite lignin 5–6
 lignin carbohydrate complex
 (LCC) 25
 lignin polymerization 31
 lignin spirodienone 30
 lignocellulosic biomass
 cellulose 1–2
 hemicellulose 2–3

m

- manganese hydroxide 91
- metal cobaltite 263–266, 271
- metal molybdates 270–271
- metal phosphates 270–271
- metal tungstate 266
- metal vanadates 266–269
- metal–oxygen bond 161–162
- methanation reaction 8
- 1-(4-methoxyphenyl)-2-methoxyethanol 27
- microwave annealing
 - graphene oxide/polyaniline composite electrochemical analysis 310–313
 - microwave treatment, effects of 309–310
 - synthesis of 307
 - graphene oxide/polypyrrole composite electrochemical analysis 318–320
 - microwave treatment 317–318
 - pseudocapacitance 313
 - pyrrole monomer 314
 - synthesis of 316–317
- microwave assisted graphene based conducting polymer materials
 - EDLCs 302
 - microwave annealing and impacts 305–320
 - pseudocapacitor 302–304
- microwave heating process 301
- microwave irradiation 233, 301–302, 305–306, 308, 317
- microwave treatment 301, 305–306, 308–313, 315–321
 - EDLCs 302
- MnO₂ 91, 187–192, 195, 251–253, 307, 317
- MnO₂ synthesis 191
- molecular dynamics (MD) 34
 - simulations 22, 26–31
- monolignol orientation 24
- monoxide manganese oxide (δ -MnO₂) 91, 226, 231–233, 236–238
- multiwall carbon nanotubes (MWCNT) 207–208, 245

n

- nanocatalyst 226
- nanomaterials 54, 67–70, 72, 118, 209–210, 213, 225–239, 295, 309, 321
- nanoporous carbons 13–19, 31–33, 56–57, 61, 63, 210, 290
- nanotubes 67–70, 118, 210, 245, 254, 271, 308, 314–316
- NH nanosheet morphology 86
- nickel hydroxide (NH) 81–86
- nucleation 214, 259, 270, 306, 315

o

- oleylamine 83
- organic hybrid perovskites 137
- organic-inorganic nanocomposites 188
- oxidation 8–9, 81–82, 89, 93, 114–116, 143, 154–156, 162, 167, 206, 217, 245, 254–255, 258–260, 301, 319
- oxygen intercalation mechanism 142, 153

p

- PANI/VA-CNTs nanocomposite electrode films 211
- perovskites
 - capacitance performance
 - A-site elements 152–162
 - ABO₃ perovskites 142–152
 - B-site elements 162–168
 - cation and anion deficient perovskite structures 137–140
 - halide double perovskites 134–137
 - organic-inorganic hybrid perovskites 137
 - properties 132
 - SCM perovskite 167
 - stoichiometry perovskite structure 132–134
- petroleum asphalt 28
- phenethyl phenyl ether (PPE) 23
- phenol resin molecule 29
- plasma spray 255, 256

- poly (3,4-ethylenedioxythiophene) (PEDOT) 206
- polyaniline (PANI) 206, 213, 301
 carbon precursor 117
 elastic super capacitors 117–118
 electro-chemical capacitors (ECs) 113
 electrode discharge profile 118
 electrolytic capacitors 116
 high-rate super capacitors 116
 mechanism 115
 significance and role of 118–121
 smart super capacitors 116–117
 superficial electro-polymerization 113
- polymer gel electrolyte 300
- polypyrrole (PPy) 206, 301, 313–317
- polystyrene (PS) spheres 190
- polythiophene 114, 205, 301, 303, 306
- polyvinylidene difluoride (PVDF) 63, 194, 236, 292, 311
- pore size distribution (PSD) 16, 33, 34, 159, 262, 309, 317, 318
- porous Carbon-Manganese Dioxide 290
- $\text{Pr}_6\text{O}_{11}/\text{Mn}_3\text{O}_4$ nanocomposites 192–193
- Pr_6O_{11} nanoparticle synthesis 191
- pseudo capacitance behaviour 152
- pseudo capacitors 18–19, 114, 121, 122, 188, 189, 225, 245, 246, 248, 249, 259, 289, 299, 302–304
- pseudo-capacitance behavior 142, 152, 217, 258
- pseudo-capacitance electrode materials 141
- pseudo-capacitive materials 18, 141, 213, 306, 314
- pseudocapacitive electrodes 80
- pseudocapacitive mechanism 79
- pyrolysis-simulated molecular dynamics 26–31
- q**
- quantum nuclear effects 29
- r**
- radial distribution functions (RDF) 32–34
- rechargeable batteries 13, 55–56, 71
- redox pseudocapacitance 79–80
- RuO_2 250–251
- S**
- Saccharum Officinatum (Sugar cane) bagasse ash (SCBA)
 activated carbon 291–292
 advantageous utilizations 287
 applications of 287–289
 carbon aerogel 290–291
 chemical composition 286–287
 components of 285
 generation process and utilization 286
 hydrothermally treated and activated carbon 292
- self-consistent charge density functional tight binding method (SCC-DFTB) 28, 29
- single-wall carbon nanotubes (SWCNT) 207, 208
- slow pyrolysis 11–12
- small-angle neutron scattering (SANS) 24
- soda lignin 6
- sodium dodecyl sulfate (SDS) 265
- softwood lignin 5, 24
- sol-gel assisted electrospinning method 153
- sol-gel methods 142, 153, 156, 162, 191, 194, 255, 256, 263
- solar pyrolysis 12–13
- spirodienone lignin 31
- sputtering 254–256
- Stern model 15, 79
- sulfonated graphene 212, 213, 304, 315
- sulphite lignin 5
- supercapacitor electrodes 3, 14, 16, 34, 157
- supercapacitors (SCs)
 advantages 188
 applications for 70–72
 applications of 187
 back-up memory systems 187

- supercapacitors (SCs) (*contd.*)
 - battery applications 189
 - binary and ternary hydroxides 96–101
 - classification 188
 - conducting polymers 205–218
 - CoNi₂S₄ ultrathin nanosheets 232–234
 - EDLC 14–16
 - electrochemical performance 234–237
 - history of 14
 - hybrid electric vehicles 187
 - improved composite electrode for 63
 - inorganic supercapacitors
 - Fe₃O₄ synthesis 194
 - homogeneous core-shell materials 194
 - metal oxides 190–191
 - Mn₃O₄ nanoparticle 191–192
 - MnO₂
 - SWNT composites 191
 - MnO₂ synthesis 191
 - Pr₆O₁₁ nanoparticle synthesis 191
 - Pr₆O₁₁/Mn₃O₄ nanocomposite 192–194
 - RuO₂/CNTs composite 194
 - V₂O₅ synthesis 194
 - Li battery 13
 - metal oxides
 - electrochemical measurements 247–248
 - electrode materials 249
 - δ-MnO₂/HCS
 - fabrication of 231–232
 - synthesis of 232
 - nanocarbon structures 31–35
 - nanotubes and graphene 67–69
 - organism based materials 289–295
 - perovskites 131–175
 - polyaniline based materials 113–122
 - portable electronic devices 187
 - and rechargeable batteries 55–56
 - ultrasound 69–70
 - NiO/NF synthesis
 - 2D ZnCo₂O₄/NF Nanoflake structures 227–229
 - preparation of 227
 - unary metal hydroxides
 - cadmium hydroxide 91–93
 - cobalt hydroxide 86–89
 - iron hydroxide 89–91
 - manganese hydroxide 91
 - nickel hydroxide (NH) 81–86
 - ZnWO₄ nanoparticles 229–231
 - superionic conductors 54
- t**
- Teflon emulsion 57, 59, 60, 64, 65, 72
 - thermochemical processes
 - gasification
 - mechanism 8–9
 - hydrothermal processing (HP) 7
 - conversion of carbohydrates 7
 - conversion of lignin 7
 - pyrolysis
 - fast pyrolysis 10–11
 - intermediate pyrolysis 11
 - slow pyrolysis 11–12
 - solar pyrolysis 12–13
 - transition metal oxides 19, 141, 190, 226, 245, 250–263, 270, 272
 - transition metal oxides (TMOs) 19, 114, 141, 190, 225, 226, 245, 250–272
 - triple transition metals (TMOs) 114, 225
- u**
- ultrasound 55, 69–70
 - underpotential deposition
 - pseudocapacitance 79, 80
- v**
- vacuum evaporation 255, 256
 - vanadium oxides 258
- w**
- water gas-shift reaction 8
 - wind energy 303

