

Index

a

- absorption 44, 148, 341, 480, 708, 711, 726, 733
- acetone, edible oil separation from 577–578
- acid acceptor 59
- acid cleaning 342, 352, 353, 528, 530
- acid waste treatment 555, 557–558
- acid/alkali resistance 349
- acid–base transformations 250–257, 270
- acidic streams 760
- Actiflo[®] clarifier 432
- activated carbon filter (ACF) 332, 337, 474, 490
- activated sludge process 605, 608, 632, 670
- activated sludge treatment 466, 604, 609, 613
- active layer 139–144, 146–147, 149, 150, 152, 153, 160–161, 164–166, 192, 277, 303, 341, 348–350, 628, 637, 843, 861, 1060, 1073, 1075, 1091, 1097, 1100, 1106–1107, 1157
- additives 5, 39, 40, 43–44, 59–61, 72, 76, 203, 212, 334, 345, 461, 472, 489, 506, 519, 527, 563, 601, 1007
- adenosine triphosphate (ATP²⁻) 284, 333, 339, 355, 1002, 1060, 1072
- adsorbable organic halogens (AOX) 600, 608, 610, 611, 665, 671, 676
 - reduction 600
- adsorption 138, 143, 154, 156, 166, 671
 - of inorganic trace contaminants 855
 - of organic trace contaminants 838
- advanced oxidation process (AOP) 462, 490, 628, 709
- advanced precipitation softening (APS) 384, 385, 408
- aerogels 709
- agricultural drainage water
 - low-pressure RO/NF 478
 - salinity reduction 478
- alcohols, aqueous mixtures 563
- alkaline cleaning 342, 346, 348, 350–352, 609
- alkaline-resistant nanofiltration system 486
- alumina production 787–789
- amino acids
 - production 520–521
 - salts separation 578–579
- 7-aminodeacetocephalosporanic acid (7-ADCA) 571, 575
- amino-methyl-phosphonic acid (AMPA) 809, 817
- 6-aminopenicillanic acid (6-APA)
 - recovery 573–575
- ammonia 250, 467, 554, 555, 579, 580, 665, 670, 671, 674, 681, 697, 740, 788
 - pollution removal 555
- amphiphilic copolymer 1087, 1089, 1093–1094, 1096
- anaerobic degradation 938
- anion exchange resin elution solutions 512, 530–531

- annealing 4, 5, 7, 39, 46, 1033, 1095, 1109, 1112
- anodic aluminum oxide (AAO)
membranes 1033, 1142, 1152, 1156
- anodisc alumina membranes (AAMs)
1067, 1068
- antibiotic production wastewater
treatment 939
- antibiotics production 572–573
- antibiotics purification 573, 574
- antifouling properties 57, 633, 654, 1043, 1083, 1111, 1126, 1149
- antioxidant recovery
from olive mill wastewater 406–407
- antiscalants 285, 309, 310, 316–318, 334, 338, 382, 384–386, 427, 482–484, 586, 761, 762, 785, 933–935, 1007
- aquaporins (AQPs) 76, 116, 1069, 1073–1075, 1109
- armchair nanotubes 1024
- aromatic hydrocarbons 25, 668, 818, 937
- aromatic polyamides 9, 164, 516, 724, 1082, 1100, 1104
- arsenic
concentration 809, 811, 852
in groundwater resources 820
removal 476, 832
- artificial water channels 1059, 1069, 1073, 1074
- aryl diazonium compounds 1037
- assimilable organic carbon (AOC) 281, 283, 334, 338, 422, 727
- asymmetric membranes 3, 5–10, 15–18, 22–24, 36, 37, 39, 64, 72, 423, 636
cellulose acetate (CA) 7, 8
- atom transfer radical polymerization (ATRP) 1100, 1114
- atomic force microscopy (AFM) 141, 143, 145–150, 154, 165, 285, 301, 307, 326, 327, 1139, 1142, 1146, 1147
- atomic layer deposition (ALD) 62, 63, 70
- attenuated total reflectance Fourier transform infrared (ATR-FTIR) spectroscopy 146, 150–152, 165, 286
- attenuated total reflection (ATR) 146, 150–152, 165, 286
- aurocyanide complex $\text{Au}(\text{CN})_2^{-1}$ 783
- b**
- barium sulfate 315, 384, 385
- Bayer process 762, 787–789
- bench testing
pilot/prototype applications 570, 571
research and development 569
small volumes 570
- bentonite 743
- benzenesulfonate salt 575
- 1,3,5-benzenetricarbonyl trichloride (TMC) 19, 20, 49, 56–60, 62, 72, 634, 635, 1103, 1106, 1107, 1136, 1137, 1152
- beverage processing
beverage production with low alcohol content 509–510
coffee decaffeination 511
coffee extract concentration 511
fruit juice concentration 508–509
- Bicarbonate Recovery Plant (BRP) 769
- bio-assisted membranes 1057
- Bio-Pure Technology Ltd. (IL-Rehovot) 742
- bioactive compounds, concentration of 500, 522, 951
- bioassay 281, 334
- biocatalytic processes 1057
- biochemical oxygen demand (BOD₅) 665, 740, 938
BOD₅/COD ratio 667
- biocides
bioactivity 389
monochloramines and SMBS 389
- biodegradable dissolved organic carbon (BDOC) 281, 283, 422, 423
- biodegradation
nanofiltration concentrates 939
recalcitrant compounds 938

- bioethanol production 698–699
- biofilm
- biofilm formation rate (BFR) 283–284
 - detection 336–338
 - development 329–332
 - formation 283–284, 328–333, 336, 485
 - microbial growth 333–335
 - species composition 332–333
 - structure 330, 333, 339
- biofouling 301, 327–339, 580
- biocides for microorganisms control 343–344
 - and calcium phosphate 285
 - definition 327–328
 - development 337
 - management 338–339
 - in membrane systems 335–336
 - prediction 336
 - prevention 388–389
 - risk analysis 336
- biological oxidation 628, 630, 708, 824
- biological oxygen demand (BOD) 392, 503, 604, 610, 621, 623, 628, 647, 670, 740, *see also* biochemical oxygen demand
- biologically treated sewage effluent (BTSE) 481
- biomass retention 631, 675
- Biomembrat-Plus® process 404, 679–682, 687
- biomimetic artificial water channels 1059
- biomimetic nanofiltration
- adaptive constitutional membranes 1066–1069
 - artificial water channels (AWC)
 - in bilayer membranes 1069, 1071–1073
 - biomimetic membranes, using aquaporins 1073–1075
 - membranes 1057, 1073–1075, 1109
 - self-organized hybrid membranes
 - chiral nanochannels 1064–1066
 - directional nanochannels, facilitated ionic conduction 1059–1060
 - nanochannels for, proton conduction 1060, 1062–1064
- biorefining 599
- 4,4-biphenyldicarbonitrile 1107
- bisphenol A (BPA) 62, 306, 668, 681, 739, 806, 843, 862
- Bjerrum length 210, 211
- bleaching effluents purification 599, 610–611
- block copolymers (BCPs) 76, 146, 1044, 1073, 1087, 1094, 1115
- Blue Baby syndrome 824
- Boltzmann's constant 324
- boric acid (B(OH)₃) 252, 262, 522, 558, 574, 823, 855
- speciation of 823
- Born formula
- water structure effect 212–215
- boron
- concentration 810, 824
 - drinking water guidelines 823–824
 - retention by NF membranes 855
- bovine serum albumin (BSA) 299, 303, 305, 307, 1042, 1043
- brackish water 127, 305, 315, 399, 422, 446, 460, 461, 810, 825, 965, 974–976, 980, 1000, 1007, 1092
- brackish water reverse osmosis (BW-RO) 399, 974–976
- brine purification 544, 551, 552
- Brownian diffusion 100, 324
- buckypaper membranes 1029, 1030
- butylenediamine (BDA) 1141
- C**
- CaCO₃ scaling 668
- cake filtration fouling mechanism 510
- cake formation 287, 293–294, 299, 304–305, 318, 326, 425, 1043
- cake-enhanced concentration polarization (CECP) 98, 296, 297, 651, 858
- cake-enhanced osmotic pressure (CEOP) 101, 297, 298

- calcium phosphate scale 285, 316, 384
- calcium rejection rate 434
- calcium retention 547, 552, 553
- capillary hollow fibers 95, 100, 105–106, 440
- capillary modules 105–106
- carbapenem 575–576
- carbon nanpipes (CNPs) 1033, 1044
- carbon nanotube (CNTs) membranes
 - antifouling properties 1043
 - classical fluid dynamics, analytic models 1025–1026
 - fabricating industrially viable membranes 1044
 - CNT assembly and opening 1044–1045
 - CNT synthesis 1044
 - membrane cost and CNT toxicity 1046
 - membrane functionalization 1045–1046
 - water purification and desalination 1046–1047
 - fabrication of 1029–1030
 - CNT matrix-less membranes 1032
 - infiltration of, CVD-grown vertically aligned CNT arrays 1030–1032
 - post-growth CNT alignment 1032–1033
 - templated synthesis 1033
 - functionalization 1035
 - CNT oxidation 1035
 - defect site functionalization 1035–1037
 - sidewall chemistry 1037
 - modeling of CNT transport 1024–1025
 - classical fluid dynamics 1025–1026
 - ion selectivity 1028
 - molecular transport 1028–1029
 - water transport 1026–1028
 - properties, carbon nanotubes 1024
 - solute transport and retention properties 1039
 - diffusion 1040–1041
 - electrophoresis and electroosmosis 1042
 - pressure-driven filtration 1039–1041
 - water permeability 1037–1039
- carbonaceous water 1006
- cartridge filtration 394, 432
- casting 4, 5, 8–10, 15, 18, 23, 37, 39, 40, 43–46, 48, 485, 893, 1081, 1090, 1092, 1095, 1096, 1101, 1109, 1133, 1141, 1146
- caustic cleaning formulation 860
- caustic cleaning, on trace organic retention 860
- caustic solution 352, 528, 529, 570, 787
- cell density 336
- cellulose acetate (CA) membranes 3–8, 13–15, 23–27, 36, 46, 72, 228, 268, 328, 332, 333, 424, 440, 461, 516, 700, 1067, 1081, 1084, 1090
- cellulose microporous membranes 709
- cellulosic membranes 8, 14, 15
- ceramic membranes 26–27, 36, 65–72, 143, 521, 576, 604, 630–631, 717, 892, 906–907, 945
 - membrane composite 26
 - OSN membranes 906, 910
- charge concentration polarization 837
- charge injection mechanism 712, 713
- charge interactions 100, 259, 269, 303, 504, 520, 836–838, 853–856, 1060, 1115
 - inorganic trace contaminants retention 853
- charge repulsion mechanism 836
- charge separation mechanism 712, 714
- chemical cleaning
 - agents 342–344
 - on trace contaminant removal 859–861
- chemical cross-linking, of membranes 46, 903, 1098
- chemical oxidation 388, 628, 664, 707, 1043, 1126, 1130, 1131

- chemical oxygen demand (COD) 392, 486, 503, 526, 529, 559, 600, 604, 610, 621, 623, 665, 671, 693, 732, 740, 937, 939
- chemical preservation, on membranes 861
- chemical pulping 601
- chemical reducing agents 389
- chemical rinse 443
- chemical speciation 243, 270
 - effect of ionic strength 245–247
 - effects of temperature and pressure on 247–248
- chemical vapor deposition (CVD) 70, 341, 522, 724, 1029, 1030, 1032, 1033, 1044, 1104, 1126–1130, 1132
- chemically stable nanofiltration 23–27
- chemicals of emerging concerns (CECs) 457, 458, 462–464, 467, 489
- chlor–alkali industry 544
- chlor/alkali production 544, 545, 549–551
- chlordecone 817
- chlordecone contamination 817
- chloride retention 545, 547, 549, 550, 552, 553, 588, 589
- chlorinated PVC 9, 16, 17
- chlorination 23, 388, 389, 604, 611, 628, 724, 741, 818
- chlorination-stage effluents 604, 611
- chlorine
 - resistance 8
 - resistant membranes 20
- chlorofluorocarbons 709
- 4-chlorophenol (4-CP) 731, 739, 743
- circulation pump 71, 127, 573, 692
- clean water flux (CWF) 277, 279, 295, 346, 348, 647
- cleaning applications
 - desalination acid cleaning 352–353
 - food industry 351–352
 - water and wastewater treatment 352
- cleaning effectiveness
 - foulant content 348
 - membrane durability 349–350
 - membrane resistance 346–347
 - membrane retention 348
 - membrane surface investigation 348
 - operating parameters 349
 - permeate quality 348
- cleaning in place (CIP) 220, 332, 351, 425, 429, 529–530, 580, 967, 1007
 - solutions reuse 528–530
- cleaning methods
 - chemical cleaning agents and processes 342–344
 - choice of 344–345
 - physical 341–342
 - requirement and frequency 345–346
- cleaning regeneration 353
- closed-circuit desalination (CCD) 120, 127, 129
- coagulation bath 10, 39, 40, 43, 45–46, 60, 71, 1095
- cobalt 260–262, 764, 765, 793, 794
- Code of Federal Regulations (CFR) 668
- coffee decaffeination 511
- coffee extract concentration 511
- co-ionic solutes 204
- cold evaporator condensate 580
- colloidal deposits 288, 293, 324
- colloidal fouling 295, 296, 299, 319, 322, 324–327, 386, 395
 - properties 321–322
 - transport and deposition 323–327
- colloidal gel route 65–69
- colony forming units (CFUs) 284
- color rejection 643
- color removal
 - spiral wound membranes 440–446
 - tubular membranes 440
- commercial nanofiltration (NF)
 - membranes 8, 20, 21, 25, 60, 72, 73, 158, 159, 165, 208, 216, 424, 633, 720, 722, 760, 1039
- common effluent treatment plants (CETPs) 623
- compact accelerated precipitation softening (CAPS) 384, 1024, 1045
- compound parabolic collectors (CPCs) 736

- computational fluid dynamics (CFD)
 - simulations 112, 904, 906
- concentrated soybean isoflavones 951
- concentration polarization (CP) 96, 98, 101
 - alternative complexes formation 268–269
 - assisted graft polymerization method 861
 - batch operation 126–127
 - diafiltration technique 124
 - effect 260, 267, 270, 308, 311, 319
 - fouling 288, 290
 - layer 985
 - macromolecules aggregation 268
 - magnitude of 96
 - multinuclear species 268–269
 - process limitation by 116–117
 - reflux-recycle cascade 124–126
 - rotor/stator modules 119
 - solubility product and precipitation 268
 - system configurations 121–124
 - two-phase flow 119–120
 - unsteady shear comparison 120
 - vibrating shear-enhanced processing 117–119
- conditioning 39, 46, 47, 284, 300, 301, 303, 328, 329, 338, 934, 936, 1109
- conduction band (CB) 116, 710–713, 1047, 1155
- constant power 976–980, 982, 993
- constant set point mode 981
 - challenges for 1010
 - commercially available 974
 - market for 1009
 - solar-powered 982
 - SOW of 980–982
 - wind-powered 986
- constant volume diafiltration (CVD)
 - 522, 724, 1029–1033, 1044, 1126, 1128–1130, 1132
- contact angle 148–149, 322–323, 348, 364, 634, 1038, 1156
- contaminant retention 832, 858, 862, 1001, 1002
- contaminants of emerging concern (CECs) 457, 462–464, 467
- contaminants
 - maximum concentration of 812
 - in water 806, 963
- contamination, of marine environment 805
- continuous diafiltration mode (CDM) 506, 507
- continuous operation system 719
- continuous variable volume diafiltration (CVVD) 504
- conventional activated sludge (CAS) 604, 691
- conventional filtration 386, 391, 394
- copper hydrometallurgical processing
 - electrorefining 765
 - electrowinning bleed 763, 764
 - PLS 762–764
 - production 762
 - smelting 765
 - tailings pond water 764
- copper-cobalt oxide heap leach wash waters 765
- countercurrent cascade 121, 946
- countercurrent membrane cascade with recycling (CMCR) 126
- counterionic solutes 204
- coupling photocatalysis 709, 733, 736, 743
- covalent organic frameworks (COFs) 76, 1088, 1107, 1110, 1114
- critical coagulation concentration (CCC) 307
- critical flux 290, 295–296, 304, 345, 971
 - and operating conditions 295–296
- cross flow filtration test 279, 634
- cross-linked PAN 26
- cross-linked polyamide (PA) matrix materials 1074
- cross-rotational (CR) filter 482, 504, 607, 608, 611–613
- crystal poisoning 385
- crystalline salt production 544, 545
- crystallization step 507, 511, 513, 567, 568

- curing 16, 19, 21, 22, 26, 47, 61, 62, 1032, 1033
- cyclic organic chemicals 558
- d**
- dairy effluents 503, 944
- Davies equation 246, 247
- DDT level 817
- deacidification 515, 517–518
crude oil 585
- dealcoholization 509
- Debye length 155, 158, 278, 836, 851, 852
- Debye screening length 200
- decentralized treatment systems 966, 1009, 1010
- decolorization 530, 566, 642, 652, 731
- deicing fluid 563–564
- demineralization 8, 303, 308, 397, 466, 502–506, 511–513, 526, 530–531, 647, 826, 950
colored brine 510, 530–531
process 504, 505
retentate 503, 504
of whey 502–506
- demixing 36–39, 43–46
- denitrification 670, 675, 694, 824
- de-ozonation 389
- depleted uranium (DU) 385, 822
- Desal 5DK 508, 549, 550, 552, 553, 569, 829
- Desal-5 elements 765
- desalination 760, 998, 1023
acid cleaning 352
seawater 961
technologies 965
of whey 505, 950
- desaturation unit (DU) 385, 822
- DeSO_x/Bio-deNO_x processes 588, 589
- desorption, of trace contaminants 859–861
- dewaxing process 582, 912, 913
- dextrinization 511
- dextrose 392, 393, 511–513, 531, 580
- dextrose syrup concentration 511–513
- diafiltration 95, 120, 124, 129, 503, 504, 506, 507, 521–524, 530, 564, 565, 568, 569, 572, 573, 575, 650, 651, 912, 949, 951
- mode 503, 506, 521–523, 950
- technique 124
- diallyl dimethyl ammonium chloride (DADMAC) 638
- dialysis 708, 743, 1074
- dielectric constant 12, 155, 161, 200, 210–215, 229, 246
- dielectric permittivity 155, 161, 200, 211, 213, 214
- dielectric exclusion 12, 138, 160, 184, 200, 208–215, 228, 229, 521
ionic screening 211–212
single ions 210–211
- diffusion 138, 144–146, 152
- diffusion coefficients, estimation
methods of 834
- (2,4-dihydroxybenzoic acid [2,4-DHBA]) 743
- direct contact membrane distillation (DCMD) 509, 743, 779
- direct degumming 517
- directly coupled RE nanofiltration 1008
- discontinuous membrane photoreactor system 721
- disinfection by-products (DBPs) 457, 806, 811, 818, 830, 838, 846, 962
chemical structure 819–820
- disk filtration 604
- disposal strategies, of nanofiltration
concentrates 934
- dissolved air flotation (DAF) 387, 609
- dissolved chemical oxygen demand (DCOD) 938
- dissolved organic carbon (DOC) 281, 283, 304, 322, 334, 423, 464, 608, 694, 941, 942
- DLVO theory 307, 324–328
- Donnan distribution 15
- Donnan effect 15, 249, 308, 398, 470–472, 475, 527, 608, 641, 781, 792, 853, 1090
- Donnan equilibrium 14, 472, 475, 640, 853, 854, 1039

- Donnan exclusion effect 10–12, 138, 154, 192, 195, 200, 202, 203, 249, 253, 255, 256, 261–265, 268, 507, 520, 521, 527, 552, 633, 635, 640, 641
 mechanism 200, 204, 641, 853, 855, 1105, 1142
- Donnan potential 200, 201, 204, 206, 207, 209, 853, 1154
- Donnan selectivity 1091
- Donnan Steric Partitioning model (DSPM) 507
- Doppler optical coherence tomography (OCT) technique 112, 305, 337
- double-walled carbon nanotubes (DWNTs) 1030, 1033, 1038, 1040, 1042
- downstream processing (DSP) 520, 522, 572, 599, 692
- drinking water
 feed and concentrate 430
 permeability or specific flux rate 429
 production treatment 422
- Drinking Water Directive (DWD) 810
- dual-layer filtration system 391
- dual-layer hollow fiber membranes 636, 904
- dyes 564–566, 621–653
- dynamic irradiation 726
- dynamic membrane 10, 308, 1068, 1116
- dynamic vapor recompression evaporation 942
- e**
- edible oil industry
 deacidification 517–518
 direct degumming 517
 solvent-based degumming 516
- EDTA retention 589
- effluent organic matter (EfOM) 286, 299–300, 303, 304, 306, 309, 464, 825
- elastic modulus 153, 154, 166, 1026
- electrical double layer (EDL) 154, 155, 200, 226, 227, 321, 324, 836
- electro-Fenton process 940
- electro-flotation 628
- electro-viscosity effect 192
- electrochemical grafting 1039, 1044
- electrocoagulation with aluminum plate electrodes 941
- electrodialysis (ED) 381, 396–397, 403, 404, 408, 459, 460, 503, 505, 605, 608, 614, 629, 630, 650, 779, 942, 943, 946, 949, 950, 1011, 1151
 coupling of NF with 605
 with ion exchange membranes 503
 pretreatment before 396–397
 textile industries 629
- electrodialysis with bipolar membrane (EDBM) 630, 949, 950
- electrokinetic charge density 187, 190, 196
- electromagnetic field (EMF) 386, 521, 1114
- electrooxidation 628
- electrostatic adsorption 202
- electrostatic double layer (EDL) 154, 155, 321, 324, 1156
- elemental composition 141, 150, 165, 317
- enantiomeric molecular recognition 1060
- endocrine disrupting chemicals (EDCs) 457, 462, 466, 806, 808, 811–815, 826, 847
 chemical structure of 813
 estrogenic potencies of 814
- endosulfan (ES) 816, 847, 848
- energy dispersion of X-ray spectroscopy (EDX) 285, 286
- energy dispersive spectroscopy (EDS) 141, 146, 151, 152, 155, 165, 317
- energy recovery device (ERD) 124, 126–129, 1049
- energy recovery, from concentrates 951
- energy storage
 small-scale RE membrane systems 992–996
- energy-efficient reverse osmosis (EERO) 122, 126–128

- envelope-type membrane module 906, 907
- environmental impact 348, 462, 467, 489, 604, 663, 667, 707, 743, 968, 1012
- Environmental laws 707–708
- Environmental Protection Agency (EPA) 484, 669, 740, 741, 811, 831
- enzymatic cleaning 343, 352
- enzymatic conversion 511
- enzymatic splitting
products purification from 580, 581
- estradiol retention 842
- estrone adsorption 861
- ethanolic extracts, nanofiltration of 953
- ethylene glycol 563–564
- ethylenediamine (EDA) 1143–1145, 1151
- EU Council Directive 1999/31/EC states 663, 664
- European Union Directive 31/1999 668
- evaporation 36, 37, 39, 43–45
- evaporation pretreatment 398
- evaporator condensate
RO and NF 580
- Evens Blue (EB) 46, 64, 65, 1159
- extended Nernst–Planck equation 854
- external wastewater treatment (WWT) 601, 613
- extracellular polymeric substances (EPSs) 275, 285, 301
- f**
- feed channel spacers 103, 107, 110–112, 117, 128, 331, 336
- feed pH neutralization 644
- feedwater quality 279, 997
- Fenton process 939, 940
- fermentation 7, 503, 506–508, 510, 520, 569, 571, 572, 590, 600, 692, 693, 698–701
- few-layered graphene (FLG) 1135
- Fick's law 196
- field emission scanning electron microscopy (FESEM) 139, 285, 322, 637
- flat sheet membrane modules 907
- fluoride
concentrations 809, 821, 998, 1000
removal 832, 970, 975, 1000
speciation 821
- flux reduction (FR) 194, 277, 346, 530, 732, 1045
- food industry
nanofiltration concentrates 952
- food ingredients production 518–525
- foulant
and membrane characteristics 303
characteristics 287
deposits 152, 285
- foulant–membrane partitioning
coefficients 292
- fouling 40, 53, 57, 63, 64, 70, 101, 139–156, 165, 166, 523, 1008, *see also* biofouling, membrane fouling, organic fouling
biofilm formation rate 283–284
cake formation 293, 294
colloidal 319–327
concentration polarization 288–290
control 106, 273, 338, 474, 607, 623, 644–646
critical flux stems 295–296
flux measurement and 277
gel layer formation 292–293
irreversible 70, 279, 287–288, 295, 300, 347, 514, 678, 1045
mechanisms 286–298
membrane autopsy 284–286
membrane compaction 277–278
membrane performance
normalization 279–280
membrane permeability 278–279
modified fouling index (MFI_{0.45}) 283
operating conditions 295–296
organic 299–309
osmotic pressure 290–291
particulate 319, 320
pore blocking 293–294
precipitation 310

- fouling (*contd.*)
- biological 388–389
 - prevention 340–341, 393–395
 - protocols 277
 - silt density index (SDI) 282
 - solute adsorption 291–292
 - study protocols 279
 - textile wastewater treatment 644, 645
 - water analysis 280–282
 - water fouling potential 280
- Fourier transform infrared (FTIR) 146, 150–152, 165, 285, 286, , 348
- freestanding photocatalytic membrane 719
- Freundlich isotherm 201, 202, 303
- fruit juice concentration 508–509, 511
- fulvic acid (FA) 281, 298, 300, 667, 738
- furosemide 734, 735
- Fyne process 105, 440
- g**
- G-quadruplexes 1064–1066, 1069–1070
- gel layer formation 290, 292–293, 304
- gemfibrozil 735
- geogenic pollution 809
- geothermal brines treatment 780
- germanium 782, 795–796
- glyphosate 569, 809, 817, 830, 836, 837
- gold processing
- activated carbon elution 784
 - electrowinning 784
 - gold cyanide liquor 783–784
 - hypersaline process water treatment 785
 - pressure oxidation 784–785
- graft polymerization 18, 64, 340, 862
- grafting 18, 57, 63–65, 69–70, 341, 637, 645, 862, 900, 950, 1039, 1044–1045, 1095, 1113–1114
- granular activated carbon (GAC) 388, 431, 438, 459, 467, 671
- graphene-based membranes 1127–1160
- antifouling properties 1127, 1151
 - assembled graphene laminates 1133
 - controlling membrane nanostructure 1141–1150
 - fabrication methods 1133–1141
- graphene-based composites 1150–1152
- porous graphene layer 1129–1132
 - transport mechanisms 1152–1157
- organic solvent nanofiltration 1158–1159
- graphene-based nanomaterials 1085
- graphene oxide (GO) 76, 904, 950, 1127–1129, 1147–1148
- Grober equation 111
- Grotthus mechanism 1072
- groundwaters
- arsenic concentration 809
 - boron concentration in 810
 - contaminant removal 474
 - contamination 808
 - fluoride concentration in 809
 - process feature and fundamentals 474–477
 - process limitations 477
 - uranium contamination in 810
- groundwater remediation
- chloride transmission 471, 473
 - industrial by-product recovery 469
 - NF advantages 469, 470
 - process features and fundamentals 470, 471
 - process limitations 473, 474
- groundwood mill water 611
- gum and wood chemicals 558
- h**
- Hagen–Poiseuille equation 144, 209, 911, 1027–1029, 1039–1040, 1055
- Hallopeau–Dubin diagrams 428–429
- haloacetic acids (HAAs) 818
- hazardous waste 103, 348, 564, 664, 669
- helium ion microscopy (HIM) 141–142, 285
- herring marinade, fractionation of 952
- heterogeneous photocatalysis
- definition of 710

- disadvantages of 731
 - mechanism of 712
 - oxidant radicals 712
 - semiconductor particle 710, 711
 - TiO₂ 710
 - high efficiency reverse osmosis (HERO) 384–385
 - high pressure reverse osmosis (HPRO) 554, 672, 682–684
 - high salt levels 458
 - high shear devices 106
 - high-permeability nanoporous graphene membranes 1129
 - Hofmeister series 849
 - hollow fiber membrane 71–72, 106, 158, 284, 425, 511, 635–636, 639, 717, 722, 906, 1108, 1135, 1158
 - hollow fiber modules (HFM) 105–106, 382, 907
 - homogeneous catalyst separation 560–561
 - hot produced water 586
 - human milk oligosaccharides (HMOs) 522
 - humic acids 63–64, 97, 141, 142, 281, 292, 302, 306–309, 318, 340, 352, 388–389, 716, 720, 727, 729–732, 789, 823, 847
 - photocatalyst interaction 731
 - photodegradation 732
 - humic substances 281, 299–303, 306, 309, 334, 387, 388, 439, 789–790, 857
 - hybrid membrane photoreactors 709
 - hybrid NF membranes 26
 - hybrid organic–inorganic membrane fabrication 894, 1067
 - hydration energy 474, 640, 848–849
 - hydraulic retention time (HRT) 697
 - hydraulic washing 635
 - hydrochloric acid 504, 548, 554, 557, 760, 935, 1159
 - hydrofluoric acid (HF) 794, 821, 1032, 1034
 - hydrometallurgical applications of nanofiltration
 - acid-stable membranes 760
 - alumina production 789–791
 - copper 762–765
 - elevated osmotic pressure 761
 - in neutral and alkaline conditions 761
 - lithium brines 776–780
 - phosphoric acid 792–795
 - pretreatment 761
 - process streams 761
 - recover critical materials
 - germanium 796
 - rare earths 796
 - rhenium 796
 - scandium 795
 - resistance of 761
 - spent nickel electrolyte 792
 - tungsten processing 790
 - uranium 765–776
 - vanadium 785–787
 - zinc processing 780–782
 - hydrophilic nanochannels 1095
 - hydroxymethyl ester of methacrylic acid (HEMA) 340
 - hyperbranched polyethyleneimine (HPEI) 1143–1144
 - hyperfiltration 10, 12–13
- i**
- iminodiacetic acid (IDA) 568–569
 - in situ leaching, nanofiltration 765, 767
 - incompressible fluid, chemical potential for 910
 - Independent Advisory Panel (IAP) 313, 458
 - indole pathway 1063
 - infrared internal reflection spectroscopy (IR-IRS) 286
 - initial pollutant concentration 715
 - initiated chemical vapor deposition (iCVD) technique 341
 - inks 566, 567
 - inorganic arsenic 821
 - inorganic chemical industry
 - acid waste treatment 555–558
 - ammonia pollution removal 555
 - characterization 543–544

- inorganic chemical industry (*contd.*)
 - minimal liquid discharge (MLD)
 - 554–555
 - sodium chloride brines processing
 - 544–554
 - zero liquid discharge (ZLD)
 - 554–555
 - inorganic foulants 310, 328
 - inorganic mesoporous scaffolds 1069
 - inorganic NF membranes 26–27, 138, 165, 249, 349, 562
 - inorganic precipitation control
 - antiscalants 385–386
 - iron, manganese, and zinc removal
 - 386
 - magnetic treatment of water
 - 386–387
 - silica scaling and fouling prevention
 - 386
 - water softening 384–385
 - inorganic trace contaminants 806, 807, 811
 - maximum concentration of 814
 - pollution of natural water 809
 - removal by nanofiltration 831–832
 - retention
 - adsorption 856
 - charge interactions 853–856
 - and permeate concentration 831
 - size exclusion 848–853
 - solute–solute interactions
 - 856–857
 - integrated membrane system (IMS)
 - 389, 486–487, 558
 - integrated water resources management (IWRM) 968
 - integrated water treatment system 650
 - integrative-type photocatalytic
 - membrane reactors 718, 722, 738
 - interfacial polymerization (IP) 3, 16–20, 25–26, 35, 47–61, 137, 634, 895, 900, 901, 904, 1035, 1083, 1086, 1104–1105, 1109, 1112, 1132, 1134
 - interlayer covalent bonding 1138
 - intrinsic microporosity 1086
 - iodoheptane product 561
 - ion electrochemical potentials 185
 - ion exchange (IX)
 - pretreatment before 397–398
 - resin regenerate treatment 526–528
 - ion exclusion phenomena 1071, 1072
 - ion selectivity 160, 826, 1030, 1037, 1044, 1048
 - ion transmission coefficients 185, 188, 189, 197, 230
 - ion-exchange capacity 159, 1094, 1108
 - ion-exchange chromatography 522, 530
 - ionic and hydrated radius 849
 - γ -irradiation, of membranes 905
 - irreversible thermodynamic models
 - 909–910, 912
 - isoelectric point (IEP) 138–139, 155, 255, 262, 303, 503, 557, 641, 715, 732, 837, 852, 855
- j**
- juices, concentrated fraction 951–953
- k**
- Karman–Kozeny model 282, 911
 - Kedem–Spiegler model (KSM), *see* Spiegler–Kedem model
 - kraft black liquor 601, 613–614
- l**
- laboratory modules 107–108
 - lactose production 394, 506, 507
 - lactose retention 7, 505, 507
 - land-based waste disposal 664
 - landfill leachate
 - characteristics of 665–668
 - definition 664
 - generation of 664, 665
 - legal standards 668–669
 - treatment processes
 - adsorption 670–671
 - biological 670
 - concentrate removal 673–674
 - membrane processes 672–673
 - nanofiltration 674

- oxidation/reduction reactions
 - 671–672
 - process combinations 674, 675
 - Langmuir–Stern isotherm 202
 - Laser-Induced Breakdown-Detection (LIBD) 350
 - layer-by-layer (LbL) deposition 61–62, 72, 795, 1099, 1100, 1140–1141
 - leach–solvent extraction
 - (SX)–electrowinning 762, 763
 - life cycle assessment (LCA) 742
 - light-transmitting membrane 723
 - lignin-type compounds 601, 614
 - Lignoboost process 601
 - lignocellulosic biomass 698
 - lignosulfonate recovery 599, 601
 - lignosulfonates 599, 601, 603
 - lime precipitation 605, 608, 942
 - lime softening 384, 386, 427, 613, 944
 - Linpac recycle 609
 - lipopolysaccharides 299
 - lithium brines
 - composition 776
 - evaporated brine 779
 - nanofiltration of raw brine 777–779
 - production 776
 - salt lake brine 779
 - local equilibrium partitioning
 - mechanisms 200–215
 - Loeb–Sourirajan membranes 3–5, 28
 - low-calorie sweeteners (LCS) 523
 - low-pressure reverse osmosis (LPRO)
 - 137, 474–475, 477
 - low-sulfate-containing seawater 544
 - for oil and gas stimulation 545–546
 - lyotropic liquid crystalline (LLC) 1110
- m**
- m*-phenylenediamine (MPD) 56–57, 60, 72, 635, 1105, 1108–1109
 - macrovoid 38–39, 43–45, 895, 1150
 - magnesium 4, 159, 207, 281, 301, 315, 318, 342, 384, 386, 481, 484, 507, 544, 547, 551–552, 640, 776–780, 785, 792, 794, 847, 857, 942, 949, 1003, 1004
 - magnetic ion exchange resin (MIEX)
 - process 943, 944
 - magnetic treatment of water 386–387
 - magneto-responsive membranes 1114
 - marine and halophilic microbes 697
 - mass transfer coefficient (MTC) 111, 279–280, 283, 289–290, 296, 312
 - Max-Dewax[®] process 562, 914, 915
 - Maxwell–Stefan equations 911
 - Maxwell–Stefan formulations 908
 - mechanical pulp mill process 390, 611
 - mechanical pulping 603
 - mechanical vapor compression (MVC) 398
 - mechanical vapor recompression 609
 - medium density fiber board mill
 - 609–610
 - medium-angle annular dark-field (MAADF) 1130
 - membrane affinity concept 838
 - membrane aging and defects, on trace contaminant removal 861–862
 - membrane autopsy 275, 284–286, 314, 338, 344, 353
 - membrane bioreactor (MBR) 299, 301, 382, 466, 623, 631, 633, 671, 691
 - nanofiltration integration with 941, 942
 - permeate 668
 - membrane compaction 277–279, 1152
 - membrane crystallization (MC) 623, 950
 - membrane distillation (MD) 381, 508–509, 650, 708, 743, 779, 947, 951, 1011
 - membrane durability 345, 349, 350
 - membrane fouling 308, 504, 523, *see also* biofouling, fouling, organic fouling
 - on trace contaminant removal 857–859
 - on trace contaminants retention 858
 - membrane modification 14, 339–341
 - membrane modules
 - open channel design of 946
 - for OSN 905

- membrane modules (*contd.*)
 - performance, modeling and simulation of 908–909
- membrane monitoring system (MEMS) 483
- membrane nominal molecular weight cut-off (MWCO) 893
- membrane permeability 18, 68, 101, 112, 114, 120, 164, 196, 278–279, 718–719, 738, 852, 859, 1000, 1040, 1046, 1159
- membrane potential 160, 166, 1048–1049
- membrane scaling 310, 314, 315, 318, 427, 483, 826, 857
- membrane selection 423–425
 - feedwater characterization 423
 - membrane material and module type 423–425
- membrane surface investigation 348
- membrane systems 727
 - biofouling in 335–336
 - biofouling management in 338–339
 - feedwaters and detecting biofilms 336–338
- membrane technology bench tests 571
- membrane wall 290
- metal–organic frameworks (MOF) 76, 146, 163, 902, 1088, 1107, 1110–1111, 1116
- methemoglobinemia 824
- microbial acclimation and inoculation 697
- microbial adsorption 1150
- microfabricated silicon 1031
- microfiltration (MF) 391, 392, 630, 708
 - laundry wastewater 392
 - sweetener and sugar industry applications 392–393
 - textile industry 392
- microorganisms 281, 283, 299–300, 319, 329, 333, 343, 382, 388–389, 404, 460, 478, 489, 528, 546, 581, 588, 610, 631, 670, 691, 697, 742, 805, 818
- microplastics 805
- micropollutants 303, 421–422, 446, 464, 685, 691, 805–806, 808, 826, 841, 844, 860, 935–937, 962, 966, 1008–1009, 1113
 - water cycle for 808
- microporous barrier structures 1085
- microporous membrane processes 460, 649
- microporous MF/UF membranes 691
- microporous organic polymers 1082, 1084, 1107, 1114
- microsegregation 1092
- milk lactose 503
- mill-scale processes 600, 615
- mill-stage plants
 - concentrate volume reduction 609
 - paper mill water recirculation 608–609
 - upgrading effluent quality 608
 - waste streams recirculation 609–610
 - zero discharge mill 609
- minimal liquid discharge (MLD) 554–559
- mining industry 759
- mixed-matrix membranes (MMMs)
 - fabrication 892, 902, 1029–1030, 1040, 1083, 1148
- mobile water treatment units 826
- modified fouling index (MFI_{0.45}) 282
- modified fouling index (MFI) 280, break 427
- modified fouling index UF (MFI-UF) 283
- modified PAN hollow fibers 904–905
- molecular channel-type systems 1060
- molecular dynamics (MDs) 1001, 1023–1024, 1026–1029, 1127
- monodispersed nanopores 1126
- monosaccharides 522, 581, 600, 601, 603, 615
- multi-effect evaporator (MEE) 469, 623
- multiwalled nanotubes (MWNT) 843, 1024–1025, 1030–1033, 1037, 1040–1044
- municipal effluent reclamation

process limitations 460–467
water reclamation 452–458

n

NaCl brines 544

Nafion® 1072

Nano-indentation 154

nanocellulose fibrils 1091

nanochannel dimensions 1146

nanocomposite membranes 277

nanofiltration 213

nanofilters 600

nanofiltration (NF)

advantage of 600

alcohols, aqueous mixtures of 564

capillary modules 105–106

ceramic membranes 27

chemical processing industry 543

composites 16, 18, 21

concentrate 555, 558, 587

concentrate volume reduction 609

concentration polarization 96–101

cross-flow 96–101

drinking water 426

fabrication and modification

positively and negatively charged
membranes 636–639

thin film composite (TFC)

membranes 634–636

feed water 381

fluxes 185

single salts 189–190

trace ions 190

fouling 101

high shear devices 106

hollow fiber modules 105–106

hybrid process 651–652

integrated process 646–651

laboratory modules 107–108

membranes 832, 1023, 1127

properties 322–323

module characteristics 108–110

module role 95–96

molecular weight cutoff (MWCO)
544

nanopore models of 197–200

permeate 547, 555, 564, 586

plate and frame modules 102–103

in pharmaceutical and biotechnology
industry 572–573

professional motion picture imaging
560–561

reuse of textile dye wastewater 623

selectivity 10, 16

single-stage 676

solution-diffusion-electromigration
models 215–220

spiral wound module 103–104

submerged membranes 106

textile wastewater treatment 633

tubular modules 104–105

nanofiltration membrane bioreactors
(NF-MBR)

bioethanol production 698–699

configuration 692–693, 696

membrane degradation 697–698

nutrient recovery 698

organic matter, removal of 693–695

raw chemical precursors production
699–700

removal of nutrients 693–695

salinity build-up 696–697

TrOCs, removal of 695–696

membrane fouling 697–698

nanofiltration (NF) membranes

acid–base transformations 250–257

adsorption 265–267

ageing 156, 158, 165, 318, 350,
857–862, 892, 902, 1066

cascaes 946

characteristics xxvi, 243

complexation 257–260

oxidation–reduction 264–265

precipitation 260–264

nanofiltration plants, plant operation
and monitoring 429–430

nanofiltration pretreatment 382

antioxidant recovery 406–407

electrodialysis 396–397

evaporation before 398

fractionation 404–406

ion exchange 397–398

non-membrane pretreatment
methods 383

- nanofiltration pretreatment (*contd.*)
 - post-treatment and polishing
 - technology 403–407
 - purification 403–404
 - reverse osmosis 395
 - seawater desalination 398–403
- nanoplastics 805
- nanopore (nanoporous) 138, 146
 - graphene membranes 1127
 - models 197–228
- nanostructured ureidopeptoides 1062
- National Pollutant Discharge
 - Elimination System 668
- natural hormones 828, 846
- natural organic matter (NOM) 279, 818
- natural product extraction 572
- negatively charged membranes
 - 636–639
- Nernst–Planck equation 188, 224, 472, 474, 478, 489, 507
- nitrate
 - groundwater contamination 824
 - concentration 810, 824
 - occurrence 824
 - poisoning 824
- nitric acid 555, 559
- nitrification process 670, 824
- 4-nitrophenol (4NP) 720, 728
- nitrosamine 818
- non-interfacial crosslinking 21
- non-membrane pretreatment methods
 - biological fouling prevention
 - 388–389
 - biological pretreatment 389–390
 - colloids and solids removal 387
 - inorganic precipitation control
 - 383–387
 - organic substances removal
 - 387–388
- non-solvent 36–38, 40, 43–47
- nonsolvent-induced phase separation
 - (NIPS) 1084
- normal hydrogen electrode (NHE) 710
- normalized pressure drop (NPD) 279
- normalized salt passage (NSP) 279
- novel polymer-based materials, for
 - nanofiltration
 - alternative fabrication processes
 - 1096–1097
 - alternative monomers 1102–1103
 - based on small molecules
 - 1103–1105
 - COF, synthesis of 1107
 - cross-linking of amphiphiles
 - 1108, 1109
 - layer-by-layer deposition, linear
 - polymers 1097–1098
 - molecular layer-by-layer reactive
 - assembly 1106
 - peptide channels 1109
 - star polymers, deposition
 - 1098–1102
 - surface grafting/pore filling
 - polymerization 1105–1106
 - alternative membrane polymers
 - 1089
 - amphiphilic copolymers
 - 1093–1094
 - biopolymers 1091
 - cross-linked hydrophilic neutral
 - polymers 1090
 - ion exchange polymers
 - 1092–1093
 - PIM 1092
 - well-defined amphiphilic di- and
 - triblock copolymers
 - 1094–1096
 - fabrication methods and building
 - blocks 1084–1089
 - mixed matrix composite membranes
 - 1109–1111
 - postmodification 1111–1113
 - stimuli-responsive nanofiltration
 - 1113–1114
- nucleation stage 310
- nutraceuticals 500, 519, 525
 - amino acids production 520–521
 - oligosaccharide production
 - 521–523
 - peptides production 520–521
 - phenolic compounds production
 - 523–525

sweeteners production 521–523
nutrient recovery 698

O

octanol–water partitioning coefficient 845
Ohm's laws 196
oligosaccharide production 521–523
olive mill wastewater (OMW) 382
 nanofiltration concentrate of 937
 treatment 936
open-air reaction environment 738
optical coherence tomography (OCT) 305
organic chemical industry 559
 alcohols aqueous mixtures 564
 deicing fluid 565
 dyes 565–567
 ethylene glycol 565
 homogeneous catalyst separation 561–562
 increasing organic salts yield 569–570
 inks 567
 installations 568
 phase transfer catalysis 562–563
 pollution prevention 560
 product characterization 559
 professional motion picture imaging 560–561
 propylene glycol 565
 pyridine dicarboxylic acid (PDC)
 recovery 568–569
 rinsing waters, UF/NF treatment of 560
 transition metal catalysis 563–564
organic foulants 299–301
organic fouling 427
 adsorption of organic matter 301–304
 barium sulfate 315–316
 cake formation 304–305
 calcium carbonate 315
 calcium phosphate scale 316
 calcium sulfate 315
 definition 299
 gel layer formation 304
 organic foulants 299–301
 pore blocking/plugging 305–306
 retention impact on 308–309
 scalants 314
 scale characterization 317
 scale formation 317–319
 scaling 310–312
 silica scale 316
 solubility and supersaturation of salts 312–314
 solute–solute interactions and salts 306–307
 strontium sulfate 315–316
organic matter, removal of 652, 966, 1004–1006
organic micropollutants 935
organic solvent nanofiltration (OSN) 889, 911, 1084, 1092, 1156
 application of 913
 base chemicals sector for 912
 concentration process for 889
 consumer chemicals sector for 915
 cross-linking of 903
 driving force of 889
 intensification of catalytic reactions 913
 ISA technique 893
 material categories 892
 membrane modules for 903
 membrane's separation performance 890
 operating modes of 890
 for pharmaceuticals sector 911, 914
 polymer membranes,
 post-functionalization of 898, 902
 polymers used in 894
 process options for 889
 purification 890
 solvent exchange 889
 standardization of 910
 for specialty chemicals sector 916
 surface modification of 898
 TFC membranes 893, 900
organic trace contaminants 806–807
 regulations and water directives 810
 retention, NF membranes

- organic trace contaminants (*contd.*)
 - adsorption 838
 - charge interaction 836
 - rejection of 943
 - size exclusion 832
 - solute–solute interaction 847
 - supramolecular interactions and polarity 843
 - organophilic nanofiltration (ONF) 889
 - organophosphorus pesticides 817
 - osmotic backwash 1007
 - osmotic pressure 290–291
 - model 110, 287
 - and resistance 287
 - osmotic pressure difference (OPD) 97
 - oxidant stable membranes 23
 - ozonation 389
 - ozone (O₃) 671
- P**
- p*-phenylenediamine (PPD) 1141
 - Péclet numbers 193, 194, 208
 - paper mill water
 - purification 611–613
 - recirculation 608–609
 - particulate fouling 319, 427
 - pellet softening reactor 384
 - peptides production 520, 521
 - perfluorochemicals (PFCs) 819–820, 830
 - perfluorooctane sulfonate (PFOS)
 - exposure 820
 - perfluorooctanoic acid (PFOA)
 - exposure 820
 - permeate fluxes 529
 - permeate NaCl concentration 987
 - permeate recovery 946
 - persistent organic pollutants (POPs) 458
 - persistent pesticides 816
 - pervaporation (PV) 509, 708
 - pesticides 808, 816, 829, 834
 - chemical structure 816–818
 - nonregulated use of 809
 - oorganophosphorous 817
 - persistence problem 817
 - removal and softening 438, 439
 - residues in municipal wastewater effluents 809
 - petrochemical industries
 - contaminants removal 584–585
 - deacidifying crude oil 585
 - DeSO_x/Bio-deNO_x processes 588
 - solvent lube dewaxing 581–584
 - steam-assisted gravity drainage 586
 - pharmaceutical and biotechnology industry 570
 - pharmaceutically active compounds (PhACs) 734, 815–816
 - chemical structure 815
 - pharmaceuticals and personal care products (PPCPs) 457
 - phase inversion technique 893
 - phase transfer catalysis 562, 563
 - phenolic compounds 523
 - production 523–525
 - phenomenological coefficients 196–197
 - phosphate recovery 946–947
 - phosphate retention 527
 - phosphoric acid 558–559, 790–792
 - photo-assisted electrooxidation 628
 - photo-electro-bio-catalytic reactor 742
 - photocatalyst aggregation 716
 - photocatalytic membrane reactors (PMRs)
 - advantages 708
 - configurations of 708
 - feed characteristics 715
 - light source 714, 715
 - membrane properties 717
 - NF in water treatment 740–743
 - oxygen control 716
 - pressure-driven membrane photoreactors 728
 - reactor configuration 714
 - SMPR 736, 739
 - solar radiation 708
 - structure and properties of 714
 - system configuration 718–728
 - photodegradation 708, 728
 - photooxidation mechanism 712

- photoproduced electron–hole pairs 711
 photostable PAN membrane 726
 physical cleaning methods 341–342
 pillar-arene superstructures 1072
 pilot and bench-scale systems
 bleaching effluents purification 610–611
 mechanical pulp mill process 611
 paper mill process 611–613
 polishing stage 613
 spent cooking liquors 613–615
 pilot-scale tests 479
 pilot/prototype applications 571–572
 plant photoreactors 709
 plasma polymerization 16–18
 plastic pollution 1007
 plate and frame modules 102–103
 Poisson equations 224
 Poisson–Boltzmann ion concentration 224
 polarization charges 211
 polarization modulus 97
 polyvinylidene fluoride 3, 9
 poly(allylaminehydrochloride) (PAH) 1136
 poly(methyl methacrylate) (PMMA) 1133
 poly(polyethyleneglycol methacrylate) 1091
 polyacrylonitrile (PAN) 9, 22, 28, 511, 637, 723, 724
 polyamide (PA) 3, 9, 12, 16, 19, 23, 25, 1084, 1127
 Polyamide 6 hollow fibers 904
 polyaniline (PANI)-modified rGO nanosheets 1148
 polyarylether sulfones 9
 polybenzimidazole 10, 904
 polycarbonates 9
 polydimethylsiloxane (PDMS) membrane 890
 polyelectrolyte(s) 8, 10
 complexes 8, 9
 membranes 10
 polyetheretherketone 21
 polyethersulfone (PES) 3, 9, 16, 19, 21, 24, 28, 636, 793, 1100
 polyethyleneglycol (PEG) 1093
 polyethyleneimine (PEI) 15, 17, 20–22, 24, 28
 polymer membranes, disadvantages of 892
 polymer pyrolysis 1033
 polymeric electrolytes 10
 polymeric gel route 65–67
 polymeric hollow fiber membranes 904
 polymeric membrane 717, 893
 polymers with intrinsic microporosity (PIM) 1084, 1092
 polyphenol oxidase (PPO) 741
 polyphenylene oxide 9
 poly(phthalazinone ether amide) (PPEA) 638
 polypiperazineamide 19
 polypropylene (PP) 724
 polysaccharide 299
 polystyrene (PS) 1030
 polystyrene–polybutadiene copolymer 1031
 polysulfone (PSF) 9, 16–18, 20–27, 638
 polysulphone (PS) 724
 polyvinyl alcohol (PVA) 9, 19, 21, 23, 28, 1031, 1133
 polyvinylacetate 1090
 polyvinylidene fluoride (PVDF) 303, 631, 738
 polyvinylpyrrolidone (PVP) 636
 polyzwitterions 1093
 pore (porous) 12, 138, 141–146, 153, 154, 157, 158, 161, 163, 165
 blocking 293
 constriction 858
 narrowing 305
 plugging 305
 porous silicon (pSi) 1069
 porphyrin containing membranes 709
 porphyrins immobilized as photosensitizers 709
 positively charged membranes 636, 639

- positron annihilation lifetime
 - spectroscopy (PALS) 143, 145, 165
 - powdered activated carbon (PAC) 671, 684, 685
 - precipitation fouling 310
 - preferential-sorption 11
 - pregnant leach liquor 764
 - pregnant leach solution (PLS) 762
 - pressure driven membrane
 - photoreactors
 - continuous membrane photoreactor, pharmaceutical degradation in batch 734–737
 - continuous process 732, 733
 - humic acids 731
 - 4NP photodegradation 728–730
 - TiO₂ photocatalyst 731
 - ZnO nanoparticles 732
 - pressure groundwood (PGW) 390
 - pressure-driven membrane processes 672, 717
 - pretreatment methods, *see also* nanofiltration pretreatment
 - conventional filtration processes 391
 - microfiltration (MF) 391–393
 - ultrafiltration (UF) 393–395
 - process water treatment 525–526
 - colored brine demineralization 530–531
 - filtration and CIP solutions reuse 528–530
 - filtration and recycling 531
 - ion exchange resin regenerate 526–528
 - professional motion picture imaging 560–561
 - 1,3-propanediol (1,3-PD) 700
 - propolis 951
 - propylene glycol 565
 - proton exchange membranes (PEMs) 1063
 - pulp and paper industry
 - making processes 600–605
 - mill-stage plants 607
 - NF modules and demands in 605–607
 - pilot and bench-scale systems 610–615
 - pyridine dicarboxylic acid (PDC)
 - recovery 568, 569
- q**
- quartz crystal microbalance (QCM) 146, 150, 165
 - quartz crystal microbalance dissipation (QCM-D) 1136
- r**
- raffinate 762
 - ranitidine 735
 - ratio nanotubular materials 1024
 - raw chemical precursors production 699, 700
 - RE-powered hybrid UF/NF multiple barrier system 972
 - recalcitrant compounds, biodegradability of 938
 - recirculation reservoir 730
 - rectified must concentrate (RMC) 508
 - recycling solvents, from extraction processes 576, 577
 - reduced GO (rGO) 1127
 - reflux-recycle cascade 120, 124, 126
 - renewable energy (RE) membrane system 966, 970, 971, 973, 975–980, 983
 - nanofiltration 966, 1002–1004
 - resin-in-pulp (RIP) 770
 - resource recovery strategies 946
 - retention enhancing compound 552
 - reverse osmosis (RO) 35, 36, 40, 46–49, 57–58, 63–64, 458, 672–673, 708, 950, 1127
 - brines 947
 - pretreatment 395
 - seawater desalination 546–549
 - textile wastewater treatment 633–634
 - Reynolds number 643
 - rhenium 794
 - rigid star amphiphile (RSA) 1099

- rinsing waters, UF/NF treatment of 559
 - robust treatment systems, for harsh environments 967
 - roselle extract composition 952
 - rotating disk membrane bioreactor (RDMBR) 523
 - rotor/stator modules 119
 - rural areas, water supply to 961
 - Rutherford back-scattering spectroscopy (RBS) 143, 146, 151, 153, 165
- S**
- saccharification 511, 512
 - safe operating window (SOW) concept 976, 980, 993, 994
 - safe water 961, 966
 - salinity 998
 - salinity build-up 696
 - salinity wastewater 484
 - salt cleaning 343
 - salt concentration polarization 296
 - salt diffusion permeability 206
 - salt lake brine 779
 - salt rejection 640, 643
 - salt retention 505
 - salt transmission coefficient 189, 195, 201, 202, 206
 - salts separation, and amino acids 578–579
 - sand filtration 608
 - SC energy buffering 993
 - scale formation 309
 - scaling 1006
 - scandium 793
 - scanning electron microscopy (SEM) 139–141, 145–147, 151, 165
 - seabuckthorn juice concentrate 950
 - seawater desalination 382, 398–403, 961
 - reverse osmosis 546, 548, 549
 - seawater desalination plants, technical limit of 965
 - seawater reverse osmosis (SWRO) 487
 - second-grade water 961
 - electrodialysis 947, 948
 - selenium 759
 - self-organized hybrid membranes 1059
 - Sherwood correlations 98, 113
 - Sherwood relationships 111
 - short-term energy buffering 990
 - Sideritis scardica* Griseb 951
 - silica polymerization 386
 - silica scale 316
 - silicon nitride (SiN_x) 1031, 1128
 - silicone membranes 903
 - silt density index (SDI) 280, 282
 - single ions, dielectric exclusion 210, 211
 - single-layer graphene 1128
 - single-stage nanofiltration 676
 - single-stage reverse osmosis (SSRO) 124
 - single-walled nanotubes (SWNT) 1024
 - sintering 67, 69, 72
 - size exclusion 833–835
 - inorganic trace contaminants retention 848
 - skin layer 43–45
 - slip flow theory 1153
 - slip plane 155
 - sloughing 329
 - sludge residence time 670
 - sludge retention time (SRT) 697
 - small-scale systems
 - nanofiltration/reverse osmosis membrane systems 975
 - renewable energy-powered membrane systems 976, 977, 980, 990
 - solar-powered 982
 - wind-powered 986
 - Smoluchoski equation 321
 - sodium absorption ratio (SAR) 480
 - sodium chloride
 - brines processing 544–554
 - chlor/alkali production 549–551
 - low-sulfate-containing seawater 545–547
 - retention 545

- sodium chloride (*contd.*)
 - reverse osmosis seawater desalination 546–549
 - solid sodium chloride salt production 551–554
- sodium hexametaphosphate (SHMP) 385
- sodium hydroxide 342
- sodium metabisulfite (SMBS) 861
- solar energy 969, 986
- solar-powered RE membrane system 982
- solid waste 691
- solid-phase microextraction 847
- solute adsorption 291–292
- solute–membrane supramolecular interactions 846
- solute–solute interactions 306–307, 847–848
 - inorganic trace contaminants retention 856
- solution-diffusion-electromigration models 184
 - single-ion permeances 220–221
 - three ions with different charges 215–220
 - ultrathin barrier layers, electrical neutrality in 223–228
 - under-osmotic operation mode 222–223
- solution/diffusion model 12
- solution–diffusion transport xxvii
- solvent exchange process 889
- solvent lube dewaxing 581, 584
- solvent recovery 518
- solvent stable NF membranes 25
- solvent stable UF support 25
- solvent uptake 149, 165
- solvent-based degumming 516
- solvent-resistant nanofiltration (SRNF) 35, 40, 44, 48, 62, 63, 69, 70, 163, 164, 166, 889
- sonication 341–342
- sorption–diffusion model 840
- space-charge effect 224–226
- speciation 1000
- speciation of arsenic 820
- SPEEK 636
- spent cooking liquors 613–615
- spent nickel electrolyte 790
- spent pulping liquors 603
- Spiegler–Kedem approximation 184–185, 192–195, 221
- Spiegler–Kedem model 507, 858
- spinodal decomposition 37
- spiral wound membranes 440
 - color removal using 440–446
 - configurations 425–427
 - post-treatment 428
 - pretreatment 427–428
- spiral wound module (SWM) 103–104, 572, 904
 - feed channel spacers 110–112
 - modeling and optimization 112–116
- split-type photocatalytic membrane reactors 718
- sputtering 150, 151
- starch gelatinization 512
- steam-assisted gravity drainage (SAGD) 586–588
- Stefan–Maxwell frictional treatment 188
- steric hindrance and exclusion
 - Donnan exclusion effect 203, 206
 - trace ions rejection 206, 209
- steric hindrance pore (SHP) model 833
- stevia extracts 952
- stevioside 952
- stirred cell 107
- stoichiometric reagents 560
- Stokes equation 325
- Stokes–Einstein equation 196
- streaming current 156–159, 166
- streaming potential 156–158, 166
- strontium sulfate 315–316
- submerged membrane photoreactor (SMPR) 736, 739, 740
- submerged membranes 106
- subnanometer pores 1128
- succinic acid 700
- sugar production
 - dextrose syrup concentration 511, 513

- thin juice concentration 513, 514
 - sulfate removal 434, 438
 - sulfate retention 551–553
 - sulfate-reducing bacteria (SRB) 485
 - sulfite pulping process 603
 - sulfonated pentablock copolymer 1092
 - sulfonated polybenzoxazindione 10, 24
 - sulfonated polyphenylenesulfone (sPPSU) 637
 - sulfonated polysulfones 20, 22
 - sulphocationic membranes 709
 - supercapacitors (SCs) 990
 - superhydrophilic membranes 948
 - supersaturation 310, 312–314, 318, 319
 - supramolecular architectures 1070
 - supramolecular functionality 1064
 - supramolecular interaction 846
 - π - π , stacking 843
 - defined 843
 - H-bonding and π - π , stacking 844
 - surface area difference (SAD) 323
 - surface characterization techniques 285
 - surface complexation models 265
 - surface crystallization 318
 - surface energy (tension) 148, 149, 164
 - surface fouling 474
 - surface modification 63, 149, 150, 152
 - surface water(s) 962
 - surface water contamination 808
 - surfactant 59
 - sodium dodecylbenzenesulfonate 742
 - suspended photocatalyst 719, 720
 - sweeteners production 521, 523
 - SX-electrowinning recycle loop 764
 - synthetic hormones 828, 846
 - system aeration 717
- t**
- tamoxifen 735
 - tapered cascade 121
 - total direct cell count (TDC) 285
 - total dissolved solids (TDS) 623
 - testicular dysgenesis syndrome (TDS) 814
 - textile effluent treatment 382
 - textile wastewater treatment 623, 630
 - aerobic and anaerobic approaches 630
 - characteristics 622
 - feed properties influence 639–641
 - fouling control approaches 644–645
 - hydrodynamic conditions influence 642–644
 - membrane bioreactor 631–633
 - membrane properties influence 641–642
 - membrane technologies 630–634
 - nanofiltration 633
 - fabrication and modification 634, 639
 - hybrid process 651, 652
 - integrated process 646, 651
 - reverse osmosis 633, 634
 - stages of 628
 - ultrafiltration 630, 631
 - thermal cross-linking, of membranes 903
 - thermocalcic precipitation 504
 - thermodynamic equilibrium 200, 209
 - thin film composite (TFC) membranes 35, 47, 57, 60, 61, 63, 341, 634, 1084
 - and asymmetric hollow fiber membranes 635–636
 - dip-coating/solvent casting 893
 - interfacial polymerization 893
 - support materials for 898
 - thin film nanocomposites (TFNs) 1110
 - thin juice concentration 513, 514
 - thin-layer membranes 1063
 - three-dimensional (3-D) nanomaterials 1023
 - time-series image analysis (TSIA) 302
 - TiO₂-modified membranes 724
 - titania (TO) 1145
 - TOF-SIMS 151, 152, 165
 - total dissolved carbon (TDC) 611
 - total dissolved solid (TDS) 308, 392, 457, 544, 621

- total Kjeldahl nitrogen (TKN) 676, 677
- total organic carbon (TOC) 385, 460
 concentration 693
 in water 810, 811
- total suspended solids (TSSs) 623
- trace contaminants
 classification 806–807
 defined 805
 guidelines and regulations 810–811
 inorganic 805
 removal 1002
 chemical cleaning 859
 membrane aging and defects 861
 membrane fouling on 857
 nanofiltration 825–826
- trace organic contaminants (TrOCs)
 695, 805
 water cycle 808–809
 toxicological effects 805
- trace ions 190, 194, 196
- transmembrane pressure (TMP) 739,
 978, 981, 983, 985, 987, 991, 993,
 1000
- transmission electron microscopy
 (TEM) 139–141, 145, 146, 151,
 165
- trifluoroacetic acid 709
- trihalomethanes (THMs) 818
- 2,4,6-trihydroxy-1,3,5-triazabenzene
 709
- trimesoyl chloride (TMC) 634, 1103
- trimethylsilylether-derivatized cellulose
 1091
- tubular ceramic membrane 717
- tubular channel-type chiral
 superstructures 1072
- tubular membranes 440
 color removal 440–446
 configurations 427
- tubular modules 104, 105, 607
- tuna cooking juice concentration 951
- tunable pore morphology 1091
- tungsten processing 788
- turbulence intensity (TI) 987
- turnover number (TON) 710
- two-dimensional (2D) materials 1127
- two-phase flow 119, 120
- U**
- U-238 822
- ultrafiltered acidic 612
- ultrafiltration (UF) 393–395
 commercial membranes 724
 fouling prevention and retention
 enhancement 393, 395
 membrane 283
 product purification and production
 393
 textile wastewater treatment 630,
 631
- ultrafiltration fouling 1007
- ultrafiltration–nanofiltration (UF–NF)
 module 486
- ultrahigh-pressure reverse osmosis
 (UHPRO) 554
- ultrathin barrier layers, electrical
 neutrality in 223–228
- under-osmotic operation mode
 222–223
- United Nations Sustainable
 Development Goals Report 2019,
 961
- unsteady shear 120
- uranium 822–823, 1002
 contamination 810, 822
 exposure pathway of humans 823
 isotopes 822
 oxidation state 822
 removal 832
 retention and uptake 856
- uranium processing
 acid recovery
 from ion exchange/resin-in-pulp
 eluate 769–772
 from solvent extraction strong acid
 strip liquor 772–773
 acidic sulfate solutions 767
 alkaline leach liquor 774–776
 heap leach solutions 769
 in situ leaching, nanofiltration 767
 leaching techniques 765
 radionuclides 767
 simplified generic flow sheet for
 766–767

- sodium bicarbonate recovery from
 - ion exchange eluate 769
 - sodium chloride solution 774
 - SX and IX liquors 767–768
 - ureidopeptoides 1060
 - UV cross-linking, of membranes 903
 - UV irradiation 389
 - UV-initiated grafting 637
- V**
- vacuum membrane distillation (VMD)
 - 508
 - van der Waals
 - interaction 843
 - radius 1024
 - vanadium processing 785, 787
 - vapor-deposited polymer (parylene)
 - 1031
 - vapor–liquid equilibrium 743
 - variable volume diafiltration (VVD)
 - modes 522
 - vertically aligned carbon nanotube
 - arrays (VACNT) 1029
 - vibratory shear-enhanced process
 - (VSEP) 117, 607, 944
 - volatile co-solvent 43, 44
 - volume dilution factor (VDF) 507
 - volume reduction factor (VRF) 524
 - volume reduction, of nanofiltration
 - concentrates 942
- W**
- Waelz oxide processing 780–782
 - waste streams recirculation 609, 610
 - wastewater contaminants 629
 - wastewater treatment 1150
 - flowsheet for 949
 - using NF/RO membranes 826
 - wastewater treatment plants (WWTPs)
 - 677, 808
 - using NF/RO membranes 827
 - water collection points 1007
 - water consumption 664
 - water distribution 1007
 - water fouling potential 280
 - Water Framework Directive (WFD)
 - 810
 - water purification 601, 1023
 - mechanical pulp mill process 611
 - paper mill process 611–613
 - water quality 961
 - categories of 962
 - fouling and scaling 1006
 - organic matter removal 1004
 - parameters for nanofiltration
 - concentrate 935
 - salinity 998
 - system performance in 995
 - trace contaminants removal 1002
 - variation of pH and speciation 1000
 - water distribution 1007
 - water reclamation 452, 458, 691, 692
 - water recycling 525, 825
 - water reuse 484
 - limitations 488, 489
 - process features and fundamentals
 - 485, 488
 - water sampling campaign 996
 - water softening 7, 8, 19, 384–385
 - water sources 808–810, 995
 - water transport, in carbon nanotubes
 - 1027
 - water/proton conductance mechanisms
 - 1073
 - water–energy nexus 965
 - Weizman membrane model 559
 - Wenzel's roughness ratio 323
 - whey protein concentrates (WPCs)
 - 506
 - whey protein isolates (WPIs) 506
 - wind-powered renewable energy
 - membrane system 979, 986, 991
- X**
- X-ray diffractometry (XRD) 285
 - X-ray photoelectron spectroscopy (XPS)
 - 151–153, 165, 317
 - xenobiotic compounds 668
 - xylose purification 614
- Z**
- zero discharge mill 609
 - zero liquid effluent mill 609

- zero-current transmission coefficient
 - 190
- zero-liquid discharge (ZLD) 554, 623
- zeta potential 138, 155–156, 158–159, 166
- zinc processing
 - concentrate bioleach liquor 782
 - recover indium 782
 - remove boron 782
 - Waelz oxide processing 780–782
- zwitterion-functionalized carbon
 - nanotubes 1028
- zwitterionics 341

