

Index

a

Ac-Asp-Glu-Val-Asp-Cys(StBu)-Lys-CBT 169
 acetyl protected short peptides 129
 Ac-Lys-Asp-Glu-Asp-Val-Cys(StBu)-CBT 169
 additive manufacturing 241, 242, 296, 300, 317
 adipose-derived stem cell (ADSC) 329–330, 340–342
 aldehyde-modified HA (HA-ALD) 44
 alkaline phosphatase (ALP) 43, 75, 77, 112, 138, 162, 164, 165, 177, 180, 183, 184, 186, 187, 190, 315, 317
 alkaline phosphatase (ALPL) 164, 165
 2-aminoethyl methacrylate (AEMA)-modified HA 221
 amyloid fibrils 109
 anisotropic diamagnetism 108
 anisotropic monolayer model 119
 anisotropy 98, 108, 109, 111–113, 115
 antibiofoluling 207
 anticancer agent 137, 175
 aromatic dipeptide 99, 105
 artificial wound exudate (AWE) 207
 atomic force microscopy (AFM) 3, 10, 115, 116
 atrophy 31

b

bacterial cellulose (BC) 257
 basket-weave orientation 26
 benzene 109, 301

block copolymers 38–40
 Blood Brain Barrier (BBB) 49
 blood vessels 29, 42, 46, 49, 117–119, 134, 136, 137, 155, 205, 207, 218, 243, 249, 251, 304, 308, 315, 317, 324–326
 bone-marrow mesenchymal stem cells (BM-MSCs) 14, 222, 329
 bone morphogenetic protein-2 (BMP-2) 43, 44, 74, 151, 223, 305, 314, 315
 bone tissue engineering (BTE) 223, 313, 314
 bone tissues repair 313–317

c

cadherins 23, 221, 283
 camptothecin 173
 carbohydrate 150
 CD44 153, 218–221, 224
 CD168 219
 cell adhesion domains 40
 cell adhesion sequences 43–46
 cell encapsulation 63, 74, 82, 243, 297, 331, 340
 cell infiltration 41, 42, 304, 341
 cell-penetrating peptide (CPP) 49
 cell proliferation 30, 31, 44, 45, 205, 224, 243, 302, 323, 335
 chemical crosslinking\chemical cross-linking reactions\chemically cross-linked hydrogels 39, 41, 48, 52–55, 63, 66, 75, 225, 236, 333
 chemiluminescence (CL) 165

- cholesterol 162, 180, 182
 chronic obstructive pulmonary disease (COPD) 14
 circulating tumor cells (CTC) 282
 cisplatin 173, 177, 180, 182
 cladding effect 257–259, 261, 262
 click methodology 39
 coaxial sheath 235, 237, 239
 co-culturing system 249, 250
 collagen 334
 architecture 26–29
 cross-linking 29
 fibril diameter 27–28
 fibril packing and crosslinking 28–29
 orientation 26–27
 scaffolds 29–33
 sources 25
 structure of 25
 collagen-like peptides (CLPs) 118
 contrast agents (CAs) 165, 169
 cornea 29, 113, 117–118, 335
 critical limb ischemia (CLI) 53
 crosslinking methods 64
 2-cyanobenzothiazole (CBT) 165, 166, 169
- d**
- decellularization 9, 14, 15
 dental pulp stem cells (DPSCs) 130, 221
 dephosphorylation reaction 75
 deprotonation state 107, 111
 detergent-enzymatic treatment (DET) 8, 11, 13
 diabetes mellitus type 2 48
 diabetic wounds 70, 206–209, 211, 325, 327–330, 341, 342
 3,4-dihydroxylphenylalanine (DOPA) 106
 1,2-dipalmitoyl-sn-glycero-3-phosphocholine (DPPC) 171
 diphenylalanine (FF) 109, 128
 dipole-dipole self-assemblies 195, 196
 direct laser writing 241, 242
- discoidal polymeric nanoconstructs (DPNs) 285, 286
 DNA polymerases 80–82
 docetaxel (DTXL) 282, 284
 double-channel microfluidic chips 277, 281–284
 DRIR 41
 DRIR-ELR 42
 drug delivery 56, 66, 77, 81, 82, 135, 137–139, 173–175
 drug-loaded scaffolds 32–33
 drug release 72, 73, 81, 137, 256, 257, 332
 ductal carcinoma *in situ* (DCIS) 281
 dynamic covalent chemistry (DCC) 44
 dynamic granular hydrogels 301
 dynamic reciprocity 7
- e**
- elastase-sensitive domains 44, 45
 elastin-like polypeptides (ELPs) 38, 45
 elastin-like protein-hyaluronic acid (ELR-HA) 44
 elastin-like recombinamers (ELRs) 37–56, 119
 electrospinning 27, 46, 110, 111, 199, 202
 enzymatic crosslinking hydrogels 66–75
 enzyme-instructed self-assembly (EISA) 75, 161, 175, 177–189
 epidermal growth factor receptor (EGFR) 224, 225
 epigallocatechin-3-gallate (EGCG) 223
 equilibrium swelling theory 3
 expandable polytetrafluoroethylene (ePTFE) 118
 extracellular matrix (ECM)/development/growth factors/in homeostasis/hydrogels/proteins 6–8, 10–18, 32, 243, 276–277
- f**
- fibrin 14, 45, 73, 75, 209, 277, 281, 285, 327, 332, 334–335
 fibroblasts growth factors 48, 49, 74, 151, 327

- Fick's diffusion laws 234
- 9-fluorenylmethyloxycarbonyl (Fmoc) 128
- g**
- gadolinium-containing nanoparticles (GdNPs) 167
- galactose oxidase (GalOx) 70, 223
- γ -glutamyltranspeptidase (GGT) 166
- gelatin 5, 14, 18, 72–74, 200, 222, 249, 258, 298, 305, 309, 311, 315, 334, 339, 340
- gelatin-methacrylate (GelMA) 224, 249, 254, 255, 301
- genipin 46
- glioblastoma cells 49
- glioblastoma, treatment 49
- glucagon-like-peptide 1 (GLP-1) 48
- glucose oxidase (GOx) 70, 207, 253
- glucuronic acid (GlcA) 217, 219, 220
- glycopeptides, supramolecular assemblies of 149–156
- glycoproteins 6–8, 149–151, 153, 155, 217, 219, 276
- glycosaminoglycans (GAGs) 7, 8, 10, 11, 15, 130, 150, 151, 154, 155, 217
- Good Manufacturing Protocol (GMP) 1, 6, 16
- GOX/HRP catalytic system 71
- granular hydrogels 297, 299
- MAPs assembly 300–304
 - modularity and multifunctionality in 305–306
- granulation tissue 136, 137, 200, 205, 326
- GTAR 41 (AU: Expansion not found in the book)
- h**
- β -hairpin peptides 129
- hemostasis 206, 323, 325–326, 334
- heparan sulfate proteoglycan 2 7
- hepatoblastoma (HepG2) cells 12, 169, 170, 183, 184, 186, 250
- hierarchically organized biomaterials
- high resolution microscopy 115
 - polarized light microscopy 113–114
 - small angle X-ray scattering 115–116
- hierarchical materials 97
- hierarchical self-assembly 98–108, 112
- homopolymeric natural hydrogels 5
- horseradish peroxidase (HRP) 67–72, 82, 207, 223, 224, 253
- Hüisgen reaction 39
- human aortic endothelial cells (HAECs) 49
- human elastin-like polypeptide 53
- human embryonic stem cell (hESC) 4, 12, 334
- human hepatocellular carcinoma (HCC) 12, 13
- human induced pluripotent stem cells (hiPSCs) 4, 6, 12, 221, 225
- human mesenchymal stem cells (hMSCs) 43, 44, 305, 309, 312, 314, 315, 317
- human umbilical vein endothelial cells (HUVECs) 12, 13, 45, 74, 133, 250, 252, 281, 283, 309, 311
- hyaluronan/hyaluronic acid (HA) 5 14, 67, 256, 277, 284, 285, 317, 327, 332, 334, 338, 340
- in biological tissues and fluids 218
 - as signaling molecule/signal-transduction 218–220
- 3D cancer models 224–226
- for tissue engineering 220–223
- viscosupplementation 218
- hybrid hydrogels 45, 133, 250, 256, 332, 333, 339–340
- hyperbranched polymer 336–340
- hydrodynamic 235, 237, 239
- hydrogelators 71, 75, 77, 79, 80, 82, 106, 128, 134, 138, 177, 178, 184, 188
- hydrolases 75–80
- hydroxyphenylpropionic acid (HPA) 67
- hyperglycemia 49, 206, 207, 326, 327

i

idiopathic pulmonary fibrosis (IPF) 14
 immersed boundary methods (IBM) 287
 immersed finite element methods (IFEM)
 287
 Indocyanine green (ICG) 225
 induced pluripotent stem cells (iPSCs)
 4, 183, 329
 injectability 299–300
 interpenetrating polymer networking
 (IPN) 339
 inverse temperature transition (ITT) 38
 Isogeometric analysis (IA) 287
 isopropyl alcohol (IPA) 256

j

jammed state 298

k

K9-C-peptide 49

l

laccase 71–73
 β -lactamases 75, 78, 80, 82
 lipid rafts 162, 164, 183
 lower critical solution temperature
 (LCST) 3, 337
 LYmphatic Vessel Endothelial
 hyaluronan receptor 1 (LYVE-1)
 220
 lysyl oxidase (LO) 8, 25, 67

m

macroscale actuators 256
 magnetic anisotropy 109
 magnetic orientation 109
 magnetic resonance imaging (MRI) 161,
 162, 165, 170, 189
 Matrigel 4–6, 10, 13, 15, 16, 33, 172, 277,
 282–284
 matrisome 6, 17
 matrix assisted laser desorption/
 ionization (MALDI) mass
 spectrometry 166

matrix metalloprotease (MMP) 5, 7, 51,
 74, 78, 80, 82, 118, 137, 138,
 187–189, 206, 221, 222, 225, 304,
 305, 314, 326–328
 mechano-growth factor (MGF) 31
 mesenchymal stem cells (MSCs) 13, 14,
 44, 72, 130, 133, 153, 187, 221, 222,
 305, 309, 312, 314, 315, 317, 329,
 332
 metal-organic frameworks (MOFs)
 261
 micelle-like particles 38
 Michael addition 63, 67, 72, 73, 224, 336,
 337, 339–342
 microbial TG (mTG)-mediated
 crosslinking 74
 microbial transglutaminase (mTGase)
 53, 74
 microfluidic chips 275, 276
 microfluidic 3D bioprinting 251, 252
 microfluidics 233–234, 242–257
 microfluidic spun hydrogel 243,
 249–253, 257
 microfluidic tissue/organ-weaving 250
 microfluidic wet spinning 234–242
 microgrooved fibers 249
 microparticle assembled nanofibrous
 (MANF) 315, 317
 microporous annealed particle (MAPs)
 297, 300–306, 308, 309, 311–315,
 317, 318
 micro-scale actuators 255
 Mitogen-activated protein kinase (MAPK)
 219
 molecular self-assembly 79, 98, 120, 161,
 186, 188
 mucoadhesives 52, 63
 multidomain peptide (MDP) 106, 111,
 119, 135, 136, 155
 multi-hydrogel microparticles (HMPs) 296
 murine intestinal stem cells (mISCs) 4
 muscle cell 24, 73, 119
 myeloperoxidase (MPO)
 206, 208, 212

n

N-acetylglucosamine (GlcNAc) 108, 151, 153, 217
 nanofibrous gel/nanofibrous hydrogel formation 136, 153
 nanoparticles 284–287
 natural hydrogels 5–6, 18
 Navier-Stokes equation 233, 287
 neovascularization 46, 70, 205, 311, 315, 329, 341
 neuronal stem cells (NSCs) 47
 nitrobenzofurazan (NBD) 162, 164, 175, 177, 180, 186
N-palmitoyl-Gly-Gly-Gly-His-Gly-Pro-Leu-Gly-Leu-Ala-Arg-Lys-CONH₂ 188
 nuclear magnetic relaxation dispersion (NMRD) 166, 167

o

ocular drug delivery 50, 52
 OpenPolScope method 113
 optical fibers 257–263
 optical imaging 161–165
 optical sensors 206, 253
 organ-on-a-chip technology 276
 ovine carotid arteries (OCA) 45
 ovine umbilical arteries (OUA) 45
 oxidoreductases 67–73

p

paclitaxel (PTX) 137–139, 281
 peptide amphiphile (PA) 106, 133, 134, 155
 peptide-modified transfersomes (PTX-CT) 137
 peroxidases 67, 72
 phosphatase 43, 75, 77, 79, 82, 112, 138, 162, 189, 190, 207
 phosphotyrosine 162, 164
 photoacoustic imaging 161, 162, 169, 171–173, 189
 photoradiation-controlled intratumoral depots (PRCITD) 54

physical crosslinking\physically cross-linked ELR-based hydrogels 48–52, 65
 plasma oxidase (PO) 67
 polarized light microscopy 113–114
 poly(2-hydroxyethyl methacrylate) (HEMA) 200, 202, 208, 210, 211, 335
 poly(3,4-ethylenedioxythiophene) (PEDOT) 257
 poly(carboxybetaine acrylamide) (PCBA) 198, 200–202, 209
 poly(carboxybetaine-co-methyl methacrylate) 198, 199
 poly(CMB-r-BMA) 198, 199
 poly(cyclopentadithiophene-alt-benzothiadiazole) 171
 poly(dimethyl siloxane) (PDMS) 107, 110, 111, 237, 239, 240, 277, 280, 282
 poly(ethylene glycol) (PEG) 3, 4, 37, 41, 67, 72–75, 195, 196, 204, 205, 221, 224, 258, 259, 285, 302, 312, 314, 332, 335–337, 339–341
 poly(ethylene terephthalate) (PET) 118, 198, 199
 poly(methyl methacrylate) (PMMA) 241, 258
 poly(n-butyl methacrylate) (PBMA) 198
 poly(sulfobetaine methacrylate) (PSBMA) 198–200, 202–205, 208, 209, 211, 212
 poly(vinyl alcohol) (PVA) 3, 73, 256, 258, 332, 335
 polycarboxybetaines (PCB) 196, 198–202, 206–209, 212
 poly(ethylene glycol) dimethacrylate (PEGDMA) 204, 205
 polydimethylsiloxane (PDMS) 105, 107, 110, 111, 237, 239, 240, 277, 280, 282
 polyethylene terephthalate (PET) 118, 198, 199
 poly(ethylene) glycol-vinyl sulfone (PEG-VS) 302, 303, 306, 312

- polymerase chain reaction (PCR) 4, 81
 polymer degradation 41
 polysulfobetaines (PSBs) 196, 202–205,
 208–212
 polyzwitterions (PZI) 195, 196
 wound management 197
 porcine small intestinal mucosa-
 submucosa (pSIS) 15, 16, 18
 precursor peptide-lipid 188
 protease operated depot (POD) 48
 protein tyrosine phosphatase (PTP1B)
 162
 proteoglycans 6–8, 10, 28, 149–151, 154,
 217, 221, 276, 327
 protonation state 107, 111
- q**
- quantitative image analysis 113
 quantum-dots (QDs) 261, 262
- r**
- Rabbit mesenchymal stromal cells
 (rMSCs) 44
 radiation therapy 49
 RAFT polymerization 341
 random closed packing configuration
 298
 rational molecular design 98, 100
 Rayleigh scattering theories 261
 reactive oxygen species (ROS) 49, 54, 55,
 171, 175, 206, 223, 311,
 326, 342
 Receptor for HA-Mediated Motility
 (RHAMM) 219, 220, 224
 Receptor Tyrosine Kinase (RTK's) 219
 reepithelialisation 341
 regenerative medicine (RM) 15, 16, 24,
 27, 37, 39, 40, 42, 56, 63, 64, 66, 67,
 75, 77, 81, 150, 220, 223, 226, 250,
 251, 334, 339
 Reynolds number (Re) 233, 234
 RGD 4, 5, 7, 41, 43–47, 118, 119, 130,
 133, 134, 151, 155, 221, 222, 224,
 300
- RGDS 118, 314
 rheometry 10
- s**
- salt-leaching 40
 sarcoma cell line 5
 scanning electron microscopy (SEM) 10,
 115, 174, 189, 190, 203, 283
 Schiff base 67, 72, 73
 self-assembling nanofibers 110
 self-assembling peptide 47, 108, 113,
 115, 117–120, 137, 150–154,
 175
 self-assembling peptide-saccharide
 151–154
 SELP-815K 51
 semiconducting polymer nanoparticle
 (SPn)-based probe 169
 semi-IPN 339
 seven elastin-like blocks (GVGVP) 47
 shear forces 111
 silk-elastin-like co-recombinamer (SELR)
 39, 43, 50, 51
 silk fibroin (SF) 39, 43, 46, 50, 133, 221
 single channel microfluidic chips
 277–282
 single-fiber scaffolds 243, 248–249
 single-walled carbon nanotubes (SWNTs)
 169, 171
 skeletal muscle 24, 31, 119–120, 251
 small angle X-ray scattering (SAXS) 115,
 116
 smooth muscle cells (SMCs) 24, 73, 118,
 119, 249
 sodium deoxycholic acid (SDC) 12–15
 soft lithography 110, 111, 237, 239–241,
 263, 277, 282
 sonication-assisted solution embossing
 106, 107
 sortase A (SrtA) 72
 spinneret 235, 237, 240–242
 (3-(2'-spiroadamantyl)-4-methoxy-4-
 (3"-phosphoryloxyphenyl)-1,2-
 dioxetane (AMPPD)) 165

- stem cells 4, 13, 14, 18, 43, 47, 70, 72, 111, 118, 120, 130, 133, 153, 154, 218, 220–222, 295, 305, 317, 318, 323–343
- strain-promoted azide-alkyne cycloaddition reaction (SPAAC) 41
- strain sensors 253, 255, 262
- stromal vascular fraction (SVF) 46
- subtractive manufacturing methods 241, 242
- supramolecular hydrogels 72, 75, 77, 79–82, 106, 109, 127, 128, 130, 139, 188
- supramolecular systems 151, 153–155, 186
- surface-enhanced Raman spectroscopy (SERS) 260, 262, 263
- synthetic hydrogels 3–5, 259, 333, 335–339
- synthetic peptides 98
- t**
- tetrakis(hydroxymethyl)phosphonium chloride (THPC) 47
- tetrapeptide (FFYK) 128, 177
- tetrazine (Tet) 223, 301, 314
- TGF- β 1\transforming growth factor- β (TGF- β) 7, 199, 305, 308, 315, 327, 341
- thermolysin 75, 78, 80, 82
- thermoplastic polymers 241
- thermoreponsiveness 38, 39, 226
- Thiol-ene click Michael addition 340
- 3D cell scaffolding 129–131
- tissue engineering 220–223
- tissue engineering and regenerative medicine (TERM) 24, 39, 220, 226, 295–299, 304, 305, 308, 312, 313, 317, 318, 334
- tissue plasminogen activator (tPA) 41, 285, 286
- tissue plasminogen activator-discoidal polymeric nanoconstructs (tPA-DPNs) 285, 286
- tissue regeneration 15, 18, 40, 42, 43, 56, 72, 74, 117, 133, 139, 205, 223, 249, 329, 341
- transferases 13, 73–75, 153
- transglutaminase (TG)\transglutaminase 2 (TGase2) 8, 49, 71, 73–75
- transition temperature (Tt) 38, 39
- transmission electron microscopy (TEM) 115
- tris(2-carboxyethyl)phosphine (TCEP) 166
- β -[tris(hydroxymethyl)phosphine] propionic acid (THCC) 53
- “Trojan Horse” approach 175
- Troll-Like Receptors (TLRs) 218
- tropocollagen 25
- turbidimetric assays 10
- 2D/3D cell scaffolding 129–131
- 2D microfabrication technique 119
- type-I collagen 110, 248
- tyramine 67, 72, 221, 339
- tyrosinase 67, 72, 82
- u**
- ultrasound 49, 99, 112
- undifferentiated stem cells 329
- urokinase plasminogen activator (uPA) 41
- UV photo-crosslinking method 339
- v**
- vascular endothelial growth factor (VEGF) 14, 32, 44, 45, 119, 133–135, 155, 221, 281, 311, 314, 315, 327, 329, 330
- vascularization 308–311
- vasculogenesis 327, 341
- viscosupplementation 218, 223
- void spaces and microporosity 304, 305

W

wound dressings 71, 72, 82, 136, 195–212, 253, 257
wound healing 134, 137
adipose-derived stem cells for 329–330
clinical needs for 323
current limitations 330
haemostasis 325–326
inflammation processes 326
materials 332
pathology 323–328
proliferation 326–328

remodelling 328

stem cells 328–330

wound management 18, 70, 73, 197, 198, 203, 207, 323, 324, 331

X

xenogeneic material 3
X-ray irradiation 107

Z

zip-clusters 195, 196
zwitterionic 195, 210, 211

