

Index

a

- Addison's disease 166
 adipose tissue 15
 advanced glycation end (AGE)
 products 9, 99
 in human lens
 in chronological order 192–193
 glucose vs. ascorbic acid 193–195
 significance of 196–197
 structure 192–193
 pentosidine 9
 age-altered LLP 25, 168
 aged, long-lived proteins 162
 AGE products *see* advanced glycation end (AGE) products
 age-related cataract 65–71, 128–129, 189
 age-related disorders, LLPs
 abundant macromolecules 26
 autoimmune diseases 25
 collagen 26–27
 cytosol/nuclear communication 25–26
 elastin 26
 nuclear transcription 26
 age-related lens crystallin
 modifications 71, 191
 age-related macular degeneration (AMD) 14
 age-related nuclear cataract (ARNC) 12–13, 23, 106–108, 128, 149, 189
 aging 18, 98
 adipose tissue 15
 brain 16, 109
 cellular proteostasis alteration 113
 circulatory system 112
 decreased protein turnover 114
 digestive system 112–113
 effect of 183
 feature of 97
 heart 17
 isomerization and epimerization 180
 joints 19
 kidney 15
 Kohn definition of 189
 liver 20
 LLPs 6
 in long-lived animals 2
 lung 18
 lysosome function and proteostasis connection 183
 oocytes 14–15
 pancreas 19, 20
 protein changes and DNA changes 21–22
 protein crosslinking 101, 102
 pulmonary system 112
 respiratory system 112
 retina 13–14
 of species 1
 vitreous humor 13, 108
 alanine 7
 Alzheimer disease (AD) 16, 27, 74, 109
 amine catalyzed ascorbic acid
 degradation 191
 D-amino acids 8, 12, 111, 112, 147, 161
 amorphous aggregates 72, 74–76, 133

- amyloid fibrils
aggregates 72
polymorphism in 74
structure of 73–74
in vitro formation 76
- amyloid- β ($A\beta$) fibril structure 73
- amyotrophic lateral sclerosis (ALS) 27, 110–111
- animal models 16, 28–29, 131
- anti-citrullinated protein antibodies 167
- antigen retrieval 44
- antiphospholipid antibody syndrome 167
- aquaporin-0 (AQPO) 49–51
- aquaporin 1 (AQPO) 132
- articular cartilage matrix 112
- ascorbic acid, in human lens
degradation products 191
chemical pathways of
degradation 191–192
vs. glucose, as source of AGEs 193
- homeostasis 190
- lenticular concentrations 190
- as source of age-related damage 190–191
- as source of oxoaldehydes 195
- ascorbylation, lens and brain 196–197
- Asn deamidation 29, 101, 106, 108, 178–179
- D-Asp 8, 9, 10, 18, 19, 100, 101, 109, 112, 132, 133, 146, 162, 179
- Asp isomerization 178–179
- ATP-dependent molecular chaperones 73
- autoimmune diseases 25, 159, 165, 168
genetic risk factors associated with 169
LLPs (see long-lived proteins (LLPs))
multiple sclerosis 109
systemic lupus erythematosus 111
type 1 diabetes 113
- autoimmune myocarditis 168
- autoimmunity 2–3, 159, 161, 169
- autophagy 74, 113, 176, 182–183
- b**
- basal autophagy 182
- Bcl-xL 113
- bone, age-related changes 18
- brain 4
- age-related changes 16
- life span 33
- MALDI IMS 53
- PIMT 16–17
- brown adipocytes 15
- c**
- cardiomyocytes 17, 53, 112, 160
- cardiovascular disease 32, 112
- cartilage 19, 53, 111, 167
- cataract 12
age-related 65, 71
congenital/early-onset 65, 69
and crystallin aggregation 75–77
crystallin mutations 68
development 60
morphologies 68
- cathepsins 176, 181
- celiac disease 166
- cellular polypeptides 1
- central nervous system (CNS) 13, 6, 27, 53, 165
- cholangiocytes 20
- chronic inflammatory demyelinating polyneuropathy 165
- citrulline 23, 167
codon expansion techniques 146
- collagen 8–10, 26–27, 32, 53, 97, 111, 160
- collisional activation method 180
- collision-induced dissociation (CID) 139
- cornea 12
- covalent crosslinking 9, 29, 101, 102, 161
- Crohn's disease 166
- α A-crystallin 48, 49, 61, 65, 71, 130, 133, 135
- α B-crystallin 48, 61–63, 65, 76–77, 133
- γ -crystallin 63–64
- γ S crystallin 48, 64, 67–68, 106–107, 128, 130, 133, 139, 141, 147, 148
- crystallin bound advanced glycation end products 193
- α -crystallin chaperone action 76, 77
- crystallin mutations 65, 68, 69, 75
- cutaneous aging 8, 9
- α -cyano-2-hydroxycinnamic acid (CHCA) 45

d

deamidation 69
 insolubilization of crystallins 132–133
 peptide standards 145
 site identification 139–142
in vitro studies 135
 dehydroalanine (DHA) 130
 dehydroascorbic acid 190, 191, 195
 dementia 6, 26, 74, 108, 109
 desmosine 7
 desorption electrospray ionization (DESI)
 IMS 43, 46
 2,5-dihydroxyacetophenone (DHA) 45
 disulfide bond
 and age-related cataracts 128–129
 at individual cysteines in cataractous
 lens 129
 in vitro studies 133–134
 disulfide crosslinks identification 138–139
 disulfide linked cysteines in
 crystallins 129–130
 DNA damage 21, 22

e

elastin 7–8, 16, 26, 30, 32, 112, 160
 electron capture dissociation
 (ECD) 142, 180
 electron transfer dissociation (ETD) 47,
 139, 142
 endothelial cells 19, 20, 160
 epimerization 178–184
 epithelial cells 11, 48, 60, 160
 equatorial cones 13
 extracellular matrix (ECM), LLPs
 collagen 8
 elastin 7–8
 proteoglycans 8
 structural glycoproteins 8
 extracellular matrix protein
 (ECMP) 111–112
 eye
 cornea 12
 retina 13–14
 vitreous humor 12–13
 eye lens 11, 59

crystallin proteins 61–64
 development 59, 60
 epithelial cells 60
 structure 59, 60

f

familial amyotrophic lateral sclerosis
 (fALS) 110–111
 fasting 182
 fibrillar collagen 112
 fixed tissue 44
 Fourier transform ion cyclotron resonance
 (FTICR) 45, 141
 free radical theory of aging 161
 frozen tissue 44, 46

g

glaucoma 14
 glucose vs. ascorbic acid 193–195
 glutathione system 23–24, 163
 Grave's disease 166
 Guillain-Barre syndrome 165
 G18V mutation of γ S-crystallin 69

h

haemodialysis-related amyloidosis 114
 hair 18–19
 hallmarks of aging 6
 Hashimoto's thyroiditis 166
 hearing 21
 heart, age-related changes 17
 hemoglobin 51–53
 higher-energy collision dissociation
 (HCD) 47, 139
 histones 2, 16, 19, 22, 26, 52, 111, 160
 human α A-crystallin 48, 76
 human crystallins 61, 131
 hydroxylysine residues 8
 hydroxyproline (hydroxyPro) 8

i

imaging mass spectrometry (IMS)
 DESI 46
 fixed tissue 44
 frozen tissue 44
 LAESI 46–47

imaging mass spectrometry (IMS) (*Contd.*)
 MALDESI 46
 MALDI 44–45
 protein identification 47
 retina 52
 SIMS 46
 inflammaging paradigm 196
 insolubilization of crystallins 128
 deamidation, isomerization and
 racemization 132–133
 disulfide bonding 128–129
 non-disulfide crosslinking 130
 non-enzymatic hydrolysis in human
 lens 131–132
 protein fragmentation 131
 proteolysis in animal lens 131
 in-source dissociation 139
 intestine 20, 160
 intracellular LLPs/LLCs, organs and
 tissues 11
 adipose tissue 15
 brain 15–17
 eye 11–14
 hair 18–19
 heart 17
 intestine 20
 joints 19
 kidneys 15
 liver 20
 oocytes 14–15
 pancreas 19, 20
 skeleton 18
 teeth 18
 isodesmosine 7
 isoDGR motif 113
 isomerisation 100, 178
 formation mechanism 178
 insolubilization of crystallins 133
 peptide standards 145
 site identification 142–143

j

joints
 age-related changes 19
 rheumatoid arthritis 167

k

kidneys 15

l

laser ablation electrospray ionization
 (LAESI) 43, 46

lens

cataract 12–13
 MALDI-IMS images of 48–51

presbyopia 12–13

lenticular ascorbic acid

concentrations 190

life-long protein degradation 31

lipofuscin 13–14, 113

L-isoAsp repair 179

liver, age-related changes 20

LLCs *see* long-lived cells (LLCs)

LLPs *see* long-lived proteins (LLPs)

long-lived cells (LLCs) 160 *see also*

intracellular LLPs/LLCs

definition 6

MIMs-EM 53–54

long-lived protein decomposition

consequences of 163–165

oxidation-related modification 163

rebuilding degraded Asp and Asn
 sites 162–163

long-lived proteins (LLPs) *see also*

intracellular LLPs/LLCs

age-related disorders 3, 97, 159

abundant macromolecules 26

autoimmune diseases 25

central nervous system 108–109

collagen 26

cytosol/nuclear communication 25

digestive system 112–113

elastin 26

human eye 106

limitation 105

mass spectrometry 105

nuclear transcription 26

treatment of 114

aging 1, 6

in aging and disease

animal models 28–29

- heterogeneous 29
 - autoimmunity 2–3, 161
 - brain 4
 - breakdown processes 22–23
 - category 5
 - cellular processing 24
 - consequences 24–25
 - decay in tissue function 32
 - definition of 5
 - degradation and tissue function 30
 - dividing cells 21
 - DNA, aging 28
 - DNA damage 21–22
 - ECM
 - collagen 8
 - elastin 7
 - proteoglycans 8
 - structural glycoproteins 8
 - human lens 3
 - identification 180
 - IMS 43–44
 - intracellular 10–11
 - isomerization and epimerization 176
 - life span
 - brain 33
 - heart 32
 - lung 33
 - nerves 33
 - lipidation events 161
 - mechanistic considerations 181–182
 - memory 4
 - myelin basic protein 31
 - neurological diseases
 - AD 27–28
 - ALS 27
 - MND 27
 - multiple sclerosis 27
 - non-enzymatic modification
 - of 99–100
 - oxidation 23–24, 161
 - PIMT 24
 - protein modification 24
 - protein turnover 180–181
 - repair 179
 - in tissues 160
 - truncation 103
 - lung
 - age-related changes 18
 - lifes pan 33
 - lysosomal storage disorders 110, 181
 - lysosome-mediated degradation 175
- m**
- Maillard reaction 189, 191, 197
 - mass spectral imaging 160
 - mass spectrometry (MS)
 - LLP 44–47
 - proteomic characterization by 180
 - matrix-assisted laser desorption electrospray ionization (MALDESI) 43, 46
 - matrix-assisted laser desorption/ionization (MALDI) IMS
 - cartilage 53
 - CNS 53
 - human brain 53
 - lens 48–51
 - molecular weight 45
 - optic nerve 51–52
 - protein types 45
 - spatial resolution in 44
 - workflow for 44–45
 - memory 4
 - metabolism 15, 26, 183
 - methionine sulfoxide
 - reductases 23–24, 163
 - methylation of lens proteins 161
 - MG-H1 formation 195–196
 - β_2 -microglobulin amorphous
 - aggregates 74, 75
 - molecular chaperones 71–73
 - motor neuron disease (MND) 27, 110–111
 - multi-isotope imaging mass spectroscopy–electron microscopy (MIMs-EM) 53
 - multiple autoimmune syndrome (MAS) 169
 - multiple reaction monitoring (MRM) 146
 - multiple sclerosis (MS) 27, 53, 109, 165–166, 168–169
 - muscle mass 6, 32
 - myasthenia gravis 166

myelin basic protein (MBP) 23, 25, 31, 43, 51–53, 109, 166, 168
myelin proteins 16, 109, 166

n

nanospray desorption electrospray ionization (nano DESI) 46, 53
negatively impacted proteins 175
neurological diseases, LLPs
 AD 27–28
 ALS 27
 MND 27
 multiple sclerosis 27
neuronal SOD1 111
NGR motif 113
non-enzymatic crosslinking 101, 102
nonself-antigens 25
nuclear transcription 26
nucleoporin 114

o

oocytes 14–15
optic nerve, MALDI-IMS 51–52
Orbitrap instruments 45–47, 141
organs 10–11
osteoarthritis, pathogenesis 112
osteoporosis 18
oxidation (lens protein) 71

p

pancreas 19, 20, 165
parallel reaction monitoring (PRM) 146
Parkinson's disease (PD) 16, 21, 53, 74, 75, 110, 196
pernicious anemia 166
phosphomimics 71
phosphorylation 69, 71, 78, 99, 130, 136–138, 146
polymorphism, in amyloid fibrils 74
polymyalgia rheumatica 168
polymyositis 168
posterior vitreous detachment (PWD) 13
post translation modifications (PTMs) 99, 106, 127
and aging 103–105

future studies 145–148
of human lens crystallins
 deamidation 69, 70
 oxidation 71
 phosphorylation 71
 racemisation 70–71
 truncation 71
identification
 deamidation site 139–142
 disulfide crosslinks 138–139
 isomerization site 142–143
 mass spectrometry 135
 racemization site 143, 145
 searches for known 136–137
 searches for unknown 137–138
 two-dimensional liquid chromatography/MS 136
in vitro studies 133–134
presbyopia 12, 30, 97
proinsulin 113
prolylcarboxypeptidase 176
protein aggregates 3, 30, 61, 71–77, 128, 130
protein crosslinking 101, 102
protein folding, molecular chaperones involved in 72
protein hydrolysis 131
protein isoaspartate methyl transferase (PIMT) 5, 16, 100–101, 162, 177, 179, 180, 183
protein lipidation 161
protein off-folding pathway 72, 73
protein on-folding pathway 72
proteins 11, 25, 32, 76, 97, 128, 130, 135, 136, 146, 148, 168, 176, 178
protein turnover and metabolic activity 180
proteoglycans 8, 112
proteolysis, protein insolubilization in animal lens 131
proteostasis 1, 6, 78, 175–176, 180, 183
psoriasis 167
PTMs *see* post translation modifications (PTMs)
pulmonary function 33

q

Q155X mutant of β B2-crystallin 69

r

racemization 30, 70, 100

insolubilization of crystallins 132–133

peptide standards 145

site identification 143–145

radical-directed dissociation 143, 180

retina

age-related changes 13–14

age-related deterioration of 108

AMD 14

glaucoma 14

IMS 52

pulse-chase experiments 52

structure 13

retinal detachment 13

retinal pigment epithelial (RPE)

cells 13–14

R120G mutant of α B-crystallin 69

rheumatoid arthritis (RA) 19, 167

s

sclera 108

scleroderma 167

Sclerosing cholangitis 166

secondary ion mass spectrometry

(SIMS) IMS 46

sensory tissues 21

SILAM approach 53

sinapinic acid (SA) 45

single molecule biophysics 115

Sjogren's syndrome 167

smell 21

solid state peptide synthesis (SSPS) 146

spontaneous isomerization of amino

acids 178

sporadic ALS (sALS) 110, 111

stable isotope labelling 7, 27, 46, 53,

129, 160

steric zippers 74

structural glycoproteins 8

D-succinimide 99

superficial digital flexor tendon (SDFT) 9

α -synuclein 74, 76, 110

α -synuclein amyloid fibril-forming

pathway 77

synthetic peptide standards 143, 145

systemic lupus erythematosus

(SLE) 111, 167

t

Tau protein 109–110

teeth 18

thiol compounds 163

time-of-flight (TOF) 45

tropoelastin 7, 8

truncation 12, 22, 48–51, 70, 71, 78,

102–103, 106, 111

type 1 diabetes 113, 165

type-II diabetes 74

u

unfolded protein 72, 74

v

valine 7, 69

vasculitis 166

vitamin C 190, 192

vitreous humor 108

properties of 12–13

retinal detachment 13

