

Contents

Preface xv

About the Editor xix

1	Introduction	1
	<i>Hiroyuki Fujiwara</i>	
1.1	Hybrid Perovskite Solar Cells	1
1.2	Unique Natures of Hybrid Perovskites	4
1.2.1	Notable Characteristics of Hybrid Perovskites	5
1.2.2	Fundamental Properties of MAPbI ₃	8
1.2.3	Why Hybrid Perovskite Solar Cells Show High Efficiency?	11
1.3	Advantages of Hybrid Perovskite Solar Cells	12
1.3.1	Band Gap Tunability	12
1.3.2	High V_{oc}	13
1.3.3	Low Temperature Coefficient	16
1.4	Challenges for Hybrid Perovskites	16
1.4.1	Requirement of Improved Stability	17
1.4.2	Large-Area Solar Cells	19
1.4.3	Toxicity of Pb and Sn Compounds	20
1.5	Overview of this Book	22
	Acknowledgment	23
	References	23
2	Overview of Hybrid Perovskite Solar Cells	29
	<i>Tsutomu Miyasaka and Ajay K. Jena</i>	
2.1	Introduction	29
2.2	Historical Backgrounds of Halide Perovskite Photovoltaics	32
2.3	Semiconductor Properties of Organo Lead Halide Perovskites	34
2.4	Working Principle of Perovskite Photovoltaics	37
2.5	Compositional Design of the Halide Perovskite Absorbers	40
2.6	Strategy for Stabilizing Perovskite Solar Cells	41
2.7	All Inorganic and Lead-Free Perovskites	48

- 2.8 Development of High-Efficiency Tandem Solar Cells 52
- 2.9 Conclusion and Perspectives 54
- References 55

Part I Characteristics of Hybrid Perovskites 65

3 Crystal Structures 67

Mitsutoshi Nishiwaki, Tatsuya Narikuri, and Hiroyuki Fujiwara

- 3.1 What Is Hybrid Perovskite? 67
- 3.2 Structures of Hybrid Perovskite Crystals 68
 - 3.2.1 Crystal Structure of MAPbI₃ 68
 - 3.2.2 Lattice Parameters of Hybrid Perovskites 71
 - 3.2.3 Secondary Phase Materials 75
- 3.3 Tolerance Factor 77
 - 3.3.1 Tolerance Factor of Hybrid Perovskites 79
 - 3.3.2 Tolerance Factor of Mixed-Cation Perovskites 82
- 3.4 Phase Change by Temperature 84
- 3.5 Refined Structures of Hybrid Perovskites 86
 - 3.5.1 Orientation of Center Cations 86
 - 3.5.2 Relaxation of Center Cations 88
- Acknowledgment 89
- References 89

4 Optical Properties 91

Hiroyuki Fujiwara, Yukinori Nishigaki, Akio Matsushita, and Taisuke Matsui

- 4.1 Introduction 91
- 4.2 Light Absorption in MAPbI₃ 93
 - 4.2.1 Visible/UV Region 96
 - 4.2.2 IR Region 98
 - 4.2.3 THz Region 99
- 4.3 Band Gap of Hybrid Perovskites 101
 - 4.3.1 Band Gap Analysis of MAPbI₃ 101
 - 4.3.2 Band Gap of Basic Perovskites 103
 - 4.3.3 Band Gap Variation in Perovskite Alloys 105
- 4.4 True Absorption Coefficient of MAPbI₃ 106
 - 4.4.1 Principles of Optical Measurements 107
 - 4.4.2 Interpretation of α Variation 108
- 4.5 Universal Rules for Hybrid Perovskite Optical Properties 111
 - 4.5.1 Variation with Center Cation 111
 - 4.5.2 Variation with Halide Anion 112
- 4.6 Subgap Absorption Characteristics 114
- 4.7 Temperature Effect on Absorption Properties 116
- 4.8 Excitonic Properties of Hybrid Perovskites 117
- References 119

5	Physical Properties Determined by Density Functional Theory 123
	<i>Hiroyuki Fujiwara, Mitsutoshi Nishiwaki, and Yukinori Nishigaki</i>
5.1	Introduction 123
5.2	What Is DFT? 124
5.2.1	Basic Principles 124
5.2.2	Assumptions and Limitations 126
5.3	Crystal Structures Determined by DFT 128
5.3.1	Hybrid Perovskite Structures 128
5.3.2	Organic-Center Cations 131
5.4	Band Structures 132
5.4.1	Band Structures of Hybrid Perovskites 132
5.4.2	Direct–Indirect Issue of Hybrid Perovskite 134
5.4.3	Density of States 139
5.4.4	Effective Mass 140
5.5	Band Gap 141
5.5.1	What Determines Band Gap? 142
5.5.2	Effect of Center Cation 143
5.5.3	Effect of Halide Anion 143
5.6	Defect Physics 144
	Acknowledgment 147
	References 147
6	Carrier Transport Properties 151
	<i>Hiroyuki Fujiwara and Yoshitsune Kato</i>
6.1	Introduction 151
6.2	Carrier Properties of Hybrid Perovskites 153
6.2.1	Self-Doping in Hybrid Perovskites 153
6.2.2	Effect of Carrier Concentration on Mobility 155
6.3	Carrier Mobility of MAPbI ₃ 155
6.3.1	Variation of Mobility with Characterization Method 156
6.3.2	Temperature Dependence 159
6.3.3	Effect of Effective Mass 160
6.3.4	What Determines Maximum Mobility of MAPbI ₃ ? 161
6.4	Diffusion Length 164
6.5	Carrier Transport in Various Hybrid Perovskites 166
	References 168
7	Ferroelectric Properties 173
	<i>Tobias Leonhard, Holger Röhm, Alexander D. Schulz, and Alexander Colsmann</i>
7.1	On the Importance of Ferroelectricity in Hybrid Perovskite Solar Cells 173
7.2	Ferroelectricity 174
7.2.1	Crystallographic Considerations 174

7.2.2	Ferroelectricity in Thin Films	178
7.2.3	Crystallography of MAPbI ₃ Thin Films	178
7.3	Probing Ferroelectricity on the Microscale	179
7.3.1	Atomic Force Microscopy	179
7.3.2	Piezoresponse Force Microscopy	180
7.3.3	Characterization of MAPbI ₃ Thin Films with sf-PFM	183
7.3.4	Correlative Domain Characterization	188
7.3.4.1	Transmission Electron Microscopy	188
7.3.4.2	X-ray Diffraction	189
7.3.4.3	Electron Backscatter Diffraction	189
7.3.4.4	Kelvin Probe Force Microscopy	191
7.3.5	Polarization Orientation	191
7.3.6	Ferroelastic Effects in MAPbI ₃ Thin Films	193
7.4	Ferroelectric Poling of MAPbI ₃	195
7.4.1	AC Poling of MAPbI ₃	196
7.4.2	Creeping Poling and Switching Events on the Microscopic Scale	197
7.4.3	Macroscopic Effects of Poling	200
7.5	Impact of Ferroelectricity on the Performance of Solar Cells	201
7.5.1	Pitfalls During Sample Measurements	201
7.5.2	Charge Carrier Dynamics in Solar Cells	203
	References	203

8 Photoluminescence Properties 207

Yasuhiro Yamada and Yoshihiko Kanemitsu

8.1	Introduction	207
8.2	Overview of Luminescent Properties	208
8.3	Room-Temperature PL Spectra of a Hybrid Perovskite Thin Film	209
8.4	Time-Resolved PL of a Hybrid Perovskite	213
8.5	PL Quantum Efficiency	218
8.6	Temperature-Dependent PL	220
8.7	Material and Device Characterization by PL Spectroscopy	222
8.7.1	Degradation and Healing of Hybrid Perovskites	222
8.7.2	Charge Transfer Mechanism in Perovskite Solar Cell	223
8.8	Conclusion	224
	Acknowledgment	225
	References	225

9 Role of Grain Boundaries 229

Jae Sung Yun

9.1	Introduction	229
9.2	Role of Grain Boundaries in Device Performance	230
9.2.1	Potential Barrier at GBs and Charge Transport	231
9.2.2	Engineering of GB Properties	234
9.3	Ion Migration Through Grain Boundaries	241
9.3.1	Enhanced Ion Transport at Grain Boundaries	241

9.3.2	Role of GBs for Ion Migration	244
9.4	Role of Grain Boundaries in Stability	246
9.4.1	MAPbI ₃ Hydrated Phase at GBs	247
9.4.2	Formation of Non-perovskite Phase at GBs of FAPbI ₃	248
	References	250
10	Roles of Center Cations	253
	<i>Biwas Subedi, Juan Zuo, Marie Solange Tumusange, Maxwell M. Junda, Kiran Ghimire, and Nikolas J. Podraza</i>	
10.1	Introduction	253
10.2	Cubic Perovskite Phase Tolerance Factor	256
10.3	Thin Film Stability	258
10.4	Optoelectronic Property Variations	263
10.5	Solar Cell Performance	268
	References	271
	Part II Hybrid Perovskite Solar Cells	275
11	Operational Principles of Hybrid Perovskite Solar Cells	277
	<i>Hiroyuki Fujiwara, Yoshitsune Kato, Yuji Kadoya, Yukinori Nishigaki, Tomoya Kobayashi, Akio Matsushita, and Taisuke Matsui</i>	
11.1	Introduction	277
11.2	Operation of Hybrid Perovskite Solar Cells	278
11.2.1	Operational Principle and Basic Structures	278
11.2.2	Band Alignment	281
11.3	Band Diagram of Hybrid Perovskite Solar Cells	283
11.3.1	Device Simulation	283
11.3.2	Experimental Observation	285
11.4	Refined Analyses of Hybrid Perovskite Solar Cells	287
11.4.1	Carrier Generation and Loss	287
11.4.2	Power Loss Mechanism	291
11.4.3	e-ARC Software	295
11.5	What Determines V_{oc} ?	295
11.5.1	Effect of Interface	297
11.5.2	Effect of Passivation	300
11.5.3	Effect of Grain Boundary	303
	References	305
12	Efficiency Limits of Single and Tandem Solar Cells	309
	<i>Hiroyuki Fujiwara, Yoshitsune Kato, Masayuki Kozawa, Akira Terakawa, and Taisuke Matsui</i>	
12.1	Introduction	309
12.2	What Is the SQ Limit?	310
12.2.1	Physical Model	311

12.2.2	Blackbody Radiation	313
12.2.3	SQ Limit	315
12.3	Maximum Efficiencies of Perovskite Single Cells	319
12.3.1	Concept of Thin-Film Limit	319
12.3.2	EQE Calculation Method	321
12.3.3	Maximum Efficiencies of Single Solar Cells	323
12.3.4	Performance-Limiting Factors of Hybrid Perovskite Devices	325
12.4	Maximum Efficiency of Tandem Cells	327
12.4.1	Optical Model and Assumptions	328
12.4.2	Calculation of Tandem-Cell EQE Spectra	329
12.4.3	Maximum Efficiencies of Tandem Devices	331
12.4.4	Realistic Maximum Efficiency of Tandem Cell	334
12.5	Free Software for Efficiency Limit Calculation	335
	References	336
13	Multi-cation Hybrid Perovskite Solar Cells	339
	<i>Jacob N. Vagott and Juan-Pablo Correa-Baena</i>	
13.1	Introduction	339
13.2	Types of A-Site Multi-cation Hybrid Perovskite Solar Cells	341
13.2.1	Pb-Based Multi-cation Hybrid Perovskite Solar Cells	341
13.2.2	Sn-Based Multi-cation Hybrid Perovskite Solar Cells	344
13.3	Cation Selection in Mixed-Cation Hybrid Perovskite Solar Cells	345
13.3.1	Organic A-Cations	345
13.3.2	Inorganic A-Cations	347
13.4	Fabrication of Mixed-Cation Hybrid Perovskite Solar Cells	349
13.4.1	Traditional Fabrication Approach	349
13.4.2	Emerging Fabrication Technologies	350
13.5	Charge Transport Materials	353
13.6	Surface Passivation	357
13.7	Mixed B-Cation Hybrid Organic–Inorganic Perovskite Solar Cells	361
13.8	Basic Characterization of Mixed-Cation Hybrid Perovskite Solar Cells	362
	References	365
14	Tin Halide Perovskite Solar Cells	373
	<i>Gaurav Kapil and Shuzi Hayase</i>	
14.1	Introduction	373
14.1.1	Device Structure and Operating Principle	374
14.1.2	Crystal Structure	375
14.2	Tin Perovskite Solar Cells	376
14.2.1	Intrinsic Properties	377
14.2.2	Carrier Lifetime and Diffusion Length	378
14.3	The Status of Sn Perovskite Solar Cells	379
14.3.1	Different Type of Sn Perovskite Solar Cells	380
14.3.1.1	CsSnI ₃	380

14.3.1.2	MASnI ₃	383
14.3.1.3	FASnI ₃	384
14.3.1.4	FA _x MA _{1-x} SnI ₃	385
14.3.1.5	2D/3D FASnI ₃	387
14.3.1.6	Sn–Ge mixed PSCs	387
14.3.2	Strategies to Improve the Efficiency	389
14.3.2.1	Film Fabrication Methods	389
14.3.2.2	Use of Reducing Agents	389
14.3.2.3	Doping Effect of Large Organic Cations	390
14.3.2.4	Device Engineering and Lattice Relaxation	391
14.4	Sn–Pb Perovskite Solar Cells	393
14.4.1	Anomalous Bandgap of SnPb (The Bowing Effect)	396
14.4.2	Physical Properties	398
14.4.2.1	Intrinsic Carrier Concentration	398
14.4.2.2	Carrier Lifetime and Diffusion Length	399
14.5	The Status of Sn–Pb Perovskite Solar Cells	399
14.5.1	Different Types of Sn–Pb Perovskite Solar Cells	401
14.5.1.1	First Kind of Sn–Pb PSC absorber: MASn _x Pb _{1-x} I ₃	401
14.5.1.2	Multi Cation Sn–Pb Perovskites: (FA, MA, Cs) (Sn, Pb) (I, Br, Cl) ₃	401
14.5.2	Strategies to Improve the Efficiency	403
14.5.2.1	Use of Additives	403
14.5.2.2	Device Engineering	404
14.6	Conclusion and Outlook	406
	References	406
15	Stability of Hybrid Perovskite Solar Cells	411
	<i>Seigo Ito</i>	
15.1	Introduction: Trigger of the Degradation	411
15.2	Crystal Quality for Stable Perovskite Solar Cells	413
15.3	Water-Stable and MA-Free Perovskites	415
15.4	Defects and Grain-Surface Ion Migration, and Passivation (Including 2-D Crystal)	417
15.5	Degradation at Interface with Metal Oxides	420
15.6	Porous Carbon Electrode to Be Very Stable Multiporous-Layered-Electrode Perovskite Solar Cells (MPLE-PSC)	420
15.7	Damp Heat Tests	421
15.8	Conclusion	422
	References	425
16	Hysteresis in <i>J–V</i> Characteristics	429
	<i>Wolfgang Tress</i>	
16.1	Introduction and Definitions: What Do We Mean by Hysteresis?	429
16.2	The <i>JV</i> Curve of a Solar Cell: What Does It Tell?	431
16.3	Characteristics of Hysteresis: What Does It Depend on?	437

16.4	Mechanistic and Microscopic Origin of Hysteresis: What Changes Slowly? 442
16.5	Issues with Hysteresis: How to Tune/Avoid/Suppress? 453
16.6	Conclusion and Open Questions 453
	References 454
17	Perovskite-Based Tandem Solar Cells 463
	<i>Klaus Jäger and Steve Albrecht</i>
17.1	Introduction 463
17.2	Architectures of Tandem Solar Cells 465
17.2.1	Monolithic Two-Terminal Solar Cells 466
17.2.2	Four-Terminal Tandem Solar Cells 467
17.2.3	Other Concepts 468
17.2.4	Bifacial Solar Cells 469
17.3	Efficiency Limits of Multi-Junction Solar Cells 469
17.3.1	Efficiency Limit for Four-Terminal Tandem Solar Cells 470
17.3.2	Efficiency Limit for Two-Terminal Tandem Solar Cells 472
17.3.3	Efficiency Limit for Cells with More Junctions 474
17.4	Perovskites as Tandem Solar Cell Materials 474
17.5	Experimental Results on Perovskite-Based Tandem Solar Cells 477
17.5.1	Perovskite/Silicon Tandem Solar Cells 482
17.5.2	Perovskite-Chalcogenide Tandem Solar Cells 489
17.6	Energy Yield Calculations 493
17.6.1	Illumination Model 494
17.6.2	Optical Model 494
17.6.3	Electrical Model 496
17.6.4	Temperature Model 498
17.6.5	Energy Yield Calculation 498
17.7	Conclusions and Outlook 499
	Acknowledgments 500
	References 500
18	All Perovskite Tandem Solar Cells 509
	<i>Zhaoning Song and Yanfa Yan</i>
18.1	Introduction 509
18.2	Working Principles of Tandem Solar Cells 511
18.2.1	Why to Use Tandem Solar Cells 511
18.2.2	Tandem Device Architectures 513
18.2.3	PCE of Tandem Solar Cells 514
18.3	Wide-Bandgap Perovskite Solar Cells 516
18.3.1	Wide-Bandgap Mixed I-Br Perovskites 516
18.3.2	Current State of Wide-Bandgap Perovskite Solar Cells 518
18.3.3	Critical Issues of Wide-Bandgap Perovskite Cells 519
18.4	Low-Bandgap Perovskite Solar Cells 520
18.4.1	Low-Bandgap Mixed Sn-Pb Perovskites 520

18.4.2	Current State of Low-Bandgap Perovskite Solar Cells	524
18.4.3	Critical Issues of Low-Bandgap Perovskite Cells	525
18.5	All-Perovskite Tandem Solar Cells	527
18.5.1	4-T All-Perovskite Tandem Solar Cells	527
18.5.2	2-T All-Perovskite Tandem Solar Cells	528
18.5.3	Limitations and Challenges of All-Perovskite Tandem Solar Cells	533
18.6	Conclusion and Outlooks	534
	Acknowledgments	535
	References	535
A	Optical Constants of Hybrid Perovskite Materials	541
	<i>Yukinori Nishigaki, Akio Matsushita, Alvaro Tejada, Taisuke Matsui, and Hiroyuki Fujiwara</i>	
	References	562
B	Numerical Values of Shockley–Queisser Limit	563
	<i>Yoshitsune Kato and Hiroyuki Fujiwara</i>	
	Index	567

