

Index

a

- acceptorless dehydrogenative coupling (ADC) 68
- aldimines 69–73
- amides 69–73
- cyclic imides 69–73
- deprotonated pincer ligand 69–73
- esters 73–76
- general reaction sequence 68
- heterocycles 76–79
- acetic acid 108, 129, 140, 186
- acetonitrile complex $\text{Cp}(\text{CO})_2\text{Mn}(\text{NCMe})$ 6
- acetophenones 53, 58, 60, 104, 112, 115
- α -acetoxy iodide 148
- (–)-acetoxy-*p*-menthane 187
- acetylacetates 154
- acetylacetone 154
- 2-acetylanisole 113
- 2-acetylfuran 113
- acrylamide 149
- activated aryl halide substrates, in MnCl_2 -catalyzed cross-coupling reactions 260
- σ -acyl intermediates 15
- air-stable manganese catalyst 105
- air-stable PNP Mn(I) pincer complexes 43
- aldimines 69–73
- aliphatic amides 89, 116
- aliphatic ketones 43, 52, 56, 62, 109, 116
- aliphatic PNP 73, 82, 89, 90
- alkene epoxidation 138
- alkene-phospha Cp ligands 9
- alkenes 129–130
- alkenyl and alkyl carboxylic acids 147
- alkenylcarbenes 19
- alkenyl-substituted cyclopentadienes 16
- alkoxycarbene 20
- alkylation
- of alcohols and ketones 85–89
 - of amides and esters 89–90
 - of amines 82–85
 - of hydrazine 94
 - of nitriles and sulfonamide 90–93
- alkyl-substituted N-heteroarenes 74
- alkynes 130–131
- chlorotrifluoromethylation 154
 - hydrosilylation 122–124
- alkynyl ketones, oxidative cyclizations 315–316
- alkynyllithium derivatives 20
- η^2 -allene complexes 25
- allenylcarbaldehyde complexes 17
- (–)-ambroxide 188
- amides 69–73, 115
- aminal precursor 331, 332
- aminocarbene complexes 23
- 2-(aminomethyl) pyridine ligands 54
- β -amino phosphine ligands 58
- β -aminophosphine-supported Mn(I) catalysts 58
- amino pyridine ligands 338
- aminoquinoline Mn complex $[\text{Mn}^{\text{II}}(\text{BQCN})(\text{OTf})_2]$ 138
- anhydrous $\text{Mn}(\text{OAc})_3$ 294
- aniline-based π -ligands 11
- anionic imidazol-2,4-diylidene manganese complexes 30
- anodically coupled electrolysis (ACE) 153
- anti-knock gasoline additives 2
- anti-Markovnikov product 121
- antipodal (*R*)-MoI catalyst 9

aromatic compounds 197
 aromatic nitrogen nucleophiles 283
 aromatic rings, cyclizations 304–305
 1-arylalkanols 196
 aryl alkynes 148
 1-arylethanols 197
 2-arylethanols 74, 87
 aryl Grignard reagents 259, 267, 279
 alkenyl tellurides, cross-coupling of
 269
 non-activated alkenyl halides,
 cross-coupling of 268
 aryl iodides, Mn-catalyzed S-arylation of
 288
 aryl sulfides 287
 asymmetric autoamplification 196
 asymmetric Mn(I) complexes 49
 atom transfer radical addition (ATRA)
 mechanism 148
 aza-allene dppm scaffold 27

b

bee pheromone 17
 benzaldehydes 115
 benzimidazoles 54, 76, 79
 benzofused cyclic- and diaryl ketones 51
 benzothiazoles 76
 benzylamides 116
 benzylamine hydrochloride 56
 1-benzyl-1,4-dihydronicotinamide
 (BNAH) 171
 bicyclic vinylcyclopropanes 20
 binuclear alkynylcarbenes 21
 binuclear ene-diyne products 21
 binuclear manganese(IV) complex 186
 binuclear *meso*- and racemic phosphine
 complexes 28
 biologically inspired chiral
 manganese-based catalysts 338
 2,2'-bipyridine 154
 bipyridine-based PNN 84
 bis(2-((2*R*,5*R*)-2,5-dimethyl-
 phospholanoethyl)amine 43
 bis(heptamethylcyclotetrasiloxane) 147
 bis(phosphine) amine pincer ligand 40
 bis(diphenylphosphino)methane (dppm)
 27
 2,6-bis(*N*-heterocyclic carbene)pyridine
 ligand framework 169
 2,5-bis(2-oxazolinyldimethylmethyl)-
 pyrrole pincer ligands (PdmBOX)
 112

bis(imidazolium) salts 30
 (bis-NHC^{Me})Mn(CO)₃Br 109
 boronates 148
 (β-silyl)alkenyl complex 123
 1,4-butanediol 70
 2-butanol 56
 (*S*)-1,2,4-butanetriol 7
 butenolide 25
 γ-butyrolactone 188

c

carbene enolate 19
 carbon-based conducting substrates
 174
 carbon dioxide 117–118
 carbon-heteroatom bond formation,
 Mn-catalyzed 282
 C-B bond formation 288–289
 C-N bond formation 282–285
 C-O bond formation 285–286
 C-S bond formation 286–288
 carbonyl-containing manganese
 σ-complexes in organic synthesis
 23–25
 carbonyl-free half-sandwich Mn(I)
 complexes 6
 carbonyl ligand substitution 3
 carbonyls 102
 carboxylates 102
 carboxylic acid mediated mechanism,
 Mn^V-oxo 340
 carboxylic additives, in N4 ligated
 manganese catalyzed reaction
 327
 carbyne precursors 20
 catalysts heterogenization 174
 catalytically active Mn(II) alkoxide 126
 catalytically inactive double-protonated
 Mn^{III} corrolazine complex 145
 catecholborane 101, 102
 cationic half-sandwich Mn(I) complexes
 28
 cationic manganese tricarbonyl complex
 76
 cationic mechanism 324
 cationic octahedral bis(PN) Mn(CO)₂
 complex 57
 cationic π-allyl intermediates 19
 cationic π-arene complexes 4
 cationic pyridine based PNN-ligand 91
 cationic tricarbonyl [Mn(CO)₃(L₃)]Br 4
 C-B bond formation 288–289

- C–C bond formation 206–222
 Mn-catalyzed Kumada cross-coupling reactions 258–269
 Mn-catalyzed Stille coupling 270–273
 cerium(IV) ammonium nitrate 138
 chalcone derivatives 58
 Chalk–Harrod mechanism 121, 147
 chemo- and regio-selective olefin hydrosilylation 121
 C–H hydroxylation 138
 chiral aminopyridine ligands 339
 chiral *bis*-amine-*bis*-pyridine manganese complexes 196
 chiral bis(oxazolanyl-methylidene)-isoindoline pincer ligand 125
 chiral manganese aminopyridine complexes 194
 chiral (salen)manganese based catalysts 196
 chiral manganese porphyrins 191
 chiral molybdenum alkylidene complex (*R*)-Mo2 9
 chiral phosphine-alkene ligands 7
 chiral porphyrin 193
 β and γ -chlorinated ketones 156
 chloroacetophenones 156
 chlorobenzonitriles, cross-coupling reaction of 261
 chlorotrifluoromethylated pyrrolidines 154
 chromium Fischer carbenes 19
 cinchonidinium scaffold 17
cis- and *trans*-dihydride isomers 50
cis- and *trans*-4,5-disubstituted cyclohexenones 20
cis-decalin oxidation 186
cis-dihydroxylation mode 337
cis-[(dmpe)₂MnH(Et₂Si=CHMe)] mediated ethylene hydrosilylation 120
cis-4-methylcyclohexyl-1-pivalate 187
cis-Mn(CO)₄(L)Br 3
cis-4-octene 130
cis-stilbene, epoxidation of 329
 citronellal 41
 C–N bond formation, Mn-catalyzed 282
 C–N ligand 60–61
 C–O bond formation, Mn-catalyzed 285–286
 C=O bonds 125
 (CO)₅MnR 102
 (CO)₅MnSiPh₃ 118
 concerted bis-metalation deprotonation (CBMD) 205, 231
 concerted mechanism 324
 controlled potential electrolysis (CPE) 143, 160
 κ^1 -coordinated bridge-substituted diphosphinomethane ligands 26
 copper triflate 296
 corrole derivatives 138
 covalent organic frameworks 174
 C–P ligands 59–60
 Cp(CO)₂Mn(IMes) 108
 CpMn(CO)₂(^{Me}sNHC) 147
 CpMn(CO)₃ 1, 2, 147
 CpMn(CO)(P–P) bearing chelating diphosphine ligands 5
 Cp₂Ti(Cl)O carbene substituent 20
 C–S bond formation, Mn-catalyzed 286–288
 C_s-symmetric phosphacyclopentadienyl manganese complexes 9
 C₁-symmetric complex 189
 Cu-catalyzed arylation, of pyrazole 283
 4-cyanobenzamide 116
 cyclic ene-diyne 21
 cyclic ketones 52
 cycloalkanes 186
 7,11-cyclobotryococca-5,12,26-triene 299
 cyclobutanols 156
 cyclic imides 69–73
 β -cyclodextrin rings 185
 cyclodextrins 186
 1,4-cyclohexadiene, radical trapping with 262
 1,3-cyclohexadienes 14
 η^5 -cyclohexadienyl complexes 12, 14, 15
 η^5 -cyclohexadienyl ligand functionalization 13
 η^5 -cyclohexadienyl products 11, 14
 cyclohexanol 142
 cyclohexanone 52
 cyclomanganation process 204
 cyclopenta/*b*/naphthalene ring system 307
 η^4 -cyclopentadiene ligand 103
 cyclopropanols 156
 cymantrene 2, 4
 cymantrene-based chiral ligands 9
 cymantrene-derived diphenylphosphine complex 29

cymantrene-derived σ -acyl complexes
25

cymantrenyl ketones 16

CymCHO 7

CymCOCl 7

d

deoxyristomycinic acid derivative 11

deprotonated pincer ligand 69–73

deuterated Hantzsch ester 149

deuterium-labeling 90

deuterium-labelled alcohol 126

1,2-diaminobenzene 76

diarylmanganese complex 279

1,3-dicarbonyl compounds 293, 294

β -dicarbonyl compounds 298, 315, 317

2,3-dichloro-5,6-dicyanobenzoquinone
(DDQ) 11

diethylformamide (DEF) 147

2,2-difluoroethanol 193

2,5-diformylfuran (DFF) 106

1,2-difunctionalised compounds 323

6,6'-dihydroxy-2,2'-bipyridyl-based Mn
catalysts 53

diimine-based complexes 167

β -diketiminato ligands 120

dilauroyl peroxide (LPO) 122

4,4'-dimethyl-2,2'-bipyridine (dmbpy)
160

2,3-dimethylbutane-2,3-diazide 151

dimethylformamide (DMF) 147

3,4-dimethyltetrahydrofuran 194

1,2-diols 76, 323

diorganomagnesium complexes,

Mn-catalyzed tandem

cross-coupling of 259

diphenylphosphine oxide 154

1,3-diphenylpropan-1-one 106

direct alkene hydroboration 101

direct C–H bond functionalization 203

1,1-disubstituted alkenes 57

1,2-disubstituted benzimidazoles 54

3,3-disubstituted 3,4-dihydroquinolones
193

1,2-disubstituted π -arene complex 13

(dmpe)₂MnH(C₂H₄) 120

e

electrocatalytic reduction of CO₂ 158

electron transfer (ET) processes 137

enantiomerically enriched alcohols 195

enantiomerically pure manganese π -arene
complexes 12

enantiomerically pure [Mn^{II}(R,R-BQCN)
(OTf)₂] complex 140

enantiopure alkene-bromide derivatives
9

enantioselective C–H oxidations 193

enantioselective ketone hydroboration
125

enantioselective manganese based
oxidation catalysts 338

ene-yne 154

18-e NHC-phosphinomethanide complex
59

1,3-enynes 148

epimeric P-chirogenic phosphines 7

epoxidation

mode of 337

of olefins 337

of radical clock trans-1-phenyl-1(2-
phenylcyclopropyl)-ethylene 330

epoxides 323

esters 73–76

ethylbenzene 186

2-ethylhexanoic acid (EHA) 328

1-ethyl-4-piperidone 52

ethynylestradiol-substituted
cyclopentadiene 16

Et₂O/MeOH mixture 15

Evans's enolate 11

6-*exo* cyclization 302

exo- η^5 -cyclohexadienyl products 11

f

fac-[(α -diimine)Mn(DAB)(CO)₃Br] 167

fac-[(CO)₃Mn(*i*Pr₂P(CH₂)₂PiPr₂)(OTf)]
56

fac-[(CO)₃Mn(*i*Pr₂P(CH₂)₂PiPr₂)(Br)]
complex 56

fac-[(CO)₃Mn(*i*Pr₂P(CH₂)₂PiPr₂)
(CH₂CH₂CH₃)] complex 57

fac-[Mn(ppy)(CO)₃(S)] 149

fac-[Mn(bpy)(CO)₃Br] 160, 171

fac-[Mn(dhbpy)(CO)₃Br] 164

fac-[Mn(phen)(CO)₃Br] 171

fac-[Mn(N[^]C)(CO)₃Br] catalysts 167

fac-[MnBr(NC)(CO)₃]-type catalysts 167

fac-[Mn(bqn)(CO)₃(CH₃CN)]⁺ (bqn = 2,
2'-biquinoline) complexes 166

fac-[Mn-(xantphos)(CO)₃Br] 110

- fac*-[Mn(phen-dione)(CO)₃X]ⁿ 165
fac-[Mn(L)(CO)₃X]ⁿ complexes 160
 Faradaic Efficiency (FE) 160
 Fe(CO)₃ 103
 ferrocene, manganocene Cp₂Mn 2
 Fischer carbenes 6
 Fischer-type phosphinocarbenes 28
 five-membered cyclic aminocarbenes 22
 β-fluorinated alcohols 193
 fluorinated porphyrin 186
 4-fluoroacetophenone 126
 four-membered cyclic aminocarbenes 22
 FpC(O)CH₃ 102
 FpCH(Ph)OSiHPh₂ 103
 FpC(O)OCH₃ 103
 Fp(α-siloxyalkyl) complexes 102
 FpC(O)R compounds 102
 free amino *p*-phenyl substituted esters 49
 Friedel-Crafts electrophilic substitution processes 5
- g**
- gem*-diol dehydration mechanism 196
gem-hydroxy-hydroperoxy species 333
 α-glucopyranosyl bromide 24
 greenhouse gas 117
 Grignard reagents
 arylhalides with 258–263
 heteroarylhalides with 263–266
 vinyl(pseudo)halides with 266–269
 gymnomitral 315
- h**
- Hagen's gland lactone 18
 half-sandwich Mn(I) complexes 2, 4
 half-sandwich Mn^I N-heterocyclic carbene complexes 147
 α-halogenated esters 1
 Hammett plot analysis 339
 Hantzsch ester (HE) 149
 heptamethylcyclotetrasiloxane (HMCTS-H) 119, 146
 4-heptanone 116
 (hetero)aromatic amines 82
 heterocoupling reactions 276, 278, 279, 281
 hexahydro-1H-cyclopenta[c]furan 194
 hexamethylbenzene (HMB) 144
 1,6-hexanedial 106
 5-hexene-2-one 102
 high-valent heme and non-heme Mn-oxo complexes 145
 H₂O₂ activation 334
 Hofmann selective elimination 311
 homocoupling reactions
 of dichloroethane oxidizing reagent 275
 of Grignard reagents 275
 of organostannanes 274–275
 of *in situ* generated diarylmanganese complexes 276–277
 of *in situ* generated Grignard reagents 275–276
 of *in situ* generated lithium reagents 276–278
 of *in situ* generated organomanganese halides 276
 of *in situ* generated vinylolithium reagents 274
 homogeneous [Mn(TPyP)]⁺ ions 119
 homoleptic R₂Mn 2
 HSi(OEt)₃ 120
 HSiMe(OEt)₂ 120
 huperzine A 316
 hydrazine-based catalyst 128
 hydroboration 101
 alkenes 129–130
 alkynes 130–131
 C=O bonds 125–129
 nitriles 131–132
 hydrofunctionalization 101
 hydrogen atom transfer (HAT) 140
 hydrogen-borrowing (HB) reactions
 acceptorless dehydrogenative coupling 94–95
 alkylation of alcohols and ketones 85–89
 alkylation of amides and esters 89–90
 alkylation of aromatic amines 82–85
 alkylation of hydrazine 94
 alkylation of nitriles and sulfonamide 90–93
 upgrading reaction of ethanol into 1-butanol 93–94
 hydrogen peroxide 187–190
 hydrosilylation 101
 amides 115–117
 carbon dioxide 117–118
 carbonyls and carboxylates 102–115
 olefin hydrosilylation 118–122

- 5-(hydroxymethyl)furfural (HMF) 41, 106
 2-hydroxy-1-naphthoic esters 305
 4-hydroxyphenylacetic acid 108

i

- imidazole additives 186
 imidazole-based chiral PN-sp²N tridentate ligands 51
 imidazolylaminophosphine precursor 48
 imidazol-2-ylidene moieties 30
 imine-directed manganese-catalyzed C–H activation reactions 208
 4-imino- and 3-imino-2-azetidiones 22
 iminopyridine oxazoline (IPO) 112
 indoline malonates 304
 CpMn(CO)₃ complex 149
 in situ generated catalysts 330
 iodobenzene diacetate 196
 iodosylarenes 183
 iodosylbenzene 185, 328

j

- Jacobsen's catalyst 194
 Janus-type bis(carbene) ligands 30
 Jones reagent 11
 (+)-Juvabione 15

k

- η^2 -keteneimine products 22
 γ -ketoester 25
 ketones, oxidation of 315
 ketyl radical reactivity 148

l

- β -lactams 23
 lactams, formation 302–304
 lactones formation 301–302
 lapidilectine B 305
 Lewis acids 328, 330
 L(CO)₄MnC(O)R 102
 lutidine- 2,6-diaminopyridine- and triazine-derived PNP pincers, 68

m

- maleimide 149
 malononitrile 154
 manganacycles 204, 205
 allene insertion 231–236
 C=C bond insertion 222–231

- C \equiv C bond insertion into 206–222
 C=X (X = O, N) bond insertion 236–244
 manganate [R₃Mn][–]/[R₄Mn]^{2–} species 2
 manganese alkynylcarbene complex 25
 manganese/base co-catalyzed C–H alkenylation of indoles 212
 manganese carbonyl Mn₂(CO)₁₀ 2
 manganese-catalyzed annulation of methylenecyclopropanes 223, 224
 manganese-catalyzed [4+2] annulations plausible catalytic cycle of 211
 manganese-catalyzed aromatic C–H addition of ketones 241
 manganese-catalyzed aromatic C–H allylation of ketones 228, 229
 manganese-catalyzed cascade reactions 220
 manganese-catalyzed C–H activation of aromatic esters with oxiranes 239
 Diels-Alder/retro-Diels-Alder domino annulation sequence 216, 217
 manganese-catalyzed C–H addition of indoles/pyrroles to imine 243 to isocyanates 243
 manganese-catalyzed C–H alkylation with activated olefins 222 of arenes with ethyl diazoacetate 250 of indoles with maleimides 222–223
 manganese(II)-catalyzed C–H alkylation with alkylbromides 244, 246 of azines with alkyl halides 249
 manganese-catalyzed C–H alkylation of indoles with diazoesters 251
 manganese-catalyzed C–H alkynylation 213
 manganese-catalyzed C–H allenylation 215
 manganese-catalyzed C–H allylations with activated vinylcyclopropanes 229–231 of arenes 228 of arenes with dioxolanones 224–226 with 3-bromo-3,3-difluoropropene 227 with 1,1-disubstituted allenes 232 of imines with allyl carbonates 224–225

- of indoles with 2-(bromomethyl) acrylates 227–229
- with perfluoroalkyl alkenes 225–227
- with tri- and tetra-substituted allenes 232–233
- manganese-catalyzed C–H annulations 215, 222, 223
- manganese(II)-catalyzed C–H arylation of azines 248
- manganese-catalyzed C–H cyanation
 - of 2-arylpyridines 246
 - of indole derivatives 245
- manganese-catalyzed C–H enaminylation
 - of indoles with ketenimines 244
- manganese-catalyzed C–H fluoroalkenylation 225, 228
- manganese-catalyzed C–H functionalization 214
 - with diazabicycles 225–226
 - of indoles with allenes 234–235
 - with paraformaldehydes 240
- manganese-catalyzed C–H methylation 248
- manganese-catalyzed C–H (2-indolyl)methylation, of heteroarenes 216
- manganese(II)-catalyzed C–H methylation with MeMgBr 247
- manganese-catalyzed C–H oxygenation reactions
 - aromatic compounds 197
 - early studies 184–187
 - enantioselective C–H oxidations 191–193
 - hydrogen peroxide 187–190
 - oxidative desymmetrization 194–195
 - oxidative kinetic resolution of *sec*-alcohols 195–197
- manganese-catalyzed C–H propargylation
 - with bromoallenes 235
 - of heterocycles 234
- manganese-catalyzed C–H transformations 242
- manganese-catalyzed C_{sp²}-H alkenylation
 - with terminal alkynes 207, 209
- manganese-catalyzed cyclopropanation of indoles with diazoesters 251
- manganese-catalyzed dehydrogenative [4+2] annulation 210
- manganese-catalyzed divergent annulations of indoles 219
- manganese-catalyzed insertion
 - of aldehyde/nitriles into C_{sp²}-H bonds 238
 - of aldehydes aromatic C–H bonds 237
 - of electron-deficient aldehydes, ketones, imines into C–H bonds 239
- manganese-catalyzed *ortho*-C–H alkenylation of *N*-H imidates 212
- manganese-catalyzed redox-neutral C–H olefination of ketones 230, 232
- manganese-catalyzed sequential annulation reaction
 - indoles and 1,6-diynes 221
 - oxidative dehydrogenation 221
- manganese-catalyzed tandem process
 - of arenes and 1,6-enynes 220
 - of 2-arylpyridines and 1,6-enynes 220
- manganese(V) oxo species, formation of 323, 324
- manganese-porphyrin 198
 - based selective aromatic C–H oxidation catalysts 197
 - based selective oxidation catalysts 185
 - catalyst 186
- manganese(III) porphyrin catalysts 186
- manganese porphyrin complexes 185, 198
- manganese-porphyrin mediated C–H oxidations 186
- manganese precursors 1
- manganese-promoted C–H bond cleavage 205
- manganese salen/porphyrin complexes 326
- manganese vinylidene complexes 6
- Meldrum's acids 295
- mersicarpine 305
- mesoporous TiO₂ 174
- Mes-2,4,6-trimethylphenyl 2
- metallated tetracarbonyl complex 149
- metal-ligand bifunctionality 68
- metal-ligand cooperation 68
- metal-organic conjugated microporous polymers 174
- metal-organic frameworks 174
- 4-methoxyacetophenone 104
- methoxyphenylsilane 118
- methyl benzoates 116
- α-methylbenzyl alcohol 142
- methyl 2-benzylcyanoacetate 154

- 10-methyl-9,10-dihydroacridine (AcrH₂) 144
- η^2 -methylenephosphonium ligands 28
- methyl heptanoate 116
- 2-(methylthio)ethanol (sulfoxidation) 138
- Micro-Clay 119
- Milstein's achiral motif PNN 50
- Milstein type-Mn PNP catalysts 45
- manganese-catalyzed synthesis of
- 1-aminoindanes 236
- m*-methoxyacetophenone 112
- Mn₂(CO)₁₀ 1, 102, 148
- Mn₃(Mes)₆ 2
- Mn(OTf)₂ 153, 154
- Mn(ppy)(CO)₄ 149
- Mn(I) alkynylcarbene complexes 20
- Mn(II) amidinate complexes 2
- Mn(OAc)₃-based oxidative free radical cyclizations 293
- to aromatic rings 304–305
 - asymmetric induction 313–314
 - ketones, oxidation of 315–316
 - mechanistic considerations 293–296
 - monocyclizations 296–305
 - oxidation of secondary radicals, by cupric salts 295
 - oxidation rate-determining step
 - α -substituted β -keto esters 294
 - α -unsubstituted β -keto esters 294–295
 - tandem cyclizations 306
 - double bond and aromatic ring addition 306–307
 - two double bonds addition 307–310
 - tetracyclizations 311–313
 - triple cyclizations 311
- [Mn(bpy *t*Bu)(CO)₃Br] 160
- Mn(CO)₅Br 3, 48, 121
- Mn(HOPh-bpy)(CO)₃Br 164
- Mn(CO)₅ Br-catalyzed alkene hydrosilylation 121
- MnBr₂/TMEDA as catalyst system 288
- Mn-catalyzed C–C bond formation, C–H activation pathways 206
- allene insertion 231–236
 - C=C bond insertion 222–231
 - C–C bond insertion 206–222
 - C=X (X = O, N) bond insertion 236–244
 - miscellaneous reactions 244–251
- Mn-catalyzed CO₂ reduction 158
- Mn-catalyzed cross-coupling reactions
- of alkenyl tellurides 269
 - C–C bond formation 258–269
 - of chloroenynes or chlorodiene 267
 - of N-heterocyclic chlorides 265
 - of non-activated alkenyl halides 268
 - organometallic reagents under oxidative conditions 273–274
 - overview 290
 - of pyridine and pyrazine derivatives 265
 - of vinylhalides or triflates 266–269
- Mn-catalyzed ester hydrosilylation 110
- Mn-catalyzed Kumada cross-coupling reactions
- Grignard reagents
 - arylhalides with 258–263
 - heteroarylhalides with 263–266
 - vinyl(pseudo)halides with 266–269
- Mn-catalyzed organic oxidations 138
- Mn-catalyzed reductions and other organic transformations 145
- MnCl₂-catalyzed C–H methylation 247
- MnCl₂-catalyzed Kumada cross-coupling reactions 260, 261
- activated aryl halide substrates 260
 - 2-iodobenzofurane 263
 - non-activated aryl halides 261
 - trioorganomanganate-triggered radical processes 264
- Mn(I) complexes (CO)₅MnR 23
- Mn/Cu-catalyzed Stille coupling reactions 270–273
- Mn/Cu co-catalyzed N-arylation, of benzamides and sulfonamides 285
- Mn(I) Fischer carbene, synthetic applications of 18–23
- Mn^{III}(OTf)(TBP₈Cz(H)) 145
- Mn^{III} corrolazine complex Mn^{III}(TBP₈Cz) 143
- Mn^{IV}(TBP₈Cz)(O₂) 144
- Mn^{IV}(TBP₈Cz)(OOH) 144
- Mn-mediated N-arylation, of aliphatic amines 284
- Mn-mediated N-heteroarylation, of indoles and indazoles 284
- Mn-mediated synthesis of organophosphorous compounds 25

- Mn(I)-mediated transformations in organic synthesis
 allene preparation using 16–18
 carbonyl-containing manganese σ -complexes in organic synthesis 23–25
 Mn-mediated synthesis of organophosphorous compounds 25–30
 N-heterocyclic carbenes in Mn(I)
 coordination sphere 30
 ring-centered reactivity in half-sandwich Mn(I) π -complexes 11–16
 synthetic applications of Mn(I) Fischer carbenes 18–23
 [Mn(N-methyl-*N'*-2-pyridylimidazol-2-ylidene)(CO)₃Br] 167
 Mn(CO)_{5-n}(L)_nH 3
 Mn(V) oxo hydroxyl species 334
 Mn(I) pincer complexes 48
 Mn-porphyrin complex 185
 Mn-salen complexes 142
 Mn(II) σ -complexes 1
 Mn-triazacyclononane based catalyst system 186
 Mn^V nitrido complex 335
 Mn^V nitro complex with TBP₈Cz ligand 334
 Mn^V-oxo complex Mn^V(TBP₈Cz)(O) 143
 monodentate ligand 61
 monomeric diarylmanganese(IV) peroxo complex 279
 monosubstituted alkenes 57
- n**
N-acetylpiperidine 115
 Nafion[®] 175
 Nafion[®]/multi-walled carbon nanotubes (MWCNT) 174
 Nano-Clay 119
 naphthalene derived manganese complexes 104
 α -naphthol 197
 β -naphthol 197
 N-arylation products 282
 N-aryl-*N*-methyl- α -methylacetoacetamides 336
N-benzyl-*N,N',N'*-tris(2-pyridylmethyl)-1,2-diamino-ethane 142
N-benzylpiperidine functionalities 115
N-Boc protected chiral prolines 191
N-bromocuccinimide 196
N-bromosuccinimide (NBS) 11
N-(4-carbamoylphenyl)benzamide 116
 N4-complexes 327, 328
 N5-complexes 327, 328
N-ethylpiperidine 115
 neutral dicarbonyl Mn(CO)₂(L₃)Br 4
 neutral diene complexes 15
N-fluorobenzenesulfonimide (NFSI) 30
N-heterocyclic carbene (NHC)
 based complexes 167–170
 ligand 108
 in Mn(I) coordination sphere 30
 nitriles 131–132
 nitrogen-based *NNN* tridentate ligand 84
N-methylbenzamide 116
N-1-(3-methylbutyl) derivatives 189, 190
N,N'-coordinated 1,10-phenanthroline-5,6-dione (phen-dione) 165
N,N-diethylformamide 115
 (1*R*,2*R*)-*N,N'*-dimethyl-1,2-diphenylethane-1,2-diamine 53
N,N'-dimethyl-*N,N'*-bis(8-quinolyl)cyclohexanediamine 138
N,N-dimethylpropylene urea (DMPU) 267
 NN ligands 52–55
 N-sp²,N-sp² ligand 53–54
 N-sp³,N-sp³ ligand 52–53
NNN pincer ligand 51–52
 non-activated substrates 261
 non-nucleophilic B(C₆F₅)₄- anion 4
 non-pincer-type manganese complexes
 CN ligands 60–61
 CP ligands 59–60
 NN ligands 52–55
 NP ligands 57–59
 PP ligands 55–57
 non-redox active Lewis acids 328
 non-salen/porphyrin based catalytic systems 327
N-phosphinoamidinate ligand 130
 NP ligands
 N-sp²,P-sp³ ligand 58–59
 N-sp³,P-sp³ ligand 57–58
 N-sp²,N-sp² ligand 53–54
 N-sp³,N-sp³ ligand 52–53
 N-sp²,P-sp³ ligand 58–59
 N-sp³,P-sp³ ligand 57–58

O

- O-arylation of phenols 286, 287
 - 1-octene 130
 - of unsaturated ketones 315
 - O¹⁸ labeling 336
 - olefin hydrosilylation 118–122
 - olefin oxidation 325
 - 3-OMe-2-Ph-dihydropyran 324
 - O-methylpodocarpic acid 306, 313
 - optically active acetal 7
 - optically active Schrock metathesis catalysts 9
 - organolithium RLi/Grignard RMgX reagents 2
 - organometallic
 - fac*-[Mn(bis-MeNHC)(CO)₃Br] complex 169
 - organometallic manganese compounds
 - manganese precursors 1–3
 - planar chiral ligands based on cymantrene scaffold 7–11
 - synthetic chemistry 3–6
 - organometallic reagents, Mn-catalyzed coupling reactions of 273–274
 - organometallic RMnX species 1
 - organometallics
 - under air, Mn-catalyzed coupling of 280
 - Mn-catalyzed oxidative homo/heterocoupling 274
 - organophosphorous synthons 28
 - ortho*-chloroaryl ketones 259
 - ortho*-substituted aryl iodides 282
 - 8-oxabicyclo[4.3.0]nonane 194
 - oxazoline-substituted cymantrene 7
 - oxidants 326
 - oxidations
 - of cyclooctene 335
 - with H₂O₂ and MnSO₄, standard conditions for, 331
 - of Mn^{II} by 3-hydroxy-3-hydroperoxybutanone 333
 - of Mn^{II}(Me₂EBC)Cl₂ 337
 - oxidative cyclizations 293, 305
 - of alkynyl ketones 315–316
 - of allenyl malonate esters 299
 - allylic 6-oxotetrahydroquinone carboxylate esters 316
 - of β-keto ester 311, 313
 - of α-chloro β-keto ester 311
 - of cyano ester 307
 - of cyclohexanedione 316
 - of cyclohexanone 315
 - of decalone 316
 - of dienynyl β-keto ester 311
 - of diphenylalkenyl acetoacetates 302
 - D-ring of protoaustinoind D and berkeleyone A 296–298
 - of enamides 302
 - of hydroxyalkenylmalonates 299
 - of malonate 298,
 - of (-)-8-phenylmenthyl ester 313
 - of substituted allyl α-methyl β-keto esters 301
 - oxidative desymmetrization 194–195
 - oxidative kinetic resolution of *sec*-alcohols 195–197
 - 15-oxopuuphenol 298
 - 5,5'-[oxybis(methylene)]di(2-furaldehyde) (OBMF) 106
 - oxygen atom transfer 324, 341
 - oxygen atom transfer (OAT) 139, 142
- p**
- π-alkyne complexes 18
 - p*-aminophenylacetic acid 108
 - para*- and *ortho*-substituted acetophenones 58
 - para*-substituted phenylacetic acids 108
 - (*p*-arene)Cr(CO)₃ species 11
 - Pd-catalyzed cross-coupling reaction 270
 - 1-pentene 119
 - pent-1-ene 146
 - pent-2-ene 147
 - peracetic acid (PAA) 333
 - perillaldehyde 41
 - peroxycarboxylic acids 183, 186
 - peroxymonocarbonate formation 331
 - peroxymonocarbonate, Mn-oxo 331
 - phenalenyl ligand 116
 - phenol abietane diterpenes 297
 - phenylacetic acids 147
 - 4-phenylbutene 130
 - 1-phenylethanol 109
 - 2-phenylpropionic acid 12
 - 2-phenylpyridine 149
 - phenyl vinyl sulfone 149
 - PhMnI 1
 - phosphine-alkene ligands 8
 - phosphine-oxazoline ligands 7
 - phosphinoallenes 25
 - η³-phosphinoketene products 28
 - λ⁵-λ³ phosphorous valence change 40
 - photochemical CO₂ reduction 171
 - photosensitiser ZnTPP (PS3) 171

- photosystem II 137
 $((\text{Ph}_2\text{PCH}_2\text{SiMe}_2)_2\text{NH})\text{Mn}(\text{CO})_2\text{Br}$ 127
 $(\text{Ph}_3\text{P})(\text{CO})_4\text{Mn}(\text{C}(\text{O})\text{CH}_3)$ 103
 PhSiH_3 120
 $\text{Ph}_3\text{SiMn}(\text{CO})_5$ 146
p-hydroxybenzaldehyde 107
 piano-stool Mn(I) complexes 109
 pinacolborane (HBPin) 125
 pincer-type manganese complexes
 NNN pincer ligand 51–52
 PNN ligands 47–51
 PNP pincer ligands 40–47
 planar chiral diene ligand (*R*) 9
 planar chiral ligands based on
 cymantrene scaffold 7
p-methoxyacetophenone 112
p-nitroacetophenone 58
 PNN ligands
 PN-sp²N ligand 50–51
 PN-sp³N ligand 48–50
 PNP ligand containing *NH*-linkers 70
 $(\text{PNP}^{\text{NR}^i}\text{Pr})\text{Mn}(\text{CO})_2\text{H}$ 117
 PNP pincer ligands
 PN-sp²P ligand 43–47
 PN-sp³P ligand 41–43
 PN-sp²N ligand 50–51
 PN-sp³N ligand 48–50
 PN-sp²P ligand 43–47
 PN-sp³P ligand 41–43
 poly(siloxane) 119
 polycyclization with 1,1-disubstituted
 allenes 233
 β-polyfluorosubstituted alcohols 189
 polymethylhydrosiloxane (PMHS) 110
 β-polynitroporphyrins 197
 polyoxometalates 174
 poly(silylether)s (PSEs) 106
 π* orbital of the ligand (MLCT) 146
 $(\text{Por})\text{Mn}^{\text{III}}(\text{OH})$ 138
 $(\text{Por})\text{Mn}^{\text{IV}}(\text{O})$ 138
 porphyrin 138
 porphyrin-based Mn(III) 85
 porphyrine supported Mn(III) complex
 76
 $\text{PPh}_3(\text{CO})_4\text{Mn}(\text{C}(\text{O})\text{CH}_3)$ 103
 $(\text{PPh}_3)_2[\text{Mn}(\text{N})(\text{CN})_4]$ 140
 $(\text{PPh}_3)_3\text{RhCl}$ 103
 PP ligands 55–57
 propargyl esters 148
 π-stacking interactions 174
 P-stereogenic PN(H)P tridentate ligands
 43
p-tolylethanol 196
 pyrazines 76
 pyridine-based complexes 160
 3-pyridine-carboxamide 116
 pyridine-2-carboxylic acid (PCA) 332
 pyridine di(eneamide) 110
 pyridine diimine (PDI) 110
 pyrimidines 78
 pyrophoric boranes 101
 pyrroles 78
- q**
- quinolines 54, 76, 78, 81
 quinones 20
 quinoxalines 76
- r**
- radical mechanism 263, 286, 324,
 329
 rebound mechanism 183
 Re–Mn heterobimetallic supramolecular
 system 166
 renewable fuels 138
 reversible addition fragmentation chain
 transfer (RAFT) 29
 ring-centered reactivity in half-sandwich
 Mn(I) π-complexes 11–16
 Ristocetin antibiotics family 11
 $[\text{Ru}(\text{bpy})_3]^{2+}$ 140
- s**
- $(\text{salen}-3,5\text{-}^i\text{Bu}_2)\text{MnN}$ 105
 salene-based diamine ligand 84
 salene-based manganese(III) complex
 70
 salicylate esters 297
 Sc(OTf)₃ addition 329
 (+)-sclareolide 188
sec-alcoholic substrates 196
 selective C=C bond hydroboration 102
 silanes 148
 silica-supported Mn catalysis 129
 Silicon Nanowires (SiNWs) 174
 β-silyl alkyl radical 121
 SiO_2 -400 113, 129
 six-membered cyclic Fischer carbenes
 20
 Smiles rearrangement cascade 232, 233
 sodium 4-ethylbenzene sulfonate
 (hydroxylation) 138
 sodium hypochlorite 183, 196
 spirocyclic β-ketones 194
 stable homoleptic Mn(II) σ-complexes 2

- stereospecific Mn-mediated
cross-coupling 271, 272
- Stille cross-coupling reactions 270
- stoichiometric cyclometalation
of azobenzene with $\text{MnMe}(\text{CO})_5$ 204
with manganese complexes 204
- strong-chelating non-heme pyridylamino
ligands 138
- styrenes bromotrifluoromethylation 154
- η^2 -styrylphosphonate complexes 26
- substituted aldehydes 148
- α -substituted β -keto esters 294
- substituted cymantrene derivatives 4
- sulfonated water-soluble manganese
porphyrin complex 191
- syn-dihydroxylation 333
- synergetic effect of $\text{MnBr}(\text{CO})_5$ and
 Cy_2NH 208
- synergistic Brønsted acid/manganese-
catalyzed C–H functionalization
with propargylic carbonates 217,
218
- t**
- temperature-controlled linear vs. cyclized
reaction 288, 289
- terephthalaldehyde 106
- terminal alkenes 332
- 2-*tert*-butyldimethylsiloxyindane 194
- (*S*)-*tert*-leucenol 7
- tetrabutylammonium periodate 186
- tetracyclizations 311–313
- tetradentate ligands 62
- tetrahydrofurans 188, 299
- tetrahydropyrans 299
- η^5 -1,2,4,5-tetramethyl-6-
phenylcyclohexadienyl 14
- tetra(4-pyridyl)porphyrinato-
manganese(III) cation
 $[\text{Mn}^{\text{III}}(\text{TPyP})]^+$ 119
- thermally unstable $\text{Cp}(\text{CO})_2\text{Mn}(\text{THF})$ 6
- 2-thiophenecarboxamide 116
- toluene 144
- TPEN/TPTN precursor 331, 332
- (*tpy*) $\text{Mn}(\text{CH}_2\text{SiMe}_3)_2$ 125, 129
- trace-metal contaminations 282
- trans*-1,2-dimethylcyclohexane 187
- transition-metal-catalyzed activation
203
- transition-metal mediated C–H
functionalization 184
- transition-metal mediated C–H oxidations
184
- trans*- $\text{Mn}(\text{P-P})_2(\text{CO})\text{Br}$ 4
- trans*-4-octene 130
- trialkylborohydrides $\text{M}[\text{BR}_3\text{H}]$ 3
- triazine-based catalysts 128
- tridentate 2,6-(diaminopyridinyl)
diphosphine ligand 45
- 3-triethoxypropene 130
- trifluoroacetylcarbenes 21
- trimethylsilyl-substituted manganese
 σ -complex 24
- 1,4,7-trimethyl-1,4,7-triazacyclononane
186
- 3,6,17-triol 185
- triorganomanganate-triggered radical
processes 264
- tripodal-type Mn complex 48
- 2,4,6-tri-*tert*-butylphenoxy radical 30
- 1,2,4-trivinylcyclohexane 120
- u**
- unactivated olefins 230
- undecyl ammonium tetrafluoroborate
189
- unfunctionalised $[\text{Mn}(\text{bpy})(\text{CO})_3\text{Br}]$ 174
- α,β -unsaturated aldehyde ligands 19
- α,β -unsaturated ketones 19, 89, 147
- α,β -unsaturated malonate 149
- α -unsubstituted β -keto esters 294–295
- unsymmetrical benzophenones 51
- v**
- vinylidene complexes 6, 23, 26
- vinyl iodides 148
- 4-vinylpyridine 57
- vinyl sulfides 287
- vinyl-terminated poly(dimethylsiloxane)
120
- w**
- water mediated mechanism 340
- Wilkinson's rhodium(I) catalyst 101
- z**
- Z-selective alkyne hydrosilylation 123
- zwitterionic phosphite adducts 26