

Index

a

- acceptor number 169
- acetalizations 252–254, 261
- acetylene 158
- acetylenic aldehydes 137
- active metal template methodology 100–107
- active transport 195, 205, 217, 228
- acyclic α -silyloxyhalides 274
- acyclic BINOL-based receptor 107
- acyclic tetrapodal XB receptor 291
- O*-acyl- and *O*-aryldihydroquinidines 141
- N*-acyliminium ions 278
- N*-acylorthoamides 301
- air- and moisture-stable electrophilic iodine(I) reagents 140
- aldimines 281
- 2-alkenylindoles 294
- alkylations 6, 17, 255, 289, 297
- ortho*-(alkynyl)benzaldehydes 137
- allyl amides 141
- allyltrimethylsilane 278
- α, β -unsaturated carbonyls 240, 284
- α, ω -dialdehydes 140
- N*-amidothioureas 178
- amide condensation clipping methodology 90
- amino-acid-based XB donor 4-iodotetrafluorophenylalanine 291
- aminoalkenes 140
- 2-aminophenol 289
- 4-aminopyridine 136
- amino-thiocarbamate 141
- analogous bis(pyridine) complex 136
- anion artificial transport systems 196
- anion binding modes, of ChB donor receptors 378
- anion binding studies 102, 103, 203
- anionic Lewis bases 46
 - haloalkanes/haloalkenes 71, 72
 - haloarenes 58
 - halogenated heterocycles 64–67
- anion-macrodipole interactions 196
- anion- π interactions 163, 196
- anion recognition 86, 87, 89
 - [2]catenanes 97
 - [2]rotaxane hosts 92
 - solution phase 92
- anion sensing 108
- anion tetramer 130
- anti-electrostatic XB donors 272
- antiport mechanism 199, 204, 208, 216, 224
- antisymmetric Raman stretch 135
- apolar solvents 161, 378
- arene-based halogen bond donors 56
- aromatic donors 158
- aromatic, perfluorinated halogen bond donors 164
- arsindoline A 286
- arundine 286
- ortho*-arylene ethynylene linker 55
- aryl(heteroaryl)methanes 291, 294
- arylmethyl-4-pentenoic acids 143

- association constants 186
 of haloalkanes and haloalkenes 72
N-halosaccharins vs.
 4-methoxy-2-picoline-*N*-oxide
 determined 47
 for iodoalkyne–Lewis base interactions
 48
 of iodoperfluorobenzene (C₆F₅I) with
 nitrogen-and oxygen-centered
 Lewis bases 51
 of para-nitro-substituted derivative with
 oxygen-and nitrogen-centered
 Lewis bases 49
 of substituted 5-iodo-1,2,3-triazole with
 Lewis bases 62
 of transition metal fluorides with C₆F₅I
 52
 asymmetric double-well potential 125,
 126
 asymmetric hydrogen-bonding catalysis
 294
 asymmetric single-well potential 125,
 126
 asymmetric synthesis 370
 atomic orbital theory 24
 acyclic XB-anion receptors 94
 azides 272, 294, 297
 azobenzene polymers 30
 2,2'-azobis(2-methylpropionitrile) 258
- b**
- bambusuril 146, 147
 BAr^F₄ salts 282
 Beer's halogen bond acyclic receptor 173
 benzhydryl bromide 274
 benzimidazole–iodotriazole station 113,
 180
 benzimidazolium-derived ones 276
 benzofurans 139
 benzothiophenes 139
 benzotriazol-1-yloxytris(dimethylamino)
 phosphonium
 hexafluorophosphate (BOP) 223
 benzoxazoles 50, 289
 2,3,4,6-tetra-*O*-benzyl glycosyl chloride
 274
 benzylic alcohols 278
 Berryman's halogen-bond-induced triple
 helicate structures 179
 β-conformation 348
 β-hairpin peptide 165, 166, 176, 178
 β-*N*-glycosides 301
 β-scission process 140
 β-*X*-substituted alkoxysulfonium ions
 139
 bi-and tridentate molecular recognition
 69
 bicyclic *N*-aryl imide molecular torsion
 balances 57
 bidentate analogues 124
 2 + 1 *bis*-bidentate arrangement 181
 bidentate [(1,2-bis(pyridin-2-ylethynyl)
 benzene)halogen(I)]⁺ complexes
 136
 bidentate dicationic XB donors 284
 bidentate imidazolium 295
 bidentate imidazolium based XB donors
 295
 bidentate iodoimidazolium-derived XB
 donor 281
 bidentate neutral XB-donor 284
 bidentate pyridine ligand 130
 bidentate XB donors 102, 274, 278, 282,
 284, 286, 317, 319
 bilateral *N*-amidothioureas 178
 biomolecular engineering
 biomolecular origami 336
 halogen bonds 335–340
 nucleic acids 340–342
 peptides and proteins 346–347
 biotic anion receptors 92
 bipyridinium 325
 bi-, quarter-, sexi-and octiphenyl rigid
 rods 219
 bisallyl-functionalized pyridine
 derivatives 301
 black lipid membrane (BLM) 212
 block copolymers 30
N-Boc α-ketiminoesters 297

- N*-Boc imines 297
- Brønsted-acid catalysis 234, 238–240, 242–244, 249, 251–255, 263, 284
- Brønsted-acid-catalyzed transformations 249
- bromodifluoromethane 157
- bromo-oxycyclizations 143
- bromo-perfluoro arenes 211
- bromoperfluorobenzene 209
- N*-bromosaccharin complex 133
- 11-bromo-1-undecanol 278
- bromous and iodous halogen bond donors 164
- bulk electrolysis 311
- cis*-1,3-butadiene 281
- tert*-butyl hydroperoxide 239, 291
- n*-butyl methyl ether 301
- tert*-butyl protons 179
- tert*-butyl substituents 199
- C**
- calices 199, 200, 202–206
- calix[4]arene 196, 200, 205
- ion transport 199–202, 208
- synthesis 199
- system 209
- calixarenes 196, 198
- calorimetry 57, 64, 87, 170, 173, 344, 346
- Cambridge Structural Database (CSD) evaluation, of halogen bonding 12
- carbonyl cyanide-4-(trifluoromethoxy) phenylhydrazone (FCCP) 204
- carbonyl-olefin metathesis 244, 245
- carboxyfluorescein (CF) 199
- cascade reactions 259–263
- catenand effect 88
- [2]catenane
- anion recognition 97–100
- bis-iodotriazole pyridinium containing 99
- chloride-anion-templated assembly 90
- double clipping Williamson ether synthesis 88
- naphthalene-based 107
- preparation 87
- single charge-assisted halogen bond 98
- synthesis 88
- tetradentate XB donor host structure 100
- catenane formation 64
- cation artificial transport system 196
- cationic bidentate XB donor 278, 282
- cationic idodobenzimidazolium derivatives 289
- cationic XB donors 274, 276, 281, 284, 295
- cation pool of halonium ions 139
- CCl₄ 158
- C–Cl $\cdots\pi$ bonded adducts 158
- ¹³C enrich an (alanine) amino acid 176
- 3-center-4-electron halogen bonds 177
- CF₃Cl 156
- chalcogen bond (ChB) 196, 227, 363
- in anion transport 380, 381
- in asymmetric methoxyselenenylation 370, 371
- in asymmetric reaction of diselenides with styrene 372
- in biomolecules 369
- in catalysis 373–377
- directionality 366
- donor ability 366, 372
- donor catalysts 373
- hydrophobic property 373
- in organotellurides 369
- in synthesis 369–373
- molecular recognition 377–380
- schematic illustration 366
- charge-assisted halogen bonding systems 6, 17–19
- charge transfer, and halogen bond 24–25
- CHARMM program 225
- chemical double-mutant cycle 70, 171, 174, 188

- chiral azides 294
 chiral catalyst structure 299
 chiral cationic XB donors 281, 295
 chiral chromans 143
 chiral halogenated pentanidium salts 297
 chiral liquid crystallinity 29
 chiral monodentate 281, 284
 chiral pentanidium salts 296, 297
 chiral phosphate catalysts 142
 chiral triaryl phosphates 142
 chiral XB [2]rotaxanes 106
 chiral XB [3]rotaxanes 109
 chloride anion templated amide
 condensation-based clipping methodology 92
 chloride-anion-templated assembly, of [2]pseudorotaxane 89
 chlorine(I)-centered [N...X...N]⁺ system 122
 chloromethane 157
 2-(chloromethyl)-1,3,4,5-tetrafluorobenzene 199
 1-(chloromethyl)-2,3,4,6-tetrafluoro-5-iodobenzene 199
 1-(chloromethyl)-2,3,5,6-tetrafluoro-4-iodobenzene 199
 chlorophenylacetic acids 291
 2-chloropyridine 159
 2-chloropyridine-ICl complex 159
N-chlorosuccinimide 143
 cholesteric LCs (CLC) 29
 chromanes 288
 chronoamperometry 311
 CHX₃ molecules 159
 C-H...Y hydrogen bonds 155
N-cinnamyl sulfonamides 288
 C-I...Y halogen-bonded isomers 157
 2,4,6-collidine 139
 [bis(2,4,6-collidine)iodine(I)]⁺ 139
 closely-packed iodonium ion 146
 cocrystals 15, 16
 computational chemistry 21, 27
 conductance experiments
 in planar lipid bilayer membranes 212–215, 225
 in planar lipid bilayers with small molecules 215–216
 coordinative XBs 123
 covalent bonds 3, 10, 22, 24, 43, 44, 87, 100, 123, 125, 211, 330–332, 369, 373
 C(sp³)-halogen moieties 289
trans-crotonophenone 282
 crown ether 18-crown-6 218
 crystal engineering 11, 12, 16, 49, 94, 121, 216–218, 291, 309, 313–314, 341, 346, 368
 crystal structures 7, 11, 13, 15, 16, 18, 31, 127, 129, 130, 132, 133, 140, 143, 146, 147, 155, 203, 204, 218, 225, 255, 257, 313–314, 330, 340, 342, 344, 345, 348–350, 356
 C-X...Y halogen bonds 154
 cyanuric chloride 203
 cyclic β-hairpin peptide system 178
 cyclic bis(pyridine) ligand 136
 cyclic iodonium compounds 288
 cyclic peptidic system 166
 cyclic pseudopeptide synthesis 87
 cyclic voltammetry (CV) 310, 311
 cyclic voltammograms, TCQ 310, 316
 Cycloadditions 19, 64, 87, 243–247, 259, 261, 294
 cyclodextrins 196
 cyclohexane 46, 51, 56, 68, 165, 167
 cyclopentadiene 281, 289
 cyclopropenium 272
- d**
- DABCO-based halogen(I) complex 142
 Danishefsky's diene 281
 decomposition analysis 26, 240
 density functional theory (DFT) 26, 52, 126, 159, 200, 217, 239, 281, 373
 deuterated acetone ([D₆]acetone) 201, 203
 deuterated and undeuterated halotropes 124

- deuterium isotopic substitution 185
diaryliodonium salt 288, 289
N,N'-diarylviologens 325
diatomic halogens 1, 10
1,4-diazabicyclo[2.2.2]octane (DABCO)
181
diblock polymers 30, 31
1,4-dicarbonyl compounds 289
(di)bromo-/(di)iodophenol derivatives
203
1,3-dibromo-5,5-dimethylhydantoin
(DBDMH) 288
dicationic halogen-bond donors 281
dicationic XB-donors 284
dichloro-dicyano-*p*-quinone (DDQ) 316
dichloro-substituted triazine 203
Diederich's halogen bonding 171, 172
Diederich's supramolecular capsules
168
Diels–Alder reaction 244, 258, 281, 283,
284, 288, 289
1,6-dienes 140
differential pulse voltammetry (DPV)
312
diffusion NMR 128, 132, 160, 161,
182–184, 188
diffusion-ordered NMR spectroscopy
(DOSY) 182
difluoriodomethane (CHF₂I) 157
dihalogen perfluorocarbons 10
dihalogens 10, 25, 129, 233, 235, 236
3,4-dihydro-2*H*-pyran 147
dihydroperoxides 253
dihydropyrans 147
dihydropyridines 260
diiodine basicity scale 44, 45
1,4-diiodo-1,3-butadiyne, cocrystallization
19, 21
di-iodoperfluoroalkane/
diazabicyclooctane copolymers
158
1,2-diiodoperfluoroethane 159
1,6-diiodoperfluorohexane 159
1,4-diiodotetrafluorobenzene, chemical
shift changes 51
dimeric and hexameric [N..I..N]⁺
capsules 144
dimeric three-center halogen-bonded cage
145
dimerization constant, of phosphine
oxide-bearing iodotriazole 62
[(2,2'-(9,10-dimethoxyphenanthrene-
3,6-diyl)dipyridine)iodine(I)]⁺
126
4-dimethylaminopyridine 133
dimethyl ether (DME) 156, 157
5,5-dimethylhydantoin (DMH) 141, 143,
288
3,5-dimethylpyridine 133
dimethyl sulfide 157
diodo(ethylenedithio)tetrathiafulvalene
(DIET) 314
dipalmitoyl phosphatidylcholine (DPPC)
216
1,1-diphenylethene 259
trans-1,2-diphenylethylenediamine 295
4,5-disubstituted and 4,5,6-trisubstituted
indoles 139
N,N'-disubstituted viologens 325, 326
dithieno[3,2-*b*2',3'-*d*]thiophenes 380
DNA assembly 342–344
donor–acceptor complex 6, 52, 314
double bonds isomerization 257–259
dye-sensitized solar cells (DSSC) 329
dynamic light scattering (DLS)
179
- e**
egg yolk phosphatidylcholine (EYPC)
216
egg yolk phosphatidylglycerol (EYPG)
216
electrochemical detection 309, 312, 313
electrochemical impedance spectroscopy
(EIS) 328
electrocrystallization 311, 313, 314
electronegative belt 3, 6, 339
electron paramagnetic resonance (EPR)
spectroscopy 51, 185
electron-rich arenes 255, 256

- electron-rich arenes (*contd.*)
 electron rich aromatic heterocycles 284
 electron-rich pyridines 128, 132
 electron spin resonance (ESR)
 spectroscopy 185, 271
 electrophilic halogenations 123, 124, 139
 electrostatic potential (ESP) 3, 22–24,
 44, 45, 52, 201, 340, 365, 377
 enantiomerically enriched
 halogen(I)-alkene intermediates
 141
 enantioselective halogenation 141–143
 enthalpies 18, 46, 70, 157, 171, 313, 321,
 345
 entropic effects on halogen bonding
 165–168
 equilibrium constant 46, 124, 158, 184,
 237, 238, 328
 equilibrium isotope effect 124
 equilibrium isotope shift 124, 184
 Erdelyi's symmetric [N-X-N]⁺ system
 185
 Esterifications 141, 249–252,
 254–255
 ethylene-bridged
 tetrakis(3-pyridyl)cavitands 143
 ethylene-bridged
 tetrakis(pyridyl)cavitands 143
- f**
 Fast Blue salt 219
 ferrocene (Fc) 110, 310, 317, 318, 320
 Finkelstein substitution 199
 fluorinated benzyl bromide 219
 fluorine(I)-centered bis(pyridine)
 complex 127
 fluorobis(sulfonyl)-methane scaffold
 291
 fluoroiodomethane 157
¹⁹F NMR spectroscopy 51, 52, 72, 325
 foldamer structures 113
 formation constants 46, 159
 free-acid 219, 223
 Friedel–Crafts acylations 256
 Friedel–Crafts alkylation reaction 274
- g**
 gallic acid ester-derivatized
 monobenzyl-protected diphenol
 203
 gas-phase donor ability, of
 iodotrihalomethanes 68
 Gibbs free energy 170, 173
 N-glycoside product 301
 glycosyl trichloroacetimidates 301
 Goldilocks principle 201, 209
 Grubbs' second generation catalyst 63
- h**
 β-hairpin peptides 165, 166, 176, 178
 haloalkynes 4, 47–50
 haloarenes 51–61
 halobenzimidazolium 272
 halocarbons, activation of 274–280
 N-halo-2,4,6-collidinium ion 139
 N-halo compounds 46–47
 halocyclization 139, 141, 142, 146, 273,
 278
 haloesterification 141
 haloform reaction 233
 halogenated heterocycles
 anionic Lewis bases 64–67
 uncharged Lewis bases 62–64
 halogenated nucleotides 340, 341
 halogenated solvents 169
 halogenations 66, 123, 124, 139,
 141–143, 147, 199, 233, 257, 272,
 273, 348
 halogen bond (XB)
 activation of halocarbons 274–280
 activation of organic functional groups
 281–291
 amino acids 347–350
 asymmetric catalysis 294–299
 biological computation 26–27
 Cambridge Structural Database (CSD)
 evaluation 8
 charge-assisted 6
 charge transfer 24–25
 computational tools 355
 controlling conformation 344

- with coordinative nature 123
- covalent bonds 330–331
- crystal engineering 313–314
- crystalline state reactivity 19
- decomposition of 26
- definition 2
- distances DMAP vs. iodobenzenes 13
- DNA assembly 342–344
- electrostatic model 338
- electrostatics of 21–23
- engineered into proteins 350–352
- features 5–6
- genetic alphabet 353
- halocyclization 273
- halogenation 272
- historical perspective 6–10
- interfacial halogen bonding 324–330
 - photovoltaic systems 329–330
- Lewis base- ICl, IBr and Br₂
 - interactions, association constants for 45
- Lewis base- I₂ interactions, association constants for 44
- London dispersion and polarization effects 25–26
- metal complexes and charge-assisted systems 17–19
- methods 311–313
- multimeric assemblies 353–355
- new catalysts 355
- nomenclature 6
- nucleic acids 340–342
- organocatalysis through π -activation 291–294
- peptides and proteins 346–347
- perfluoroalkyl radicals 273
- rediscovery 10–11
- redox-active acceptors 315–317
- redox-active donors 317–326
- and σ -hole 24
- solid-state contacts 4–5
- structure-energy relationships 344–346
- in supramolecular polymers 29–30
- symmetry in solution 47
- tetrathiafulvalene derivatives 18
- tunability 5
- X-ray crystallography 11
- halogen bond acyclic receptor 171, 173
- halogen bond-based materials 33
- halogen-bond basicity scale 271
- halogen-bond catalysis 234–236
- halogen bond-induced triple helicates 179, 183
- halogen bonding (XB) 43, 83, 307
 - cascade
 - ion transport 219–222
 - synthesis 219, 220
 - ESR spectroscopy 185–187
 - NMR spectroscopy 160–161
 - promoted reaction 271
 - UV-vis spectroscopy 158–160
 - vibrational spectroscopy 154–158
- halogen-bonding self-assembled pores and channels
 - anticancer activity 225
 - conductance experiment in planar lipid bilayer membranes 225
 - ion transport 223–224
 - molecular dynamics simulation 225, 226
 - synthesis 222–223
- halogen bond interaction ratio 4
- halogen bond mediated recognition
 - foldamer architectures 113–117
 - interlocked hosts 87–90
 - macrocyclic hosts 86–87
- halogen, dispersion capacity 1
- halogen, electron density 2
- halogen-halogen contacts 12, 13
- halogen-Lewis base interactions 27
- halogen substituents 58, 61, 67, 271–274, 297, 338, 339, 345–347, 351, 355
- haloimidazolium 4, 64, 85, 86, 163, 182, 183, 272, 281
- 2-haloimidazolium salts 163
- N*-haloimides 142
- N*-halonium compounds 46–47
- halonium ion transfer kinetics 139

- halonium transfer reactions 137–140
halo-Lewis acidic additive 143
para-halophenylalanine 57, 336
halopyridine 17
4-halopyridinium [2]catenanes 99
halopyridinium [2]catenanes 98
halopyridinium–hexacyanometallate complexes 18
N-halosaccharins 46, 47, 132–134, 177
N-halosuccinimides 46, 132–134
halo-1,2,3-triazoles 272
halotriazolium 85, 272, 281
meta-halotyrosine 336, 351, 352
Hammett constant 51
Hammett parameter 49, 171
Hantzsch ester 281, 282
H-bond enhanced X-bond (HBeXB) 340, 352
H-bonds vs. X-bonds 345
hemiaminals 278
heptafluoro-1-iodopropane (1-C₃F₇I) 158
heptafluoro-2-iodopropane (iso-C₃F₇I) 158
hetero-Diels–Alder reaction 244
heteroarene-derived halogen bond donors 66
bis-(heterocyclic) methanes 291, 355
heteroditopic iodoperfluoroarene receptor 84
heteronuclear ¹H–¹⁵N correlation spectra 176
heteronuclear multiple bond correlation (HMBC) 176, 284
heteronuclear nuclear Overhauser effect spectroscopy (HOESY) 181–182
heteronuclear Overhauser effect (HOESY) 53
heteronuclear single quantum coherence (HSQC) 176
hexamethylenetriamine (HMTA) 183
hidden Brønsted-acid catalysis 238, 240, 244, 249
hierarchical supramolecular synthesis 13
Hill coefficient 199, 202, 205, 207, 210, 215–217, 220, 222
¹H isotope 169
Holliday junction 66, 342–346, 354
homonuclear NOE spectroscopy 178–181
hydrogen bond (H-bond) 337
hydrogen bond acceptor 1, 2, 4, 18, 45, 129
hydrogen bond donor 4, 9, 15, 18, 19, 29, 32, 157, 163, 301, 366
hydrogen-bonded CHX₃ 159
hydrogen bond-enhanced halogen bond 6
hydrogen bond vs. halogen bonds 339
hydrogen pyrophosphate-responsive foldamer 115
N-hydroxylamine 187
8-hydroxy-1,3,6-pyrenetrisulfonate 206
hydroquinidine 1,4-phthalazinediyl diether 141
hyperfine splitting constant 186, 187
hypervalent iodine compounds 288
- i**
- I₂-based charge transfer complex 159
I-Bidine 297
bis(imidazolidine)-based compound 297
2-imidazolidinethione 129
imidazolinium 281
imidazolium-based monodentate XBs 278
[(2-imidazolidinethione)₂ iodine(I)]⁺.1/2 I⁻.1/2[I₃]⁻ 129
imides/saccharins 132
indole 138, 139, 239, 240, 285, 286
insulin receptor (IR) 350
interfacial halogen bonding
 photovoltaic systems 329–330
 self-assembled monolayers 326–329
interlocked host molecules
 construction, active metal template methodology 100–107
 for sensing applications 107–113
 XB-anion templated synthesis 91

- interlocked rotaxanes 146, 180
- intermolecular interactions 165, 180
- intramolecular chalcogen bonding 370
- intramolecular negative charge-assisted chalcogen bonding 368
- intrinsic isotope shift 124, 184
- iodide recognition, in water 116
- iodinated perfluorobenzene derivatives 51
- iodine-based interhalogen compound 278
- iodine(I)-based XB donor 289
- iodine bearing substituent 272
- iodine-catalyzed Michael additions 239, 240
- iodine chloride (ICl) 244
- iodine monochloride (ICl) 9, 45, 159
- iodo- and bromocycloetherification 143
- 2-iodobenzimidazolium salt 301
- 3-iodobenzyl bromide 199
- iodo(ethylenedithio)tetrathiafulvalene (IEDT) 313
- 4-iodo 2,3,5,6-fluorobenzyl halide 219
- 1,2-iodofluorination 137
- 1,2-iodofunctionalizations 137
- ω -iodofunctionalized oxidized products 140
- 1,2-iodofunctionalized products 137, 138
- 1-iodohexane 212, 228
- 1-iodo-1-hexyne 164
- bis(iodoimidazolium) compound 284
- N*-iodoimide halogen bond donors 19
- iodo-oxycyclizations 143
- iodo-perfluoro alkanes 211
- 1-iodo-perfluorobutane 158
- iodo-perfluorobenzene 215
- iodo-perfluorobutane 217, 218
- 1-iodo-perfluorohexane 158
- iodo-perfluorohexane 223
- meta*-iodo perfluorophenyl 200
- iodo-perfluorophenyl pendant chain 223
- 2-iodoperfluoropropane 158
- iodobenzimidazolium containing bidentate XB donor 282
- iodobenzimidazolium donors 279
- iododifluoromethylene-functionalized halogen bond donors 69
- iodoethynylbenzene derivatives 170
- 1-(iodoethynyl)-4-iodobenzene 13
- 2-(iodomethyl)tetrahydrofuran 146
- iodolactones 142
- iodonium-induced benzannulations 139
- iodonium-ion catalysis 236
- iodonium(III) ylide 287
- iodopentafluorobenzene 158
- iodoperfluoroalkane 31, 67, 68, 71, 72, 158, 210–215, 217, 281, 324
- iodoperfluoroalkane–Lewis base complexes 68
- iodoperfluoroarene-based multidentate anion receptors 59
- iodoperfluoroarene XB donors 85
- iodoperfluorooctane-triethylamine 162
- iodo-tetrathiafulvalene (I-TTF) 311
- iodotriazole halogen bond donor 176
- 3,5-bis-iodotriazole-pyridinium motif 92, 99, 100, 109
- iodotriazolium-based XB donor 294
- ion selectivity 205, 208, 209, 212, 214, 216
- ion transport experiments 206–208, 213
- ion transport in lipid bilayer membranes using halogen bonds 195–228
- IR/Raman spectroscopy 154, 157, 309
- isobutyl vinyl ether (IBVE) 278
- isoelectronic [D..H..D]⁺ hydrogen bond 122
- isomerization, double bonds 257–259
- iso-Nazarov cyclization 247
- isophthalamines 196
- isotopic perturbation of equilibrium (IPE) 47, 124, 161, 184–185
- isotopic substitution 124, 184, 185
- isotropic ¹⁴N hyperfine coupling 187
- ¹⁴N isotropic hyperfine splitting constant 186

k

- knoevenagel condensations 242–243
 Koenigs–Knorr-type glycosylation 274,
 275

l

- large unilamellar vesicles (LUVs) 199,
 206–208
 LC polymers 29–30
 Lewis acid–base interaction 235
 Lewis base- I₂ complexation 44
 Lewis bases
 anionic 58–61, 64–67
 uncharged 44–58, 62–64, 67–71
 Lewis bases and acids 154
 Lewis basic functional groups 281
 Lewis basicity 48, 126, 128–131, 148,
 158, 184, 256, 271, 314, 329
 Lewis basic lone pairs 164
 Lewis basic molecules 4, 10, 155
 light sensitive polymers 30
 linear sweep voltammetry (LSV) 312
 liquefied inert gases 68, 154
 liquid krypton 157
 liquid rare gases 154, 155, 188
*L*li-lactide 278
 London dispersion 25
 Lump–hole theory 25
 lutidyl C(2,6) protons 181

m

- M06-2X level of theory 187
 macrocyclic anion receptor 146
 macrocyclic haloimidazoliophane
 receptors 86
 macrocyclic haloimidazolium cyclophane
 receptors 86
 macrocyclic haloimidazolium receptor
 182
 malononitrile 242, 243, 297
 Mannich-/Michael-type pathway 288
 matrix isolation 154, 158
 mechanically interlocked molecules
 (MIMs) 43, 87

- membrane composition, in HPTS assay
 216–217
 meta-substituted dicationic donors 274
 metal complex halogen bonding systems
 17–19
 metal fluoride complexes 52
N-mesityl substituent 281
N-methylacetamide (NMA) 347
 bis(*N*-methylbenzothiazole-2(3*H*)-selone)
 iodine(I) 130
 methyl 2-bromoacetate 223
N-methyl-3,5-dibromopyridinium iodide
 18
 methyl ester 223
 methyl fluoride 157
N-methyl 4-iodopyridinium triflate 288
 4-methylpyridine complex 133
 methyl vinyl ketone (MVK) 281
 Michael additions 239–243, 284, 285,
 373, 374
 mixed XB/HB nitrate-selective
 [3]rotaxane shuttle 112
 modified T4 lysozyme-derived model
 protein 57
 molecular electrostatic potential (ESP)
 maps, of trifluoromethyl halides
 3
 molecular iodine 160, 233
 activation mechanisms of
 Brønsted-acid catalysis 238–239
 halogen-bond catalysis 235–236
 iodonium-ion catalysis 236–238
 catalysis applications
 acetalizations 252–254
 cascade reactions 259–263
 cycloadditions and related reactions
 243–247
 double bonds, isomerisation of
 257–259
 esterifications 249–252
 etherification 254–255
 Friedel–Crafts alkylations 255–257
 Knoevenagel condensations
 242–243
 Michael additions 239–242

- Nazarov-type reactions 247–249
 polymerization 259
 scope and aim 239
 transesterifications 249–252
 stoichiometric applications 234
 molecular recognition, ChB in 377
 molecular torsion balances 57, 58, 70
 monocationic[2]rotaxanes 102
 monocationic XB donors 274
 monodentate
 halo(benz)imidazolium-catalyzed
 umpolung alkylation 289
 monodentate iodobenzimidazolium
 derivatives 284
 monodentate iodo(benz)imidazolium
 triflates 281
 monodentate pyridyl-and
 iodo(tetrafluoro)aryl-substituted
 phosphines 299
 monomeric iodoperfluorobenzene 219
 mono-*N*-bromo-5,5-dimethylhydantoin
 (MBDMH) 286
 Mukaiyama aldol reaction 295
 Mukaiyama–Michael-type addition 284
 multidentate halogen bonding systems
 167
 multidentate XB donors 272, 274
 multimeric assemblies 353–355
 multivalent ion pairing 196
- n**
- naphthalene based [2]catenane 107
 1,1'-bi-2-naphthol (BINOL)-derived
 phosphoric acid derivative 143
 2-(1-naphthyl)benzenecarboxaldehyde
 139
 Nazarov cyclization 248, 249, 284,
 286
 Nazarov-type reactions 247–249
N-bromosuccinimide (NBS) 133, 183,
 291
N-chlorophthalimide (NCP) 142
 negative charge-assisted chalcogen
 bonding 368
 neutral halogen bonded species 161
 neutral monodentate iodoalkyne 289
 neutral polyfluorinated and alkyne
 derivatives 272
 neutral XB donor promoted asymmetric
 Mannich reaction 297
 neutral XB donors 274, 278, 281, 282,
 288, 289, 291, 297, 324
N-I based XB donors 272
 nickel fluorides 18
 [N- I- N]⁺-type system 126
N-iodosaccharin (NISac) 46, 133, 134,
 272
N-iodosuccinimide (NIS) 133, 244, 272
 nitrilase-catalyzed synthesis 291
 nitroalkenes 297
 nitroxide radicals 51, 185, 187
 NOE through homonuclear (NOESY)
 178
 noncovalent interactions 1–3, 7, 28–31,
 33, 34, 44, 72, 83, 88, 90, 113, 117,
 148, 160, 169, 173, 181, 188, 200,
 203, 204, 218, 221, 225, 227, 228,
 271, 297, 299, 303, 309, 311, 325,
 326, 328, 329, 332, 335, 356, 365,
 369, 372, 373, 380
 non-enriched 4-methylpyridine 176
 non-fluorinated iodobenzene 209, 297
 non-fluorinated iodophenyl substituents
 201
 nonmacrocyclic ChB donor catalysts 373
 nonpolar alkyl substituents 274
 normalized contact/reduction ratio 4
 normalized interaction distance ratio 4,
 123
 normal pulse voltammetry (NPV) 312
 nuclear magnetic resonance analysis of
 molecular flexibility in solution
 (NAMFIS) algorithm 166
 nuclear magnetic resonance (NMR)
 spectroscopy
 atomic level evidence 160
 diffusion NMR 182–184
 direct detection techniques 169–176
 entropic effects on halogen bonding
 165–168

- nuclear magnetic resonance (NMR) spectroscopy (*contd.*)
- indirect detection techniques 176–178
 - isotopic perturbation of equilibrium (IPE) method 184–185
 - nuclear Overhauser effect 178–182
 - solvent effects 161–165
 - thermodynamics of halogen bonding 161
- nuclear Overhauser effect (NOE) 53, 71, 160, 178
- nuclear Overhauser effect spectroscopy (NOESY) 71, 161, 180, 181
- O**
- obatoclax 196
- observed isotope shift 124, 184
- O*-cinnamyl phenyl ethers 288
- octafluorodiiodobutane 177
- octahedral hexameric capsules 144
- 5-ⁿOct/BAR₄^F 284
- meta*-3*n*-Oct/OTf 286
- oligo(phenylene)-based anion transporter 61
- p*-oligophenyl rigid rods 196, 219, 221
- p*-oligophenyl scaffold 221
- O*, *N*-glycosides 286
- organic functional groups, activation of 281–291
- organic radicals 185–187
- organic XB donors 271
- organochalcogens 369, 377, 381
- Orthogonal X-bonds 347
- oxacalix[2]arene[2]triazine
- anion binding studies 203
 - anticancer activity 205–209
 - crystallographic studies 203–204
 - ion transport 204–205
 - synthesis 203, 204
- oxacalix[2]arene[2]triazine family 205
- oxacalix[2]arene[2]triazine system 205
- oxidation reactions 140–141
- oxygen-containing halogen bond acceptors 158
- P**
- 1-palmitoyl-2-oleoyl-*sn*-glycero-3-phosphocholine (POPC) 225
- paramagnetic metal ions 187
- para-substituted analogues 274
- passive transport 195
- pentafluorobenzyl bromide 199
- pentafluoroiodobenzene 23, 28, 289
- pentafluorophenyl group 289, 326
- 4-penten-1-ol 139, 146
- peptide foldamers 349, 354
- peptidic and non-peptidic families 196
- peptidic backbone 222, 223
- perfluorinated calix 200
- perfluorinated iodoalkanes 67
- perfluoroalkanes 94, 186
- perfluoroalkyl iodides 273
- perfluoroarenes 14, 186
- perfluoroaryl iodide 168
- perfluoroaryl iodoethynyl moieties 168
- perfluorobenzene 51, 210, 221
- perfluorohexane 212
- perfluorohexyl iodide 181, 182
- perfluorophenyl 198, 200, 219, 375
- perrhenate anion recognition 171
- perrhenate anions 171, 173, 328
- 4-(phenylazo)phenol 45, 160, 165
- phenylenediamine (PD) 309, 330
- ortho*-phenylethynylene derivatives 57
- photomediated [2+2] olefin cycloaddition 19
- photoresponsive liquid crystals 29
- photovoltaic systems 329–330
- pH-responsive anion shuttle 114
- pH-switchable self-complementary halogen bonding motif 63
- π -haloalanine residues 71
- pimozide 278
- π -stacked pyridine Lewis bases 180
- planar lipid bilayer membranes 212, 213, 225, 228
- pnictogen 23, 34, 148, 196, 227, 332, 356, 365
- polar flattening 22
- polarization effects, on halogen bond 25

- polar, protic solvents 135
- polar solvents 31, 135, 136, 162, 164, 237, 332, 373
- polyiodide counterions 130
- polymerization 19, 54, 259, 260, 278, 280
- pore-forming mono-peptides 222, 228
- positive charge-assisted chalcogen bonding 368, 379
- Povarov reaction 244, 259, 260
- principle of preorganization 86
- prodigiosin 196
- Protein Data Bank (PDB) 16, 339
- protic solvents 45, 68, 135, 153, 162, 189, 242, 244, 249, 253
- proton-to-deuterium substitution 124
- (pseudo-)halide anions 163
- [2]pseudo-rotaxane 89, 91
- pseudo-rotaxane stability constants 98
- pseudo-trigonal bipyramidal geometry 144
- pulsed-field gradient spin echo (PGSE) 182
- pyridine 123, 136, 158
- [bis(pyridine)chlorine(I)]⁺ 127
- [bis(pyridine)halogen(I)]⁺ complexes 124, 133, 136
- bis(pyridine)halonium ions 47
- [bis(pyridine)iodine(I)]⁺ 127, 130, 139
- [bis(pyridine)iodine(I)]⁺ I₃⁻ [6], a [N...I...N]⁺-complex 121
- [bis(pyridine)iodine(I)]⁺ tetrafluoroborate 137, 139, 140
- [bis(pyridine)iodine(I)]⁺-type complex 121
- pyridine methylation 18
- pyridine nitrogens 143
- pyridine-Selectfluor complex 128
- pyridinium methyl group 179
- (1,2-bis(pyridin-2-ylethynyl)benzene) core 146
- [(1,2-bis(pyridin-2-ylethynyl)benzene)halogen(I)]⁺ 124, 126
- [(1,2-bis(pyridin-2-ylethynyl)benzene)iodine(I)]⁺ complex 130
- (1,2-bis(pyridin-2-ylethynyl)benzene) ligands 146
- pyrroles 246, 247, 261, 262
- ## q
- QM/Molecular Mechanics (MM) calculations 27
- quadrupolar chlorine 127
- quantum mechanical (QM) 27, 339
- quantum/molecular mechanics (QM/MM) methods 355
- quinidine-based chiral Brønsted base 297
- quinidine-derivative 279, 295
- quinolone 281, 282
- quinones 314–317
- quinuclidine 49, 51, 52, 67, 168, 170, 171, 187, 236
- ## r
- radical/diiodotetrafluorobenzene (DITFB) 186
- RAFT polymerization 30, 33
- [R-COO- I- OOC-R]⁺ complex 140
- redox
- active donors 317–326
 - ferrocene 317–320
 - tetrathiafulvalenes 320–325
 - viologens 325–326
- resorcinarene cavitands 143
- Rissanen's *N*-halosaccharin-pyridine *N*-oxide halogen bond complex 177
- rotating frame NOE spectroscopy (ROESY) 180
- [2]rotaxane 89
- for anion recognition 92–100
 - with anion-specific shuttling behavior 111
 - chloride-anion-templated amide condensation clipping reaction synthesis 95
 - containing regioisomeric macrocycles 103
 - electrochemical anion sensing 110

- [2]rotaxane (*contd.*)
 monocationic 102
 XB and HB perfluoroaryl
 functionalized 96
 XB and HB water soluble 93
 with XB donor axle components 105
 RSH 242
 $[R_2TeTeR_2][Te_4I_{14}]$ 130
 Ru(II) appended XB rotaxane 109
 ruthenium-catalyzed tandem
 metathesis/transfer hydrogenation
 sequence 301
- S**
- saccharin nitrogen 133
 scanning tunneling microscopy (STM)
 179
 Schreiner's thiourea 289, 301, 303
 Schubert's double bidentate system 181
 Se-based ChB donor catalyst 375
 secondary and tertiary cycloalkanol 140
 Selectfluor 128
 selenium 45, 129, 369, 373
 self-assembled monolayers (SAMs) 313,
 326–329
 self-complementary halogen bonding
 species 63
 self-healing polymers 31
 short-chain primary and secondary
 iodoperfluoroalkanes 158
 short, strong hydrogen bonds 126
 σ -hole model 3, 337, 338
 silver hexafluorophosphate ($AgPF_6$)
 183
 silyl enol ethers 278, 289
 site-directed mutagenesis 57
 smallest organic anion transporter 211
 small molecules
 conductance experiments in lipid
 bilayer membranes 215–216
 iodoperfluoroalkanes 210–212, 217
 iodoperfluoroarenes 209–210
 mechanism of transport 216
 sodium- potassium pump (Na^+/K^+
 ATPase) 195
 solid [bis(pyridine)iodine(I)]⁺
 tetrafluoroborate 135
 solid-state halogen bond contacts 4
 solid state NMR 169
 solution-phase anion recognition 92
 solution-phase XB receptors 84
 solvent effects 161
 solvent polarity and counterions 131
 spin probe 186
 squaramides 196
 square wave voltammetry (SWV) 312
 stable (non-transient) halogen bonded
 adducts 271
 stereoselective Pummerer reaction 370
 sterically rigid DABCO-type cationic
 tris(1-methyl-1-azonia-4-azabicy-
 clo[2.2.2]octane)-mesitylene ligand
 145
 Stokes–Einstein equation 182
 strain-release glycosylation 286, 287
 styrenyl amides 142
 substituted pyridine *N*-oxides 177
 sulfate-binding protein 83, 84
 sulfonyl-substituted bis(iodoarene) anion
 receptor 60
 supramolecular capsule formation 50
 supramolecular chemistry 143
 challenges 92
 host–guest 83
 supramolecular gels 31
 supramolecular polymers
 block copolymers 30–31
 LC polymers 29–30
 light-sensitive polymers 30
 self-healing polymers 31
 supramolecular synthon 15, 135, 143
 symport mechanism 199
 symmetric double-well potential 125
 syn-preorganized dicationic XB donor
 284
- t**
- tambjamines 196
 tautomers 123

- Taylor's tridentate halogen bond donor
175
- $[\text{Te}_2\text{I}_6]^{2-}$ dianions 130
- tellurium 129
- ^{125}Te nuclear magnetic resonance (NMR)
spectra 369
- N*-terminal phenylalanine 166
- tetrabutylammonium chloride (TBACl)
201
- tetrachloro-*p*-quinone ($\{\text{TCQ}\}$) 313
- tetrafluoroborate 137
- tetrafluoroborate counter anion 142
- 2,3,5,6-tetrafluoro-4-iodobenzyl *tert*-butyl
nitroxide probe 187
- 2,3,5,6-tetrafluoro-4-iodophenol 223
- 2-tetrahydropyranyl (THP) 252
- Tetrahydroquinolines 244, 288
- tetrakis(3-pyridyl)cavitands 144
- tetrakis(4-pyridyl)cavitands 144
- tetramethylammonium chloride (TMACl)
199
- 1,1,3,3-tetramethylisoindolin-2-yloxy
(TMIO) 186
- tetramethylthiourea 160, 165
- 2,2,6,6-tetramethyl-1-piperidinyloxy
radical 186
- tetramethylurea 160
- tetrathiafulvalene (TTF) 18, 309,
320–325
- 3D styrene-based triblock terpolymers
31
- thermodynamics of halogen bonding 43,
72
- thermodynamics of oxoanion
complexation 61
- thioamides 129
- thiochromane 297
- thiones 129
- thiophene derivatives 284
- thiosalicyl aldehydes 297
- thiourea 129
- three-center-four-electron halogen bond
19
- three-center halogen bond
- enantioselective halogenation
141–143
- halonium transfer reactions 137–140
- N*-halosaccharins 132–134
- N*-halosuccinimides 132–134
- influence of the identity of 126–128
- Lewis basicity 128–131
- oxidation reactions 140–141
- solvent polarity and counterions
131–132
- stability 135–137
- supramolecular chemistry 143–147
- symmetry and dynamics of 123–126
- trihalide ions 134–135
- d_8 -toluene 176
- tosylate-counter anions 143
- N*-tosyl-protected 3-alkynylpyrrole-
2-carboxaldehydes 139
- tracyanoquinodimethane (TCNQ) 18,
314
- transesterifications 249–252
- transient NOE spectroscopy (NOESY)
178
- triazine monomers 203
- triazol-derived chiral XB donors 292
- 1,2,3-triazolium 293
- triazolium-based chiral monodentate XB
donors 282
- 1,2,4-triazolium 295
- triblock terpolymers 31
- tridentate halogen bond donor–acceptor
pair 53
- tridentate halogen bond donor species
167
- tridentate XB cyclo pseudopeptide 87
- triflate salts 274
- trifluorohalomethanes 155
- trifluoroiodomethane 211
- trihalide ions 134
- trihalomethanes 159
- triiodide ions 135
- trimethyl amine 157
- trimethylpentane (TMP) 187
- trimethylphosphine 157
- trimethylsilyl cyanide 278

- trimethylsilyl cyanide (*contd.*)
tripodal neutral XB donor 281
1,3,5-tris(imidazole-1-ylmethyl)-2,4,6-trimethylbenzene 145
trisindoline 286
two-dimensional NMR techniques 176, 188
- U**
- uncharged Lewis bases 44
 haloalkanes 67–72
 haloalkenes 67–72
 haloalkynes 47–50
 haloarenes 51–61
 α, β -unsaturated carbonyl compounds 284
 α, β -unsaturated ketones 239
bis(urea)-based supramolecular balance 71
UV absorption and circular dichroism (CD) spectra 179
UV-vis spectroscopy 158
- V**
- valinomycin 204
van der Waals radii 123
van't Hoff equation 124, 170
van't Hoff plot analysis 49, 52, 65, 67, 170
variable temperature 2D exchange spectroscopy (EXSY) 179
- vibrational spectroscopy 154
vibrindole A 284
viologens 323
voltammetric techniques 310
- W**
- Wagner–Meerwein rearrangements 251, 254
- X**
- XB-anion templated synthesis
 of interlocked molecules 91
XB-bonded hypervalent trimethylsilyl intermediates 276
XB-iodide-induced triple helicate 115
XB mediated redox reactions 328
XB-mediated solution-phase recognition 84
XB-organocatalysis through π -activation 289
XBphos-Rh complex 297
XBscore 27
X-ray absorption spectroscopy (XAS) 327
xylyl-spacer receptor bromide complex 86
- Z**
- zinc-acetate-catalyzed asymmetric halolactonization 299

