

Index

a

- apigenin 6-*C*-(2''-*O*- α -L-rhamnopyranosyl)- β -D-glucopyranoside-7-*O*- α -L-rhamnopyranoside 1054
- abiotic elicitors 130, 173, 232, 552, 570, 742, 769, 937, 1138, 1382, 1385, 1387
- Abutilon* species compounds
 culture conditions 10
 ethnopharmacological properties and phytochemistry 7–10
- Abutilon* spp.
A. grandiflorum 7
A. indicum 7, 10
A. pakistanicum 8
- acacetin 400, 593, 759, 760, 812, 1220, 1265, 1278, 1289
- Acacia* species compounds
 culture conditions 20
 ethnopharmacological properties and phytochemistry 16–20
- Acacia* spp.
A. arabica 16
A. ataxacantha 16
A. catechu 16
A. confusa 17
A. dealbata 18
A. galpinii 17
A. giraffae 17
A. mangium 17
A. mellifera 18
A. nilotica 16
A. pennatula 18
- acetovanillone 1166
- 10-acetoxymajoroside 850, 1291
- 13-acetylbaccatin III 1130
- 13-acetyl-9-dihydrobaccatin III 1130
- acetylintermedine 1100
- 7-acetylintermedine 616, 1100, 1101
- acetyl-lycopsamine 1100
- 3-acetyllycopsamine 1100
- 7-acetyllycopsamine 616, 1100
- acevaltrate 1265, 1271, 1272
- Achyranthes*
A. aspera 24
A. bidentata 24, 26
- Achyranthes* species compounds
 culture conditions 31–32
 ethnopharmacological properties and phytochemistry 24–31
- Acorus calamus* 1439
- actinidine 1264
- adenine 1182
- adenosine 1182
- Adhatoda* species compounds
 culture conditions 42–43
 ethnopharmacological properties and phytochemistry 39–42
- Adhatoda vasica* 39
- adhyperforin biosynthetic pathways 1408
- Aegle marmelos* 47
- Aegle* species compounds
 culture conditions 52
 ethnopharmacological properties and phytochemistry 47–52
- aeration techniques 1384
- aesculetin 748, 1219

Secondary Metabolites of Medicinal Plants:

Ethnopharmacological Properties, Biological Activity and Production Strategies,

First Edition. Bharat Singh and Ram Avtar Sharma.

© 2020 Wiley-VCH Verlag GmbH & Co. KGaA. Published 2020 by Wiley-VCH Verlag GmbH & Co. KGaA.

- afzelechin-(4 α →8)-afzelechin 1130
 (-)-afzelechin-(4 α →8)-epicatechin 1130
Ageratina pichinchensis 56
Ageratina species compounds
 culture conditions 64
 ethnopharmacological properties and phytochemistry 56–64
Ageratum species compounds
 culture conditions 75
 ethnopharmacological properties and phytochemistry 68–75
Ageratum spp.
 A. conyzoides 68, 70
Agrobacterium-mediated transformation 1423
Agrobacterium rhizogenes strains 32, 193
 airlift bioreactors 1435
 ajugol 991, 992
 ajugoside 991, 992
Albizia lebbek 79
Albizia species compounds
 culture conditions 95
 ethnopharmacological properties and phytochemistry 79–95
 alkaloids 1435
 allantoin 447, 1099, 1101
Allium species compounds
 culture conditions 106–107
 ethnopharmacological properties and phytochemistry 99–106
Allium spp.
 A. cepa 100
 A. cepa L. 99
 A. hirtifolium 99, 100
 A. sativum 99, 100
 ascalonicum 100
 allo-aromadendrene 1166, 1358
 alhydroxymatairesinol 1130
Aloe species compounds
 culture conditions 129–130
 ethnopharmacological properties and phytochemistry 111–129
Aloe spp.
 A. ballyi 114
 A. barbadensis 111, 114, 1370
 A. deltoideodonta 114
 A. elgonica 113, 115
 A. gillilandii 112, 114
 A. ibitiensis 114
 A. marlothii 111, 112
 A. rupestris 112
 A. ruspoliana 114
 A. sabaia 114
 A. saponaria 113, 114
 A. vera 111, 114, 1386
 A. viguieri 112, 114
 (Z)- α -bisabolene 1166
 α -cadinol 575, 759, 823, 1086, 1110, 1255
 α -conidendrin 1130
 α -cubebene 68, 811, 823, 903, 1166, 1357
 3 α ,24-dihydroxy-urs-12-en-28-oic acid 1278
 α -fenchyl acetate 1086
 α -gurjunene 1166
 α -humulene 288, 410, 640, 759, 811, 904, 1166
 α -intermedianol 1130
 12- α -[(2-O- β -D-glucopyranosyl- β -D-glucopyranosyl)oxy]ent-kaur-16-en-19-oic acid
 β -D-glucopyranosyl ester 1068
 α -phellandrene 48, 57, 410, 419, 487, 700, 811, 823, 1166, 1255
 α -pinene 68, 140, 736, 748, 759, 960, 975, 1166
 α -spinasterol 3-O- β -D-glucopyranoside 993
 α -terpinene 759, 823, 1166
 α -terpinolene 761, 823, 1255
 α -thujene 736, 823, 1166, 1255, 1258
 α -viniferin 1307, 1308
 α -ylangene 811, 1166
 amentoflavone 302, 1130, 1219
 amino acids 2–4, 43, 111, 482, 487, 1138, 1144, 1389, 1408, 1464
 2-(1'-amino-butyl)indol-3-one 1030
 6-amino-2-methyl-2-heptanol 1167
 (+)-ampelopsin A 1308
 ampelopsin D 1308
 (+)-ampelopsin F 1308

- ampelopsin H 1307, 1308
 amurensin A 1308
 anadoline 1101
Andrographis paniculata 1382, 1435
Angelica species compounds
 culture conditions 141
 ethnopharmacological properties and
 phytochemistry 139–141
Angelica spp.
 A. dahurica 139, 140
 A. gigas 139, 141
 A. pubescentis 140
 7-angeloylretronecine 547, 1101
 angoroside A 993
 angoroside B 993
 angoroside C 990, 992, 993
 angoroside D 993
Anisodus acutangulus 142, 1447
 anthocyanins 2, 4, 448, 631, 1327,
 1328, 1392, 1422, 1439–1442,
 1457, 1468
 anthocyanin synthesis 1441
 anthranilate synthase 4, 43, 1389, 1418
 anthranilate synthase α 43
 anthranilate synthase β 43
 anthraquinones 42, 112, 256–258,
 332–334, 684, 694, 883, 894, 930,
 935, 937
 apeginin 1181
 apigenin 39, 1069, 1087, 1167, 1219
 apigenin-8-C- α -glucopyranoside 1254
 apigenin 6-C- β -chinovopyranosyl-8-C-
 β -galactopyranoside 1237
 apigenin 6-C- β -xylopyranosyl-8-C-
 (6000-O-(3-hydroxy-3-methyl-
 glutaroyl)-b-glucopyranoside)
 1237
 apigenin-7-glucoside 685, 748, 760,
 850, 1166, 1255, 1277, 1278
 apigenin-7-O- β -D-digluconide 1278
 apigenin-7-O- β -D-glucuronide 1087,
 1278
 apigenin-7-O- β -D-glucuronide methyl
 ester 1087
 apigenin-7-O- β -D-glucuropyranoside
 1167
 apigenin-7-O- β -D-glycoside 1069
 apigenin 7-O-glucoside 360, 593, 639,
 850, 1219
 apigenin-7-O-neohesperidoside 1278
 aquaticoside A 1290
 aralidioside 1278
 arborescosidic acid 1289
 arbutin 439, 760, 961, 1254, 1290,
 1370, 1371
Arnebia species compounds
 culture conditions 146
 ethnopharmacological properties and
 phytochemistry 144–146
Arnebia spp.
 A. benthamii 144
 A. decumbens 145
 A. euchroma 144, 145, 616
 A. nobilis 145
 aromadendrene 811, 1166, 1357
 aromadendrin 18, 759, 760, 925, 1167
Artemisia annua 152, 158, 1375, 1385,
 1407, 1413, 1420, 1439, 1461,
 1475
Artemisia species compounds
 culture conditions 156–159
 ethnopharmacological properties and
 phytochemistry 152–156
 artemisinin 152, 153, 156–159, 1375,
 1376, 1385, 1413, 1422, 1439,
 1441, 1442
Artemisia aucheri 158
 artonin Q 1254
Ascaris lumbricoides 47
Asparagus racemosus 164, 172
Asparagus species compounds
 culture conditions 172–173
 ethnopharmacological properties and
 phytochemistry 164–172
 asperumine 1100
 astragaloside VIII 1220
 asystasioside 1289
Atropa species compounds
 culture conditions 179–181
 ethnopharmacological properties and
 phytochemistry 177–179

- Atropa* spp.
A. baetica 177, 178
A. belladonna 5, 177, 179, 1375, 1414, 1424
aucubin 2, 575, 683, 850, 990, 992, 993, 1022, 1277, 1289–1291
aucubinine B 1022
Ayurveda 1383, 1388
Azadirachta indica 184, 191, 1370
Azadirachta species compounds
 culture conditions 191–193
 ethnopharmacological properties and phytochemistry 184–191
azukisaponin II 1220
- b**
baccatin III 1139, 1389, 1439
baccatin IV 1130, 1132
Bacillus subtilis 16, 48, 58, 111, 139, 164, 440, 475, 527, 719, 812, 823, 849, 943, 1029, 1158, 1276
baicalein 1147, 1219, 1223
baicalin 1219, 1223
baldrinal 1266, 1271
benzofuran derivatives 69–70
benzoic acid 8, 48, 850, 1201, 1210, 1254
15-Benzoyl-10-deacetyl-2-debenzoyl-10-dehydro-*abeo*-baccatin III 1131
15-Benzoyl-2-debenzoyl-7,9-dideacetyl-*abeo*-baccatin VI 1131
berberine 386, 1182, 1191, 1192
 β -bourbonene 759, 762, 811, 814, 904, 1166, 1173, 1255, 1259
 β -caryophyllene 57, 60, 68–70, 75, 153, 288–289, 419, 748–750, 758–760, 762, 811, 823, 903–904, 1086, 1090, 1110, 1130, 1133, 1166, 1173, 1255, 1265, 1291, 1423
 β -caryophyllene 68–70, 75, 153, 288, 748, 758–760, 1130, 1166
 β -damascenone 1307, 1309
 β -gurjunene 903, 904, 1166, 1265
1 β -hydroxy-10-deacetyl-10-glycolylbaccatin I 1131
1 β -hydroxymakisterone C 1031
4 β -hydroxy-6-*O*-(*p*-hydroxybenzoyl)-tetrahydrolinaride 1291, 1302
 β -ionone 593, 599, 1055, 1219, 1300, 1307, 1309
(*Z*)- β -ocimene 1130
 β -patchoulene 1166
 β -pinene 1166
 β -sitosterol 7–9, 18, 24, 28, 48, 58, 70, 101, 114, 166, 210, 257, 410–411, 466, 475, 545, 560, 615, 657, 664, 701, 712, 736, 748, 758, 863, 942–943, 961, 990, 1030, 1045, 1144, 1146, 1181, 1182, 1254, 1277, 1289, 1339
 β -sitosterol glucoside 992
 β -sitosterol 3-*O*- β -D-glucopyranoside 1278
betulifol A 1308, 1313
betulin 145, 593, 596, 719, 723, 759, 763, 835, 1086, 1090, 1146
betulinic acid 24, 26, 48, 208, 257, 263, 275, 290, 539, 593, 596, 657, 659, 719, 723, 749, 753, 759, 834, 839, 985, 1146, 1166–1167, 1174
biochanin A 648, 893, 1218–1210, 1229, 1421
biochanin A 7-*O*-glucoside-6²-*O*-malonate 1218–1219
bioreactors 4–5, 147, 159, 280, 294, 378, 570, 868, 984–985, 1079, 1211, 1350, 1383–1384, 1392, 1418, 1423, 1425, 1435, 1450–1451, 1454
biotechnological strategies 985, 1454
biotic elicitors 130, 173, 193, 232, 552, 570, 769, 805, 842, 937, 1138, 1382, 1385, 1387, 1390, 1422
biotransformation mechanism 130, 180, 232, 242, 333, 466, 678, 796, 1351, 1361, 1370–1371, 1435, 1470, 1475
bitter tonic 197, 514, 545, 1180

- borapetol A 1181, 1187
 borapetol B 1181, 1188
 borapetoside A 1181, 1189
 borapetoside B 1181, 1188
 borapetoside C 1181, 1189
 borapetoside D 1181, 1188
 borapetoside E 1181, 1188
 borapetoside F 1181, 1188
 borapetoside G 1181, 1189
 borapetoside H 1181, 1189
 borivilianosides E-H 315
 borneol 68, 410, 750, 758–759, 762,
 1087, 1093, 1166, 1172, 1265,
 1268, 1357
 bornyl acetate 57, 61, 68, 369, 748, 762,
 1265, 1268, 1357
Botrytis cinerea 1386
 brassicasterol 70, 101, 1289, 1292
Bryophyllum pinnatum 197
Bryophyllum species compounds
 197–204
 culture conditions 203–204
 ethnopharmacological properties and
 phytochemistry 197–203
 buddlejasaponin I 992, 993, 1018
 buddlejasaponin II 992, 1019
 buddlejasaponin III 991, 992, 1019
 buddlejoside A₃ 992–993, 1008
 buddlejoside A₄ 993, 1008
 buddlejoside A₅ 992, 1008
 buddlejoside A₈ 991, 1003
 buergerinin B 990–991, 993, 1002
 buergerinin C 991, 1002
 buergerinin D 991, 1002
 buergeriside A₁ 991, 992, 1001
 buergeriside B₂ 991, 992, 1000
 buergeriside C₁ 991, 992, 1000
- C**
- cadinene 57, 60, 69–70, 352, 642, 763,
 811, 903–904, 1086, 1090, 1110,
 1166, 1173, 1255, 1357–1358
 caffeic acid 8–9, 58, 63, 70, 101, 199,
 242, 333, 352–355, 400–401, 411,
 487, 491, 502, 507, 605, 615, 621,
 639–640, 642, 656, 658, 675, 678,
 700, 748, 752, 759–760, 764, 834,
 837–838, 843, 850, 852, 893, 942,
 961, 970, 1030, 1045, 1046, 1087,
 1091, 1093, 1099, 1100, 1145,
 1147, 1154, 1166–1169, 1219,
 1222, 1236, 1239, 1284, 1288,
 1290, 1371, 1393, 1420–1421
 (*E*)-caffeic acid 990, 991, 996
 (*Z*)-caffeic acid 992, 995
 caffeine 4, 1383, 1440–1441
 caftaric acid 101, 502, 508, 748, 751,
 1167, 1174
 calamenene 811, 1166, 1173, 1358
 calceolarioside C 1290, 1301
 calcium chloride 894, 1192, 1264,
 1377, 1389, 1393
 callus regeneration rate 1376
 calycosin 1218–1221
 campesterol 101, 113, 127, 450, 466,
 507, 631, 736–737, 740, 1030,
 1035, 1044, 1047, 1093, 1289,
 1292
 camphene 57, 60, 419, 487, 758, 762,
 823, 1166, 1172, 1255, 1258,
 1357, 1423
 camphor 152–153, 353, 410, 417,
 419–420, 487, 748, 758, 762,
 1130, 1133, 1166, 1172, 1255,
 1265, 1423
Camptotheca acuminata 208, 219
Camptotheca species compounds
 culture conditions 219–221
 ethnopharmacological properties and
 phytochemistry 208–218
 camptothecin 208–210, 219–221,
 1382, 1420, 1440–1441, 1449,
 1464
 camptothecin and
 10-hydroxycamptothecin
 219–221
 cannabigerol 226–228
Cannabis sativa 226, 227
Cannabis species compounds
 culture conditions 232–233
 ethnopharmacological properties and
 phytochemistry 226–232

- capsaicin 237–238, 241–243,
1370–1371, 1383, 1434–1435,
1447, 1460
- capsaicinoids 238, 242–243, 1371,
1440
- Capsicum annuum* 237, 1447
- Capsicum* species compounds
culture conditions 241–243
ethnopharmacological properties and
phytochemistry 237–241
- carbon dioxide 1455
- Carthamus* species compounds
culture conditions 252–253
ethnopharmacological properties and
phytochemistry 247–251
- Carthamus tinctorius* 247, 248, 252
- carvacrol 57–59, 351–352, 736, 738,
750, 758–759, 1165–1167, 1172
- carvacryl acetate 1166, 1172
- carvone 487, 741, 750, 1166, 1172,
1255
- caryophyllene oxide 7–8, 57, 69,
758–759, 904, 975, 1110, 1130,
1133, 1166, 1173, 1255, 1278,
1282, 1291
- casein acid hydrolysate 1385
- Cassia* species compounds
culture conditions 266–268
ethnopharmacological properties and
phytochemistry 256–266
- Cassia tora* 256
- casticin 57, 152, 1289, 1291
- catalpol 850–851, 991–993, 1022,
1289–1293, 1301
- catarractoside 1289, 1295
- catechin 18–19, 257, 338, 451, 593,
594, 605, 656, 658, 670, 678, 834,
884–885, 891, 942–945,
959–961, 1086, 1093, 1167, 1219,
1224, 1236, 1254, 1310, 1328,
1339, 1421
- (+)-catechin 16–17, 262, 448, 465,
475, 601, 812, 816, 837, 842, 904,
906, 942, 960, 1086, 1090, 1093,
1325, 1328
- catharanthol 1110, 1117
- Catharanthus roseus* 43, 242, 274,
1370, 1374, 1384, 1407, 1413,
1418, 1434, 1439, 1447, 1449,
1454, 1457, 1460, 1468, 1470
- Catharanthus* species compounds
274–280
culture conditions 278–280
ethnopharmacological properties and
phytochemistry 274–278
- cell culture medium 147, 158, 227,
1374, 1407, 1422, 1447, 1457,
1460–1461
- cell culture studies 42, 52, 158, 179,
232, 268, 570, 795, 1037,
1122–1123, 1326, 1370,
1375–1376, 1382–1383, 1447,
1461, 1468
- cell culture technology 4, 31, 753, 796,
857, 1138, 1383–1384, 1407
- Centella asiatica* 142, 286
- Centella* species compounds 286–295
culture conditions 294–295
ethnopharmacological properties and
phytochemistry 286–294
- cephalandole C 1086, 1088
- cephalomannine 1132, 1139
- Cephalotaxus* species compounds
culture conditions 311–312
ethnopharmacological properties and
phytochemistry 301–311
- Cephalotaxus* spp.
C. griffithii 301
C. harringtonia 301
- 2-(4-chlorobenzyl amino) ethanol 992,
1015
- chlorogenic acid 17, 58, 63, 101,
152–153, 216, 237, 338, 352, 354,
482, 487, 502, 508, 605, 643, 656,
658, 670, 678, 700, 704, 719, 724,
748, 752, 760, 764, 852, 893, 904,
907, 1045, 1046, 1079, 1087,
1091, 1099, 1100, 1166, 1167,
1219, 1222, 1239, 1254, 1277,
1288, 1339, 1385, 1409, 1421,
1470
- chloromalosides A-E 316
- Chlorophytum borivilianum* 315, 325

- Chlorophytum* species compounds 315–326
 culture conditions 325–326
 ethnopharmacological properties and phytochemistry 315–325
- chromene compounds 69
- Chrysanthemum cinerariaefolium* 1468
- chrysin 545, 759–760, 766, 811–813, 834, 838, 903, 1290, 1294
- chrysoeriol 238, 258, 260, 351–352, 647, 758, 760, 764, 812–813, 828, 850, 853, 960, 962, 1167, 1219, 1223, 1255, 1258, 1277, 1283, 1290, 1295
- chrysoeriol-7-*O*- β -D-glucuronide 1278
- chunganenol 1308, 1325
- cichoric acid 502, 508, 1290, 1296
- Cichorium intybus* 1422
- Cinchona ledgeriana* 329
- Cinchona* species compounds 329–334
 culture conditions 331–334
 ethnopharmacological properties and phytochemistry 329–331
- 1,8-cineole 1166
- cinnamic acid 4, 48, 58, 242, 253, 262, 354, 411, 420, 539, 588, 854, 990–995, 1023, 1087, 1091, 1099, 1169, 1219, 1222, 1290, 1408, 1421
- cirsilineol 158, 748, 752, 759, 1167, 1168
- cirsiliol 57, 1167
- cirsimaritin 351, 760, 1167, 1168
- cis*-harpagoside 2, 990–993, 1005, 1022–1023
- cis*-resveratrolsides 1328
- cistanoside F 992, 1001
- cis*-verbascoside 993
- Citrullus colocynthis* 337, 338
- Citrullus* species compounds
 culture conditions 345–346
 ethnopharmacological properties and phytochemistry 337–345
- clovane-2 β -isovaleroxy-9 α -ol 1264, 1267
- cloversaponin I 1220, 1226
- cloversaponin II 1220, 1226
- cloversaponin III 1220, 1226
- cloversaponin IV 1220, 1226
- cloversaponin V 1220, 1227
- Coleus aromaticus* (CA) 351
- Coleus blumei* 354
- Coleus* species compounds
 culture conditions 353–355
 ethnopharmacological properties and phytochemistry 351–353
- Colocasia esculenta* 359
- Colocasia* species compounds
 culture conditions 363–364
 ethnopharmacological properties and phytochemistry 359–363
- columbamine 383–384, 391–392, 1182
- columbin 1180, 1181, 1185
- Commiphora* species compounds 367–379
 culture conditions 378–379
 ethnopharmacological properties and phytochemistry 367–378
- Commiphora wightii* 367
- conodiparine A 1110, 1122
- conodirinine A 1110, 1120
- conodusine A 1110–1111, 1118
- conodusine B 1110–1111, 1118
- conodusine C 1110–1111, 1118
- conodusine D 1110–1111, 1118
- conodusine E 1110–1111, 1118
- cononitarine B 1110, 1120
- Coptis japonica* 386
- Coptis* species compounds 383–386
 culture conditions 386
 ethnopharmacological properties and phytochemistry 383–385
- cordifolioside A 1181, 1184–1185
- cordioside 1180, 1185
- Corydalis chaerophylla* 390
- Corydalis* species compounds 390–396
 culture conditions 395
 ethnopharmacological properties and phytochemistry 390–395

- Corydalis yanhusuo* 390, 395
coumarin 3, 48, 68, 71, 139–141, 153,
684, 811, 828, 1145, 1167, 1170,
1201, 1210, 1239
coumestrol 1220, 1227, 1419
crassifolioside 1087, 1092
Crocus sativus 399, 405
Crocus species compounds 399–405
 culture conditions 403–405
 ethnopharmacological properties and
 phytochemistry 399–403
cryptophilic acid A 991, 1016
cryptophilic acid B 991, 1016
cryptophilic acid C 991, 1016
cryptolepine salt 1030–1032
culture conditions
 Abutilon species compounds 10
 Acacia species compounds 20
 Achyranthes species compounds
 31–32
 Adhatoda species compounds
 42–43
 Aegle species compounds 52
 Ageratina species compounds 64
 Ageratum species compounds 75
 Albizia species compounds 95
 Allium species compounds 106–107
 Aloe species compounds 129–130
 Angelica species compounds 141
 Arnebia species compounds 146
 Artemisia species compounds
 156–159
 Asparagus species compounds
 172–173
 Atropa species compounds 179–181
 Azadirachta compounds 191–193
 Bryophyllum species compounds
 203–204
 Camptotheca species compounds
 219–221
 Cannabis species compounds
 232–233
 Capsicum species compounds
 241–243
 Carthamus species compounds
 252–253
 Cassia species compounds 266–268
 Catharanthus species compounds
 278–280
 Centella species compounds
 294–295
 Cephalotaxus species compounds
 311–312
 Chlorophytum species compounds
 325–326
 Cinchona species compounds
 331–334
 Citrus species compounds
 345–346
 Coleus species compounds
 353–355
 Colocasia species compounds
 363–364
 Commiphora species compounds
 378–379
 Coptis species compounds 386
 Corydalis species compounds 395
 Crocus species compounds 403–405
 Curcuma species compounds
 419–420
 Datura species compounds
 439–442
 Dioscorea species compounds
 465–467
 Erythroxylum species compounds
 481–482
 Foeniculum species compounds 494
 Fumaria species compounds 509
 Gentiana species compounds
 520–521
 Glycyrrhiza species compounds
 539–540
 Heliotropium species compounds
 552
 Hyocyamus species compounds 570
 Jasminum species compounds
 580–581
 Larrea species compounds 588
 Lawsonia species compounds 601
 Linum species compounds 608–610
 Lithospermum species compounds
 620–623
 Malva species compounds 633
 Matricaria species compounds 643

- Medicago* species compounds 653–654
- Mitragyna* species compounds 664
- Momordica* species compounds 677–678
- Morinda* species compounds 694–695
- Nerium* species compounds 731–732
- Nigella* species compounds 743
- Ocimum* species compounds 753
- Origanum* species compounds 769
- Panax* species compounds 784–785
- Papaver* species compounds 795–796
- Peganum* species compounds 805–806
- Pelargonium* species compounds 817
- Petroselinum* species compounds 828
- Phyllanthus* species compounds 841–843
- Plantago* species compounds 857–858
- Plumbago* species compounds 867–868
- Podophyllum* species compounds 876–878
- Polygonum* species compounds 893–894
- Primula* species compounds 910
- Rauwolfia* species compounds 918–919
- Rhamnus* species compounds 930–931
- Rubia* species compounds 937–938
- Rumex* species compounds 953
- Salix* species compounds 971
- Salvia* species compounds 984–985
- Scrophularia* species compounds 1022–1023
- Sida* species compounds 1028–1037
- Solanum* species compounds 1047–1048
- Stellaria* species compounds 1063
- Stevia* species compounds 1078–1079
- Strobilanthes* species compounds 1093–1094
- Symphytum* species compounds 1104
- Tabernaemontana* species compounds 1122–1123
- Taxus* species compounds 1138–1139
- Thymus* species compounds 1174
- Tinospora* species compounds 1191–1192
- Tribulus* species compounds 1210–1211
- Trifolium* species compounds 1229
- Trigonella* species compounds 1246–1248
- Turnera* species compounds 1259
- Valeriana* species 1264–1272
- Valeriana* species compounds 1271–1272
- Verbena* species compounds 1284
- Veronica* species compounds 1302
- Vitis* species compounds 1326
- Withania* species compounds 1350–1351
- Zingiber* species compounds 1361–1362
- Curcuma* species compounds 408–420
- culture conditions 419–420
- ethnopharmacological properties and phytochemistry 408–419
- Curcuma* spp.
- C. longa* 408, 411
- C. mangga* 408, 1386
- C. zedoaria* 408
- cyanidin 1265, 1290
- cyanidin-3,5 diglucoside 1093
- cyanidin 3-*O*-glucoside 1328
- (3*S*)-cyano-(7*S*)-coronaridine hydroxyindolenine 1111, 1119
- cycloecalenol 737, 1181, 1187
- cycloecalenone 1045, 1181, 1187
- cynatratoside A 1086, 1092

d

- d*-actinidine 1265
 daidzein 400, 401, 700, 1218–1220, 1229, 1419
 daidzein-7-*O*-glucoside-6²-*O*-malonate 1218, 1221
 daphnoretin 1220, 1227
 daturalactone-4 559, 566
Datura species compounds 427–442
 culture conditions 439–442
 ethnopharmacological properties and phytochemistry 427–439
Datura spp.
 D. innoxia 439, 441, 1393, 1434
 D. stramonium 427
 daucosterol 39, 41, 58, 63, 464, 560, 569, 576, 658, 684, 1144, 1153, 1277, 1279
Daucus carota 1435, 1439, 1457, 1470
 davidol A 1308, 1319
 3- δ -carene 1166, 1172
 10-deacetylbaaccatin 1131
 10-deacetylbaaccatin III 1130–1131, 1136, 1139
 2-deacetyl-7,10-diacetyl-5-deaminoacyl taxine A 1130, 1137
 10-deacetyl-10-glycolylbaaccatin IV 1131, 1137
 10-deacetyltaxol 1130, 1136, 1139
 7-deacetyltaxuspine L 1131, 1137
 16'-decarbomethoxyvoacamine 1110
 16'-decarbomethoxyvoacamine-pseudoindoxyl 1110
 dehydroborapetoside B 1182, 1188
 dehydroequol 1218, 1228
 dehydroeugenol 992, 1022
 dehydro-*p*-cymene 1166, 1172
 1-dehydroxy-3,4-dihydro aucubigenin 992, 1003
 delavayins A 1054, 1060
 delavayins B 1054, 1060
 delavayins C 1054, 1060
 δ -elemene 1255, 1258, 1357
 delphinidin 1290, 1328
 delphinidin 3-*O*-glucoside 631, 1310, 1328
 3-demethylsolariciresinol 1129–1130
 3'-demethylsolariciresinol-9'-hydroxyisopropylether 1129
 7-deoxygardoside 991, 1012
 10-deoxygeniposidic acid 991, 1013
 2-deoxy-20-hydroxyecdysone-3- β -D-glucopyranoside 1030, 1036
Derris elliptica 1449
 desgalactotigonin 100, 1199
 5-desmethylsinensetin 1167, 1170
Dhanvantari Nighantu 1180
 diacetylmartynoside 991, 999
 dichotomide I 1054, 1058
 dichotomide II 1054, 1058
 dichotomides III-XIV 1054, 1060
 dichotomin A 1054
 dichotomin B 1054, 1055
 dichotomin C 1054, 1056
 dichotomin D 1054, 1056
 dichotomin E 1054, 1056
 dichotomin F 1054, 1056
 dichotomin G 1054, 1056
 dichotomin H 1054, 1057
 dichotomin I 1054, 1057
 dichotomin J 1054, 1057
 dichotomin K 1054, 1057
 dichotomoside A 1054
 dichotomoside B 1054, 1058
 dichotomoside C 1054, 1058
 dichotomoside D 1054, 1058
 dichotomoside E 1054, 1058
 7,8-didehydro-6 β ,10-dihydroxy-11-noriridomyrmecin 991, 1002
 didrovaltrate 1265–1266, 1271–1272
 didymin 1265
 6(*Z*)-dienoic acid 991
 9-dihydro-13-acetylbaaccatin III 1130, 1131
 2,3-dihydrobenzofuran 114, 1086, 1093
 dihydrocatharanthol 1110, 1117
 dihydrocornin 683, 1277, 1280
 dihydrodiscretamin 1182, 1183
 3,4-dihydro-methyl catalpol 992, 1003

- 3,4-dihydroverbenalin 1277, 1279
 2,5-dihydroxybenzoic acid 275, 1219, 1222
 5,4'-dihydroxy-6,7-dimethoxyflavone 1166
 4'',7-dihydroxyflavone 1220
 4',7-dihydroxyflavonol 1220
 5,4'-dihydroxy-7-methoxyflavone 1166
 5,7-dihydroxy-4'-methoxyflavone 1030, 1031
 3,4-dihydroxyphenethoxy-*O*- α -L-rhamnopyranosyl-(1 \rightarrow 3)- β -D-(4-*O*-caffeoyl)-glucopyranoside 1086, 1089
 [2-(3,4-dihydroxyphenylethyl)]-3-*O*- α -D-apiofuranosyl-(1 \rightarrow 4)-(4-*O*-caffeoyl)- β -D-glucopyranoside 1086, 1088
 [2-(3,4-dihydroxyphenylethyl)]-3-*O*- β -D-xylopyranosyl-(1 \rightarrow 3)-(4-*O*-caffeoyl)- β -D-glucopyranoside 1086, 1088
 5,4'-dihydroxy-6,7,8,3'-tetramethoxyflavone 1166
 5,4'-dihydroxy-6,7,3'-trimethoxyflavone 1166
 5,4'-dihydroxy-6,7,8-trimethoxyflavones 1166
 2,6-dimethoxy-1,4-benzoquinone 1086, 1089
 3,4-dimethoxy cinnamic acid 992, 995, 1219
 6,7-dimethoxycoumarin 1030, 1032
 5,7-dimethoxyflavone
 4'*O*- β -D-apiofuranosyl(1 \rightarrow 5)- β -D-glucopyranoside] 1086, 1089
 3',5'-dimethoxy-4'-hydroxyacetophenone 992
 5,7-dimethoxy-4'-hydroxyflavone 1087, 1093
 2,6-dimethoxy-4-methoxymethylphenol 992, 996
 (+)-5,5'-dimethoxy-9-*O*- β -D-glucopyranosyl lariciresinol 1086
 (+)-5,5'-dimethoxy-9-*O*- β -D-glucopyranosyl secoisolariciresinol 1086
Dioscorea bulbifera 446, 447
Dioscorea species compounds 446–467
 culture conditions 465–467
 ethnopharmacological properties and phytochemistry 446–465
 diosgenin 102, 165, 171, 446–447, 449, 465–466, 669, 672, 1043–1045, 1047, 1199–1200, 1210–1211, 1235, 1238, 1246–1247, 1288, 1374
 diosmetin 758, 760, 765, 823–824, 925, 928, 1055, 1181, 1186, 1265
 diosmin 198, 1265
 2,2-diphenyl-1-picryl-hydrazyl (DPPH) radicals 17, 26, 237–238, 248, 256, 268, 275, 360, 369, 404, 429, 447, 488, 575, 760, 834, 884, 924, 943, 960, 1030, 1054, 1078, 1099, 1100, 1166, 1290–1291
 DNA topoisomerase I inhibitor camptothecin 220
 docosanoic acid 1201, 1210
 D-tryptophan 43
 dulcitol 1289, 1291, 1295
 dulcoside A 1068, 1071, 1078
 δ -viniferin 1326', 1328
- e**
 ecdysone-3- β -D-glucopyranoside 1030, 1036, 1037
 ecdysone E 1030, 1037
 ecdysterone 25–26, 1181, 1186
 echimidine 145–146, 1100–1102
 echimidine *N*-oxide 1101, 1104
 echinacin 1255, 1258
 echinatine 70, 74, 546–547, 1100, 1103
 echiumine 1100, 1103
 ehrenoside 1289, 1291
 1-ecosene 1031, 1034

- ellagic acid 16, 18, 19, 209, 605, 700, 704, 812, 816, 833–834, 836, 839, 884–885, 1099, 1101, 1144–1146, 1148, 1149
- emodin 259, 267, 883, 885–886, 894, 923–925, 930, 942–944, 1201
- endophytic interaction 1464–1465
- Entamoeba histolytica* 47, 586
- ephedrine 4, 1033, 1037, 1383, 1474, 1475
- (–)-epiafzelechin 18–19, 256–257, 262–263, 944, 949–951, 1130, 1135
- 4-*epi*-barbinervic acid 1278, 1280
- epicatechin 17–18, 256–257, 457, 475, 605, 656, 700, 834, 943–944, 1099, 1147, 1219, 1307
- (–)-epicatechin 17, 257, 262, 942–943, 1086, 1090, 1093, 1130, 1135, 1326, 1328
- epicatechin 3-*O*-gallate 17, 942, 944, 949–952, 1307, 1326, 1328
- epigallocatechin 18, 1147, 1219, 1225
- epigallocatechin gallate 944, 1219, 1224, 1254
- 19-*epi*-isovoacristine 1111, 1118
- 8-epiloganic acid 991, 1288, 1289, 1294
- epinortrachelogenin 1130, 1136
- 3-epioleanolic acid 1277, 1280
- (+)-7'-*epi*-tsugacetal 1130
- 3-*epi*ursolic acid 1277, 1280
- 16-epoxy-3,4-epoxy-6-*O*-(β-*D*-glucopyranosyl)-cleroda-3 1181, 1190
- (3*R*,4*R*,5*R*,6*S*,8*R*,9*S*,10*S*,12*S*)-15,16-epoxy-3,4-epoxy-6-*O*-(β-*D*-glucopyranosyl)-cleroda-3,13(16),14-trien-17,12-olid-18-oic acid methyl ester 1181, 1189
- 16-epoxy-2-hydroxy-6-*O*-(β-*D*-glucopyranosyl)-cleroda-3,13(16),14-trien-17,12-olid-18-oic acid methyl ester 1181, 1190
- 16-epoxy-4-*O*-(β-*D*-glucopyranosyl)-cleroda-2 1181, 1190
- (1*R*,4*S*,5*R*,8*S*,9*R*,10*S*,12*S*)-15,16-epoxy-4-*O*-(β-*D*-glucopyranosyl)-cleroda-2,13(16),14-triene-17(12),18(1)-diolide 1181, 1190
- 16-epoxy-2-oxo-6-*O*-(β-*D*-glucopyranosyl)-cleroda-3,7,13(16),14-tetraen-17,12-olid-18-oic acid methyl ester 1181, 1190, 1191
- (*E*)-ε-viniferin 1307, 1326, 1328
- E*-pterostilbene 1308
- equol 1218, 1228
- E*-resveratrol 2-*C*-glucoside 1308
- ergosterol 101, 631–632, 1289, 1292
- E*-rhapontigenin 1308
- eriocitrin 489, 1165, 1174, 1265
- eriodictyol 18, 57, 351, 352, 474, 475, 477, 546, 759, 765, 834, 839, 924, 925, 965, 1167, 1168, 1265
- ervachinine A 1110, 1122
- ervachinine B 1110, 1122
- ervachinine C 1110, 1122
- ervachinine D 1110, 1122
- ervaluteine 1111, 1114
- ervatamine F 1110, 1117
- ervatensine A 1111, 1115
- ervatensine B 1111, 1115
- Erythroxylum monogynum* 473
- Erythroxylum* species compounds 473–482
- culture conditions 481–482
- ethnopharmacological properties and phytochemistry 473–481
- essential amino acids 68, 487
- ethanolic extract, *S. acuta* 1028
- ethnopharmacological properties
- Abutilon* species compounds 7–10
- Acacia* species compounds 16–20
- Achyranthes* species compounds 24–31
- Adhatoda* species compounds 39–42
- Aegle* species compounds 47–52

- Ageratina* species compounds 56–64
- Albizzia* species compounds 79–95
- Alium* species compounds 99–106
- Aloe* species compounds 111–129
- Angelica* species compounds 139–141
- Arnebia* species compounds 144–146
- Artemisia* species compounds 152–156
- Asparagus* species compounds 164–172
- Atropa* species compounds 177–179
- Azadirachta* compounds 184–191
- Bryophyllum* species compounds 197–203
- Camptotheca* species compounds 208–218
- Cannabis* species compounds 226–232
- Capsicum* species compounds 237–241
- Cassia* species compounds 256–266
- Catharanthus* species compounds 274–278
- Centella* species compounds 286–294
- Cephalotaxus* species compounds 301–311
- Chlorophytum* species compounds 315–325
- Cinchona* species compounds 329–331
- Citrus* species compounds 337–345
- Coleus* species compounds 351–353
- Colocasia* species compounds 359–363
- Commiphora* species compounds 367–378
- Coptis* species compounds 383–385
- Corydalis* species compounds 390–395
- Crocus* species compounds 399–403
- Curcuma* species compounds 408–419
- Datura* species compounds 427–439
- Dioscorea* species compounds 446–465
- Erythroxylum* species compounds 473–481
- Foeniculum* species compounds 486–493
- Fumaria* species compounds 499–509
- Gentiana* species compounds 514–519
- Glycyrrhiza* species compounds 525–539
- Heliotropium* species compounds 545–551
- Hyoscyamus* species compounds 559–569
- Jasminum* species compounds 574–580
- Larrea* species compounds 585–588
- Lawsonia* species compounds 592–600
- Linum* species compounds 604–608
- Lithospermum* species compounds 615–620
- Malva* species compounds 630–633
- Matricaria* species compounds 638–643
- Medicago* species compounds 647–654
- Mitragyna* species compounds 656–663
- Momordica* species compounds 668–677
- Morinda* species compounds 683–694
- Moringa* species compounds 699–707
- Mucuna* species compounds 712–714
- Nerium* species compounds 719–732
- Nigella* species compounds 736–743
- Ocimum* species compounds 747–753

ethnopharmacological properties
(*contd.*)

Origanum species compounds
758–769

Panax species compounds 775–784

Papaver species compounds
792–795

Peganum species compounds
799–805

Pelargonium species compounds
810–817

Petroselinium species compounds
822–828

Phyllanthus species compounds
833–841

Plantago species compounds
849–857

Plumbago species compounds
862–868

Podophyllum species compounds
873–878

Polygonum species compounds
882–893

Primula species compounds
902–909

Rauwolfia species compounds
914–918

Rhamnus species compounds
923–930

Rubia species compounds 934–937

Rumex species compounds 941–953

Salix species compounds 959–971

Salvia species compounds 975–984

Scrophularia species 990–1022

Sida species 1028–1037

Solanum species 1043–1047

Stellaria species 1053–1062

Stevia species 1067–1077

Strobilanthes species 1085–1093

Symphytum species 1099–1104

Tabernaemontana species
1109–1122

Taxus species compounds
1129–1137

Thymus species compounds
1164–1174

Tinospora species compounds
1180–1191

Tribulus species compounds
1198–1210

Trifolium species compounds
1217–1229

Trigonella species compounds
1235–1246

Turnera species compounds
1253–1248

Valeriana species compounds
1264–1271

Verbena species compounds
1276–1284

Veronica species compounds
1288–1302

Vitis species compounds 1307–1326

Withania species compounds
1338–1350

Zingiber species compounds
1356–1361

ethoxy-ferulate 1030, 1032

17³-ethoxyphaeoforbide 1030, 1032

17³-ethoxypheophorbide B 1030, 1031

eugenol 8, 27, 48, 68–70, 351, 352, 369,
575, 578, 700, 707, 747–749, 823,
825, 850, 903, 960, 991–992,
1022, 1086, 1093, 1130, 1133,
1145, 1166, 1172, 1291

eugenol acetate 991, 1022

eupatilin 1289, 1291

eupatorin 57, 1289, 1291

eurostoside 992, 1005

Eurycoma longifolia 1435

E-vitisin B 1309

E-vitisin C 1308

exogenous and endogenous elicitors
1391

f

fenchone 487–488, 494, 741, 1086,
1090

fenchyl acetate 1086, 1090

ferulic acid 58, 63, 101, 166, 199, 242,
253, 333, 338, 343, 502, 508, 588,
604, 639, 670, 678, 700, 760, 834,
837, 843, 854, 893, 990–992,

- 1087, 1091, 1093, 1145, 1147,
1154, 1166–1167, 1169, 1201,
1210, 1219, 1222, 1289–1290,
1408, 1421
- (*E*)-ferulic acid 990–991, 996
(*Z*)-ferulic acid 992, 995
- flavones 16, 58, 69–70, 112, 351, 360,
514, 685, 811, 908, 1181
- flavonoids 2–4, 7, 10, 24, 39, 52, 106,
111, 145, 153, 156, 208, 237–238,
247–248, 256–258, 268, 301, 351,
354, 360, 369, 399, 429, 441, 447,
487, 525–526, 539–540, 545, 592,
631, 643, 648, 712, 748, 833, 849,
882, 1078, 1101, 1130, 1235,
1265, 1277, 1307, 1382, 1413,
1440, 1470
- flexuosol A 1308, 1320
- Foeniculum* species compounds
486–494
- culture conditions 494
- ethnopharmacological properties and
 phytochemistry 486–493
- Foeniculum vulgare* 486
- formononetin 256, 539, 893,
1218–1221, 1229
- formononetin-7-*O*- β -*D*-
galactopyranoside
1218
- formononetin 7-*O*- β -*D*-glucoside
6²-*O*-malonate 1218, 1221
- formosanol 1130, 1133
- Fritillaria unibracteata* 1376, 1450
- Fumaria indica* 499
- Fumaria* species compounds 499–509
- culture conditions 509
- ethnopharmacological properties and
 phytochemistry 499–509
- furanolactone 1180, 1185
- g**
- gallic acid 8–9, 16–18, 237, 275, 338,
400–401, 447, 592–593, 605, 670,
678, 700, 712–713, 748, 752, 760,
811–812, 814, 816, 833–834, 836,
884–885, 889, 893, 942, 1087,
1091, 1144–1146, 1166–1167,
1170, 1219, 1221, 1236, 1238,
1339, 1421
- galocatechin 812, 1147, 1219–1220
- γ -muurolene 759, 811, 904, 1166
- gardoside 850–851, 1289, 1293
- gelsemiol 3-*O*- β -*D*-glucoside 1278,
1280
- genetic transformation 52, 219, 295,
753, 1247–1248, 1413–1414
- geniposidic acid 685, 850–851, 991,
1289, 1295
- genistein 400–401, 475, 631, 700,
1218, 1219, 1229, 1290, 1414
- genistein-7-*O*- β -*D*-galactopyranoside
648, 650, 1218, 1221
- genistein 7-*O*-glucoside-6²-*O*-malonate
1218
- genistin 1218–1219
- genkwanin 57, 759–760, 766, 1167,
1168, 1181, 1186
- genkwanin 7-glucoside 1181, 1187
- Gentiana* 514–521
- Gentiana macrophylla* 514
- Gentiana* species compounds
- culture conditions 520–521
- ethnopharmacological properties and
 phytochemistry 514–519
- gentsic acid 101, 502, 508, 670, 678,
700, 742, 893, 992, 995, 1288,
1292, 1421
- geraldone 1220, 1228
- geraniol 1165, 1166
- geranyl tiglate 811, 1130, 1133
- gitogenin 1236
- gitonin 320, 1199
- glaucogenin C 1086, 1092
- globulol 1130, 1133, 1166, 1173, 1255,
1358
- glucodichotomine B 1054, 1058
- glutamate 226, 482, 991
- glutinosterone 1030–1031, 1034
- glyceryl-1-eicosanoate 1031, 1034
- glycitein 1219–1220, 1227, 1229
- glycoside D 1236, 1244
- Glycyrrhiza* species compounds
525–540
- culture conditions 539–540

- Glycyrrhiza* species compounds (*contd.*)
 ethnopharmacological properties and
 phytochemistry 525–539
- Glycyrrhiza* spp.
G. glabra 525
G. uralensis 142, 525
- gnetin A 1308, 1313
 gossypin 631, 1265
 gossypol 1030, 1036
 griselinoside 1278, 1281
 guaiazulene 1166, 1173
- h**
- haemoplantaginin 992
 hairy root culture 142, 147, 157, 180,
 279, 326, 355, 441, 520, 540, 1417
 harmine 4, 799, 800, 805, 1200, 1210,
 1421
 harmmol 1200
 harpagide 990, 991, 993, 1423
 harpagoside B 991, 992
 hastatoside 1277, 1278
 heartwood 16, 17, 48
 heliosupine 547, 1100
 heliotrine 145, 546, 547, 1100
- Heliotropium* species compounds
 culture conditions 552
 ethnopharmacological properties and
 phytochemistry 545–551
- Heliotropium subulatum* 545
- hemi-gossypol 1030
 heptacosane 185, 1291
 1-hepten-3-ol 1130
 (*E*)-3-heptenyl acetate 1130
 hesperetin 1278
 hesperidin 576, 893, 1254, 1265, 1278
 hexacosane 1291
 hexanoic acid 850, 1130
 (*E*)-2-hexenol 1130
 (*Z*)-3-hexenol 1130
 heyneanine 1110, 1111, 1123
 heyneanol A 1309
 higenamine 1182
 high-yielding cell line selection 1468
 2'-(3*H*-indol-3-ylmethyl)-butan-1'ol
 1030
- hispidulin 1289, 1290
 homobaldrinal 1271
 homoplantaginin 850, 992
 homovanillic alcohol 992
 hopeaphenol 1308, 1309
 3'-hydroxyacetophenone 992
 4'-hydroxyacetophenone 992
 20-hydroxy-(25-acetyl)ecdysone-3- β -D-
 glucopyranoside 1030
 4-hydroxybenzaldehyde 748, 760, 992
 hydroxycinnamic derivatives 238
 8-hydroxycoumarin 992
 7-hydroxydehydrohastatoside 1277
 4'-hydroxy-5,7-dimethoxyflavone
 1086
 5-hydroxy-7,4'-dimethoxyflavone
 1166
 3'-hydroxy-5,7-dimethoxyflavone
 4'-*O*- β -D-apiofuranoside 1086
 20-hydroxyecdysone 25, 31, 32, 1031
 20-hydroxyecdysone-20,22-
 monoacetone
 1031
 2'-hydroxyformononetin 1220
 20-hydroxy,24-hydroxymethyl ecdysone
 1031
 (19*S*)-hydroxyibogaine 1111
 6-hydroxyindan-1-one 992
 4-hydroxyisoleucine 1247
 6-hydroxykaempferol 57, 247, 248,
 759, 1220
 hydroxyl-(7*S*)-coronaridine
 hydroxyindolenine 1111, 1123
 6-hydroxyluteolin 400, 475, 639, 759,
 760, 1167, 1277
 hydroxymatairesinol 1130, 1136
 7-hydroxy-4'-methoxyflavonol 1220
 2-(3-hydroxy-4-methoxyphenyl)ethyl-
O- α -arabinopyranosyl-(1 \rightarrow 6)-*O*-
 α -rhamnopyranosyl-(1 \rightarrow 3)-*O*- β -
 glucopyranoside 992
 5'-hydroxymethyl-1'-(1,2,3,9-
 tetrahydro-pyrrolo[2,1-
b]quinazoline-1-yl)heptan-1-one
 1030
 7-hydroxynortrachelogenin 1130

- 3(ξ)-hydroxy-octadeca-4(*E*) 991
 hydroxyphenylpyruvate reductase 355, 1420
 5-hydroxypyrrolidin-2-one 993
 9-hydroxysemperoside 1278
 13²-hydroxy-(13²-*S*)-phaeophytin A 1254
 3'(*R*)-hydroxytabernaegantane A 1110
 3'(*R/S*)-hydroxytabernaegantane A 1110
 3'(*R*)-hydroxytabernaegantane C 1110
 3'(*S*)-hydroxytabernaegantane C 1110
 3'(*R*)-hydroxytabernaegantane D 1110
 4'-hydroxywogonin 1277
Hyocyanus species compounds
 culture conditions 570
 ethnopharmacological properties and phytochemistry 559–570
 hyoscyamilactol 559, 570
 hyoscyamine 5, 142, 177–179, 181, 428, 441, 561, 570, 1390, 1414, 1418, 1424, 1434
Hyoscyamus niger 559, 570
 hyperforin 1385, 1408
Hypericum perforatum 1376, 1384, 1408, 1440, 1451
 hyperoside 101, 165, 209, 502, 656, 883, 904, 942, 1219
- i**
- ibogaine 4, 1111, 1123
 ibogamine 275, 1110, 1111
 idirubin 1086
 ilwensisaponin B 992
 ilwensisaponin C 992
 ilwensisaponin D 992
 immobilization 420, 621, 867, 1192, 1361, 1434–1436, 1475
 indigo 894, 1086, 1094
 indole alkaloids 209, 219, 220, 268, 278–280, 332
 inermin-3-*O*- β -D-galactopyranoside 1218
 intermedine 547, 616, 619, 1100
in vitro technologies 1384
 iridiod glycosides 991
 isoacteoside 850, 858, 1087, 1289, 1290
 isoampelopsin F 1308
 isoangoroside C 993
 isobauerenol 1100
 isoborneol 758, 762, 1087, 1166
 isocolumbin 1180
 isoequol 1218
 (*Z*)-isoferulic acid 992
 isohopeaphenol 1308, 1309
 isomartynoside 1086
 isonuomioside A 1087
 isoorientin 359, 360, 515, 925, 1055
 isorhamnetin 100, 812, 828, 884, 904, 942, 1199, 1219, 1278
 isorhamnetin-3-gentiobioside 1200
 isorhamnetin-3-*O*-rutinoside 993
 isorhoifolin 1265
 isosakuranetin 1146, 1167
 isoschaftoside 360, 1055
 isoscutellarein 7-*O*-(2''-*O*-6''-*O*-acetyl- β -D-allopyranosyl- β -D-glucopyranoside) 1290
 isosteviol 1067, 1068
 isotaxiresinol 1130
 isovaleroylvaltrate hydrine 1265
 isovanillic acid 992
 isoverbascoside 991, 993, 1277
 isovitexin 112, 338, 359, 360, 515, 761, 953, 1054, 1055, 1237
 isovoacangine 1111
 isovoacryptine 1110
 IVHD-valtrate 1265
 ixiocephol 1086
- j**
- jaceosidin 683, 1289
Jasminum species compounds
 culture conditions 580–581
 ethnopharmacological properties and phytochemistry 574–580

Jasminum spp.*J. officinale* 574*J. sambac* 574, 580

jionoside D 992, 1086

Juniperus chinensis 1435, 1450*Justicia adhatoda* syn. 39**k**kaempferol 17, 70, 99, 101, 248, 256,
257, 288, 399, 474, 487, 586, 605,
720, 1030, 1087, 1167, 1219

kaempferol-3-gentiobioside 1200

kaempferol-3-O-β-D-(6''-E-p-
coumaroyl) glucopyranoside
1030kaempferol-3-O-β-D-glycosyl-6''-α-D-
rhamnose 1030

kaempferol 3-O-glucoside 1219

kaempferol-3-O-rhamnoside 1069

kaempferol-3-O-rutinoside 487, 575,
576, 701, 992*Kalanchoe daigremontiana* 197, 198

karsoside 992

4-ketopinonesinol 1201

l

ladanein 1167

lagotisoside D 991

lanthanum salts 1460

lariciresinol 878, 1129

Larrea divaricata 585*Larrea* species compounds

culture conditions 588

ethnopharmacological properties and
phytochemistry 585–588

lasiocarpine 546–548, 1099, 1100

laterioside 991

lavandulifolioside 850, 856, 858, 1289

Lavendula spp.*L. inermis* 592*L. vera* 1447*Lawsonia* species compounds

culture conditions 601

ethnopharmacological properties and
phytochemistry 592–600

ledene 1166

L(-)-ephedrine 1167

leucosceptoside A 858, 1278

light exposure 466, 1439, 1440

limonene 48, 140, 369, 410, 736, 823,
903, 1166linalool 68, 575, 748, 811, 1165, 1166,
1357

linamarin 1220

linarin 1265

Linum species compounds

culture conditions 608–610

ethnopharmacological properties and
phytochemistry 604–608*Linum usitatissimum* 604

lipidosides A-I 991

(-)-litcubinine 1182

Lithospermum erythrorhizon 615*Lithospermum* species compounds

culture conditions 620–623

ethnopharmacological properties and
phytochemistry 615–620

loganic acid 515, 520, 1408

loganin 2, 280, 1408

longifolioside A 1289

longifolioside B 1289

lotaustralin 1220

L-tryptophan 219, 1408

lupenone 18, 81, 1086, 1146

lupeol 8, 18, 80, 81, 113, 474, 475, 539,
593, 700, 863, 942, 1086*Lupinus polyphyllus* 1417, 1460luteolin 237, 238, 257, 360, 502, 586,
593, 639, 758, 884, 943, 1069,
1086, 1167, 1219, 1247luteolin-8-C-α-L-rhamnopyranosyl-
(1→2) quinovopyranoside
1255luteolin 8-C-β-[6-deoxy-2-O-(α-L-
rhamnopyranosyl)-xylo-
hexopyranos-3-uloside]
1254

luteolin 8-C-E-propenoic acid 1254

luteolin-7-diglucuronide 1277, 1278

luteolin-7-glucoside 685, 1166, 1278

luteolin-3'-methyl ether 1290

luteolin 7-methyl ether 1167

luteolin 4'-methyl ether 3'-glucoside
1181

- luteolin 4'-methyl ether 7-glucoside 1181
 luteolin-7-O- β -D-digluconide 1278
 luteolin 7-O- β -D-glucopyranoside 1030
 luteolin-7-O- β -D-glucoside 1069, 1167
 luteolin-7-O- β -D-glucuronide 1167
 luteolin-7-O- β -D-xyloside 1167
 luteolin-7-O- β -glucopyranoside 1167
 luteolin-7-O-glucoside 1219, 1291
 luteolin 7,3',4'-trimethyl ether 1167
 luteoloside 1165
 lycopsamine 70, 73, 546, 547, 1099, 1100
 (+)-lyoniresinol-3 α -O- β -D-glucopyranoside 1278
 lysicamine 1182
- m**
- magnoflorine 384, 390, 396, 509, 1180, 1182
 makisterone A 1181
 makisterone C 1031, 1182
Mallotus japonicus 1371
Malva species compounds
 culture conditions 633
 ethnopharmacological properties and phytochemistry 630–633
Malva sylvestris 630
 malvidin-3-O- β -glucoside 1328
 martynoside 858, 991, 1086, 1290
 matairesinol 609, 610, 1130, 1219
Matricaria chamomilla L. 638
Matricaria species compounds
 culture conditions 643
 ethnopharmacological properties and phytochemistry 638–643
Medicago sativa 647
Medicago species compounds
 culture conditions 653–654
 ethnopharmacological properties and phytochemistry 647–653
 megastigmatrienone 1086, 1219
Mesembryanthemum crystallinum 43
 (Z)-methoxycinnamic acid methyl ester 992
 7'(S)-methoxy-7-epi-lariciresinol 1130
 8-methoxyflavonoes 17
 3'-methoxy-4'-hydroxyacetophenone 992
 7-methoxymatairesinol 1130
 methoxy-quindoline 1030
 3'-methoxy-xanthomicrol flavanone 1167
 6-methylapigenin 1265
 methyl benzoate 575, 904, 1130
 2-methyl benzoic acid 1201
 methyl benzyl alcohol 992, 1022
 4-methylcatechol 992
 24-methylene-cholesterol 1030
 6-methylheptyl-3'-hydroxy-2'-methylpropanoate 1055
 methyl jasmonate 32, 42, 43, 130, 147, 180, 219, 355, 609, 621, 623, 715, 753, 806, 867, 877, 893, 984, 1079, 1139, 1247, 1327, 1385, 1386, 1388, 1390, 1391
 methyl 2-O- β -D-glucopyranosyl benzoate 1278
 13-methyl-16-oxo-17-nor-ent-kauran-19-oic acid- β -D-glucopyranosyl ester 1068
 3-methylphenyl-O- β -xylopyranosyl-(1 \rightarrow 6)-O- β -glucopyranoside 992
 methyl pseudo-diosgenin 1200
 methyl salicylate 1130
 methylsinapate 1045
 mevalonic acid lactone 1385
 microbiological elicitor 1386
 micropropagation 403, 552
 miraculin 1068
Mitragyna species compounds
 culture conditions 664
 ethnopharmacological properties and phytochemistry 656–663
Mitragyna speciosa 656
 miyabenol A 1308
Momordica charantia L. 668

- Momordica* species compounds
 culture conditions 677–678
 ethnopharmacological properties and
 phytochemistry 668–677
- Morinda* species compounds
 culture conditions 694–695
 ethnopharmacological properties and
 phytochemistry 683–694
- Morinda* spp.
M. citrifolia 683, 1389, 1434
M. elliptica 694
M. oleifera 699
- Moringa* species compounds
 culture conditions 707–708
 ethnopharmacological properties and
 phytochemistry 699–707
- Mucuna pruriens* 712, 715, 1374
- Mucuna* species compounds
 culture conditions 715–716
 ethnopharmacological properties and
 phytochemistry 712–714
- multifidoside 1290
 mussaenosidic acid 1289
 mutagenesis 784, 1414, 1447, 1475
 myoscorpine 616, 1100
 myrcene 140, 351, 409, 487, 575, 748,
 759, 1166
 myricetin 17, 101, 107, 1086, 1099,
 1167, 1219
- n**
- N*-acetylanonaine 1182
N-acetyl-*N*-debenzoyltaxol 1130
N-acetylnornuciferine 1182
 nano-elicitors 1386
 naringenin 456, 527, 546, 605, 760,
 893, 1087, 1167, 1219, 1265,
 1278, 1414
 naringin 678, 761, 1278
 narirutin 1265
N'-β-D-glucopyranosylindirubin 1086
N(4)-chloromethylnorfluorocararine
 chloride 1111
N-*cis*-feruloyltyramine 1182
N-demethyl-*N*-
 formyldehydronornuciferine
 1182
 neobudofficide 1265
 neogitogenin 316, 1200, 1236
 neoheperidin 1068
 neophytadiene 1254
 neotigogenin 316, 1199, 1236
 nepitrin 992, 993
- Nerium* species compounds
 culture conditions 731–732
 ethnopharmacological properties and
 phytochemistry 719–731
- N*-formylanonaine 1182
N-formylasimilobine
 2-*O*-β-D-glucopyranoside 1182
N-formylnornuciferine 1182
n-heptanal 1130
n-hexacos-11-enoic acid 24, 1030
n-hexenol 1130
N-hydroxymethylbogaine 1110
Nicotiana tabacum 43, 180, 1374,
 1384, 1417, 1424, 1435, 1442,
 1447, 1468, 1470, 1474
- Nigella sativa* 736
- Nigella* species compounds
 culture conditions 743
 ethnopharmacological properties and
 phytochemistry 736–743
- nimbolide 184, 185
 ningpoensine A 992
 ningpoensine B 992
 ningpoensine C 992
 ningpogoside A 992
 ningpogoside B 992
 ningposide A 992
 ningposide B 992
 ningposide C 992
 ningposide D 990, 992
 nitrogen 2, 3, 17, 20, 354, 441, 442,
 466, 620, 715, 1376, 1377
 nordihydroguaiaretic acid 585, 586,
 588
 norpseudoephedrine 1167
 nortrachelogenin 1130
Nothapodytes nimmoniana 1382, 1449
N-*trans*-caffeoyltyramine 1182, 1201
N-*trans* coumaroyltyramine 1200
N-*trans*-feruloyltyramine 430, 1045,
 1182

- nuomioside A 1087
 nutritional parameters 1377
 nutritional stresses 242, 1392
- O**
- 3-*O*-acetylbetulinic acid 1045
 8-*O*-acetyl harpagide 991–993
 (–)-7′(*R*)-9-*O*-acetyl-7′-methoxy-7-epi-lariciresinol 1130
 6-*O*-α-*D*-galactopyranosylharpagide 992, 993
 6-*O*-α-*L*-(4′′-*O*-*trans*-cinnamoyl)-rhamnopyranosylcatalpol 991
 6-*O*-α-*L*-rhamnopyranosylcatalpol 991
 2-*O*-β-*D*-glucopyranosylcucurbitacin E 338, 339
 13-[(*O*-β-*D*-glucopyranosyl)oxy]entkaur-16-en-19-oic acid
 2-*O*-β-*D*-glucopyranosyl-β-*D*-glucopyranosyl ester 1068
 1-*O*-β-*D*-glucopyranosyl-(2*S*,3*S*,4*R*,8*Z*)-2-[(2′*R*)-2′-hydroxypalmitoylamino]-8-octadecene-1 3, 4′-triol, 1031
 6-*O*-β-*D*-xylopyranosylaucubin 992
 6′-*O*-β-glucopyranosylharpagide 992
 6′-*O*-caffeoyl harpagide 992
 3-*O*-caffeoylquinic acid 487, 1290
 5-*O*-caffeoylquinic acid 238, 487, 1290
Ocimum basilicum 747
Ocimum species compounds
 culture conditions 753
 ethnopharmacological properties and phytochemistry 747–753
 6-*O*-cinnamoyl β-fructofuranosyl-(2→1)-*O*-α-glucopyranosyl-(6→1)-*O*-α-glucopyranoside 990, 992
 octan-3-one 1166
 1-octen-3-ol 991, 1166
o-cymene 1110, 1166
 6′-*O*-*E*-*p*-feruloyl harpagide 992
 6′-*O*-*E*-*p*-feruloyl scropolioside D 991
 6′-*O*-*E*-*p*-methoxycinnamoyl harpagide 991
 8-*O*-*E*-*p*-methoxycinnamoyl harpagide 991
 8-*O*-feruloylharpagide 992, 993
 5-*O*-feruloylquinic acid 1099
 6-OH-luteolin 7,3′-dimethyl ether 1167
 8-*O*-(2-hydroxycinnamoyl) harpagide 992
 6-*O*-isovanilloylcatalpol 1289
 2-*O*-lactoylborapetoside B 1181
 6′-*O*-lactoylborapetoside B 1181
 oleanolic acid 24–26, 29, 80, 81, 275, 575, 650, 657, 685, 719, 1167, 1277
 oleanonic acid 990
 oligomeric secoiridoid glucosides 575
 oligo-*N*-acetylchitooligosaccharide 43
 oligosaccharides 466, 620, 643, 1387
 olivetol 226, 232
 (*E*)-*O*-methoxycinnamic acid 991, 993
 6-*O*-methyl catalpol 992
 9-*O*-methylcoumestrol 1220
 (–)-7′(*R*)-*O*-methyl-7-epi-tanegool 1130
 (–)-7′-*O*-methyltanegool 1130
 ononin 1218, 1219
 6-*O*-(3′′-*O*-*p*-methoxy-cinnamoyl)-α-*L*-rhamnopyranosylcatalpol 992
 6′-*O*-*p*-coumaroyl harpagide 991
 10-*O*-protocatechuyal-catalpol 1291
 organ culture 466, 1350, 1376, 1384, 1449, 1450, 1475
 organic salts 1460
 orientin 227, 360, 748, 904, 1055, 1237
Origanum species compounds
 culture conditions 769
 ethnopharmacological properties and phytochemistry 758–769
Origanum vulgare 758, 760
 orobol 475, 1219
ortho-hydroxybenzoic acid 1030, 1032
 osmanthuside B 991
 osmotic stress 1389, 1392

- 2-*O*-*trans*-feruloylrhamnopyranose 991
- 3-*O*-*trans*-feruloylrhamnopyranose 991
- 6-*O*-veratroylcatalposide 1289
- oxabicyclooctalignan 1130
- (+)-9, 7'-oxidolanceolatanin C 1130
- oxomatairesinol 1130
- 3-oxo-(7*S*)-ibogaine hydroxyindolenine 1111
- 3'-oxotabernaegantine A 1110
- 3'-oxotabernaegantine B 1110
- oxygenation 1454–1455
- 6'-*O*-*Z*-*p*-methoxycinnamoyl harpagide 991
- 8-*O*-*Z*-*p*-methoxycinnamoyl harpagide 991
- P**
- pallidol 3,3''-diglucoside 1308
- palmatine 383, 384, 390, 500, 501, 1180, 1182, 1191
- palmatoside C 1181
- palmatoside F 1181
- Panax ginseng* 142, 775, 1371, 1383, 1408, 1418, 1440, 1454, 1470
- Panax* species compounds
culture conditions 784–785
ethnopharmacological properties and phytochemistry 775–784
- Papaver somniferum* 792, 795, 1386, 1413, 1417, 1434, 1449, 1474
- Papaver* species compounds
culture conditions 795–796
ethnopharmacological properties and phytochemistry 792–795
- paprazine 500, 885, 1182
- p*-arbutin 1254
- parthenocissin A 1308
- parvispinoside A 1199, 1201
- parvispinoside B 1199, 1201
- p*-coumaric acid 8, 101, 199, 242, 338, 411, 447, 502, 588, 593, 700, 759, 760, 893, 1099, 1167, 1219, 1289, 1290
- (*E*)-*p*-coumaric acid 991, 992
- (*Z*)-*p*-coumaric acid 992
- p*-cymene 48, 140, 409, 487, 494, 736, 759, 823, 1165, 1166
- pebrellin 759, 1167
- pectolarigenin 1167, 1219
- Peganum harmala* 799
- Peganum* species compounds
culture conditions 805–806
ethnopharmacological properties and phytochemistry 799–805
- Pelargonium graveolens* 810
- Pelargonium* species compounds
culture conditions 817
ethnopharmacological properties and phytochemistry 810–816
- pentacosane 1130, 1219, 1291
- 4',5,6,7,8-pentahydroxyflavone 1220
- peonidin 448, 811, 812, 1265
- peonidin-3,5-diglucoside 812, 1093
- peonidin 3-*O*-glucoside 1328
- Perilla frutescens* 1408, 1439, 1470
- persicoside 1289
- Petroselinum crispum* 822
- Petroselinum* species compounds
culture conditions 828
ethnopharmacological properties and phytochemistry 822–827
- petunidin 631, 1265, 1328
- petunidin 3-*O*-glucoside 1328
- phaeophytin A 1030, 1254
- phaeophytin B 1254
- phaeophytin purpurin-18-phytyl ester 1254
- phenethylamine 4, 1030
- phenolic acids 10, 101, 338, 487, 894, 924, 1145, 1277, 1474
- phenolic compounds 2, 3, 18, 58, 114, 130, 156, 247, 266, 267, 354, 355, 400, 446, 448, 488, 540, 643, 760, 812, 925, 1393
- phenols 39, 156, 237, 441, 447, 811, 857, 1078, 1246, 1393, 1408
- 3-phenyl piperidine 1167
- pH fluctuations 1457
- p*-hydroxybenzoic acid 8, 9, 275, 338, 604, 621, 942, 1099, 1147, 1219, 1290, 1421, 1474

- p*-hydroxyphenethyl *trans*-ferulate
1031
- Phyllanthus emblica* 39, 833
- Phyllanthus* species compounds
culture conditions 841–843
ethnopharmacological properties and
phytochemistry 833
- physcion 683, 923, 925, 930, 942, 943,
1201, 1393
- phytochemicals 1417
 - aloesin 111
- phytochemistry
 - Abutilon* species compounds 7–10
 - Acacia* species compounds 16–20
 - Achyranthes* species compounds
24–31
 - Adhatoda* species compounds
39–43
 - Aegle* species compounds 47–52
 - Ageratina* species compounds
56–64
 - Albizia* species compounds 79–95
 - Allium* species compounds 99–107
 - Aloe* species compounds 111–130
 - Angelica* species compounds
139–142
 - Arnebia* species compounds
144–148
 - Artemisia* species compounds
152–159
 - Asparagus* species compounds
164–173
 - Atropa* species compounds 177–179
 - Azadirachta* species compounds
184–193
 - Bryophyllum* species compounds
197–204
 - Camptotheca* species compounds
208–218
 - Cannabis* species compounds
226–232
 - Capsicum* species compounds
237–241
 - Cassia* species compounds 256–266
 - Catharanthus* species compound
274–280
 - Centella* species compounds
286–295
 - Cephalotaxus* species compounds
301–311
 - Chlorophytum* species compounds
315–326
 - Cinchona* species compounds
329–334
 - Citrus* species compounds
337–345
 - Coleus* species compounds 351–353
 - Colocasia* species compounds
359–363
 - Commiphora* species compounds
367–379
 - Coptis* species compounds 383–386
 - Corydalis* species compounds
390–396
 - Crocus* species compounds 399–405
 - Curcuma* species compounds
408–420
 - Datura* species compounds
427–442
 - Dioscorea* species compounds
446–467
 - Erythroxylum* species compounds
473–482
 - Foeniculum* species compounds
486–494
 - Fumaria* species compounds
499–509
 - Gentiana* species compounds
514–519
 - Glycyrrhiza* species compounds
525–540
 - Heliotropium* species compounds
545
 - Hyoscyamus* species compounds
559–570
 - Jasminum* species compounds
574–581
 - Larrea* species compounds 585–588
 - Lawsonia* species compounds
592–600
 - Linum* species compounds 604–610
 - Lithospermum* species compounds
615–623

phytochemistry (contd.)

- Malva* species compounds 630–633
Matricaria species compounds
638–643
Medicago species compounds
647–654
Mitragyna species compounds
656–663
Momordica species compounds
668–677
Morinda species compounds
683–694
Moringa species compounds
699–707
Mucuna species compounds
712–714
Nerium species compounds
719–732
Nigella species compounds 736–743
Ocimum species compounds
747–753
Origanum species compounds
758–769
Panax species compounds 775–785
Papaver species compounds
792–795
Peganum species compounds
799–805
Pelargonium species compounds
810–817
Petroselinum species compounds
822–828
Phyllanthus species compounds
833–843
Plantago species compounds
849–857
Plumbago species compounds
862–868
Podophyllum species compounds
873–878
Polygonum species compounds
882–894
Primula species compounds
902–910
Rauwolfia species compounds
914–919
Rhamnus species compounds
923–931
Rubia species compounds 934–938
Rumex species compounds 941–953
Salix species compounds 959–971
Salvia species compounds 975–985
Scrophularia species compounds
990–1023
Sida species compounds 1028–1037
Solanum species compounds
1043–1048
Stellaria species compounds
1053–1063
Stevia species compounds
1067–1079
Strobilanthes species compounds
1085–1094
Symphytum species compounds
1099–1104
Tabernaemontana species
compounds 1109–1123
Taxus species compounds
1129–1137
Thymus species compounds
1164–1174
Tinospora species compounds
1180–1192
Tribulus species compounds
1198–1211
Trifolium species compounds
1217–1229
Trigonella species compounds
1235–1248
Turnera species 1253–1259
Valeriana species compounds
1264–1272
Verbena species 1276–1284
Verbena species compounds
1276–1284
Veronica species 1288–1302
Veronica species compounds
1288–1302
Vitis species 1307–1326
Vitis species compounds 1307–1326
Withania species compounds
1338–1351

- Zingiber* species compounds
1356–1362
- (*E*)-phytol 991
- piceid 883, 884, 943, 1326
- pigenin-4''-*O*- β -D-glycoside 1069
- pikuroside 1291
- pinobanksin 1099
- pinocembrin 525, 527, 539, 546, 1254, 1255
- Piriformospora indica* 876
- Plantago major* 849
- Plantago* species compounds
culture conditions 857–858
ethnopharmacological properties and phytochemistry 849–857
- plant growth hormones 42, 580, 784, 893, 1191, 1374, 1375
- Plasmodium falciparum* 156, 158, 329, 800, 833
- Plumbago* species compounds
culture conditions 867–868
ethnopharmacological properties and phytochemistry 862–867
- Plumbago zeylanica* 862, 867
- p*-methoxybenzoic acid 1291
- (*E*)-*p*-methoxycinnamic acid 990–993, 1023
- (*E*)-*p*-methoxycinnamic acid methyl ester 990, 991
- podophyllotoxin 604, 608, 609, 873, 874, 876–878, 1377, 1391, 1409, 1435
- Podophyllum hexandrum* 873, 1377, 1409, 1420
- Podophyllum* species compounds
culture conditions 876–878
ethnopharmacological properties and phytochemistry 873–876
- polyamines 1104, 1376
- Polygonum chinense* 882
- Polygonum* species compounds
culture conditions 893–894
ethnopharmacological properties and phytochemistry 882–893
- polymer matrices 1436
- polyoxygenated flavones 69
- potassium dihydrogen phosphate 378, 1377
- potassium nitrate 378, 894, 1104, 1375, 1390
- pratensein 1218–1220
- precursor feeding 157, 253, 279, 715, 1371, 1407, 1408, 1475
- Primula* species compounds
culture conditions 910
ethnopharmacological properties and phytochemistry 902–909
- procyanidin B₂-3'-*O*-gallate 1328
- prodelphinidin 1219, 1220
- prodelphinidin B₁ 1219
- prodelphinidin B₂ 1219
- prodelphinidin B₄ 1219
- product secretion 1460–1461
- protoberberine 383, 1182, 1191, 1435
- protocatechuic acid 16, 17, 112–114, 748, 759, 811, 834, 893, 924, 992, 1219, 1290, 1291
- prunetin 1218, 1219
- prunetin-4'-*O*- β -D-glucopyranoside 1218
- pruning 1265
- pseudobaptigenin 1218, 1219
- pseudoephedrine 1030, 1167
- (-)-pseudotabersonine 1111
- (-)-pseudovincadifformine 1111
- pterosterone-3- β -D-glucopyranoside 1030
- pulegone 1291
- pulverulentoside II 993
- pungenin 1289
- purpureaside C 993
- pyranthrene 1254
- pyrroloquinazoline alkaloids 1388–1390
- q**
- quadrangularin A 1308
- quercetin 993, 1030, 1069, 1167, 1219, 1235, 1247, 1265
- quercetin dihydrate 1167
- quercetin-3-galactosyl 16
- quercetin-3-methylether 1099

- quercetin-3-*O*- β -D-arabinoside 1069
 quercetin-3-*O*- β -D-rhamnoside 1069
 quercetin-3-*O*-glucoside 100, 248, 700,
 701, 811, 942, 1069, 1219, 1278,
 1290
 quercetin-3-*O*-rutinoside 701, 960,
 992, 1069
 quercetol 101, 1278
 quercetrin 1278
 quercitrin 80, 198, 656, 1219, 1289
 quindoline 1030
 quindolinone 1030
 quinoline 4, 332, 712
- r**
- Rauwolfia* spp.
R. serpentina 1371
R. tetraphylla 43
Rauwolfia species compounds
 culture conditions 918–919
 ethnopharmacological properties and
 phytochemistry 914–918
 rebaudioside A 1068, 1069, 1078
 rebaudioside B 1068
 rebaudioside C 1068
 rebaudioside D 1069
 rebaudioside E 1068
 rebaudioside F 1068
 rebaudioside IX 1069
 rebaudioside M 1069
 rebaudioside R 1069
 rebaudioside S 1069
 repensol 1220
 retrorsine 1100
 rhamnetin 699, 884, 924, 1220, 1278
Rhamnus species compounds
 culture conditions 930–931
 ethnopharmacological properties and
 phytochemistry 923–930
 rhaponticin 1237
Rhizoctonia solani 147, 184, 622, 719
 rhoifolin 593, 1265
 3-(*R*)-1-octan-3-yl-3-*O*- β -D-
 glucopyranoside 991
 rosmarinic acid 353, 1099, 1167, 1278
 25*R*-spiro-2 α ,3 β -hydroxy-4-ene-12one
 1199
 25*R*-spiro-3,5-diene 1199
 25*R*-spiro-3,5-dien-12one 1199
 25*R*-spiro-4-ene-3,12-dione 1199
 25*R*-spiro-4-ene-3,6,12-trione 1199
 25*R*-spiro-24-hydroxy-3,12-dione
 1199
Rubia species compounds
 culture conditions 937–938
 ethnopharmacological properties and
 phytochemistry 934–937
 rubusoside 1068
Rumex species compounds
 culture conditions 953
 ethnopharmacological properties and
 phytochemistry 941–953
 rumphioside C 1181
 rumphioside F 1181
 rutin 17, 48, 165, 256, 275, 346, 474,
 487, 560, 605, 678, 1086, 1093,
 1219, 1265, 1290
- s**
- sabinene 69, 140, 487, 748, 758, 760,
 828, 1166, 1265
 saccatoside 991
 saccharose 267, 1067, 1068
 saikosapoinin I 993
 saikosapoinin II 993
 saksisaponin A 992
 sakuranetin 57, 546, 759, 925, 1146,
 1167
 salicylic acid 42, 130, 147, 173, 180,
 193, 219, 243, 400, 441, 575, 643,
 678, 700, 743, 893, 894, 953, 960,
 1079, 1099, 1229, 1371, 1388,
 1393, 1421
 salidroside 960, 991, 1289, 1393
Salix species compounds
 culture conditions 971
 ethnopharmacological properties and
 phytochemistry 959–971
 salsolinol 1182
 salt stress 715, 1392, 1393
Salvia miltiorrhiza 975, 1388, 1414
 salvianolic acid A 1100
 salvianolic acid B 1100, 1393
 salvianolic acid C 1100

- Salvia officinalis* 1374, 1386, 1407
- Salvia* species compounds
 culture conditions 984–985
 ethnopharmacological properties and
 phytochemistry 975–984
- salvigenin 351, 759, 1167
- sapogenin 2, 25, 28, 1290
- sarsapogenin 1236
- sativene 1255
- schaftoside 360, 1055
- scirpusin A 1308, 1309
- scoparone 8, 10, 48, 51
- scopolamine 4, 5, 142, 177–181, 427,
 428, 430, 439, 441, 559, 561, 570,
 1376, 1389, 1424
- scopoletin 8, 10, 48, 561, 683, 684, 811,
 1030, 1219, 1339
- scoporone 1030
- scorodioside 991
- scrodentoid A 991
- scrodentoid B 991
- scrodentoid C 991
- scrodentoid D 991
- scrodentoid E 991
- scrodentoside A 991
- scrodentoside B 991
- scrodentoside C 991
- scrodentoside D 991
- scrodentoside E 991
- scrodentoside F 991
- scrodentoside G 991
- scrodentoside H 991
- scrokoelzside A 990, 992
- scrokoelzside B 990, 992
- scrolepidoside 992, 993
- scrophularianine A 992
- scrophularianine B 992
- scrophularianine C 992
- Scrophularia* species compounds
 culture conditions 1022–1023
 ethnopharmacological properties and
 phytochemistry 990–1022
- Scrophularia* spp.
S. striata 43, 993
S. yoshimurae 990
- scrophularioside 1289
- scrophulasaponin II 992
- scrophulasaponin III 992
- scrophuloside A₁ 992
- scrophuloside A₂ 992
- scrophuloside A₃ 993
- scrophuloside A₄ 992
- scrophuloside A₅ 992
- scrophuloside A₆ 992
- scrophuloside A₇ 992
- scrophuloside A₈ 992
- scrophuloside B₁ 993
- scrophuloside B₂ 993
- scrophuloside B₄ 990–992
- scropolioside A 991–993
- scropolioside B 991–993
- scropolioside D 991, 992
- scropolioside F 991
- scropolioside G 991
- scropolioside H 991
- scropioside A 991
- scrovalentinoside 991, 992
- Sebacina vermifera* 876
- secoisolariciresinol 610, 1086, 1182,
 1219
- secologanin 664, 1407, 1408
- secondary metabolites accumulation
 1385, 1422
- senosides A 267, 1419
- senosides B 1419
- shatavari 164, 165, 170, 173
- 2*S*-hesperetin 1265
- shikonin 4, 144–148, 615, 616, 620,
 621
- sibirioside A 992
- Sida* species compounds
 culture conditions 1037
 ethnopharmacological properties and
 phytochemistry 1028–1037
- Sida* spp.
S. acuta 1028, 1030
S. cordifolia 1028, 1030
S. glutinosa 1031
S. rhombifolia 1029
S. spinosa 1029, 1031
- sideritoflavone 1167
- Silybum marianum* 1408, 1422

- sinapic acid 101, 238, 448, 502, 588, 1219, 1289
- sinuatol 992
- sissotrin 1218, 1219
- sitosterol-3-O- β -D-glucopyranoside 1030, 1031
- sitosterol-3-O-D-glucopyranoside 1254
- smilagenin 448, 1236
- 2*s*-naringin 1265
- 2*s*-neohesperidin 1265
- sodium acetate 1385
- sodium chloride 279, 1385, 1389, 1390, 1393
- solamargine 1043–1048
- solanidine 4, 1044, 1047
- solanine 3, 4, 1044, 1047
- Solanum* species compounds
- culture conditions 1047–1048
 - ethnopharmacological properties and phytochemistry 1043–1047
- Solanum* spp.
- S. nigrum* 1044, 1389, 1390, 1434
 - S. xanthocarpum* 1043
- solasonine 1044, 1045, 1047, 1048
- songarosaponin A 992
- sorbifolin 1167
- soyasaponin-I 1219
- soyasaponin II 526, 1220
- spathulenol 25, 57, 69, 640, 643, 759, 1166, 1278
- specioside 1289
- spinasterol 25, 70, 1030
- stelladelin A 1054
- stelladelin B 1054
- stelladelin C 1054
- stelladelin D 1054
- Stellaria* species compounds
- culture conditions 1063
 - ethnopharmacological properties and phytochemistry 1053–1062
- Stellaria* spp.
- S. aquatica* 1053
 - S. dichotoma* 1053, 1054
 - S. graminea* 1054
 - S. media* 1053
 - S. pallida* 1054
 - S. rubra* 1053
 - S. vestita* 1053
 - S. yunnanensis* 1054
- stellarine A 1054
- stellarine B 1054
- sterebin A 1069
- sterebin B 1069
- sterebin C 1069
- sterebin D 1069
- sterebin E 1069
- sterebin F 1069
- sterebin G 1069
- sterebin H 1069
- sterebin I 1069
- sterebin J 1069
- sterebin K 1069
- sterebin L 1069
- sterebin M 1069
- sterebin N 1069
- Stevia rebaudiana* 1067, 1078, 1079, 1393, 1440, 1450
- Stevia* species compounds
- culture conditions 1078–1079
 - ethnopharmacological properties and phytochemistry 1067–1077
- steviol 1067, 1068, 1079
- steviolbioside 1068, 1069
- stevioside 1068, 1078, 1079
- stigmasterol 7, 8, 56, 58, 101, 165, 325, 466, 545, 631, 1030, 1087, 1182, 1254, 1289
- stigmasterol-3-O- β -D-glucopyranoside 1254
- Strobilanthes ixiocephala* 1085
- Strobilanthes* species compounds
- culture conditions 1093–1094
 - ethnopharmacological properties and phytochemistry 1085–1093
- strobilanthin 1087
- strobilanthoside A 1086
- strobilanthoside B 1086
- strobilanthoside C 1086
- succinic acid 1144, 1201, 1407, 1408
- sucrose 17, 32, 192, 295, 355, 396, 678, 694, 716, 868, 893, 894, 953, 1377
- symplandine 1100, 1101

- symphytine 1100, 1101
Symphytum officinale 1099, 1104
Symphytum species compounds
 culture conditions 1104
 ethnopharmacological properties and
 phytochemistry 1099–1104
 symviridine 1100, 1101
 syringaresinol 80, 210, 1182
 syringic acid 8, 199, 209, 400, 447, 700,
 893, 992, 1167, 1290
 syringin 247, 487, 488, 1181
- t**
- taberdivarine A 1111
 taberdivarine B 1111
 taberdivarine C 1111
 taberdivarine D 1111
 taberdivarine E 1111
 taberdivarine F 1111
 taberdivarine G 1111
 taberdivarine H 1111
 taberdivarine I 1111
 tabernaegantinal B 1110
 3'(R)-tabernaegantinal E 1110
 tabernaegantine A 1110
 tabernaegantine B 1110
 tabernaegantine D 1110
 tabernaegantinine C 1110
Tabernaemontana species compounds
 culture conditions 1122–1123
 ethnopharmacological properties and
 phytochemistry 1109–1122
Tabernaemontana spp.
 T. catharinensis 1110
 T. chippii 1111
 T. corymbosa 1110
 T. crassa 1111
 T. divaricata 1109
 T. elegans 1110
 T. heyneana 1109
 T. litoralis 1111
 T. markgrafiana 1111
 T. pachysiphon 1111
 T. pandacaqui 1110
 tabernaricantine F 1111
 tabernaricatine A 1110
 tabernaricatine C 1110
 tabernaricatine D 1110
 tabernaricatine E 1110
 tacamonidine 1111
 tannic acid 3, 18, 1144, 1167, 1290
 tanshinones 975, 984, 985, 1414
Taraxacum platycarpum 1414
 taxacustin 1130
 taxadiene 1413
 taxagifine 1130
 taxayuntin 1130
 taxifolin 101, 351, 475, 759, 884, 924,
 1167
 taxinine M 1130
 taxiresinol 1129
 taxol 1138, 1139, 1385
 taxol B 1130
 taxol C 1130
 taxol D 1130
Taxus species compounds
 culture conditions 1138–1139
 ethnopharmacological properties and
 phytochemistry 1129–1137
Taxus spp.
 T. brevifolia 1138, 1461
 T. chinensis 1138, 1385, 1408
 T. wallichiana 1129
 τ -cadinol 1086
 temperature 1165, 1470, 1471
 teracryl alkannin 145
 terpinen-4-ol 351, 487, 811, 1166
 terpinolene 409, 1166
 terrestriamide 1200
 terrestrisamide 1201
 terrestrin C 1200
 terrestrin E 1200
 terrestrin G 1200
 terrestrin H 1200
 terrestrin I 1200
 terrestrin K 1200
 terrestrin P 1200
 terrestrin R 1200
 terrestrin T 1200
 terrestrosin D 1199
 tetracosane 1130, 1291
 tetrahydropalmitine 390, 391, 395,
 396, 1180

- 1, 2, 3, 9-tetrahydro-pyrrolo-[2,1-*b*]quinazoline-3-ylamine 1030
- 5,7,3',4'-tetrahydroxyflavone 1030
- 5,6,7,8-tetrahydroxy-4'-methoxyflavone 1220
- 2,4,5,7-tetramethyloctane 1055
- tetranortriterpenoid
13,14-desepoxyzadirachtin-A 184
- theobromine 4, 1441
- thuja-2,4(10)-diene 1166
- thymol 736, 1166, 1167
- thymonin 759, 760, 1167
- thymonin 4'-methyl ether 1167
- thymusin 759, 1167
- Thymus* species compounds
culture conditions 1174
ethnopharmacological properties and phytochemistry 1164–1174
- Thymus vulgaris* 1164
- tigogenin 1199, 1236
- tinocordiside 1180
- tinocrispol A 1181
- tinoscorside A 1182
- Tinospora cordifolia* 1180, 1191, 1374, 1434
- Tinospora* species compounds
culture conditions 1191–1192
ethnopharmacological properties and phytochemistry 1180–1191
- tinoporide 1180
- tinosporin 1180
- toosendanin 1254
- trans*-astringin 1328
- trans*-cinnamic acid 4, 48, 257, 354, 991–993, 1087, 1167
- trans-ε*-viniferin 1309
- transgenic hairy roots 1419
- trans*-resveratrol 1326–1328, 1389, 1442
- triacontane 1031
- triangularine 1100
- tribulusimide C 1200
- tribulusin A 1200
- Tribulus* species compounds
culture conditions 1210–1211
ethnopharmacological properties and phytochemistry 1198–1210
- tribulusterine 1200
- Tribulus terrestris* 1198
- tricin 1235, 1255, 1290
- tricosane 1291
- tricyclene 1166
- 7,9,13-trideacetylbaocatin VI 1131
- 13(16),14-trien-17,12-olid-18-oic acid
methyl ester 1181
- trifoliol 1220
- Trifolium pratense* 1217
- Trifolium* species
culture conditions 1229
ethnopharmacological properties and phytochemistry 1217–1229
- trigenelline biosynthesis 1376
- trigofenoside A 1236
- Trigonella foenum graecum* 1376, 1419
- Trigonella* species compounds
culture conditions 1246–1248
ethnopharmacological properties and phytochemistry 1235–1246
- trigonelline 4, 707, 1247, 1377, 1419
- trigoneoside Ia 1236
- trigoneoside Ib 1236
- trigoneoside IIa 1236
- trigoneoside IIIa 1236
- trigoneoside IIIb 1236
- trigoneoside Xa 1236
- trigoneoside Xb 1236
- trigoneoside XIb 1236
- trigoneoside XIIa 1236
- trigoneoside XIIb 1236
- 3',4',7'-trihydroxyflavone 1220
- 2,2,4-trimethyloctan-3-one 1055
- tripdiolide production 1407
- tropane alkaloids 178, 428, 441, 1393
- tropeoside A1/A2 101
- tropeoside B1/B2 101
- tryptophan 220, 1409
- tryptophol acetate 1045
- (+)-tsugacetal 1130
- tubotaiwine 1111

- Turnera* species
 culture conditions 1259
 ethnopharmacological properties and
 phytochemistry 1253–1259
 turrillioside 1290
 turrillioside A 1290
 turrillioside B 1290
 tyramine 1181, 1182
- U**
 ultrasound 1272, 1460
 umbelliferon 1219, 1435
 uplandicine 1100, 1101, 1103
 uridine 1182
 urphoside B 1289
 ursolic acid 24, 208, 275, 287, 351, 593,
 664, 719, 748, 753, 990, 1123,
 1167, 1277
 ursolonic acid 990
 UV-B exposure 633, 1439, 1440
- V**
 valechlorine 1265
 valepotriates 1264, 1271, 1272
 valeranal 1264
 valeranic acid 1264, 1272
Valeriana species compounds
 culture conditions 1271–1272
 ethnopharmacological properties and
 phytochemistry 1264–1271
Valeriana wallichii 1264
 valerianine 1264
 valeriotetrate A 1265
 valerosidate 1265
 vanillic acid 8, 147, 275, 400, 401, 560,
 748, 992, 1087, 1093, 1201, 1219,
 1339, 1421
 vanillin 8, 575, 748, 992, 1408
 vasicine 39, 799, 800, 1030, 1388, 1389
 vasicinone 806, 1030, 1031, 1382, 1388
 vaticanol C 1307
 velutin 1167
 veratric acid 1291
 verbascosaponin A 991
 verbascoside 991, 993, 1093, 1277,
 1284
 verbascoside A 993
 verbenabraside A 1278
 verbenabraside B 1278
 verbenalin 1277
Verbena officinalis 1276
Verbena species compounds
 culture conditions 1284
 ethnopharmacological properties and
 phytochemistry 1276–1284
 verbeofflin I 1277
 verbraside 1278
 verminoside 1289, 1290
Veronica officinalis 1288
Veronica species compounds
 culture conditions 1302
 ethnopharmacological properties and
 phytochemistry 1288–1302
 veronicastroside 1167
 veronicoside 1289, 1290
 verprosides 1289, 1290
 vestitone 1220
 vicienin 1055
 vicienin 1 1237
 vicienin 2 1167, 1237
 vicienin 3 1237
 vincamajicine 1111
Vinca species compounds 274
 (–)-viniferal 1308
 (+)-viniferether A 1308
 viniferifuran 1308
 (+)-viniferol D 1309
 viridiflorine 1100
 vitexin 39, 359, 360, 748, 760, 953,
 1055, 1219, 1235, 1254, 1255
 (+)-vitisifuran A 1308
 (–)-vitisifuran B 1308
 vitisin A 1308
 vitisinol F 1308
Vitis species compounds
 culture conditions 1326–1328
 ethnopharmacological properties and
 phytochemistry 1307–1326
Vitis vinifera 1307
 voacamine 1111
- W**
 wallifoliol 1130
Withania somnifera 1338

Withania species compounds
culture conditions 1350–1351
ethnopharmacological properties and
phytochemistry 1338–1350

x

xanthomicrol flavanone 1167

y

yamogenin 1236
yuccagenin 102, 1236

z

Zea mays 43, 1413
Zingiber officinale 1356
Zingiber species compounds
culture conditions 1361–1362
ethnopharmacological properties and
phytochemistry 1356–1361
Z-piceid 1308
Z-*trans*-miyabenol C 1307, 1309
Z-vitisin A 1308
Z-vitisin B 1309