

# Index

## A

abeo-isohumulones 219–221, 247  
acetaldehyde, formation of 473  
2-acetolactate, development of 277  
 $\alpha$ -acids  
– isomerization 249  
– polymerization of 129, 249  
acidulated malt 103, 106, 123, 187, 302, 408, 451, 453, 454, 462, 480, 481, 484, 493  
acrospire development 37–38, 95, 96  
acrylamides 72  
activated carbon, diatomaceous earth 343  
actual drying stage 67  
adhumulone 219  
adsorption, artificial clarification 339  
air circulation cooling system 286, 287  
air-dried losses 93  
air separators 10, 384  
alcoholic fermentation 20, 263, 269, 270, 274  
ale shape 371  
aliphatic alcohols, concentration of 474  
Alka closures 383  
aluminum 289  
– alloy 312  
– cask 366, 367  
– tank 312  
Amadori rearrangement 69  
amaranth 100, 103, 495  
*p*-aminobenzoic acid 274  
 $\alpha$ -amylase, degradation of 34, 160  
 $\beta$ -amylase, degradation of 34, 160  
amylopectin 2, 34, 159, 160, 439–441  
anabolism 268  
anodic oxidation 122  
anthocyanogens 129, 200  
– content 132  
– and polyphenols 167  
apparent degree of attenuation 302, 451, 453, 462  
aroma compounds 439

– alcohols 227  
– phenol carboxylic acids 227  
– pigments and reducing substances 227  
– sulfurous compounds 228–229  
– thermal-oxidative modification of lipid degradation products 226–227  
artificial cooling 14–15, 41–42, 286, 299  
– of barley 14  
artificial drying of barley  
– drying with cold air 18  
– malt kiln 17–18  
– modern dryers 17  
*Aufkrücken der Hefedecke* 480  
autolysis, yeast 268  
automatic blending apparatus 360  
automatic filling elements 367  
auxiliary equipment 192, 359–361, 368

## B

*Bacillus subtilis* 268  
bacteriostatic capacity of hops 131  
bag filters 12  
barley  
– germination 28  
– malting 1–2  
– steeping  
– – cleaning 21  
– – equipment 23–25  
– – moisture uptake kernel 19–20  
– – supplying oxygen 20–21  
– – water consumption 21–22  
barley cleaning equipment 10, 13  
barrels and casks 365  
– aluminum cask 366  
– cleaning 366  
– cylindrical casks 366  
– stainless steel casks 366  
– wooden barrel 365–366  
basket fitting 368  
Baudelot or falling film chiller 250  
Bavarian-style 99, 186, 370, 493–494  
beer aroma  
– characteristics of 409  
– factors influencing flavors 410–411  
– off-flavors 411–414  
beer filtration  
– auxiliary equipment 360  
– beginning and ending 361–362  
– clarification processes 353  
– compressed air 363  
– devices for monitoring filtration 360–361  
– diatomaceous earth filtration 353  
– tank bottoms 362  
– technology  
– – centrifuges 351–353  
– – diatomaceous earth filtration 342–349  
– – membrane filtration 350–351  
– – pulp filtration 341–342  
– – sheet filters 349–350  
– theory of filtration 339–341  
beer foam  
– technological influences 415–417  
– theory of 414–415  
beer lines 122, 240, 360, 383, 388, 417, 435, 500  
beer losses  
– calculation  
– – cast-out wort and/or from malt grist 400–402  
– – economic aspects of recovering beer 401–403  
– – quantity of wort and beer 400, 401  
– – of surpluses and deficits 400  
– – volumetric losses 399–400  
– definition 395  
– true beer losses 397–399  
– wort losses 396–397  
beer production with  
– bottom-fermenting yeast  
– bitter substances and polyphenols 306  
– color 306  
– conducting fermentation 297–298

- fermentation by-products 305–306
  - fermentation rooms or cellars 286–287
  - fermentation vessels 287–294
  - hydrogen ion concentration 304–305
  - maturation 286
  - maturation level 304
  - nitrogenous compound 305
  - pitching the yeast 294–297
  - primary fermentation 286, 298–301
  - recovery of carbon dioxide produced during fermentation 307–309
  - redox potential 305
  - yeast flocculation 307
  - beer quality
    - aldehydes 276
    - esters 275–276
    - fatty acid synthesis 276
    - higher alcohols 275
    - organic acids 276
    - sulfur compounds 278
    - vicinal diketones 277–278
  - beer recovered from surplus yeast 241
  - beer sarcina 413, 441
  - beer-spoiling, lactic acid bacteria 441–442
  - Berliner Weisse* 465, 490–492
  - Biersteuergesetz* 395, 396, 459
  - biocidal effect 121
  - bitter hops 126, 129–131, 133–135, 140, 223, 226, 478, 481, 484
  - bitter substances, in wort 473
  - boiling and hopping the wort 209–242
    - traditional brewing methods 209–210
  - boiling fermentation 300–301
  - bottling
    - bowl fillers 378
    - disk or gate valve fillers 378
    - fillers for cans and PET bottles 381–382
    - fillers operating at higher pressures 377–378
    - fillers operating at lower pressures 377
    - fillers with integrated bottle sterilization 381
    - layout 393–394
    - level-control or displacement fillers 378–379
    - oxygen uptake during 383–384
    - plug valve fillers 378
    - ring bowl fillers 378
    - ring channel fillers 378
    - valve fillers 379–381
  - bottling and canning
    - cleaning bottles 374–377
    - containers 372–374
  - bottling non-alcoholic beers 461
  - bottom-fermenting brewing yeast 263, 268, 271, 466
  - bottom-fermenting yeast 263, 465
    - beer production 286–309
    - in brewing operations
      - – culturing pure strains 279–281
      - – yeast degeneration and loss of typical characteristics 281–282
      - – yeast strain selection 279
  - bowl fillers 378
  - box malting 49, 53–62
  - branched aggregates of mother/daughter cells 467
  - brewhouse production, safety and consistency 241–242
  - brewhouse yield
    - assessing 244–246
    - calculation of 242–244
  - brewing liquor 451, 477
    - acidification with *Sauergut* 123–124
    - calcium sulfate 119
    - carbonates 114
    - colloidal silica 120
    - degassing of water 122–123
    - effect of water ions 113–114
    - electro-osmosis method 118
    - gypsum 119
    - hardness of water 112–113
    - ion exchangers 116–118
    - iron and manganese 120
    - microbial contamination 120
    - reverse osmosis 118–119
    - slaked lime 115–116
    - softening or removing minerals 123
    - treatment of 114
    - water classification 120
    - water composition 111–112
  - brewing yeast
    - autolysis 268
    - bottom-fermenting yeasts 263
    - enzymes 264–265
    - genetics 266
    - morphology 263–264
    - reproduction 265–266
    - top-fermenting yeasts 263
  - bright beer cellar 365
  - buckwheat 100, 103, 495
  - budding 265, 267, 294, 329, 336, 478
  - buffer tank, for CO<sub>2</sub> gas 309
  - bunging devices 291, 311, 313, 315–317, 328, 331, 479, 482
- ## C
- calcium ions 113, 114, 160, 274, 480
  - capping the bottles 383
  - caramel malt 63–64, 103–105, 180, 186, 205, 408–410, 415, 431–432, 435, 447–450, 453–454, 462–463, 477, 480, 484, 489, 493
  - carbohydrate metabolism 269
    - Embden–Meyerhof–Parnas pathway 269
    - pentose or hexose monophosphate pathway 270
    - respiration 269–270
    - synthesis of carbohydrates 270–271
  - carbohydrate-rich cereals 495
  - carbohydrates, in yeast cell 264
  - carbon dioxide extracts 137
  - carbon dioxide generated by fermentation 287
  - carbon dioxide rest 53, 63
  - carbonation, in beer 317
  - carboxypeptidases 31, 68, 164
  - casks and barrels, filling 367–368
  - cast-out wort
    - cleaning the brewhouse equipment 237–239
    - production 237
  - casting out
    - hop filters 236
    - milled hops or hop pellets 236
    - spent hops 236
  - catabolism 31, 268
  - caustic station 375
  - cellulose 3, 134, 148, 334–335, 340–341, 343–344, 346–350, 353–354, 388, 456
  - centrifugation technology 351–352
  - centrifuge operations 351
  - centrifuges, hot break separation 254
  - ceramic membranes 355, 357–358

- cereals
- einkorn 101–102
  - emmer 101–102
  - millet 102
  - oats 102
  - rye 100
  - sorghum 102–103
  - spelt 101–102
  - triticale 101
- chamber separator 251, 254
- chemical composition of 264
- chiller, auxiliary equipment 360
- chill haze 143, 225, 318, 328, 340, 352, 418, 419, 422, 424–427, 500
- chilling the wort 234, 237, 246–248, 250, 251, 254, 259, 481
- chit malt 94, 103, 106, 171, 183, 187
- chloropropanol 72
- choline 264, 265, 274
- cis*- and *trans*-allo-isohumulones 219
- clarification processes 188, 310, 353
- cleaning and filling kegs 369, 370
- advantages 370–371
  - cylindrical sides of 368
  - disadvantages 371
- cleaning and sterilizing filling machines 382–383
- cleaning barrels and casks 366, 367
- cleaning devices 10, 16, 291
- closed chillers 250
- closed fermentation vats 289–290
- closed wort chilling systems
- automation of 259
  - brewing equipment 255
  - devices for wort handling after boiling 258–259
  - hot break separation 251–255
  - wort aeration devices 257–258
- coagulation of protein 216–219
- coarse dispersions 339
- cohumulone 129, 130, 134, 219
- cold contact method 460
- cold fermentation 298, 306, 333, 465
- cold sedimentation 256, 260, 282, 294, 295, 327, 397, 401, 455, 478
- cold separation 256, 294, 295
- cold wort handling 249, 260
- cold wort yield
- brewhouse yield 261–262
  - calculation of 260–261
  - data collected for 260
- collection vessels, in brewhouse 238
- colloidal silica 120, 424, 425
- colloids, defined 339
- CO<sub>2</sub> liquefaction 308–309
- compressed air, in brewery 363
- computer-controlled volumetric fillers 381–382
- concrete tank 310, 312
- conditioning towers 47
- conducting fermentation 297–298, 306
- Congress mash 34, 83, 96–98, 101, 103, 105, 162, 244
- contact auger 152
- continuous fermentation processes 335–336
- continuous flow process 335, 336
- continuous lautering methods
- decanters 208–209
  - Pablo system 208
  - vacuum filter serves as a drum filter 208
- continuous malting systems 77–78
- continuous wort boiling 233
- conventional mash filter
- mash filter design 202
  - mash filter lautering process 202–203
  - output of 203
  - quality 203
- conventional maturation 309–310, 313, 320
- conventional steeping 20, 25, 76
- conveying systems 393
- conveyor systems 9–10, 16, 36, 57, 78, 155, 159, 371, 437
- cooked flavor 228, 459
- coolships 147, 216, 224, 235–236, 249–251, 254, 294, 395–396, 478, 481, 490
- CO<sub>2</sub> recovery plan 142, 307, 309
- cost-effective pulp filtration 342
- cotton (pulp) 340–341
- Coutts procedure 335–336
- crossflow microfiltration 355
- with ceramic membranes 355, 357–358
  - cost comparison 358
  - operations 357
  - polymer membranes 356–357
  - principle 355–356
  - vibrating membrane filtration 358–359
- curing Munich malt 82–83
- cylindrical casks 366
- cylindroconical fermentation tanks (CCTs) 282–283, 287, 290, 293, 298, 306, 322, 336, 398, 470–471, 482
- D**
- dark caramel malt 104, 410, 435, 449, 484, 489, 493
- dark malts 38, 44, 63, 64, 94–98, 228, 431, 494
- dead steep 20
- decanters 208–209, 241, 397, 402
- deculming process 90, 93
- degree of attenuation
- apparent 302
  - fermentation cellar 303
  - final 302–303
  - limit of attenuation 302
  - real 302
- dehydrogenases 265, 274
- denaturation 5, 71, 161, 210, 216, 221
- densitometers 201
- diacetyl production 277
- diatomaceous earth 340
- filters 343–346, 349, 350, 362, 388, 399
  - pre-coat sheet filter 346–348
  - sheet filters 343, 344, 347, 349
- diatomaceous earth filtration 342, 348
- centrifuge and a horizontal filter 354
  - centrifuge and a pulp filter 353
  - crossflow microfiltration 355
  - filter sheets 354–355
  - multi-step microfiltration 354
  - synthetic extrudates 355
- diatomite 342–346, 438
- dietary effects of beer 446
- dimethyl sulfide (DMS) 33, 70, 82, 98, 124, 131, 228, 273, 274, 278, 327, 412, 413, 481
- dimethyl sulfoxide (DMSO) 70, 228, 278
- disk or gate valve fillers 378
- dispensing systems 369, 371, 417
- dispersion devices 157–158
- divided lagering 326
- double-decoction mash method 176
- downstream products 437
- Drauflassen* 280, 296–297, 321, 413

- droplet culture 279  
dry hopping 126, 131, 132, 135, 144, 146, 336, 337, 410, 479  
– effects of 337  
– in practice 337  
dry yeast 285  
*Dunkles and Schwarzbier* 449–450  
dust filters 11  
dynamic low-pressure boiling 232
- E**  
Ebon 289  
economical steeping tank 22  
effective microorganisms (EM) 437  
einkorn 100–102, 489  
electro-osmosis method 118  
electrophoresis 1, 5, 414, 466  
Embden–Meyerhof–Parnas pathway 269, 273  
emmer 100–102, 465, 489  
enameled steel tank 312  
endopeptidases 28, 31, 68, 114, 163, 164  
endosperm, milling 148–149  
enriched hop pellets 135  
enzymatic (biological) methods 171  
enzymatic modification of raw materials 494–495  
Esser test 340, 440  
exopeptidases 28, 31, 68, 111, 114, 163, 265  
external calandrias 141, 210, 212, 214, 215, 218, 230, 238, 239, 253, 478, 481, 498  
extracting the wort  
– lautering 188–209
- F**  
fermentable extract 111, 237, 314, 460, 463, 476, 483, 486  
fermentation 452  
– brewing yeast  
– – autolysis 268  
– – bottom-fermenting yeasts 263  
– – enzymes 264–265  
– – genetics 266  
– – morphology 263–264  
– – reproduction 265–266  
– – top-fermenting yeasts 263  
– by-products 473  
– in cylindroconical tanks 331  
– higher temperatures 327–328  
– high-gravity worts and beers 331  
– immobilized yeast 334–335  
– mechanical agitation 327  
– pressure application 328–330  
– in slender, flat-conical tanks and external cooling systems 333  
– tanks 287  
– yeast metabolism 268–272  
fermentation rooms or cellars 286–287  
fermentation vats 288  
– closed 289–290  
– cooling the fermenting wort 292–294  
– horizontal fermentation tanks 290–291  
– spheroconical tanks 292  
– thin tanks with a flat, conical bottom 292  
– vertical, cylindrical, flat-bottomed tanks 291  
– vertical fermentation tanks with a flat-conical bottom 291  
fermentation vessels  
– fermentation vats 288–289  
– – closed 289  
– – cooling the fermenting wort 292–294  
– – horizontal fermentation tanks 290–291  
– – materials 288–289  
– – spheroconical tanks 292  
– – thin tanks with a flat, conical bottom 292  
– – vertical, cylindrical, flat-bottomed tanks 291  
– – vertical, cylindroconical fermentation tanks 290  
– – vertical fermentation tanks with a flat-conical bottom 291  
fermentative type 466  
feruloyl esterase 29, 166  
filling casks and barrels 367–368  
filter bowls 341  
filter pulp 341  
filter sheets 158, 246, 340, 343, 349–350, 353–355, 388, 403, 442  
finished beer  
– aroma 409  
– beer foam 414–418  
– classification of 407  
– composition of  
– – extract 405–407  
– – volatile compounds 406  
– filterability of  
– – causes of poor 438–439  
– – remedial measures 440–441  
– formation of colloidal turbidity 419  
– German bottom-fermented beer styles 447–450  
– microbiological stability of beer 441–445  
– physico-chemical properties  
– – composition of colloidal turbidity 418  
– – flavor stability 428–434  
– – formation of colloidal turbidity 419  
– – gushing 436–438  
– – monitoring and predicting flavor stability 434–435  
– – stabilization of beer 419–428  
– – technological measures, colloidal stability 419  
– – turbidity originating chemically 435  
– physiological effects of beer  
– – dietary effects of beer 446  
– – nutritional value of beer 445–446  
– properties of  
– – color 408  
– – general characteristics 407  
– – redox potential of beer 407–408  
– special beers  
– – alcohol removal with physical methods 456–459  
– – dietetic beers of the past 451–453  
– – limiting alcohol content 454–456  
– – low-alcohol beers 461–463  
– – non-alcoholic beer 454, 459–461  
– – nutritive beers 453–454  
first thick mash 176  
first wort hopping 148, 226  
five-roller mill function 152  
fixed-bed reactor 334, 335  
floating barley 23, 25, 27, 93  
flocculation capacity 307  
flocculative capacity 299, 466, 475, 491, 499  
flocculent yeasts 263, 264, 282, 304–306, 314, 317, 352  
floor malting  
– area 42  
– artificial cooling 41–42  
– capacity of 44–45

- designs 45
- germination process 42–44
- moisture content 42
- traditional 41
- floor malting light exposure 42
- flotation method 256, 297
- flow meter 257, 260, 292, 313, 361, 370, 381
- flush-steeping 27
- foam separator 308
- folic acid 264, 274, 445, 446, 494
- forced fermentation 290, 298
- four-roller mills 151–152, 156
- free amino nitrogen (FAN) 67, 97, 99, 100, 432, 473
- friability of malt 95
- Frigen 46, 250, 293
- frothing fermentation 301
- fully automatic equipment 366–367
  
- G**
- Galland drum 49–53
- gap filter 343, 345, 347, 348
- gasometer or a gas reservoir 308
- gelatinization temperature, malt starch 97
- gel proteins 163, 204
- genetic manipulation of yeast 266–268
- geometry of metal tanks 311
- bottom-fermented German beer styles
  - *Dunkles* and *Schwarzbier* 449–450
  - German porter 450
  - *heller Bock* 448–449
  - *Märzen* 449
  - pale export 447–448
  - pale lager beer 447
  - *Pils* or Pilsner 448
  - smoked beer 450–451
- German porter 450
- top-fermented German beer styles
  - *Altbier* (Düsseldorf, Lower Rhine) 477
  - Bavarian-style 493
  - *Berliner Weisse* 490, 491
  - *Hefeweizen*–Bavarian-style wheat beer with yeast 484–488
  - *Kölsch* 479–480
  - *Kristallweizen*–filtered wheat beer 480–484
  - low-alcohol beers 494
  - with malted cereals 488–490
  - *Malzbier* (“malt beer”) 493
  - non-alcoholic beers 494
- traditional 491–492
- germination
  - practice of
    - – acrospire development 37–38
    - – cold/warm regime 39
    - – kernel modification 38–39
    - – rootlets 37
    - theory of
      - – cytolytic enzymes 29–30
      - – lipid degradation 35
      - – microorganisms 36
      - – phosphates degradation 33
      - – polyphenols 35
      - – protein degradation 31–33
      - – starch degradation 34–35
  - germination drums 52
  - germination-kilning boxes 77
  - germination losses 93
  - germination practice of metabolism 39
  - gibberellic acid 13, 14, 28, 64, 65, 94, 102, 227, 436
  - $\alpha$ -glucans 407, 418, 419, 427, 438–441
    - turbidity 187, 188, 435
  - $\beta$ -glucans 439
    - degradation 96, 166, 168, 180, 188
    - yeast 440
  - gluten-free beer 494–495
  - gluten-free sugar or starch sources 495
  - $G_{\max}$  340
  - good filterability 438
  - grain bill, defined 169
  - green beer centrifuge, sedimentation process 326–327
  - green beer clarification 352–353
  - green malt
    - kilning 66–92
    - pneumatic malting systems 65–66
  - grist separation 153, 181
  - gum substances 2, 3, 29, 109, 165–166, 171, 175, 177, 179, 181, 183, 188, 220, 305, 339
  - gushing 18, 436
    - tendency 98
    - test 100
- H**
- Hartong–Kretschmer four-mash method 39, 97
- harvesting yeast 282, 290, 322, 467–468, 482
- heating jackets 173, 211, 217
- hectoliter weight 8, 67, 94–95, 189
- Hefebirne* 295
- Hefetrieb* 471
- Hefeweizen*–Bavarian-style wheat beer with yeast 484–488
- heller Bock* 448–449
- hemicelluloses 3, 29, 343
  - and gum substances 165–166
- Hersbrucker 226
- hexa-extract
  - (hexahydro-iso- $\alpha$ -acids) 139
- high-bed lauter vessels 189
- high gravity beer after maturation 499–500
- high gravity techniques 262, 500
- high gravity wort fermentation 499
- high gravity wort production
  - dilution of high gravity wort at the chiller 498
  - lautering system 497
  - mashing 497
  - whirlpool operations 498
  - wort boiling 497–498
- high-performance kettles 211, 218, 230
- hoch-kurz* 146, 158, 178–181, 223, 248, 447–448
- hop drive 468, 470
- hop extracts, isomerized 147
- Hopfentrieb* 467, 470
- hop jack 147, 236, 253, 260
- hop polyphenols, extraction 142–143, 221–222
- hop oil products 137, 139, 144, 223
- hop utilization 141, 146–147, 224
- Hopfenseiher* 260
- hops
  - analysis 128–134
  - aroma 145
  - automatic hop additions 148
  - bitter substances into solution 139–142
  - classification 125–127
  - description of 124
  - dry hopping 144–145
  - evaluation 128
  - lipids 146
  - losses 147–148
  - oils 143–144
  - polyphenols 132, 142–143
  - processing 127
  - products 134–139
  - proteins 146
  - quantity of 146–147



- storage 127–128
  - horizontal conveyors 9, 16, 76
  - horizontal fermentation tanks 282, 290–291, 293, 321, 470, 482
  - horizontal wire mesh filters 344, 347
  - hot air chamber 73, 80, 88, 392
  - hot and cold break material 247–249, 255, 256, 278, 396, 411, 470
  - hot break material, reuse of 250–251
  - humulinic acids 139, 219
  - humulinones 139, 219, 411
  - Hundskopf* 313
  - husks
    - milling 148
    - separation 181
  - hydrogen sulfide 14, 228, 273–274, 278
  - hydrolases 5, 29, 109, 265, 431, 497
  - hygroscopic point 67, 80
- I**
- inadequate clarification of the beer 439
  - indicator microbes 443
  - industrial yeast strains 267–268
  - infection pressure 365, 436, 462
  - infusion and *hoch-kurz* mashing regimes 248
  - infusion mashing 141, 172, 174, 178–180, 182, 207, 221, 244
  - inhibiting effect 6
  - intercellular pH value (ICP) 285, 336
  - isohumulones, defined 219
  - isomerases 265
  - isomerized hop extracts 138, 147, 225, 500
  - isomerized kettle extract (IKE) 138
- K**
- Kieselguhr* (diatomaceous earth) filtration 255–256
  - killer yeasts 267
  - kilning, green malt
    - actual drying stage 67
    - chemical changes 67–72
    - classic multi-deck kilns 79
    - color and aroma formation 68–69
    - combination germination and kilning units 75–77
    - continuous malting systems 77–78
    - continuous operation 78–79
    - cooling and deculming 90–91
    - dimethyl sulfide 70
    - energy-saving measures 88–89
    - kilning Pilsner malt, single-deck kiln 80–83
    - loading and unloading 89–90
    - monitoring and automating 87–88
    - operating a combination germination box-kiln 86
    - physical changes 67
    - single-deck high-performance kilns 73–74
    - storing malt and maintaining malt stores 91–92
    - traditional two-deck kiln 86–87
    - Triflex kiln 85
    - two-deck high-performance kilns 74–75, 83–85
    - vertical kilns 85–86
    - withering 66–67
  - kilning wheat malt 99
  - Koch clearing system 60
  - Koch system 77
  - Kolbach index 31–33, 39, 97, 101–104, 179, 415, 431
  - Kräusen* 280, 328, 329, 463
    - high and low 299
    - pitching with 297
  - Kristallweizen*–filtered wheat beer 480–483
- L**
- lagering 482
    - duration of 320
    - essential elements of 310
    - external heat 310
    - passive cooling systems 310
    - piping systems 310
    - quantity of beer 310–311
  - lager vessels
    - concrete tank 312
    - metal tank 311–312
    - tanks connected in series 312
    - vertical tank 312
    - wooden 311
  - laterally ventilated systems 61
  - Lausmann transposal germination system 62–63
  - lauter tun 238
    - accelerating 198–199
    - classic lauter faucet 191
    - collection area 191
    - distance 190
    - equipment 196–197
    - false bottom 189–190
    - first wort 193–195
    - grain bed 193
    - graining out 192, 201
    - mashing out 192–193
    - modern 189
    - modern lautering systems 191–192
    - monitoring 201
    - operations 197–198
    - operations using modern 199–200
    - performance and efficiency 201–202
    - quality 200
    - size of 189
    - sparging 195–196
    - temperature 192
    - volume of wastewater 200–201
    - wort exits 190–191
  - lautering 497
    - continuous lautering methods
      - – decanters 208–209
      - – Pablo system 208
      - – vacuum filter serves as a drum filter 208
    - conventional mash filter
      - – mash filter design 202
      - – mash filter lautering process 202–203
      - – output of 203
      - – quality 203
    - lauter tun 188
    - membrane compression filters
      - – design 203–204
      - – operations 204–205
      - – performance 205
      - – quality 205
    - and sparging 452
    - Strainmaster 207–208
    - thin-bed filter
      - – design 206
      - – operations 206
      - – performance 206–207
      - – quality 206
    - wort collection vessel 209
  - Leichtbier* 405–406, 463
  - level-control or displacement fillers 378–379
  - ligases 265
  - light mercaptan 138
  - lightstruck 138, 279, 372, 412, 428, 430–431
  - limit dextrinase 28, 34, 102, 160–161, 185, 452
  - limit of attenuation, for fermentation 302

- lipid metabolism
  - degradation of fats 273
  - fatty acids and ester formation 273
  - fatty acids formation of 273
  - fatty acids importance of 273
  - glycerol synthesis 273
- lipids
  - changes in 167
  - content of yeast 264
- longitudinal ventilation 61
- long-tube filler 377, 379–380, 386
- low-alcohol beers
  - brewing 462–463
  - classification of production processes 461–462
  - definition 461
  - malt bill 462
- low NO<sub>x</sub> furnaces 72
- low-pressure boiling 214, 232
- lyases 265
  
- M**
- Maillard products, reducing effects 227–228
- malt
  - cereals
    - einkorn 101–102
    - emmer 101–102
    - millet 102
    - oats 102
    - rye 100–101
    - sorghum 102–103
    - spelt 101–102
    - triticale 101
  - properties of
    - external characteristics 95
    - mechanical analysis 95–96
    - physico-chemical analysis 96–98
  - pseudocereals 103
  - specialty 103–104
  - wheat malt 98–100
- malt bill 169, 451, 453, 462, 477, 479, 480, 484, 490, 493
- malt equivalent 157, 202
- malt starch 97, 159, 162, 170, 244, 455
- malting barley 1
  - chemical composition
    - bitter substances 4–5
    - enzymes 5–6
    - inorganic constituents 6
    - lipids (fats) 3
    - lower molecular weight carbohydrates 3
    - moisture content 6
  - non-starch polysaccharides 3
  - organic compounds 3
  - polyphenols or tannins 3–4
  - starch 2–3
  - floor malting 41–45
  - morphology 2
  - plant diseases and animal pests 18–19
  - pneumatic 45
  - preparing
    - artificial drying 16–18
    - cleaning and sorting 10–13
    - conveyor systems 9–10
    - economic and technological reasons 13–16
    - receiving 9
    - properties of
      - chemical analysis 9
      - external features 7–8
      - physical examination 8–9
      - storage 19
- malting losses
  - calculation 94–95
  - during respiration and germination 93–94
  - steeping 93
- Malzbier* (“malt beer”) 454, 493
- Märzen* 106, 146, 170, 177, 223, 320, 406–409, 449, 462
- mash filters, cleaning procedure 238
- mash intensity index 165, 187
- mash liquor volume 169
- mashing regime 452, 477, 497
  - double-decoction mash method 176–177
  - grist separation 181
  - *hoch-kurz* 178–179
  - infusion mashing effects 179–181
  - pressure mashing methods 182
  - processing adjuncts 182–185
  - single-decoction mash method 177
  - spring mash method 179
  - triple decoction 174–176
- mashing techniques
  - barley malt or other cereals 169
  - duration of 171
  - energy requirements for 174
  - enzymatic (biological) methods 171
  - fundamental changes 169
  - mash liquor 169
  - mashing vessels 172
  - physical methods 171–172
  - temperature 170–171
- mashing theory 159
- maturation
  - of high-gravity worts and beers 331–332
  - immobilized yeast 334–335
  - in slender, flat-conical tanks and external cooling systems 333
  - time required for 332–333
  - yeast reactor 335
- maturation process
  - blending 313
  - carbonation 315–317
  - clarification of beer 317–319
  - decline in extract concentration 313–315
  - monitoring 320–321
  - physical methods 319
- medium-colored malts (Vienna type) 83
- Megasphaera* 382, 392, 441–443
- melanoidin malt 103, 105–106, 447, 450
- membrane compression filters
  - design 203–204
  - operations 204–205
  - performance 205
  - quality 205
- membrane filtration 350–351, 358, 359, 417, 422, 439
- mercaptans 278, 319, 412
- methionine 70, 228, 271–274, 430
- methionine content in wort 274
- methionol 273, 274, 279
- microbiological stability of beer
  - maintaining microbiological shelf life 443–445
  - sources of contamination 441–443
- micromalting 9, 101, 103, 106, 107
- mill designs
  - dispersion devices 157–158
  - equipment 152–153
  - five-roller mills function 152
  - four-roller mills 151–152
  - mill throughput 153–155
  - pulverized grist 156–157
  - six-roller mill 152
  - two-roller mill 151
  - wet milling 155–156
- mill throughput 153–155
- millet 100, 102, 109–111, 495
- milling the malt
  - grist and spent grain volumes 149

- mill designs 150
- milling area arrangement 159
- monitoring grist quality 150
- properties and composition 158–159
- mineral metabolism
  - calcium ions 274
  - copper 274
  - magnesium ions 274
  - phosphates 274
  - sulfur dioxide 274
  - sulfur metabolism 273–274
  - zinc 274
- modern fermentation and lagering methods in beer production
  - anti-foam agents 325
  - conventional methods 321
  - cylindrical fermentation tanks 322
  - silicone-based anti-foam agent 325
  - utilization 324
  - vertical tanks with flat bottoms 324
  - vertical, flat-conical tanks 324
- modern fermentation vats 292
- modern sedimentation vessels 252
- modification box 63
- molecularly disperse substances 339
- multi-deck kilns 74, 79, 80, 90
- multi-step microfiltration 354
- Munich malt, kilning 67, 87
- Munich-style *Dunkles* 97, 174–176, 320
- myo-inositol (cyclohexanehexol) 274

**N**

- Nathan procedure 327–335
- nicotinamide 237, 269, 270, 274
- nitrogenous compounds, beer 405
- nitrogenous substances, in yeast cells 264, 473
- nitrosodimethylamine (NDMA) 72, 91, 98, 100
- nodding barley 1
- non-alcoholic beers 406, 407, 430, 442, 451, 454, 458–461, 494
- non-condensable gases 308
- non-flocculent yeasts 263, 264, 282, 299, 300, 303–306, 318, 416, 466

- nutritional value of beer
  - alcohol content 445
  - carbon dioxide 445
  - cardiovascular diseases 446
  - ethanol 446
  - hop bitter acids and hop oils 446
  - minerals 445
  - residual extract 445
  - two-thirds of the polyphenols 446
  - vitamins B2 445–446
  - water 446
- nutritive beers 111, 451, 453–454, 493–494

**O**

- oats 100, 102, 109, 488, 489, 492, 494
- off-flavors in beer 279, 411–414
- opacimeters 361
- open propagation 279
- overcarbonation 145, 315, 316, 384
- oxalate turbidity 340, 435
- oxidation of mash constituents 168
- oxidoreductases 265
- oxygen meter 361
- oxygen uptake during bottling 384
  - aeration of the beer 385–387
  - beer filtration 384
  - carbon dioxide usage for 387
  - keg filler 387
  - maturation process 383
  - reasons 387
  - scrubbing 385–387
  - tank 384–385
- ozonation 120, 121

**P**

- Pablo system 208
- packaging beer
  - barrels and casks 365–371
  - bottling 377–382
  - bottling and canning 371–387
  - cleaning and filling kegs 368–371
  - conventional casks 368
  - filling and storage areas 371
  - filling casks and barrels 367–368
  - pasteurization of beer 391–393
  - sterile filling 387–391
  - storage after filtration 365

- pale export 146, 223, 303, 435, 447–449
- pale lager beer 144, 170, 302, 303, 447, 459
- passive cooling 286, 310
- pasteurization of beer 368, 387–393
- Pectinatus* 382, 392, 441–443
- 2,3-pentanedione 277, 278, 305, 320
- pentose or hexose monophosphate pathway 270
- Petainer 369
- pH of the Congress wort 97–98
- pH of the mash 161, 162, 164, 165, 187, 431
- phosphohexose isomerases 265
- phosphomutases 265
- Pils* or Pilsner 448
- Pilsner malt 87
  - EBC for 67
  - kilning, single-deck kiln 80–83
- pitching the yeast
  - *Drauflassen* 296–297
  - *Kräusen* 297
  - method 295–296
  - oxygen supply 296
  - point 294
  - sufficient quantity of yeast 294–295
  - yeast propagation 296
- plant diseases and animal pests affecting barley 18–19
- plate chillers 250, 360
- plate method 279
- plate separator 254
- plug valve fillers 378
- pneumatic malting systems
  - artificial humidification 46–48
  - attemperation 46
  - automatic temperature control 48
  - dedicated purification system 45–46
  - duct system 48
  - fans 48
  - germination vessels in
    - – box malting 53–61
    - – drum system 52–53
    - – employing starter cultures 64
    - – Kropff 63
    - – Lausmann transposal 62–63
    - – modern static systems 63–64



- – *Reinheitsgebot* 64
  - – *Wanderhaufen* transposal 61–62
  - green malt 65
  - power requirements for 49
  - ventilation systems 45
  - pneumatic transport 9, 60
  - polyamides and polyvinylpyrrolidone 420, 424
  - polymer membranes 355–358
  - polyphenols and anthocyanogens 167–168, 186, 420
  - polyphenols in hops 132, 432
  - post-isomerization 147, 148, 249
  - post-kiln heating of malt 98
  - powdered hop extract 225
  - pressure data loggers 360
  - pressure generation test 285
  - pressure mashing methods 182
  - pressure regulators 359, 360, 362
  - primary fermentation 286, 298, 416, 470–472
  - processed hops 147
  - processing adjuncts 160, 182–185
  - profile cassette units 74
  - protein degradation 31, 187
    - grist to liquor ratio 165
    - monitor 165
    - nitrogenous substances for brewing 163
    - pH and temperature optima 164
    - prolamins 163
  - protein metabolism
    - absorption of amino acids 271–272
    - nitrogen concentrations 272
    - oxyacids 272
  - proteinaceous substances 4, 5, 31, 32, 141, 180, 216, 223, 243, 416, 418, 420, 426, 438, 439
  - protoplasts 267
  - pseudocereals 100, 103, 109, 209, 495
  - pulp filter 340–342, 353, 413
  - pulp filtration 341–342, 349
  - pulverized grist 156–159, 167, 173, 180, 184, 208
  - pure brewing yeast cultures 442
  - pyridoxine 237, 264, 274, 406
- R**
- raffinose fermentation 466, 467
  - recovering residual extract 239–241
  - rectangular germination box 75, 86
  - reduced hop extracts 148, 225, 226
  - reduced iso- $\alpha$ -acid extracts, 138
  - re-steeping process 59, 94
  - rho-iso- $\alpha$ -extract 138
  - reinforced concrete 15–16, 22, 53, 92, 288, 289
  - resteeeping method 59, 94
  - ring bowl fillers 378
  - ring channel fillers 378
  - roasted malt 72, 87, 103–105, 408, 412, 449, 450, 453, 454, 477, 484
  - rotary atomizer 47
  - round germination boxes 60
  - runaway beer 240
  - rye, for malting 100–101
- S**
- saddle configuration 311, 312
  - Saladin boxes 53, 55, 59
  - Saladin-type helical turning device 76
  - Sauergut*, acidification 123, 276
  - scavengers 373, 386, 433
  - S. cerevisiae*\* yeasts 267
  - screw caps 372, 373, 383, 386
  - second aeration 257, 296, 332, 481
  - sedimentation 339
    - cold 256
    - tanks 251, 326, 376
  - self-chilling beer keg 368
  - self-cloned yeasts 268
  - semi-automatic systems 367
  - S. eubayanus* 263
  - shed bottom 190
  - sheet filters 256, 341, 343, 344, 346–350, 353, 359, 363, 399, 435, 445, 480
  - shipping yeast 285
  - sieving effect 339, 340
  - silica-based stabilizing agents 420, 422
  - silica gels 219, 319, 343, 420, 426, 433, 477
  - silicone-based anti-foam agent 325
  - single-deck high-performance kilns 73–74, 90
  - single-decoction mash method 177
  - single-tank methods 325, 328, 331
  - slider fitting 368
  - slurry tanks 283
  - S-methylmethionine (SMM) 33, 70, 228, 229
  - smoked beer 450–451
  - sniffing machine 372
  - soaking and spraying bottle washers 374–377
  - sorghum 102–103, 109–111, 160, 184, 205
  - sparging, wort 195–196
  - specialty malt
    - acidulated or acid malt 106
    - caramel malt 104–105
    - chit malt 106
    - melanoidin malt 105–106
    - roasted malt 103–104
  - Speise*, extract 476, 482
  - spelt 100–102, 109, 465, 489, 490
  - spent grain, storage 241–242
  - spheroconical tanks 292
  - spiral wire candle filters 348
  - spiro-isohumulones 219
  - sporulation 265, 266, 268, 466, 467
  - spray steeping 27, 93
  - spraying machines 374
  - spring mash method 179, 455, 461
  - spunding 315, 326
  - stabilization, filtration, filling 453
  - stabilization of beer 427, 428
    - adsorbents 420–426
    - chemical agents 426–428
  - stabilized and isomerized pellets 137–138
  - stainless steel 289, 312
    - casks 366
    - wort kettles 210
  - starch degradation 187
    - $\alpha$ -amylase 160
    - $\beta$ -amylase 160
    - in brewery practice 161
    - invertase 161
    - limit dextrinase 160
    - process of solubilizing 159
  - static malting systems 77
  - sterile filling 363, 367, 370, 387–393, 427, 460, 461
  - sterile filtration 120–123, 258, 321, 342, 349, 350, 353, 359, 388, 390, 417, 445, 462, 477, 484, 493
  - sterile yeast propagation system 280
  - stewed malts 105
  - stippled cauliflower heads 298
  - stoking chamber 73
  - stoking room 79

- Stöpselgose* 492  
 storage of barley 9, 13, 15, 18, 19  
 Strainmaster 158, 188, 190, 200, 207–208, 240, 478  
 striped malt 95  
 stripping, kind of 259  
 stuck fermentation 292, 300  
 sulfur dioxide 71, 72, 257, 273, 274, 278, 305, 306, 321, 329, 332, 368, 428, 429  
 sulfur metabolism 273–274  
 synthetic resins 116, 288, 289  
 sweet beer 494
- T**  
 tainted beer 403  
 tandem diatomaceous earth filters 349  
 tandem filters 353  
 tank bottoms 306, 362, 398, 402, 412, 441  
 tannic acids 438  
 tannoids 4, 36, 143, 168, 221, 406, 408, 427  
 temperature data loggers 360  
 tetra-extract  
 (tetrahydro-iso- $\alpha$ -acids) 138  
 theory of filtration 339–341  
 theory of mashing  
 – hemicelluloses and gum substances 165–166  
 – lipids 167  
 – oxidation of mash constituents 168  
 – phosphates 166–167  
 – polyphenols and anthocyanogens 167–168  
 – protein degradation 162–165  
 – starch degradation 159–162  
 – zinc content 168  
 thermal chalk 382  
 thermo crayons 382  
 thermo pens 382  
 thiamine 237, 264, 273, 274, 278, 406  
 thin film evaporator 214, 233–234, 259, 396, 456–457  
 thiobarbituric acid index (TBI) 98, 210, 216, 431, 434  
 thiol-disulfide exchange reaction 217  
 thousand kernel weight 8, 9, 94, 95, 103, 495  
 top fermentation  
 – fermentation rooms and fermentation vessels 468–470  
 – filtration and filling 476–477  
 – top-fermented German beers 477–494  
 – gluten-free beer 494–495  
 – history of 465  
 – maturation 474–476  
 – pitching 470  
 – primary fermentation 470–474  
 – wort changes 473–474  
 – wort composition 470  
 – yeasts  
 – – fermentation attributes 466–467  
 – – handling 467–468  
 – – morphological characteristics 465–466  
 – – physiological differences 466  
 top-fermenting yeasts 263, 275, 465–467, 473, 474, 483, 489  
 total diacetyl 281, 314, 320, 321, 324, 326–328, 330, 331, 406, 413, 478, 483  
 total DMS content 229  
 total malting losses 93, 94  
 total pentanedione 327  
 transferases 265  
 transverse ventilation 287  
 Triflex kiln 72, 75, 85  
 Triflex kiln design 75  
 triple decoction mashing regime 161, 171, 174–177  
 triticale 100, 101, 109, 110, 465, 489  
 true beer losses 397–399  
 tryptophol 275, 319, 430  
 tubeless filler 379  
 turbidity, EBC 361  
 turning devices in *Wanderhaufen* systems 61  
 two-deck high-performance kilns 74–75, 89  
 two-rowed barley 1
- U**  
 Ultra-Trieur 11  
 ultrafiltration 22, 118, 121, 376  
 unitank method 330–331  
 unitanks 290–292, 324, 325, 330, 362  
 unmalted barley 109–111, 183, 184  
 upright barley 1
- V**  
 vacuum relief valves 291  
 valve fillers 379–381, 393  
 vapor condensate 228, 230, 231, 239, 240  
 ventilation of the kiln 73  
 venting valves 360  
 Venturi constrictor cone 211, 212, 218, 232  
 Venturi tube or jet mixer 258  
 vertical conveyors 9, 393  
 vertical wire mesh filters 344  
 vertical, cylindroconical tanks 293, 469  
 vibrating membrane filtration (VMF) 358–359  
 vitamins 237, 264, 273, 274, 278, 334, 406, 445–446, 460  
 – yeast 264  
 vitreous enamel 288  
 volatile sulfur compounds 273, 274, 278  
 volumetric beer losses 395, 400  
 volumetric capacity of a lauter tun 189  
 volumetric filling systems 381
- W**  
*Wanderhaufen* transposal malting system 61–62  
 warm fermentation 298, 328  
 warm maturation 276, 333, 459, 483, 485, 486  
 washing or slurrying yeast 283  
 washing process 283, 342, 357, 420  
 water consumption 21–22, 27, 47, 155, 236, 308, 309, 346, 347, 358, 367, 369, 382, 392  
 water purification 121  
 weevils 18, 125  
 wet milling 147, 155–157, 159, 167, 180, 182, 183, 189, 198, 408, 439, 480  
 wet mills 147, 158, 171, 173, 180, 185, 224, 245  
 wheat malt  
 – analysis of 99–100  
 – for brewing purposes 98–99  
 – kilning wheat malt 99  
 – procedures 99  
 whirlpool 252  
 – kettles 213, 253  
 – operations 199, 498  
 whole grain conditioning 153  
 wild yeasts 70, 263, 413, 442  
 wire spiral candle filter 345  
 withering, malt 66  
 wood chips or shavings 303, 319

- wooden barrel 311, 313, 315, 365–367
- wooden lager vessel 311
- wort
  - casting out 236–237
  - chilling 247
  - oxygen uptake
    - chemical binding 247
    - physically binding or dissolving oxygen 247
  - wort aeration devices 257–258
  - wort boiling 497
    - automating 239
    - coagulation of protein 216–219
    - and hop additions 452, 478, 479, 481, 484
    - physical processes
      - color of the wort 216
      - denaturation of the enzymes 216
      - evaporation of excess water 215–216
      - pH of the wort 216
      - sterilization of the wort 216
    - process 416
    - technical and energy aspects
      - amount of 229
      - continuous wort boiling 233
      - evaporation 230–236
      - modern 229–230
      - post-evaporation under vacuum conditions 234
      - process of vapor compression 231–232
      - superbarometric boiling or boiling slightly 232–233
      - thin film evaporators 233–234
      - with post-boil evaporation 234–236
    - wort kettles
      - agitators 213–215
      - direct-fired kettles 210
      - direct-fired kettles burning heating oil 210
      - footprint 210
      - ratio 210
      - steam-heated kettles 211–213
      - steel, copper or stainless steel 210
      - traditionally 210
      - water vapor 213
  - wort chilling 170, 174, 229, 234–235, 238, 242, 246–260, 286, 295, 396, 470
  - wort collection vessel, lautering 209
  - wort color 64, 85, 97, 100, 103, 186, 216, 227, 228, 249, 434
  - wort filtration 256, 295
  - wort handling, *Altbier* 478
  - wort hopping
    - aroma compounds
      - alcohols 227
      - phenol carboxylic acids 227
      - pigments and reducing substances 227–228
      - sulfurous compounds 228–229
      - thermal-oxidative modification of lipid degradation products 226–227
    - automated systems for 226
    - hop polyphenols 221–222
    - lipids 223
    - oils 222–223
    - quantity of 223–224
    - solubility of the bitter substances 219–221
    - timing and number of 226
    - type and time of 224–226
  - wort losses 144, 147, 176, 224, 237, 253, 255, 395–397
  - wort production
    - brewing liquor 111–124
    - brewing process 109–111
      - corn 110–111
      - industrial enzyme products 111
      - malt 109
      - millet 110
      - rice 110
      - sugar 111
      - syrups 111
      - unmalted barley 109–110
      - unmalted rye 110
      - unmalted wheat 110
    - fermentation process 109
    - hops
      - analysis 128–134
      - aroma 145
      - automatic hop additions 148
      - bitter substances into solution 139–142
      - classification 125–127
      - description of 124–125
      - dry hopping 144–145
      - evaluation 128
      - lipids 146
      - losses 147
      - oils 143
      - polyphenols 132, 142
      - processing 127
      - products 134–139
      - proteins 146
      - quantity of 146–147
      - storage 127–128
      - mashing regimes
        - double-decoction mash method 176–177
        - grist separation 181–182
        - *hoch-kurz* 178–179
        - infusion mashing effects 179–181
        - pressure mashing methods 182
        - processing adjuncts 182–185
        - single-decoction mash method 177–178
        - spring mash method 179
        - triple decoction 174–176
      - mashing techniques
        - barley malt or other cereals 169
        - duration of mashing 171
        - energy requirements for 174
        - enzymatic (biological) methods 171
        - fundamental changes 169
        - mash liquor 169
        - mashing vessels 172–174
        - physical methods 171–172
        - temperature 170
        - monitoring the mashing process 186–188
        - particular issues with mashing 185
        - recovering residual extract 239–240
        - theory of mashing
          - hemicelluloses and gum substances 165–166
          - lipids 167
          - oxidation of mash constituents 168
          - phosphates 166–167
          - polyphenols and anthocyanogens 167–168
          - protein degradation 162–166
          - starch degradation 159–162
          - zinc content 168

**X**

xanthohumol 133

**Y**

yeast assimilation system 280

yeast  $\beta$ -glucans 440yeast cell wall 264, 273, 431, 439,  
440

yeast gum 264

yeast metabolism

– beer quality

– – aldehydes 276

– – esters 275–276

– – fatty acid synthesis  
276–277

– – higher alcohols 275

– – organic acids 276

– – sulfur compounds 278

– – vicinal diketones 277

– bottom-fermenting yeast in  
brewing operations  
279–285– carbohydrate metabolism  
269–271

– cleaning 283–284

– dry yeast 285

– harvesting yeast 282

– lipid metabolism 272–273

– mineral metabolism

273–274

– physiological condition 285

– protein metabolism 271

– shipping yeast 285

– storage 284–285

– vitamins 274

yeast propagation 109, 258, 266,

280, 296, 297, 332, 456, 467,

472, 499

yeast reproduction

– accelerated growth phase  
266

– alcohol 266

– deceleration phase 266

– dormant phase 266

– exponential phase 266

– lag phase 266

– optimum temperature  
266

– oxygen 266

– stationary phase 266

yeast sedimentation tanks  
326

yield factor 244

**Z**

zinc content 168

Zürcher test 340









