

Index

a

- acetic acid synthesis 26–30
 - carbonylative C–H activation reactions 44–46
 - carbonylative coupling with organometallic reagent reaction 37–41
 - carbonylative Heck reactions 46–48
 - carbonylative Sonogashira reactions 41–44
- C—X bonds, carbonylations of 30–48
- C—X bonds, hydroxy-, alkoxy- and aminocarbonylations of 30–34
- iridium-catalyzed carbonylation 28–30
 - process considerations 26–27
 - reductive carbonylation 34–37
 - rhodium-catalyzed carbonylation 27–28
- acids
 - to alcohols 260, 261
 - to aldehydes 261, 262
- acyl chloride 172–174, 319, 339
- alcohol amination mechanism 249, 250
- alcoholysis reaction 320–321
- aldehydes
 - with acylanions 55–56
 - to alcohol 257–259
 - amidocarbonylations of 52–54
 - hetero Pauson–Khand reactions of 55
 - hydrate of 277
 - hydroformylation and silylformylation 54–55
 - miscellaneous of 56–57
 - reductive coupling reactions of 306–310
 - silane reductions of 257
- aldol reaction 224, 225, 278, 279
- aldoses 178–179
- aliphatic polyamides 323–325
- alkenes
 - alkoxycarbonylation of 14–15
 - aminocarbonylation of 17–19
 - hydroxy, alkoxycarbonylation, and aminocarbonylation of 11–20
 - hydroxycarbonylation of 11–13
- alkenylboronates 229
- alkenyl diboronates 229
- alkoxycarbonylation 11, 14–20, 31, 32, 51–52, 66, 135, 136, 141, 159, 166–168, 172, 176, 339
- alkyl formates 165, 167
- alkynes
 - alkoxycarbonylation of 16–17
 - aminocarbonylation of 19–20
 - hydroxy, alkoxycarbonylation, and aminocarbonylation of 11–20
 - hydroxycarbonylation of 13–14
- Amberlite IR-120 resins 152
- amidation reactions 310–311
- amides 18–20, 30, 31, 33, 34, 52, 74, 135, 139, 163, 167–169, 172, 174, 183, 184, 219, 226, 249, 264–267, 285, 296, 297, 304, 305, 310, 311, 314, 319–321, 323–326, 333, 339
- amines to 264–267

- 2-aminobenzonitriles 130–132
 aminocarbonylation 11–20, 30–34,
 51–52, 61, 62, 163, 168, 169, 172,
 183, 184, 339
 amino–imino tautomerism reactions
 222–224
 aminolysis reactions 219–220, 319
 ammonia borane 259
 anthraquinone-2-carboxylic acid 230
 aromatic aldehydes 34, 36, 55, 56, 125,
 127, 129, 134, 135, 159, 258, 272,
 273, 275, 278, 283, 287, 290, 292,
 302, 303, 306–308
 aromatic polyamides 323, 325–326
 Au catalysts 7, 95
 aza-Friedel–Crafts (AFC) reactions
 224–226
- b**
- Baeyer–Villiger oxidation 281–282
 base-catalyzed autoxidation 282
 Beckmann rearrangement reaction
 236
 benzoin condensation 272
 bifunctional catalysts 109–117, 221
 bis(*N*-methylpiperaziny1)aluminum
 hydride (BMPA) 261
 Brønsted acidic 95, 151–152, 154, 157,
 227, 236, 337
 (*i*-Bu)₂AlBH₄ 267
- C**
- carbamate derivatives 78–82
 carbon catalysts 98, 231, 235, 236,
 239–241, 250
 carbon catalyzed borrowing-hydrogen
 reactions 250
 carbon dioxide
 CeO catalyst 77–78
 ionic liquids 76–77
 metal-free catalyst systems 75
 Pd catalyst systems 76
 Ph₃SbO catalyst 75–76
 urea derivatives 75–78
 carbon materials 124, 129, 130, 230–237,
 239, 244, 250, 340
 carbon monoxide 3
 C–NO₂ with 73–74
 diazoalkanes with 70–73
 carbon nucleophiles 82, 270–275, 312
 carboxyl acid derivatives 82–88
 carbonylative C–H activation reactions
 44–46
 carbonylative coupling 37–41, 45, 46,
 159, 164, 167, 168, 170, 171,
 185
 with organometallic reagent reactions
 37–41
 carbonylative Heck reactions 46–48
 carbonylative Sonogashira reactions
 41–44
 carbonyl compounds 48, 57, 75, 134,
 145, 174, 176, 250, 257–270, 275,
 276, 278, 285–288, 291, 293, 294,
 297, 299, 340
 via sodium tetraalkoxyborates 259
 1,1'-carbonyldiimidazole (CDI) 262
 carbonyl metal 163–164, 339
 carboxylic acids 219–230
 ammonolysis reaction of 319
 palladium catalyzed reduction of 262
 carbonyl–quinone groups 239, 243–245
 C₁ carbonyl molecules 133, 339
 cellulose depolymerization 233–236
 CeO catalyst 77–78
 C–H bond 86, 87, 136, 144, 161, 169,
 240, 245, 273, 312, 313, 502
 aromatic and aliphatic 273–275
 chloroform 181–186, 259, 334, 339
 Clemmensen reduction 267–268
 CN group 272
 CO₂
 2-aminobenzonitriles with 130–132
 aromatic halides with 127–130
 formylation of amines with 121–124
 polyalcohols/olefins with 119–121
 propargyl alcohols/propargyl amines
 with 125–127

Co-catalysts 4–5, 20, 26, 28, 80, 94, 95,
100, 101, 105, 107, 113, 117, 142,
146, 165, 224, 264, 308

cross-dehydrogenative coupling (CDC)
304

C—X bonds

carbonylations of 30–48

hydroxy-, alkoxy- and

aminocarbonylations of 30–34

cyclization reaction 226–229

cycloaddition of epoxide with CO₂
88–119

d

decarboxylation coupling reactions
311–317

dehydrating agent 77, 79, 80, 311

dehydrative alkylation reactions
of fluorenes with alcohols 248–249

dehydrative α -alkylation reactions
of ketones with alcohols 248

dehydrative β -C-alkylation reaction
of methyl carbinols with alcohols
247–248

dehydrative N-alkylation reactions
of amines with alcohols 249–250

density functional theory (DFT) 19, 96,
241, 243–245, 309

dialkylalkanes 69, 339

with carbon monoxide 70–73

diazodiphenylmethane (DDM),
decomposition of 222

dicyclohexylcarbodiimide (DCC) 311

dihydrofuro[3,2-*c*]pyridinones 226

diisobutylalkoxyalanes (DIBAL–OR)
258

double-hydrogen-shift (DHS) reaction
225

e

elimination reactions 221–222, 278–281,
296

enantioselective protio-Pictet–Spengler
reaction 224, 226

epoxides 48–52, 179–181

alkoxycarbonylation 51–52

alternating copolymerization 50–51

aminocarbonylation 51–52

hydroformylation 50

ring-expansion carbonylation 48–49

silylformylation 50

ester

alcohols to 263–264

ethers to 265

esterification reactions 145, 174, 179,
310, 318–319

ethanolysis reactions 219–221

ethylbenzene 239–242, 245

excited-state double-proton-transfer
(ESDPT) mechanism 222

f

Fe-catalyzed carbonylation reactions
185–186

Fischer esterification reaction 310

formaldehyde 26, 54, 105, 133–143, 161,
270, 277, 280, 329–331, 339

formamides 121–124, 150–154, 156,
168–169, 171, 172, 177, 178, 220,
305, 314, 339, 341

formic acid

carbonylation of alkenes with
144–148

carbonylation of alkynes with
148–149

carbonylation of C–X with 157–161
hydroxycarbonylation of arenes with
144

N-formylation reactions with 150–157

formic anhydride 169–170

formylation 34–36, 50, 121–124, 129,
150–153, 157, 162, 176

Friedel–Crafts reaction 224–225

3(2*H*)-furanones 226

g

glycerol 119, 132, 176–178, 261, 318

graphene oxide 232, 233

Grignard reagent
and other organometallic reagents
270–271

h

HCHO 133–134
carbonylation of alkynes with
142–143
carbonylation of halides with 134–136
carbonylation of olefins with 136–142
hydroformylation reactions with 136
heterogeneous catalyst system 124,
290–293, 304–306, 342
hexamethylenediamine (HMD) 324, 325
hexamethylphosphoramide (HMPA)
282
homogeneous catalyst system 287–290,
302–304
H₂O, nucleophile 277
hydrazone 268, 269, 276
hydroacylation reactions 300–301
hydroboration 64, 229, 267, 293–295
hydroformylation 3–10, 50, 54, 136–141,
146–149, 176, 339, 341
hydrogen–deuterium exchange reaction
222
hydrogen shifts reaction 225–226
hydrolysis reactions 181, 317–318, 320
hydrophosphonylation 296–297
hydrosilylation 263, 266, 297–300
hydrothermal carbon (HTC) 236
hydroxycarbonylation 11–14, 30–32,
144, 157–161, 169

i

ionic liquids 9, 77, 101–105, 154, 156
iridium-catalyzed carbonylation 28–30
isocyanates 73, 79, 80, 131, 150, 219,
332–335
isophthalic acid (IPA) 107, 327

k

ketones
to alcohol 257–259
with DIBAL–OR 258

hydrate of 277
silane reductions of 257
kinetic isotope effect (KIE) 301
KMnO₄ 283
Knoevenagel condensation 280–281

l

Laccain 329
Langlois reagent 230
Langmuir–Hinshelwood (L–H) process
240
ligand-modified heterogeneous catalysts
7–10
lignocelluloses depolymerization 235
long chain semiaromatic polyamides
323, 326–329
Lydra 333

m

macrocyclic trimer (MCT) 246
magnetic catalysts 95, 152–153
Meerwein–Ponndorf–Verley–Oppenauer-
type redox process 248
mesoporous carbon nanoparticle (MCN)
233, 234
metal-free catalyst systems 75, 245, 295
metal–organic frameworks (MOFs) 87,
106–109, 292
metal oxides catalysts 150–151
methanol 14, 17, 26–30, 51, 57, 60, 64,
80, 91, 92, 129, 141, 142, 165,
174–175, 258, 283, 289, 304, 305,
339, 341
N-methylpiperazine dihydrochloride
261
N-methylpyrrolidin-2-one
hydrotribromide (MPHT) 283
monoboronates 229

n

N-formylsaccharin 172
N-halosuccinimide (NXS) 226, 227
N-heterocyclic carbenes (NHCs) 272,
298
N-hydroxyphthalimide (NHPI) 285, 304

- Ni catalyst systems 79
 nitric oxide, reduction of 230–233
 nitrobenzene reduction reaction 236
 nitrogen nucleophiles 275–277
 Novolac resins 329–330, 332
 nylon 66 324, 325
 Nylon 9T 327
- O**
- oxidative carbonylation
 of alkenes 57–59
 of alkynes 59–62
 of amines 67–69
 of arenes 65–67
 of organometallic reagents 63–65
 oxidative coupling
 of amines to imines 233
 oxidative dehydrogenation
 of alkanes 239
 of ethylbenzene 239–242, 245–246
 of heterocyclic compounds 246–247
 of isobutane 243–245
 of *n*-butane 242–243
 of propane 245
 oxidative dehydrogenation of isobutane to
 isobutene (ODHI) 243
 oxidative dehydrogenation of propane
 (ODHP) 245
 oxides catalysts 93–94, 150–151
 oxo-reaction 3
- P**
- PA 6 324, 325
 PA 66 324, 325, 328
 palladium catalyzed reduction 262
 Pauson–Khand reaction 20–21, 55
 catalytic 21–23
 stereoselective 23–25
 transfer carbonylation reactions
 25–26
 Pd catalyst systems 14, 76
 Pd-Catalyzed carbonylation reactions
 45, 172, 182–185
 Perkin reaction 278–280
 PET polymerization process 336
- Ph₃SbO catalyst 75–76
 phenol-formaldehyde resins 329–332,
 339
 phenols 32, 33, 56, 89, 91, 105, 145,
 159, 167, 239, 242, 329–331,
 339
 phosphazenes 286
 phthalocyanines catalysts 98–101
 polyamides 323
 aliphatic 324–325
 aromatic 325–326
 long-chain semiaromatic 326–329
 polyesters 48, 50, 51, 144, 161, 332,
 334–339
 poly(*m*-phenylene isophthalamide)
 (MPIA) 326
 polynaphthoquinone 245, 246
 polyoxymethylenes, depolymerization of
 221
 poly(*p*-benzamide) 326
 poly(*p*-phenyleneterephthalamide)
 (PPTA) 326
 polyphthalamides (PPA) 326, 328
 poly(tetramethylene ether) glycol (PTMG)
 333
 polyurethanes 81–83, 329, 332–335,
 339
 porphyrins catalysts 89, 98–101
- R**
- reduction reactions 222, 236
 reductive amination reaction 286–293
 reductive carbonylation 13, 34–37, 134,
 135, 159, 160, 172
 reductive coupling reactions, of aldehydes
 306–310
 Reformatsky reaction 271
 resole resins 330–332
 retro-Benzoin condensation 272
 Rh catalysts 5–7
 Rh/POL-dppe 8, 9
 rhodium-catalyzed carbonylation
 27–28
 ROH, nucleophile 277
 Ru catalyst systems 78–79

S

- salen catalysts 99
- saponification 317
- silacarboxylic acids 170–172
- silica-gel-supported sulfuric acid (SSA)
290
- silver salt 23, 312, 315
- single-atom catalysis (SAC) 10
- Sn catalyst systems 79
- solid-supported reagents 283
- Sonogashira coupling strategy 100
- styrene oxide, ring-opening reaction of
237
- sulfonated carbon 284
- supported nanoparticle
and Lewis acid catalysts 95–98

t

- temperature-programmed
 - oxidation/thermogravimetric
analysis (TPO/TG) 246
- terephthalic acid (TPA) 106, 327
- 2,3,4,6-tetramethyl-D-glucose (TM-G)
221

TiCl₃/NH₃ 258

- transesterification reaction 318–319
- trifluoromethylation reaction 229–230
- turnover frequency (TOF) 240, 264
- turnover numbers (TONs) 13, 109,
264

V

- variational transition state theory (VTST)
226

W

- Wittig reaction 285–286
- Wolff–Kishner reduction 268–270

X

- X-ray photoelectron spectroscopy 98,
235

Z

- zeolite 5, 27, 28, 79–81, 87, 89, 94–95,
153
- Zn-catalyzed carbonylation reactions
186

