

Index

a

- AADH 252
 AADH vs. AmDH 254
 2-acetamide-2-deoxyisobornide (ADI) 343
 3-acetamido-5-acetylfuran (3A5AF) 343
 2-acetamido-2-deoxysorbitol (ADS) 342
 acrylamine 344
 active pharmaceutical ingredients (APIs) 12, 25, 158, 161, 188, 246, 399, 431–435
 alanine 127, 257, 262, 361, 364–366
 alanine dehydrogenase (AlaDH) 127
 alcohol dehydrogenases (ADH) 128, 129, 261
 alfuzosin 367
 aliphatic amines 67, 74, 131, 133, 244, 289, 312, 355, 357
 aliphatic *N*-nitrosamines 432
 alkanolamines 348–350
 alkene-alkyne (enyne) metathesis 139
 alkyl amines 306, 307
 capping agents 322–325
 displacement, of amines 325
 alkyl aryl ketones 160
 alkylazo compounds 432
 α,α -disubstituted benzylamine
 picolinamides 396
 α -alkyl acrylates 175, 176
 α -aminobutyric acid 366
 α -aminophosphonates 357
 α -aminophosphonic acids 357
 α,β -unsaturated 2-acylimidazoles 177
 AmDH (amine dehydrogenase) 128, 129, 252–262
 amine dehydrogenase (AmDH) 128, 129, 252–262
 cascade reactions
 biocatalytic hydrogen borrowing 261
 chemoenzymatic cascades 262
 multi-enzyme cascades 261–262
 leucine dehydrogenase 253–254
 native amine dehydrogenase 254–256
 phenylalanine dehydrogenase 254
 substrate promiscuity
 amino alcohol synthesis 260
 reductive aminase activity 259–260
 synthetic applications
 primary amine synthesis 256–258
 amidyl radical addition 55–62
 amination via N-atom nucleophilic addition
 aromatic C(sp²)-H bonds amination 77–82

- amination via N-atom nucleophilic addition (*contd.*)
 - benzylic C(sp³)-H bonds amination 85–87
 - N- α -C(sp³)-H bonds amination 87–90
 - olefinic C(sp²)-H bonds amination 82–85
- amination via radicals cross-coupling
 - aryl C(sp²)-N bonds formation via radicals cross-coupling 94–96
 - C–N bonds formation 96–98
 - using diarylamines 91
- amine-functionalized graphene (AFG) 299
- amine oxidases (AOs) 103, 155, 214, 243–252, 266, 274
- amines
 - and formamides synthesis 345–348
- aminium radical cation addition 64–71
- amino α -carbanion 204
- aminoalkylphenol derivatives 367, 368
- amino-functionalization, of CNO 308–309
- amino functionalized carbon-based nanomaterials 308–309
- 3-aminofuran 344
- aminoketones 362, 364, 365
- 2-aminophenyl oxazoline 389
- 2-aminophenyl pyrazole 389
- amino pyrazole 387, 427
- 2-aminopyridine-1-oxide 389, 395
- 2-aminopyrimidine hydrochloride 426
- 2-aminoquinazolin-4(3*H*)-one 418
- 8-aminoquinoline 389, 393, 395, 396
 - benzamide 393, 395
- 8-aminoquinolinyl 404
- 2-aminosugar 344
- 3-amino-1,2,4-triazole 358
- 2-and 4-nitrocumene 428
- aniline 382
 - synthesis 403
- annulated aniline derivative 382
- anti-cancer alkaloid proximicin A 344
- anti-cancer drugs 367
- antihypertensives 352
- antiseptic agents 352
- arene amination 392, 393, 397, 398, 400
- arene nucleophiles 390
- arginine and ethylenediamine (NCDs) 312
 - CD-supported amines 315
 - one-pot functionalization 312, 313
 - post-functionalization 313–315
- aromatic amination reactions
 - human pharma application 432–433
 - recycling of metals, ligands and other cost drivers of 434
 - regulated part of new drug applications 434–435
 - transition metal accounting 433
- aromatic amines 68, 249, 354, 361, 362, 377, 378, 415, 429, 431
- aromatic C(sp²)-H bonds amination 77
- aromatic C–N bond formation
 - approaches 389
- aromatic *N,N*-dimethyl tertiary amines 367
- aromatization reactions 310
- Arthrobacter nicotinovorans* 252
- artificial imine reductase (ATHase) 247
- artificial transfer hydrogenases (ATHase) 267
- arylamine formation
 - Chan-Lam coupling 428–429

- flow amination methods 431
 immobilization of
 catalysts/supported catalysts 429–431
 nucleophilic aromatic substitution 426–428
 Pd-catalyzed C–N bond forming reaction 425–426
 telescoped sequence of nitration and hydrogenation 428
 arylamines 423, 426
 catalytic C–H amination 389–399
 decarboxylative arylamination 405–407
 electrochemical approach 402–405
 hydroamination 419–424
 metal catalyzed cross couplings 414–417
 nickel catalyzed C–N coupling 407–414
 photoredox catalysis 399–402
 reductive amination 417–419
 syntheses 389
 arylboronates 6, 7, 416
 aryl bromide 167, 381, 384, 385, 409
 aryl C–H amination 74, 390, 392–396, 398, 417
 aryl C(sp²)-N bonds formation via radicals cross-coupling
 other C–N bonds formation 96–98
 using diarylamines 91
 aryl-diazonium salts 291, 304, 305
 aryl fluorosulfonates 413, 414
 aryl/heteroaryl chlorides 412
 O-aryl hydroxylamines 401
 aspartic acid 310, 311, 366
Aspergillus Niger 214, 244, 245, 247, 255, 257
Aspergillus oryzae (AspRedAm) 128, 129, 268, 419
 asymmetric hydroamination 162
 alkene 162
 asymmetric hydroaminoalkylation 168–170
 asymmetric hydroaminomethylation 171–176
 asymmetric hydrogenation (AH) 156, 171, 172, 434
 asymmetric reductive amination 156–161, 267, 268, 274, 419
 atomic force microscopy (AFM) 312
 attenuated total reflectance infrared (ATR-IR) 297
 Au(I)/chiral Brønsted acid dual catalysis 421
 aza-Michael reaction 194, 196
 azomethine ylides 291, 292, 295, 305, 307, 346
 intermediate 291, 346
- b**
- Bacillus badius* 254, 256, 257
Bacillus sphaericus 256
Bacillus steareothermophilus 253
 benchtop stable aminating reagent 398
 benchtop stable ammonium carbamate 400
 benzazepines 367–369
 benzomorpholine 350
 benzothiazine 350
 O-benzoyl hydroxylamines 390
 benzylamine 87, 157, 246, 249, 252, 254, 295, 357
 benzylic amines 259, 318
 benzylic C(sp³)-H bonds amination 85–87
 β-amidoester 344
 β-amino alcohols 350
 β-D-glucopyranosylamine 352
 β-1,4-glycosidic bonds 341
 β-N-glycosidic bond 196
 B(C₆F₅)₃-H₂O catalyzed reductive amination 418

biaryl based ligand BrettPhos 387
biaryl monophosphine ligands 386
bicyclic α -amino acid 214
Biginelli reaction 357, 358
Bingel–Hirsch reaction 299
bio-based 3,4-dialkoxyanilines 367
biocatalytic cascade synthesis 266
biocatalytic hydrogen borrowing 261, 270
biodiesel production 361, 364
biorenewable aromatic monomers 366
bis(hydroxymethylfurfuryl)amines (BHMFA) 355
3,5-bis(trifluoromethyl)benzyl catalyst 225
2,5-bis(aminomethyl)furan (BAMF) 356
2,5-bis(hydroxymethyl)furan (BHMF) 356
N,N'-bis(2-hydroxyethyl)-*N,N'*-dimethyl-ethylenediamine (BHEDMEDA) 349, 350
1,3-bis(diphenylphosphanyl)propane 416
3,5-bistrifluoromethyl-benzaldehyde 288
boron-doped diamond anodes (BDD) 404
2-bromonaphthalene 411
bromotrichloromethane (BrCCl₃) 87
Brønsted acid (BH) 90, 134, 135, 160, 161, 165, 418, 421
Buchwald–Hartwig amination 378
 applications 386–388
 catalyst design 385–386
 limitations 384
 mechanistic studies 384–385
Buchwald–Hartwig reactions 16, 430
Buchwald's flow synthesis 426
bulky *N*-heterocyclic carbene (NHC) precatalyst 426

C
cadmium-catalyzed amination of iodobenzene 415
camptothecin (CPT) 307
Candida antarctica lipase B (CAL-B) 126
carbon-based nanomaterials 287
 carbon, allotropes of 290
 carbon nanostructures
 Au-NR 297
 azomethine ylides, cycloaddition 291
 chiral fullerene derivatives 291
 glycidyltrimethylammonium chloride 293
 nanotechnological applications 291
 POM cluster 293
 radical arylation reaction 291
 functionalization procedures 297–299
carbon-based nanostructures 290, 295, 297
carbon dots (CDs) 309
 amines, as constituent 310–312
carbon nanocones 301
carbon nanodiamonds (CNDs) 305–307
carbon nanoHorns (CNHs) 301–305
carbon nanomaterials
 CND 305–307
 CNH 301–305
 CNO 307–308
carbon nano-onions (CNOs) 287, 307–308
carbon nanotubes (CNTs) 287, 290, 291
1,1'-carbonyldiimidazole 190
carboxylic ND (ND-ori)-based supraparticles (ND-SPs) 307
catalytic C–H amination 389–405
CD-promoted organocatalysis 315

- cellulosic biomass derivatives 348–366
- Chan–Lam coupling 378, 380–383, 428–429
- chemical vapor deposition (CVD) 301
- chemoenzymatic cascades 249, 262
- chimeric amine dehydrogenase 254
- chiral amine frameworks 155
- chiral amine (*R*)- α -methylbenzylamine 357
- chiral amine synthesis, biocatalytic strategies 244
- chiral amino alcohol 387, 388
- chiral bisphosphine-thiourea ligand 158
- chiral Brønsted acid 134, 160, 421, 422
- chiral metal center 176–177
- chiral *N*-arylamine 422
- chiral pyrrolidinofullerenes 291
- chiral switch 155
- chitin 341–345
- chitin-derived *N*-compound 343
- chloropyrazine 427
- C–H methyl bond 168
- choline chloride-urea DES 345
- C–H pyridination-aminolysis sequence 401
- ciprofloxacin 427
- cis-N*-(2-methylcyclohexyl) 161
- ClMe₂Si-IPr-Pd complex 430
- Clostridium sticklandii* 258
- C–N bond formation
 - amination via *N*-atom nucleophilic addition
 - activated C(sp³)-H bonds amination 85–90
 - aromatic C(sp²)-H bonds amination 77–82
 - olefinic C(sp²)-H bonds amination 82–85
 - amination via radicals cross-coupling
 - aryl C(sp²)-N bonds formation via radicals cross-coupling 90–96
 - radical addition to C–C double/triple bonds
 - amidyl radical addition 55–62
 - aminium radical cation addition 64–71
 - radical species addition to aromatic rings 71–76
 - via *N*-radical species addition 54–76
- cobalt-catalyzed C–H amination 395
- colorimetric test 289
- confocal fluorescence microscopy 297
- continuous Pd-catalyzed C–N coupling process 426
- copper-catalysed heterocyclisation 191
- copper-catalyzed anti-Markovnikov hydroamination 423
- copper-catalyzed asymmetric hydroamination 422
- copper-catalyzed C–N coupling reaction
 - anticipated mechanism of 379
 - different conditions 380
- copper-catalyzed hydroamination 421, 423
- copper-catalyzed primary aniline synthesis 397
- copper-doped porous metal oxides (Cu₂₀-PMO) 367
- copper(I) hydride catalysis 421
- copper-mediated decarboxylative amination 406
- copper triflate 108, 291
- covalent functionalization 294, 295, 303, 307, 314
- cross-dehydrogenative coupling (CDC) 53

- Cu-catalyzed amination reagents 3
 - aminoboration of styrenes 9
 - aryl boronates 7
 - aryl silanes 8
 - hydroamination of styrenes 10
 - organolithium reagents 5
 - organozinc reagents 3
 - silyl enol ethers 9
 - via aryne intermediate 4
- Cu-catalyzed annulative electrophilic amination 12
- Cu-catalyzed C–H Amination of heterocycles 15
- Cu-catalyzed C–N bond-forming approach 381
- Cu-catalyzed electrophilic amination of alkynes 11
- Cu-catalyzed electrophilic amino-lactonization 14
- Cu-catalyzed electrophilic diamination 13
- Cu-catalyzed ring-opening amination 14
- cumidine 428
- Curtin–Hammett control 199
- cyclic voltammetry (CV) 58, 61
- 1,4-cyclohexadiene (1,4-CHD) 59
- cyclohexylamine 249, 357
- cyclohexylamine oxidase (CHAO) 249
- cyclometalated iridium(III) complexes 393
- cyclopropylaniline 357
- d**
- dahlia-like clusters 302
- dahlia 302
- D-amino acid oxidase (pkDAO) 252
- decarboxylation 131, 210, 211, 220, 291, 345–348
- decarboxylative arylation 405–407
- deep eutectic solvents (DES) 345, 369, 370
- dehydrogenative C–N couplings 91, 402
- density functional theory (DFT) 60, 170, 316, 397
- deoxyfructosazine (DOF) 345
- deoxyribonucleic acid (DNA) 297
- D-fructose 350
- D-galactose 350
- D-glucose 350
- 3,4-dialkoxyanilines 367, 368
- dialkylphosphinobiphenyl ligand systems 430
- diarylamines 64, 91–94, 390, 391, 393
- dibenzothiophene sulfoximine 396, 397
- dibenzylamine 108, 109, 215, 362
- dibutylamine 355, 362
- dichlorobis(2,9-dimethyl-1,10-phenanthroline)ruthenium (II) (Ru(DMP)₂Cl₂) 354
- (1,2-DCE) 74
- 9,10-dicyanoanthracene (DCA) 85
- 2,3-dicyano-5,6-dichlorobenzoquinone (DDQ) 81
- diethanolamine (DEOA) 350
- diethofencarb 367
- diethoxy(methyl)silane (DEMS) 167
- 2,5-diformylfuran (DFF) 357
- 2,5-diformylfuran dioxime 357
- dihydroconiferyl alcohol 367, 369
- dihydrofolate (DHF) 262
- dihydrofolate reductase (DHFR) 262
- dihydrolipoic acid 328
- dihydropyrimidinones 357, 358
- 3,4-dihydropyrimidin-2-ones 358, 361
- dihydrosinapyl alcohol 369
- 1,3-dihydroxyacetone (DHA) 351
- 2-(dimethylamino)ethanol (DMAE) 349

- 4-(*N,N*-dimethylamino)pyridine (DMAP) 198
- 4-(dimethylamino)pyridine (DMAP) 323
- N,N'*-dimethylethylenediamine (DMEDA) 350, 416
- di-(*N,N*-succinimidyl) carbonate 318
- dioctylamine 362
- diphenylmethanamine 160
- 1,3-dipolar cycloaddition pathway 291
- dipolarophile 291
- dipropylamine 362
- diuretics 352
- D,L-leucine 361
- D,L-phenylalanine 361
- D,L-tryptophane 361
- D-mannose 350
- Doebner–Knovenagel reaction 189
- doxazosin 367
- D-ribose 350
- D5 variant 246, 247
- D-xylose 350
- dynamic kinetic asymmetric transformation (DYKAT) 199
- e**
- electrochemical approach 75, 402–405
- electrochemiluminescence (ECL) 314
- electron donor-acceptor (EDA) 34
- electron paramagnetic resonance (EPR) 89
- electron spin resonance (ESR) 319
- electrooxidation cationic intermediates 404
- electrophilic amination
arylcuprates, NH-oxaziridine 6
via C–H cupration 7
- electrophilic amination reactions, substitution-type 1
- electrophilic amination reagents 1
- Cu-catalyzed reactions 2–15
hydroxylamine-derived
metallanitrenes 18–22
structure of 2
transition metal free 22–27
transition metals 15–18
types of 2
- electrophilic diazonium salt 295
- enamines 8, 118–120, 344
- enantioenriched α - and β -chiral arylamines 422
- enantiomerically enriched chiral secondary amines 421
- enantioselective A³ coupling 104–108
primary amines 106–108
secondary amines 108–112
- enantioselective C–H activation 123–125
- enantioselective hydroamination 162, 164
- enantioselective hydrogenation, photoredox synthesis 130–133
- enantioselective rhodium-catalyzed hydroamination 420
- ene-reductase (ERED) 266
- Engineered cytochrome P450s 270–273
- engineering functional nanomaterials
carbon-based nanomaterials, functionalization of
carbon, allotropes of 290
carbon nanostructures 290–297
functionalization procedures 297–299
nanomaterial-bound amino groups 288–290
- environmental health and safety (EHS) policies 425
- enzymatic reductive amination 419
- enzymatic synthesis, propargylamines 126–130
- epoxide hydrolase (EH) 262

erlotinib 367
 erythritol 342, 350
 ethanolamines 348
 ethylene diamine 125, 310, 348, 349
 4-ethylguaiacol 367
 1-ethyl-3-methylimidazolium acetate 345
 ethynylbenziodoxolone (EBX) 130, 132
 evolution of, MAO-N 244–247
Exiguobacterium sibiricum 256

f

fatty alcohols 370–373
 fatty amines 319, 322, 371
 few layers graphene (FLG) 301
 fiber-supported palladium
 dichloride/triphenylphosphine catalyst 429
 FibreCat 1026 429
 fluorescein isothiocyanate (FITC) 303
 fluorescence correlation spectroscopy 310
 fluoroalkylamines 386
 4-fluoroaniline 361
¹⁹F-NMR detection 288
N-formamides 362, 364, 365
 formamides 345–348
 formate dehydrogenase (FDH) 256
N-formyl amine 362
 fossil-based feedstocks 341
 Friedel-Crafts-type arylation 135, 138
 fructosazine (FZ) 345
 fullerene derivatives 30, 291, 307
 furan derivatives 352
 furfurylamines 352–354
 furosemide 352

g

gefatinib 367
Geobacillus stearothermophilus 258

glucose dehydrogenase (GDH) 130, 256, 264
 glutaric anhydride 201–203
 glyceraldehyde 351
 glycerol 361, 362, 364, 365
 glycolaldehyde 349, 350
 gold(I) catalyzed hydroamination 421
 gold-catalyzed intermolecular hydroamination 420
 gold nanorods (Au-NRs) 297
 gram scale nickel-catalyzed amination of 2-naphthyl bromide 411
 graphene 290, 295, 297–299, 308
 graphene oxide 299, 430
 graphite exfoliation, with melamine 299–301

h

Hajos–Parrish–Eder–Sauer–Wiechert reactions 188
N-haloamine 32
 halopyridines 415
 Hantzsch ester (HEH) 172, 421
 1,5-H-atom transfer (1,5-HAT) 31
 enthalpic effects 34
 geometrical factors 32
 intramolecular 31–34
 oxidative strategies
 via amidyl and sulfamidyl radicals 40–43
 via iminyl radicals 39–40
 photoinduced bond homolysis 43–46
 polar effects 34
 reductive strategies
 via amidyl and sulfamidyl radicals 37–39
 via iminyl radicals 34
 thermal strategies 46–49
 5*H*-1-benzazepin-5-one 350
 heat shock protein 90 (Hsp90) inhibitors 381

- hemicellulose-derived furfural 352
 (hetero-)aryl (pseudo-)halides 386
 heteroatom doping 311
 heterogeneous zirconium-based catalysts 367
 hexafluoroisopropanol (HFIP) 21, 84
 horseradish-peroxidase (HRP) 308
 H₂SO₄/HNO₃ nitration 431
 human immunodeficiency viruses (HIV) 297
 hybrid organic-inorganic nanomaterials, amines 316
 alkylamines, semiconductor QD 319
 capping ligands 321–322
 selenium-amine system 319–321
 sulfur-amine system 319, 320
 SAMs 316–319
 hydantoin 344
 hydroamination 8, 10, 11, 17, 54–56, 58, 62, 66–69, 83, 162–164, 419–424
 hydrogen-atom transfer (HAT) 31–50, 55
 hydrogen bond acceptor 287
 hydro- or solvo-thermal synthesis 309
 1-hydroxy benzotriazole (HOBt) 303
 6-hydroxy-D-nicotine oxidase (6-HDNO) 252
 1-hydroxyhexane-2,5-dione (HHD) 359
 hydroxylamine-*O*-sulfonic acid (HOSA) 20
 hydroxyl moiety 315
 5-hydroxymethylfurfural 352, 355
 5-hydroxymethylfurfurylamines 352
 2-hydroxymethyl-5-methylpyrazine (HMMP) 351
 2-hydroxymethyl-5-methyl-pyrrole moiety 359
 hypervalent iodine(III) 398
- i*
 imatinib 425, 426
 imine formation 160, 247, 268, 290, 318
 imine reductases (IREDs) 129, 244, 255, 262–270
 imine reductases catalysing reductive amination 267
 immobilization of catalysts/supported catalysts 429–431
 indoline 59, 66, 115, 265, 423
 infrared spectroscopy (IR) 288
 initial breakthrough in imine reductase (IREd) 263, 268
 biocatalytic cascade synthesis 266
 catalysed reductive amination reactions 269
 chemoenzymatic synthesis 265–267
 engineering 267
 inorganic ruthenium catalyst 293
 in single-electron transfer (SET) processes 130
 in situ generated cationic Rh(III) catalyst 390
 inter- and intramolecular palladium catalyzed C–H bond functionalization 390
 intermolecular hydroamination 68, 163, 420, 421
 International Council of Harmonization (ICH) 433
 iridium-catalyzed hydroamination 165
 iridium-nitrenoid catalyzed C–H amination 393, 394
 iron-catalyzed amination of aryl halides 415
 iron-catalyzed C–H functionalization 397, 399
 isophorone 346–348

4-isopropyl phenol 428
 isoquinoline bromide coupling 387,
 388
 isosorbide 343

j

Jørgensen–Hayashi catalyst 189

k

Kaiser test 288–290, 306, 312
 ketimine reductases (KIREDS) 129,
 267
 kinetic isotope effect (KIE) 77
 Knoevenagel condensation 315
 Knölker's iron complex 421
 Kuznetsov method 307

l

laser ablation 302, 305, 309
 leucine 253, 346, 366
 leucine dehydrogenase (LeuDH)
 253–254
 levulinic acid 360, 361, 364
 Lewis basicity 287, 322
 lignin 366–370
 lignin-based aminoalkyl-and
 aryl-guaiacols 369
 lignocellulosic biomass-derived
 α -hydroxy acids 366
 LiN(SiMe₃)₂ (lithium
 bis(trimethylsilyl)amide) 411
 long-chain diols 372, 373
 luminescence 309
 luminophore 314
Lysinibacillus fusiformis 256, 260

m

macrocyclic secondary amines 327
 maleic anhydride 291
 Meadows' continuous synthesis 426
 3-mercaptopropyltrimethoxysilane
 (MPS) 326

Merrifield peptide resin 430
meta-chloroperbenzoic acid (*m*CPBA)
 5
meta-hydroxyacetophenone 159
 metal catalysed asymmetric synthesis
 enantioselective A³ coupling
 104–112
 enantioselective C–H activation
 123–125
 Rh/Ru-catalyzed enantioselective
 hydrogenation 120–122
 terminal alkynes to
 enamines/enamides 118–120
 metal catalyzed cross couplings 8,
 403, 414–417
 metal or metal oxide nanoparticles
 287
 2-(methylamino)ethanol (MAE) 349
 2-methyl cyclopentanone 161
 methyl isobutyl ketone (MIBK) 253
 2-methyl pyrazine (MP) 351, 352
 microcontact printing 318
 microwave (MW)-induced method
 295
 monoamine oxidase 155, 214, 244,
 249
 monoamine oxidase A (MAO-A) 103
 monoamine oxidase from *Aspergillus*
Niger (MAO-N) 214, 244
 monoethanolamine (MEOA) 349
 mono-substituted allenes 420
 morpholine 354, 362, 429
 multi-enzyme cascades 261
 MW-induced double functionalization
 296

n

N-acetyl amines 362
N-acetyethanolamine 342
N-acetyl-L-rednose 344
N- α -C(sp³)-H bonds amination 87–90
N-acyl-propargylamines 145

- N*-alkyl-substituted 2-hydroxymethyl-5-methylpyrroles 359
N-alkyl tetrahydroisoquinolines (THIQs) 248
 naphthalene bromide coupling 380
 nanomaterial-bound amino groups 288–290
 naphthalenoid H₃ antagonist 380
N-arylhydroxylamine esters 422
N-aryl-propargylamines 142, 143, 145
N-arylpyridinium ions 403
 native AmDHs (natAmDH) 254, 259
 native amine dehydrogenase 254–256
N-Boc-protected
 amino-CNO-pyrrolidine 307
N-ethyl-*N'*-(3-(dimethylamino)propyl) carbodiimide hydrochloride (EDC) 303
 neurodegenerative diseases 297
N-heterocyclic carbenes (NHC) 385, 408
N-heterocyclic chemicals 345
N-heterocyclic compounds 351
N-hexadecylaniline 371
 Ni(NHC)-catalyzed amination of aryl/heteroaryl chlorides 409
 Ni-catalyzed aryl amination chemistry 408
 Ni-catalyzed C–N cross-couplings 408, 409
 nickel-catalyzed amination 408–414
 nickel catalyzed C–N coupling 407–414
 nickel-mediated C–H amination 395
 Ni(allyl)(IPr)Cl 410
 nitrene 18, 125
 nitrilotriacetic acid (NTA) 297
 nitrogen compound synthesis
 from α -amino acids 345–348
 from cellulosic biomass derivatives 348–366
 from chitin and its derivatives 341–345
 lignin derivatives 366–370
 from triglycerides and fatty alcohols 370–373
 nitrogen dioxide (NO₂) 308
 nitrogen (mostly amine)-doping 311
 nitrogen radicals 31–50
 nitrosonium tetrafluoroborate (NOBF₄) 291
¹⁵N-labeled compounds 288
N-mesylimidazole 404
N-methylamines 362, 364
N-methylamino acid dehydrogenases (NMAADHs) 129
N-methyldiethanolamine (MDEA) 350
N-methyl-*O*-tosylhydroxylamine 392
N-methylpyrrolidine derivative 291
N-modified α -amino acids 303
N,N-dimethyl-1-(3,4,5-trimethoxyphenyl)methanamine 367
N-octadecylaniline 371
 non-cross-linked polystyrene (solPS) supported SPhos (solPS-SPhos) 429
N-(*p*-tolyl)benzophenone hydrazone 386
N-substituted
 5-hydroxymethylfurfurylamines 353
N-substituted 2-hydroxymethyl-5-methylpyrroles 359
 nuclear magnetic resonance (NMR) techniques 172, 288, 315
 nucleophilic aromatic substitution 312, 377, 426–428
- O**
 1-octadecene (ODE) 319
O-(2,4-dinitrophenyl)hydroxylamine (DPH) 20

- olefinic C(sp²)-H bonds amination 82
- organic-inorganic hybrid
nanomaterials 287
- organic-inorganic hybrid nanoparticles
328
amines 325–328
post functionalization of amine
328–329
- organocatalytic C–H oxidative
amination 398
- organocatalysis 187–231
- organocatalytic stereoselective
synthesis 134
- organolithium reagents 4, 5
- organozinc reagents 2, 3, 15
- ortho*-aminobenzoic acid derivatives
396
- oxazoles synthesis 145
- oxazoles thiazoles 148
- oxygen reduction reaction (ORR) 299
- p**
- Paal-Knorr reaction 359
- Paenibacillus lactis* 265
- palladium amine complex 385
- palladium catalyzed aryl C–H
amination 390
- paloxetine 412
- Pd-catalyzed C–N bond forming
reaction 425–429
- Pd/Cu bimetallic catalytic system 406
- Pd nanoparticles on silica-starch
substrate (PNP-SSS) 430
- penicillin G amidohydrolase (PGA)
127
- peptide-like heterocyclic molecules
361
- Petrotogamobilis* 254
- phase-transfer catalysed (PTC) 187
- phenol-derived electrophilic arene
coupling partners 412
- phenylalanine 253, 254, 366
- phenylalanine dehydrogenase
(PheDH) 253, 254
- phenylallene 421
- (*S*)-1-phenylethylamine 202
- photocatalysis 131, 178, 400, 416, 418
- photocatalytic perfluoroalkylation
315
- photodeprotection reactions 318
- photoinduced electron transfer 402
- photoinduced strategies
oxidative strategies
1,5-HAT via amidyl and sulfamidyl
radicals 40–43
1,5-HAT via iminyl radicals
39–40
- photoinduced bond homolysis
43–46
- reductive strategies
1,5-HAT via amidyl and sulfamidyl
radicals 37–39
1,5-HAT via iminyl radicals
34–37
- thermal strategies 46–49
- photoredox catalysis 37, 54, 73, 77,
78, 81, 130, 150, 399–402
- photoredox catalysts 69, 176
- photoredox catalyzed C–N bond
forming processes 401
- photoredox synthesis, propargylamines
130
- Pictet-Spengler cyclization 369
- Pinnick oxidation 205
- p*-methoxyphenyl (PMP) 56
- polar effects 34
- poly(vinylpyrrolidone) (PVP) 324
- polyallylamine 322, 326
- polyamidoamine (PAMAM) dendrimer
302
- polyethylene glycol-anchored
phosphine ligand 429
- polyethyleneimine (PEI) 322
- polymeric coating 326

- polymethylhydrosiloxane (PMHS) 8, 409
 polysaccharide xylan 353
 polyvinylpyridine (PVP) supported catalyst 430
 porphyrin 303, 314, 328
 Potential Genotoxic Impurities (PGIs) 211
 prazosin 367
 pregabalin
 acetate enolate equivalents to nitroalkene 206–214
 amino α -carbanion to Michael acceptors 204–206
 glutaric anhydride 202–204
 pristine C₆₀ fullerene 291
 prochiral aminoketones 362
 proline-based catalyst and *p*-nitrobenzoic acid (PNBA) 134
 propargylamines 103
 enzymatic synthesis 126–130
 metal catalysed asymmetric synthesis
 alkynyl-substituted epoxides/lactones/carbonates 116–118
 enantioselective A³ coupling 104–112
 enantioselective C–H activation 123–125
 Rh/Ru-catalyzed enantioselective hydrogenation 120–122
 terminal alkynes to enamines/enamides 118–120
 organocatalytic stereoselective synthesis 134
 oxazoles synthesis 145–147
 oxazoles thiazoles 148–150
 propargylic amination reaction 112
 pyridines synthesis 140–142
 pyrroles synthesis 138–139
 pyrrolines synthesis 139–140
 quinolines synthesis 142–145
 synthetic methods 104
 propionate esters 367
 4-propylcatechol 367, 368
 4-propylguaiacol 367, 368
 prostate specific membrane antigen (PSMA)+ cancer cells 304
 proton-coupled electron transfer (PCET) 40, 55, 176
 proximicin A 344
 pseudo-peptides 361
 P(Ar)₃-type ligands 384
 pyrazines 345, 351, 352
 pyrazole 77, 80, 381, 387, 389, 427
 pyridazinium chloride 387
 pyridazinone 380
 pyridines synthesis 140
 pyridinium chlorochromate (PCC) 174, 215
 pyrimidine 166, 196, 404
 pyrolysis 309
 pyrroles 71, 72, 80, 81, 103, 137–139, 358, 359
 moiety 291
 pyrrolidine 346, 360
 pyrrolidinofullerenes 291
 pyrrolidones 12, 360, 361
 pyrrolines synthesis 139
- r**
- racemic isocyanides 361
 radical addition to C–C double/triple bonds
 amidyl radical addition 55–62
 aminium radical cation addition 64–71
 radical arylation reaction 291
 radical species addition to aromatic rings 71–76
 Raman spectroscopy 319
 reductive aminases (RedAms) 268
 reductive amination 417

- reductive amination (*contd.*)
 - aldehyde/ketone 156
 - aldehydes 173
 - intramolecular asymmetric 158
 - 2-methyl-6-ethyl-aniline 157
 - reductive amination reaction 128, 156, 158, 417
 - renewable polyamides 355
 - Rh-catalysed hydroaminomethylation 171
 - rhodium-catalyzed C–H amination 390, 392
 - Rhodococcus* sp. 253, 256, 257, 259
 - (*R*)-selective amine oxidases
 - D-amino acid oxidase 252
 - 6-HDNO 252
 - Ru-catalyzed C–H amination 17
 - Ruhemann's purple 290
 - ruthenium-based photocatalyst 401
 - ruthenium catalyzed C–H amination 403
- S**
- Schiff base adduct 346
 - self-assembled monolayers on flat surfaces (SAMs) 316–319
 - semiconductor quantum dots 287, 316, 319–322
 - Shvo's catalyst 369
 - silane reductant 409, 418
 - silica supported SiO₂-SPhos 429
 - silyl enol ethers 9, 26, 27
 - single electron transfer (SET) 35, 55, 130, 176, 395
 - single-walled carbon nanotubes (SWNTs) 291, 293, 307
 - spectrophotometric detection 288
 - spectroscopic techniques 288, 289
 - Sphingobium yanoikuyae* (SyADH) 128
 - sp²-hybridized carbon atoms 290, 295
 - (*S*)-selective amine oxidases
 - CHAO 249–251
 - MAO-N 244–247
 - Pseudomonas monteilii* ZMU-T01 249
 - synthetic applications and cascades 247–249
 - sterically encumbered
 - N*-adamantylbenzamide 393
 - Stradiotto's and Hartwig's nickel-catalyzed amination 411
 - Streptomyces virginiae* 254
 - styrene monooxygenase-catalysed (SMO) 262
 - 2,5-substituted pyrrolidines 167
 - sulfamates 412
 - sulfonamide 45, 56, 71, 72, 80, 81, 91, 99, 166, 167, 344
 - sunflower oil 371
 - supercritical fluids 299
 - superficial amines 294, 297, 308, 314
- t**
- Tamibarotene 382, 383
 - t*-butyl[(1,1'-biphenyl)-2-carbonyl]oxycarbamate 406
 - telcagepant 189, 190, 221, 231
 - telescoped sequence of nitration and hydrogenation 428
 - terazosin 367
 - terminal alkynes to
 - enamines/enamides 118–120
 - tert*-butyl 2-(2-(2-aminoethoxy)ethoxy)ethylcarbamate 303

- 2-*tert*-butylantraquinone
(2-*t*-Bu-AQN) 72
- tert*-butyl (2-(2-(2-(4-aminobenzamido)ethoxy)ethoxy)ethyl)carbamate 305
- tert*-butyl hydroperoxide 197
- tert*-butyl nitrite (TBN) 81
- tetrahydroisoquinolines 130, 158, 247, 248, 250
- N,N,N',N'*-tetramethylethylenediamine (TMEDA) 350
- thermal cycloelimination 291
- Thermoanaerobacter ethanolicus* (TeSADH) 128
- thermogravimetric analysis (TGA) 288
- thiohydantoin 344
- threshold of toxicological concern (TTC) 432
- tin-free Pd-catalyzed coupling 384
- TM-catalyzed electrophilic amination 2, 15
- TM-free Prilezhaev reaction 26
- TM-free Rubottom oxidation 26
- Tofacitinib 159
- topaquinone (TPQ) 243
- top-down methods 309
- transaminases (TAs) 243, 244
- transition metal accounting 433
- transition metal catalyzed C–N coupling
- aromatic amines 377
 - Buchwald-Hartwig amination 383–388
 - nucleophilic aromatic substitution 377
 - substituted aromatic amines 377
 - Ullmann-type amination 378–383
- transition metal (TM) free amination 22
- transmission electron micrographs 301, 302
- transmission electron microscopy (TEM) 297
- 2,4,6-triamino-1,3,5-triazine 301
- triazacyclononane or chelating amines 327
- trichloroacetic acid 318
- triethanolamine (TEOA) 350
- trifluoroacetic acid (TFA) 42, 80, 192, 299
- trifluoromethanesulfonamide (TfNH₂) 83
- 5-(trifluoromethyl)-2-isoxazolines 223–230
- triflyloxy pyridinium 401
- triglycerides 370–373
- triisopropylsilane (TIPS) 324
- 2,4,6-triisopropyl-thiophenol (TRIP thiol) 56
- trilaurin 371
- 3,4,5-trimethoxybenzaldehyde 367
- trimethylsilylamino derivatives 291
- tri-*n*-octylphosphine (TOP) 319
- tri-*n*-octylphosphine oxide (TOPO) 319
- 2,2,5-triphenylpent-4-en-1-amine 166
- 2,4,6-triphenylpyrylium (TPT) 93
- 5,10,15-tris(3,5-di-*tert*butylphenyl)-20-[4-(carbonyloxy)phenyl]porphyrin 303
- tryptamine 346, 361
- 2-D self-assembled monolayers 287
- u**
- Ugi three-component condensation reaction 361
- Ullmann-type amination applications 380–383

Ullmann-type amination (*contd.*)
 catalysts and variants 380
 mechanistic studies 379–380
urea 59, 163, 344

V

valine 346, 347, 366
van der Waals-like forces 301
vinylarenes 423
VLA-4 antagonist 403, 405

W

waste treatment 425
Wilkinson's catalyst 291

X

X-ray photoelectron spectroscopy
 (XPS) 288
xylan 353, 358, 359
xylitol 350

