

Index

a

absolute error tolerance 223–224
 adsorption operation 229
 advanced cracking reactor (ARC) 160, 175
 advanced process control (APC) 12, 14, 15, 162
 algebraic constraints 62, 64, 65, 95, 100, 180, 181
 alkylation, selection 232
 amine unit 153, 156, 165
 atmospheric crude oil distillation 5
 atmospheric reduced crude (ARC) 194, 195
 atmospheric residue desulfurization (ARDS) unit 156, 158, 159, 161, 194
 availability constraints 92

b

back-end distillation operation 232
 back-end hydrotreater 231
 back-end two-phase separator 232
 benefit-cost analysis 38
 benzene, toluene, and xylene (BTX) 216, 218
 big-*M* formulation 66, 194, 204
 big-*M* logical constraints 94
 blending, refining process 11
 BLND 195
 bond graph 48, 49
 branch-and-bound algorithm 132, 133

branch-and-reduce technique 128, 129
 breakeven options 35

c

call-off agreements 41
 catalytic naphtha hydrotreatment 7
 catalytic reformer (CREF) 5, 7, 10, 195
 catalytic reforming 7, 9–11, 18, 153, 156, 173, 215–218, 226, 227, 231
 Cherry-P (CP) 149
 commercial integer optimization solvers
 branch-and-bound algorithm 132–134
 combined local search and heuristics 136
 computational performance of 130
 CPLEX Integer Optimization Solver 130, 131
 energy optimization 137
 financial optimization 137
 heuristics 135
 integer optimization algorithms 131–132
 manufacturing optimization 137, 138
 overview 130
 parallelization 136
 presolve and cutting planes 134, 135
 solution pools 136
 tuning tools 136
 complete-conversion refinery 175
 compressor unit operation 72
 conceptual process design 1, 57, 177, 191
 conversion reactor 72–75

- convex relaxation 125–128
- CPLEX Integer Optimization Solver 130–132
- d**
- data reconciliation model 216–219, 226
- decomposition-based superstructure 159
- delayed coking (DCK) 145, 149
- demand constraints 92
- DeMorgan's Theorem 65, 180
- disjunctive optimization modeling 63–67
- disjunctive programming 22, 61, 65
- downstream capital cost index 3, 4
- dual value 36
- e**
- ebullated bed hydrocracking technology 149
- energy optimization 137
- environmental considerations
 - atmospheric reduced crude (ARC) 194, 195
 - background 191, 192
 - hydrotreater/hydrodesulfurizer 195
 - logical constraints 194
 - material balance constraints 192–194
 - numerical examples 197–198
 - objective function 197
 - problem statement 192
 - risk evaluation 196, 197
 - superstructure representation 192
 - vacuum gas oil (VGO) processing 195, 196
 - vacuum reduced crude processing 196
- equation ordering 79–84
- Excel Solver 14
- extended cutting plane approach 129
- extractive distillation operation 233
- f**
- financial optimization 137
- fluid catalytic cracking (FCC) 149, 150
- fluid coking (FCK) 146, 149
- fluid thermal cracking (FTC) 149
- free-on-board (FOB) 36, 165
- front-end distillation operation 230
- front-end hydrotreating operation 229
- front-end two-phase separator 230
- fuel gas header (FGH) 52, 100, 199
- furnace unit operation 72, 74
- g**
- GAMS integrated development environment (IDE) 106
- gas treating unit 156
- gasoline blending operation 230
- generalized disjunctive programming (GDP) 1, 61, 101–106, 114, 237
- global optimization techniques 127
 - branch and reduce 128
 - extended cutting plane approach 129
 - hybrid branch and bound approach 128–129
 - interval analysis approach 129
 - spatial branch and bound approach 128
- graph theory 58, 61
- gross margin 33
- h**
- heat exchanger 43, 48, 58, 67, 75, 76, 79, 80, 198, 199, 201, 202, 206, 208, 209, 211, 216
- heat integration
 - computational results 206–209
 - constraints 205, 206
 - flowsheet optimization 202–203
 - fuel gas requirements 204
 - heuristic-based logical constraints 204, 205
 - import requirements 204
 - material balances 204
 - modeling and computational strategy 201–202
 - objective function 206

problem statement 198, 199
 production requirements 204
 superstructure representation
 199–201
 switching constraints 204
 heavy oil cracking (HOC) 149
 heavy oil processing, refinery
 configuration
 background 145, 146
 model formulation 147, 148
 numerical example 148–151
 problem statement 146, 147
 heavy oil treating (HOT) 149
 heuristic-based logical constraints 204,
 205
 heuristics, MIP 135, 136
 high-octane fuels production
 absolute error tolerance 223, 224
 catalytic reforming 216
 data quality 224
 data reconciliation 216–219
 feed characterization 219, 220
 one variable, two measurements on
 224
 problem statement 217
 process variables 224, 225
 reaction kinetics tuning 221
 reactor pressure balance 221
 reactor representation 220, 221
 reactor switch, in cyclic reformer 221,
 222
 reactor total endotherms 226
 reformate yield 226
 tuning strategies 225
 hybrid branch and bound approach
 128–129
 hydroconversion units 158, 163
 hydrocracker (HCR) 5, 9, 34, 52, 53, 158,
 160, 162, 172, 195, 196, 199, 201,
 204
 hydroprocessing 5–9, 146, 156, 167
 hydrotreater/hydrodesulfurizer 195
 hydrotreating (HDT) heavy oil 150
 hydrotreating units 156, 163
 hydrotreatment 5, 7, 9, 195

i

information flow modeling
 design variables 79
 equation ordering 79–84
 integer decision variables 2, 57, 178
 integer optimization algorithms 131, 132
 interval analysis approach 127–129
 isomerization 10, 11
 selection of 232
 unit 11, 52, 165, 195, 199
 isomerization yields isomerate (ISO) 52,
 199

l

Lagrangean decomposition 125, 126
 LC Fining (LCF) 146, 149
 life cycle analysis (LCA) 196
 light straight-run naphtha (LSRN) 10,
 11, 52, 195, 199
 linear optimization (LP) model 106, 147
 logical binary variables 62
 logical constraints 1, 2, 58, 62, 89, 93–96,
 101, 106, 153, 163, 177–183, 192,
 194, 204–206, 233, 237
 logic-based modeling 1, 61
 logic propositional constraints
 on design specifications 95–101
 on structural specifications 101
 low-benzene fuels production
 model formulation 229–234
 preliminary computational results
 234
 problem statement 227
 superstructure representation
 227–229

m

manufacturing optimization 31, 137,
 138
 marginal economics 32, 34–36, 39
 mass balances 68, 77, 78, 91, 92, 216, 217
 material balances 57, 58, 89, 90, 92–94,
 107, 148, 153, 159, 165, 172,
 192–194, 204, 218

- mathematical programming 3, 12, 47, 57, 59, 61, 65, 67, 84, 86, 130, 191
 - mild hydrocracker (M-HCR) 196
 - mixed continuous 57
 - mixed-integer linear program (MILP) 1, 2, 89, 113, 118, 152, 177, 191, 237
 - mixed-integer logical constraints 93, 94
 - mixed-integer nonlinear programming (MINLP) 57, 128
 - mixer unit model 68, 69
 - model formulation
 - ARDS 159–161
 - availability constraints 92
 - computational experiment examples 110–123
 - decomposition-based superstructure 159–162
 - demand constraints 92
 - on design and structural specifications 94, 95
 - expansion constraints 91, 92
 - generalized disjunctive programming (GDP) 101–106
 - logic propositional constraints 95–101
 - logic propositions 162–164
 - main processing alternatives 156–159
 - mass balances 92
 - material balances 93
 - mixed-integer logical constraints 93, 94
 - non-negativity constraints 92
 - numerical implementation for 106–110
 - objective function 91, 164, 165
 - operation modes 159
 - production capacity 91, 92
 - RFCC 162, 163
 - superstructure representation 156
 - VRDS 161–162
 - modeling variables, selecting 67, 68
 - multicomponent splitter model 70, 71
- n**
- naphtha 5
 - class of 199
 - fractions 216
 - processing 49–53
 - splitting operation 231
 - upgrading
 - computational experiments 182, 183
 - logical constraints 178–182
 - problem statement 178
 - propositional logics and logic cuts 178
 - netback 36
 - net present value (NPV) 91
 - non-negativity constraints 90, 92
- o**
- objective function 2, 3, 16, 57, 58, 85, 89–91, 101, 113, 114, 128, 129, 132, 133, 138, 146, 147, 153, 164, 165, 178, 183, 197, 198, 206, 218, 223, 224, 226
 - one-task-one-equipment (OTOE)
 - assignment 45, 59
 - optimization modeling 1–26, 57, 58, 61–67, 186, 211, 234
 - outer approximation method 128–129
- p**
- parallelization 130, 136, 137, 138
 - petroleum products 3, 4, 32, 145, 146, 197
 - process design 1, 2, 43, 57, 61, 67, 177, 191
 - Process Industry Modeling System by Aspen Technology (PIMS) 12–14
 - process synthesis
 - propositional logics and logic cuts in 178
 - strategies for 2, 3
 - profit maximization 35, 89, 191
- r**
- reaction kinetics tuning 220, 221, 222
 - reactor total endotherms 224, 225, 226
 - refinery crude oil blend scheduling
 - optimization system 25
 - refinery decision-making support systems 13

- refinery economic evaluation 36–41
 - refinery end-to-end encompassing crude oil blend scheduling 21
 - refinery EPIC contracts 41
 - refinery feed 166
 - refinery margins
 - calculations 33
 - improvement 34
 - trends 34
 - refinery net product yields 169, 174
 - refinery optimization modeling
 - advanced process control 14, 15
 - dynamic simulation 18, 19
 - operator training simulation 19
 - planning and scheduling
 - challenge 20
 - computer-aided model-based decision-making tools 22
 - crude oil scheduling 24, 25
 - refinery management 25
 - systems implementation 23, 24
 - process simulation 17, 18
 - real-time optimization 15–17
 - systems, techniques, and tools 12–14
 - refinery profitability 31, 32, 34
 - refining process
 - atmospheric crude oil distillation 5
 - blending 11
 - hydroprocessing 5–9
 - isomerization 10, 11
 - reforming 9, 10
 - sulfur recovery 9
 - refinery value, determination 36, 37
 - reformate yield 220, 224–226
 - replacement cost 37
 - research octane number (RON) 10, 224
 - residual fluid catalytic cracking (RFCC) 149, 158, 162, 163
 - resource–task network (RTN) 43, 46, 47
- S**
- separator unit models 70
 - sequential quadratic programming (SQP) 14
 - shadow price 36
 - simple models, formulating 68
 - site realization value 36
 - solution pools 130, 136
 - solvent deasphalter (SDA) 158, 164, 167, 196
 - solvent deasphalting 146, 149, 158
 - spatial branch and bound approach 128
 - splitter unit models 69
 - state–equipment network (SEN) 43, 45, 46, 65
 - state–space network 48
 - state–task network (STN) 43, 44, 45, 50, 59, 65, 159, 193, 199
 - sulfur recovery 9, 52, 156, 173, 199
 - superstructure
 - based optimization 58
 - bond graph 48, 49
 - constructing 58, 59
 - naphtha processing 49–53
 - optimization modeling 58, 61–62
 - representations 59, 60
 - resource–task network (RTN) 46, 47
 - state–equipment network (SEN) 45, 46
 - state–space network 48
 - state–task network (STN) 44, 45
 - types of 43, 44
 - unit operation–port–state 48
 - superstructure optimization problem 3, 4, 182
 - switching constraints 94, 194, 204
- t**
- thermal cracking 149, 158, 159, 164, 167, 170
 - trial-and-error steps 82
 - tuning strategies 225
 - tuning tools 130, 136
- U**
- umbrella contracts 41
 - unit models
 - mixer 68, 69
 - multicomponent splitter model 70, 71
 - operation
 - compressor 72, 73

- unit models (*contd.*)
 - conversion reactor 72–75
 - furnace unit operation 72, 73
 - heat exchanger 75, 76
 - separator 70
 - splitter 69
 - valve unit 70, 71
 - unit-operation–port–state superstructure (UOPSS) 48, 49
- V**
- vacuum distillation unit (VDU) 148, 192, 194
 - vacuum gas oil (VGO) 156, 192, 194, 195, 196
 - vacuum reduced crude (VRC) 194, 196
 - vacuum residue desulfurization (VRDS) 156, 158, 161, 162
- valve unit 70, 71
 - variable-task-equipment (VTE)
 - assignment 45
 - visbreaker (VIS) 5, 34, 53, 196, 201, 204
 - visbreaking (VB) 145, 149
- W**
- whole complex processing, refinery
 - configuration
 - computational results 165–171
 - model formulation 152–165
 - model validation 171–176
 - refinery upgrade studies 176
 - sensitivity analysis 176, 177
 - wild naphtha 52, 183, 199
- Y**
- yes/no type binary variables 62, 63

