

Index

a

α,β -unsaturated aldehydes, selective C=O hydrogenation 119
 active sites at metal/semiconductor interfaces 309
 AgAu nanorattles 92
 Ag/KNbO₃ nanocomposites 175, 176
 Ag nanostructures 91, 151
 AgPt-decorated Au nanobipyramids 282
 alkali metals-containing molybdenum and tungsten bronzes 247
 aluminum (Al) nanoparticles
 nanocrystals 84–86
 nanorods 84
 nanosheets 83, 84
 apparent quantum efficiency (AQE) 169, 218, 219
 artificial photosynthesis 149, 165–168, 180
 associative pathways, of N₂ fixation 168
 atomistic *ab initio* methods 19
 4-ATP oxidation 92, 93
 Au-Ag-Pt core-shell particle 113
 Au-AgPt nanorattle 113
 AuCu/TiO₂ heterostructures 306, 307
 Au/end-CeO₂ nanostructures 177, 178
 Au nanoparticles-deposited MoS₂ monolayer 271
 Au nanotriangles, of
 2-methyl-3-buten-2-ol hydrogenation 114
 Au NPs embedded in MOF-derived abundant N-doped carbon, HER activity 272
 Au-Pd-Pt nanorods 277
 Au/Pt/Au core-shell nanoraspberries 87
 Au/TiO₂ heterostructures

active sites for hot-hole-driven water oxidation 308
 electron transfer efficiency 302
 electron transport in 304
 external quantum efficiency (EQE) of electron transfer 298–299
 post-synthesis calcination of 301
 Au/TiO₂-OV sample 176, 177
 autonomous water-splitting photocatalytic unit 28
 azobenzene hydrogenation, CeO₂ NPs 128
 AZO doped semiconductors 234

b

band gap 234
 bifunctional Au/Pt/Au nanoraspberries 72
 BiOCl nanosheets 303
 bowtie antennas 21
 bright-field TEM imaging approach 62
 4-bromothiophenol 95
 Brunauer-Emmett-Teller (BET) adsorption method 47

c

carbonyl reduction 115, 119
 CdS/Cu₇S₄ heterostructured nanocrystals 251–252
 CeO₂ nanoparticles
 acetophenone reduction 117
 styrene oxide reduction 117
 charge transfer mechanisms, in plasmonic photocatalytic systems 15
 direct hot electron injection 19
 indirect hot carrier injection 16–18

- chemical interface damping (CID) 19, 52, 92, 140, 265, 277
- 4-chlorothiophenol (4-CTP) 95
- cinnamaldehyde hydrogenation
SiC nanoparticles 116
TiO₂ nanoparticles 117
- cinnamaldehyde, selective C=O reduction of 116
- circularly polarized light (CPL) 29
- CO₂ hydrogenation reaction
Rh-based catalysts 207
characterization of 209, 210
CH₄ selectivity and production rate 212
CO₂ methanation 209, 211–213, 215–218
CO₂ reduction 211
density functional theory calculations 211–212
light intensity dependence 216–217
nonthermal behavior 217–220
reverse water gas shift 209
unheated, light only conditions 214
- colloidal deposition method 299
- complex multi-electron-based mechanistic pathways 269
- copper-based catalysts, in electrocatalytic CO₂ reduction 100
- copper-deficient copper chalcogenides-based plasmonic catalysts 249, 250
- copper (Cu) nanoparticles 82
nanocubes 83
nanorods 83
quasi-spheres 82
- CO₂ reduction reaction (CO₂RR) 149, 151, 152, 284
DFT calculations 155
EMIM-BF₄ promoter 154–157
light-intensity dependence 158, 160
with reaction promoter 153
redox conversion 158
solution-phase species 153
standard reduction potentials 157
surface-enhanced Raman scattering 151
thermodynamics 157
- cost-effective electrocatalysts 269
- Cu_{2-x}S doped semiconductors 234
- Cu_{2-x}S nanowires 250
- d**
- dark field spectroscopy/microscopy 50
- dehalogenation 94
- deposition-precipitation method 300
- desorption induced by electronic transition (DIET) 15, 44, 61
- desorption induced by multiple electronic transitions (DIMET) concept 44
- diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS) 50
- diffuse reflectance UV-Vis Spectroscopy (DRUVS) 49
- direct hot-electron injection (DHEI) 19, 170
- dissociative pathways, of N₂ fixation 168
- doping 233
extrinsic interstitial 234
extrinsic substitutional by aliovalent atoms 233
intrinsic doping by lattice vacancies 233–234
substitutional 241
- Drude carriers 11
- Drude model 5, 14
- dynamic transmission electron microscopy (DTEM) 62
- e**
- earth-abundant transition metal elements 231
- electrocatalysis
hydrogen evolution reaction 96
oxygen evolution reaction 96, 97
- electrocatalytic CO₂ reduction 99
- electrocatalytic process 261
- electrocatalytic systems, plasmonic nanostructures in 262
- electron energy loss spectroscopy (EELS) 55, 57
- electron microscopy, in plasmonic photocatalysts 54
- electron-photon cooling 263
- embedded correlated wave function (ECW) theory 112
- emissivity 200
- endoergic reaction 145
- enhancement factor 20
- ensemble plasmonic photocatalytic nanostructure experiments 42

- ensemble plasmonic photocatalytic rate enhancement 43
- environmental TEM, for plasmonic photocatalysts 56
- ethanol oxidation reaction (EOR) 278
- ethylene glycol (EG) electrooxidation 280
- 1-ethyl-3-methylimidazolium tetrafluoroborate (EMIM-BF₄) promoter 153
- 4-ethynylbenzenediazonium tosylate 114
- external quantum efficiency (EQE) 169, 298, 299
- extreme ultraviolet reflection-absorption spectroscopy (XUV-RA) 62
- extrinsic interstitial doping 234
- extrinsic substitutional doping 233
- Eyring plot 45
- f**
- faradaic efficiency (FE) 169
- femtosecond transient absorption spectroscopy 61
- Fermi-Dirac statistics 6
- Fermi level pinning 296
- Fowler equation 298
- Fowler theory 18
- free carriers (electrons or holes) in semiconductors 233
- free electron model 6
- Friedel oscillations 8
- fuel cells
- ethanol oxidation reaction 278–279
 - ethylene glycol electrooxidation 280
 - glucose electrooxidation 282
 - glycerol electrooxidation 281
 - methanol oxidation reaction 278–280
 - SERS study in 97
- furfural to furfuryl alcohol hydrogenation
- Cu-C NPs 118, 119
 - MC 118
- g**
- Gas Chromatography (GC) 41
- Gas Chromatography/Mass Spectrometry (GC/MS) 42
- gas phase reaction chamber, for plasmonic photocatalysis 194
- g-factor 29
- Gibbs free energy 145
- glucose electrooxidation 282
- glycerol electrooxidation 281
- gold (Au)
- band structure of 5
 - enhancement factor maps of 22
- gold (Au) nanoparticles
- monolayers 87
 - nanocubes 74–75
 - nanorods 74
 - nanosols 73
 - nanospheres 73
 - nanostars 77–78
 - nanotriangles 75–77
 - photo-driven colloidal growth 146
- graphene hydrogenation 112
- h**
- Haber-Bosch process 165
- Harrick *in-situ* Raman reactor cell 46
- heavily doped hydrogen molybdenum bronze 242
- heterometallic plasmonic catalysts, for nitroaromatic reduction 125
- hole-mask colloidal lithography 111
- H₂O splitting process 148
- hot carriers 192, 217
- hot charge carriers-enhanced mechanisms 265
- hot electrons
- nonthermal 14
 - thermalized 11
- hot-electron transfer (HET)
- N₂ fixation through
 - with sacrificial electron donors 174–180
 - water as electron donor 180–186
 - from plasmonic metal 174
- hot-hole-driven reactions 311
- hot spots 9, 20
- H-spillover process 242, 244
- hydrogenation reactions 109
- aldehydes and ketones 115–120
 - of alkenes and alkynes 110–115
 - of anchored phenylacetylene 115
 - of carbonyl compounds 116
 - of furfural to furfuryl alcohol 118
 - of 2-methyl-3-buten-2-ol 114
 - with Pd concave nanocubes 111
- hydrogen evolution catalyst (HEC) 148, 150

hydrogen evolution reaction (HER) 96, 270
 hydrogen molybdenum bronzes 242, 243
 hydrogen tungsten bronzes 242
 hyperspectral imaging 52

i

incident photon-to-current efficiency (IPCE) 184, 185
 indirect hot carrier injection 16
 interband excitation 138
 interband transitions 4, 14, 18, 138
 internal quantum efficiency (IQE) 169
 interstitially doped semiconductor catalysts 242
 intraband excitation 138
 intraband transition 138
 intrinsic conductive metallic oxides 234
 intrinsic doping 233
 4-iodothiophenol (4-ITP) dehalogenation 95

k

kinetic H/D isotope effect (KIE) 275
 kinetic isotope effect (KIE) measurements 44, 45
 Koutecky-Levich plots 275
 Kretschmann configuration 282

l

Landau damping 9
 light-activated nanoscopic heaters 191
 light initiated selective hydrogenation 119
 light penetration depth 196
 Lindhard dielectric function 8
 localized surface plasmon resonance (LSPR) 109, 137, 166, 231
 Al nanocrystals 84
 Au nanostars 77–78
 characteristic feature of 166
 decay in metallic NP 166, 167
 interband damping of 139
 non-radiative decay channel 92
 normalized optical extinction 232
 property of 110
 in semiconductors 231
 of silver colloids 79

m

mass spectrometry (MS) 41
 Meerwein–Ponndorf–Verley (MPV) mechanism 117
 mesoporous WO_3 (Meso- WO_3) 239, 241
 metallic nanostars 20
 metal-tipped Au nanobipyramids 91
 methane/photon ratio 212
 methanol oxidation reaction (MOR) 278–280
 molybdenum bronzes-based plasmonic catalysts 242
 molybdenum disulfide (MoS_2) nanosheets 270
 monometallic plasmonic nanoparticles
 aluminum 83
 copper 82
 gold 72–73
 silver nanoparticles 78
 MoO_{3-x} based plasmonic catalyst 236–341
 MoO_{3-x} nanosheets 236–238
 $\text{Mo}_x\text{W}_{1-x}\text{O}_{3-y}$ hybrid catalyst 239
 multi-carrier redox conversion 148
 multi-electron CO_2 reduction 283
 multi-pulse ultrafast optical spectroscopy techniques
 plasmonic photocatalyst 60

n

Nafion 150
 near-field-enhanced N_2 fixation 170
 near-field enhancement (NFE) 166
 N_2 fixation
 associative and dissociative pathways 168
 on AuRu_x 171, 173
 MoO_{3-x} nanosheets 173, 175
 near-field enhancement 170
 NH_3 evolution, analysis and quantification 168–170
 plasmon-enhanced NH_3 photosynthesis 166–168
 plasmon-induced NH_3 photosynthesis, energy diagram of 179
 through hot-electron transfer with sacrificial electron donors 174–180
 water as electron donor 180–186
 using direct hot-electron injection 170
 NH_3 photosynthesis 165

- NH₃ synthesis, Haber-Bosch process 165
 NiCo metal-organic framework (MOF) 273
 Ni nanoparticles 125
 Ni superstructures 89
 nitroarene reduction 120
 nitroaromatics compounds, reductive coupling
 azoxybenzene 127–128
 mechanisms 126–127
 ZrO₂ NPs 127
 nitrobenzene coupling 128
 4-nitrobenzenethiol (NBT)
 plasmon-driven dimerization of 250
 plasmon-induced dimerization of 59
 nitro compounds, reduction of
 nitroaromatics compounds, reductive coupling of 126–129
 nitro groups, hydrogenation of 120–126
 nitro groups, hydrogenation of 120
 4-nitrophenol hydrogenation 121
 AuCu geometries for 123
 Au nanoparticles for 123
 Au nanostars 122
 with NaBH₄ 121
 polyphenol-Fe³⁺ nanocatalyst 122
 N₂ molecules 170
 non-metal plasmonic materials 234
 non-radiative damping process 138
 nonthermal hot electrons 14
 4-NTP reduction 93
- O**
- oleylamine-capped Cu_{2-x}Se nanoparticles 253
 open-circuit potential (OCP) of
 Pd_{0.52}Ag/CNT 279
 optical absorption, MoO_{3-x} nanosheets 237
 optical behavior, of plasmonic photocatalysts
 UV/Vis spectroscopy 48, 49
 organic transformations, in
 metal/semiconductor heterostructures 311
 Os-Au composite NP, for NH₃ synthesis 172, 174
 oxygen evolution reaction (OER) 272
 oxygen reduction reaction (ORR) 97
- P**
- partial hydrogenation
 Al NPs, acetylene to ethylene 112
 of phenylacetylene to styrene 113
 Pb-doped Lindlar catalyst 112
 PdAg-polystyrene nanoassembly 114
 Pd/H_xMoO_{3-x} plasmonic catalyst 244
 Pd hybrid 250
 Pd/MoO_{3-x} hybrid catalyst 238
 photocatalysis
 aniline oxidation 92–93
 dehalogenation 94–95
 nitroarenes reduction 93–94
 photocharging, of metal nanostructures 141, 142
 photodeposition method 301
 photo-driven colloidal growth, of metal nanoparticles 146
 photoelectrochemical (PEC) systems 270
 photoheaters, plasmonic nanoparticles 26
 photoheating 24
 photon generated hot carriers 212
 photopotential, of metal nanostructures 142, 143
 photo-recycling mechanism 93
 photoredox chemistry 137
 carrier harvesting, energetics and kinetics of 141–144
 challenges 161
 charge carrier extraction 139
 charge carrier generation 138–139
 charge transfer in metal-adsorbate complexes 139
 charge transfer reactions 146
 chemical potentials 144–145
 molecular mechanism, in-situ SERS spectroscopy 159, 161
 redox states, switching of 146–148
 photothermal catalysis 191
 photothermal effects 193, 214
 photothermal heating, of plasmonic nanostructures 46
 plasmon dephasing, surface effect in 9
 plasmon energy expansion spectroscopy 57
 plasmon energy expansion thermometry 56

- plasmon-enhanced electrocatalysis 262, 267, 268
 - hot carriers 263
 - near-field enhancement 266
 - plasmon resonance energy transfer 267
 - in situ* characterization techniques 268
 - thermal effect (local heating) 266
 - water splitting 269–274
- plasmon-enhanced electrocatalytic systems 262
- plasmon-enhanced NH_3 photosynthesis 180
 - on Au-NPs/Nb-SrTiO₃/Zr/ZrO_x 181
 - N₂ fixation 180–186
 - principles of 166–168
- plasmon enhanced styrene hydrogenation 113
- plasmon-excitation-driven photoredox chemistry 139
- plasmonic catalysis 110
- plasmonic crystals, electronic states in 2
- plasmonic decay channels 10
- plasmonic doped semiconductors 236
- plasmonic excitation, on metallic nanoparticles 231, 232
- plasmonic materials 2
- plasmonic metal nanoparticles 295
- plasmonic metal/semiconductor heterostructures 295, 302
 - with anisotropic metal nanostructures 305–306
- AuCu alloy nanoparticles 306–307
- fabrication methods
 - colloidal deposition method 299–300
 - deposition-precipitation method 300–301
 - photodeposition method 301–302
 - schematic illustration 299, 300
 - self-assembly method 299, 300
- interfacial active sites 308
- interfacial electron transfer
 - optimization 307–308
- photocatalytic reactions mediated by 308
 - autonomous water splitting reaction 308–311
 - CO₂ reduction 312
 - N₂ fixation 312
 - organic transformations 311–312
- Schottky barrier
 - electron transfer across 297–299
 - formation 296–297
- semiconductor material design 302
 - catalytic activity 304–305
 - electron transport optimization 303–304
 - energy levels of 301
 - Schottky barrier height optimization 302–303
 - with spherical metal nanoparticles 305
- plasmonic nanocrystals 3
 - excited electron distribution, in optically-driven 13
- plasmonic nanoparticles (PNPs) 30
 - localized surface plasmon resonance 109
- plasmonic near-field enhancement, of electronic process 20
- plasmonic oscillations
 - charge dynamics characteristic of 5–8
 - confined systems 8–9
- plasmonic photocatalysis 39, 191, 193, 222
 - gas phase reaction chamber 194–195
 - illumination of photocatalyst 193–194
 - IR temperature measurements 200
 - K-type thermocouple probes 197
 - multi-thermocouple setup 198
 - quantification of thermal effects 194
 - temperature measurement 195–197
 - thermal gradients 197–198
 - thermocouple diameter 198–199
 - thermometry methods 199–200
- plasmonic photocatalytic nanostructures 37
 - challenges 58
 - characterization 39
 - computational tools 56–58
 - dark field spectroscopy/microscopy 50
 - DIET mechanisms 44
 - diffraction-limited optical characterization techniques 48–50
 - DIMET mechanisms 44
 - electron microscopy 54
 - ensemble characterization procedures 45–47

- ensemble chemical reactions 40–42
 - standard ensemble experiments 42–45
 - super-resolution microscopy 53
 - tip-enhanced Raman spectroscopy 60
 - ultrafast electron microscopy 63
 - plasmonic photocatalytic NH_3 synthesis 200
 - Ru-Cs/MgO catalyst 200
 - under dark thermal and heated white light illumination 202
 - direct and indirect illumination conditions 205
 - illumination-augmented gradients 202
 - intensity-and wavelength-dependent reaction rates 202
 - light-only NH_3 synthesis experiments 202
 - morphology and size distribution 201
 - thermal gradients 201
 - plasmonic photocatalytic process, spatio-temporal summary of 38
 - plasmonic scattering 23
 - plasmonic semiconductors 234
 - plasmonic systems 1
 - plasmon-induced energy transfer 235
 - plasmon-induced metal-to-semiconductor interfacial charge transfer transition (PICTT) 307
 - plasmon-induced resonant energy transfer (PIRET) 170
 - plasmon-mediated electron-transfer (PMET) 92
 - plasmon resonance energy transfer (PRET) 267
 - PNP-activated hydrogenation catalysis 110
 - point spread function 52
 - Poisson statistics 151
 - polyhydroxy reduction approach 73
 - post-synthesis calcination, of Au/ TiO_2 heterostructures 301
 - 4,4'-diaminoazobenzene formation 129
 - Pt/ $\text{H}_x\text{MoO}_{3-y}$ hybrid catalyst 244, 245
 - PtPd mesoporous nanorods 277
- q**
- quadrupole-based mass analyzer 42
 - quantum two-temperature (Q2T) model 12
- quasi-spherical gold nanoparticles 73
- r**
- random phase approximation (RPA) 8
 - rate-determining step (RDS) 192
 - reduction of oxygen (ORR)
 - Au-Pd-Pt nanorods 277
 - Koutecky-Levich plots 275
 - PtPd mesoporous structures 277
 - rod-shaped Au nanoparticles 74
 - R- TiO_2 NPs 126
 - Ru/ $\text{H}_x\text{MoO}_{3-y}$ hybrid catalyst 244
- s**
- scanning electron microscopy (SEM) 54
 - Schottky barrier 140, 295
 - barrier formation 296–297
 - electron transfer across 297–299
 - in plasmonic metal/semiconductor heterostructures 297
 - seeded growth method, Au nanorod synthesis 74
 - selected area electron diffraction (SAED) 54
 - self-assembled monolayers (SAMs) 61
 - self-assembled nanoparticle monolayers 86
 - semiconductors, electronic states in 2
 - shell-isolated nanoparticles (SHINs) 97
 - silver catalyst 28
 - silver (Ag) nanoparticles 78
 - monolayers 87
 - nanocubes 80–81
 - nanoplates with long narrow gaps 81
 - nanowires and nanorods 79–80
 - photo-driven colloidal growth 146
 - quasi-spheres 78
 - single-particle relaxation mechanisms 12
 - single-pot synthesis, of AgCu NPs 123
 - snapshot hyperspectral imaging (SHI) 52
 - spectral tunability of plasmonic structures 29
 - STEM-energy dispersive spectroscopy
 - bimetallic AgPt nanocubes 55
 - styrene to ethylbenzene hydrogenation
 - with Au NPs 111
 - with concave Pd NC 111
 - substitutional doping 241
 - superstructures 87

- supraparticles 87
 - surface-assisted plasmon decay 9
 - surface-enhanced coherent anti-Stokes Raman scattering (SECARS) 60
 - surface-enhanced Raman scattering (SERS) 59, 92
 - alkali metal-oxygen batteries 98
 - of 4-ATP oxidation 92
 - CO₂ reduction reaction 151
 - effect 58
 - in fuel cells 97–98
 - K-O₂ batteries 98–99
 - on Li-O₂ batteries 98
 - of Na-O₂ batteries 98
 - of 4-NTP reduction 93
 - and plasmonic catalysis 92
 - SiO₂/CdS interface 95
 - surface enhanced Raman spectroscopy (SERS) 20
 - nitroarenes, catalytic reduction of 128
 - nitrophenol, reductive coupling of 129
 - surface free energy of Ag 81
 - surface plasmon decay process 235
 - surface plasmon resonance (SPR) 295
- t**
- temperature gradient model, of catalyst bed 197
 - thermal gradients, in plasmonic photocatalysis 197
 - thermal hot carriers 266
 - thermalized hot electrons 11
 - thermometry methods, in plasmonic photocatalysis 199
 - 3D bicontinuous nanoporous heterostructure 272
 - TiN/TiO₂ ohmic junction 26
 - TiO₂ NPs for 125
 - tip enhanced Raman scattering 58
 - total efficiency, of H₂O splitting 149
 - transient absorption spectroscopy 58
 - transient negative ion (TNI) 140
 - transmission electron microscopy (TEM) 54
 - tungsten bronzes-based plasmonic catalysts 242
 - Turkevich method 73
 - turnover number (TON) 169
- u**
- ultrafast electron microscopy (UEM), for plasmonic photocatalysts 62, 63
 - ultrafast laser-based pump/probe experiments 58
 - ultrafast nanoscale Raman thermometry 59
 - ultrafast transient absorption spectroscopy 59
 - UV/vis diffuse reflectance spectra 241
 - UV-vis-NIR diffuse reflectance spectra 240
 - Au/MoO₃ samples 243
 - Pd/MoO₃ products 243
 - Pt/H_xMoO_{3-y} hybrids 246
 - Rb_{0.33}WO₃ 248
 - WO₂-Na_xWO₃ hybrid 249
- v**
- visible-light-driven CO₂ reduction 149
 - Vis/NIR extinction spectra, of as-synthesized gold nanostars 78
- w**
- water splitting process
 - Gibbs free energy 269
 - hydrogen evolution reaction 270
 - overall 274
 - oxygen evolution reaction 272
 - water splitting reaction 308
 - WO₂-Na_xWO₃ hybrid preparation 247, 249
 - WO_{3-x} nanosheets 241
 - WO_{3-x} nanostructures 239