

## Index

### a

absorbent 167, 184, 257  
 absorption 1, 201  
   of electromagnetic radiation 1  
   process 170–173  
   solvents for 173–184  
   theory of 167–170  
 acetate 185  
 acid gas 16, 120, 167–170, 178, 182,  
 183, 185, 241  
 activated carbon 203–204, 206  
 advanced zero emission power plant  
 (AZEP) 280, 281  
 aeroderivative gas turbine 93  
 air  
   composition of 266  
   cooled condenser 116  
   excess ratio 58, 122, 258, 259  
   filter 97  
 air separation unit (ASU) 87, 214,  
 244, 265, 270, 277  
 Allam cycle 279  
 aluminium production 61  
 amine 174  
 amine degradation 175, 185  
 amino acids 180–181  
 amino group 176  
 ammonia 49, 179  
 ammonia production 60, 215,  
 217, 231  
 ammonium bicarbonate 179, 180  
 ammonium carbonate 179, 180  
 ammonium hydroxide 179  
 ammonium nitrate 180

ammonium sulfate 123, 180  
 anthracite 41, 42  
 anti-sublimation 67, 125, 207–208  
 aqueous ammonia 179, 180  
 aquifer storage 20–22  
 atmospheric degradation 176  
 atmospheric greenhouse effect 2  
 atmospheric lifetime, greenhouse  
   gases 3  
 autothermal reforming 214, 216–217,  
 239  
 avoided CO<sub>2</sub> 154

### b

back-pressure turbine 79, 107  
 Benfield process 178, 258  
 bicine 185  
 bituminous coal 42, 79, 223  
 Black, Joseph 53  
 Brayton cycles 88, 262, 279  
 British Gas Lurgi (BGL) gasifier 223,  
 242  
 brownmillerite 194  
 butyrate 185

### c

calcium carbonate 30, 56, 76, 207  
 calcium looping 206–207  
 calcium sulfate (CaSO<sub>4</sub>) 84, 120, 121,  
 276  
 calcium sulfite (CaSO<sub>3</sub>) 120, 121  
 capture efficiency CO<sub>2</sub> 155, 156  
 capture ratio CO<sub>2</sub> 87, 134, 154–156,  
 241

- carbamate 174, 175, 177–179, 185
- carbon capture and sequestration 10
- carbon conversion 87, 219, 220, 226, 227
- carbon dioxide (CO<sub>2</sub>)
  - aluminium production 61
  - ammonia production 60
  - analogy between capture and desulfurisation 58–60
  - capture efficiency 155
  - capture methods
    - combining power plants 162–163
    - CO<sub>2</sub> path 159–162
    - dilution of CO<sub>2</sub> 164
  - capture ratio 87, 134, 154–156, 241
  - cement production 60–61
  - chemicals and petroleum 62
  - chemistry and energy conversion 53–56
  - combustion 57–58
  - compression and conditioning 35–38
  - density and compressibility 69–70
  - environmental 63
  - food and beverages 62–63
  - greenhouses 63
  - health care 63
  - and humans 64–66
  - lasers 64
  - manufacturing and construction 62
  - metals 62
  - monitoring storage 39
  - neutral 4
  - phase diagram 67
  - phase envelope 67–68
  - purity and transportation 32–35
  - quality 33
  - ratio of specific heats 71
  - refrigerant 64
  - solubility in water 73–76
  - specific heat capacity 70–71
  - thermal conductivity 71–72
  - viscosity 72–73
- carbon disulfide (C<sub>2</sub>S) 175
- carbonic acid 30, 32, 62, 63, 74
- carbonic acid gas 53
- carbonyl sulphide (COS) 46, 168, 175, 219, 230
- Catacarb process 178
- cement production 11, 60–61
- chemical absorption 16, 21, 144, 151, 167–170, 186, 211, 247
- chemical flooding 23
- chemical looping combustion (CLC)
  - 262, 272–274, 284
  - natural gas 284
  - separation of oxygen from air 272
- chemisorption 202, 204, 214
- chloride 121, 175, 185, 224
- chlorofluorocarbon 63
- choked nozzle 96, 98
- circulating fluidised bed (CFB) 82, 121, 205, 238, 274, 276, 277
- circulating fluidised bed combustion (CFBC) 82–84, 274
- circulating fluidised bed
  - oxy-combustion (oxy-CFBC) 274, 276–277
- Claus process 181–183
- climate change 9, 14
- coal 8–12, 19, 20, 29–31, 41–46, 77–88, 124
- coal-fired power plants
  - circulating fluidised bed combustion 82–84
  - integrated gasification combined cycle 86–88
  - pressurised fluidised bed combustion 84–86
  - processes for power generation 78
  - pulverised coal combustion 80–82
  - steam cycle 77–80
- coal formations 20
- coalification process 41, 42
- CO<sub>2</sub> capture by gas absorption
  - absorption process 170–173
  - energy use 187–188
  - inorganic solvents 178–181
  - ionic liquids 183–184
  - organic solvents 174–178
  - physical solvents 181–183
  - solvent contaminants 185–187

- solvent loading 187
  - theory of absorption 167–170
  - cogeneration 79, 109, 141, 155
  - coking 42, 212, 214
  - cold box 37, 270, 271
  - cold gas efficiency 220, 230
  - Combicap power cycle 259
  - combined cycle 98–99, 105–109, 308
  - combined cycle MATIANT (CC–MATIANT) 279
  - combined heat and power (CHP) 79, 109
  - combined power cycles
    - combined gas turbine and steam turbine cycle 105–106
    - configurations 106–109
  - combined reforming 217–218
  - combustion 57, 142–144
    - chamber 80
    - chemical looping 262
    - hydrogen-rich fuel 101
    - oxy-combustion 261
    - Wobbe index 101
  - compressibility 69–71
  - compression, iso-thermal 130
  - compressor 36, 37, 88, 89, 97, 255, 256, 259
  - compression and expansion with irreversibilities 130–131
  - condenser 78
    - air cooled 116
    - direct water cooling 113–115
  - ConocoPhillips E-Gas gasifier 227
  - convective air cooling 91
  - cooling pond 79, 114
  - cooling system 79, 113–118
  - cooling tower 79, 115–116
  - corrosion 185
  - corrosion inhibitor 175, 177, 178, 185
  - COS hydrolysis 230, 233
  - critical point, CO<sub>2</sub> 67
  - cryogenic distillation 137, 264–271
  - cyclic capacity 179, 187
- d**
- degree of separation 134, 135
  - dense electrolytes 192–195
  - depleted oil and gas reservoirs 20
  - desulfurisation 58–60, 82, 212, 216
  - Dieng volcano complex 6
  - diesel 46–48
  - diethanolamine (DEA) 174, 176
  - diisopropylamine (DIPA) 174, 176, 177
  - dilution of CO<sub>2</sub> 159, 163–165
  - direct contact cooler (DCC) 171
  - direct methanol fuel cells (DMFC) 48
  - distillation 37, 49, 125, 208–209, 252, 266, 270
  - dolomite 84, 121
  - drag reducing agents 33
  - dry cooling tower 116–118
  - dry ice 38, 53, 62, 63, 67
  - dry low NO<sub>x</sub> burners 122
  - dry scrubbers 121
- e**
- economiser 112–114, 121
  - efficiency
    - capture CO<sub>2</sub> 155, 156
    - general definition 141–142
    - heat rate *vs.*, 148
    - power plant 146
  - electric swing adsorption 206
  - electric swing adsorption (ESA) 206
  - electrochemically modulated
    - complexation (EMC) processes 209
  - electrochemical separation 209–210
  - electrostatic precipitator 82, 119, 186, 275
  - electrostatic precipitator (ESP) 82, 186, 275
  - energy input 27, 31, 141, 142, 145, 202
  - energy intensity 8
  - energy product 141, 142
  - enhanced coal bed methane recovery (ECBM) 20, 24, 29
  - enhanced gas recovery (EGR) 20, 28–29, 256
  - enhanced oil recovery (EOR) 11, 20, 22–28, 61, 241
  - enstatite 56

- enthalpy of formation 30, 54, 55, 142, 144
  - entrained flow (slagging) gasifiers 221, 227
  - equivalence ratio 58
  - Ericsson-MATIANT (E-MATIANT) 279
  - ethanol 48–49, 67, 174, 177, 264
  - ethylene diamine tetraacetic acid (EDTA) 175, 185
  - ethylene oxide 63
  - evaporator 112, 113
  - excess air ratio 58, 59, 89, 122
  - exhaust gas recirculation 255
- f**
- fabric filter 82, 119–121, 186
  - facilitated transport membrane (FTM) 197
  - Fanning and Moody diagrams 97
  - feedwater 85
    - preheating 113
    - steam cycle 79
  - first rotor inlet temperature 92
  - Fischer-Tropsch 216, 217
  - fixed air 53
  - fixed bed gasifiers 221, 223, 229
  - fixed-site-carrier (FSC) 197
  - flue gas 249–251
  - flue gas cleaning technologies
    - flue gas desulfurisation 119–121
    - mercury control 124
    - particle removal 119
  - flue gas desulfurisation (FGD) 37, 82, 119–121, 186, 254, 275
  - flue gas pressure drop 139, 151, 153, 253–255
  - flue gas recirculation (FGR) 122, 247, 255–256
  - fluidised bed gasifiers 221, 222
  - fluidised packed tower 120
  - fluor solvent 181
  - flux through membranes 199–200
  - fly ash 119, 121, 186, 226, 275
  - formate 176, 185
  - formulated solvents 177, 178
  - fossil fuel resources 9–10, 149
  - fuel energy 89, 141–146, 148, 162, 242
  - fuel staging 122
  - fuel usage 51
  - furnace chamber 80
- g**
- gaseous fuel 49, 77, 86, 89, 273, 274
  - gasflooding 23, 28
  - gasification 218
    - footprint 220
    - technology 88
  - gasifier 221
    - air-blown 222
    - BGL 223–225
    - characteristics of 222
    - ConocoPhillips E-Gas 227
    - entrained flow 221
    - fixed bed 221, 222
    - fluidised bed 221, 222
    - GE 226
    - high-temperature Winkler 225–226
    - moving bed 221, 222
    - Sasol-Lurgi 223
    - selection 227–229
    - Shell 226
    - Siemens 227, 228
  - gas separation
    - closed system 126
    - compression and expansion with irreversibilities 130–131
    - isothermal compression 130
    - minimum work requirement for separation 135–139
    - open flow systems 127–130
    - theory of separation 131–135
  - gas separation methods, CO<sub>2</sub> capture
    - absorption
      - adsorbent materials 202–205
      - adsorption-desorption 205–206
      - concepts of 201–202
    - anti-sublimation 207–208
    - calcium looping 206–207
    - CO<sub>2</sub> hydrate formation 209
    - distillation 208–209
    - electrochemical separation 209–210
    - membrane
      - absorber 197–198

- advantages 190
  - challenges 200–201
  - disadvantages 190
  - flux 199–200
  - inorganic 191–196
  - polymeric 196–197
  - principle of 189
  - selectivity 190
  - permeability 190
  - gas sweetening 168, 171, 200
  - gas sylvestre 53
  - gas turbine power plants 88
    - aeroderivative 93
    - classification 93–94
    - diluted hydrogen fuel 99–105
    - fuel quality 94–95
    - gas turbine 88–93
    - industrial 93
    - part load performance 98–99
    - performance model 95–98
  - General Electric (GE) gasifier 226, 242, 243
  - geysers 6
  - global warming potential (GWP), 3, 4
  - glycolate 185
  - glycol dryer 32
  - greenhouses 2, 63
  - gross domestic product (GDP) 7, 8
- h**
- halocarbons 2, 7
  - heating value
    - higher 142
    - lower 142
  - heat of reaction 54, 55, 160, 175, 177, 215
  - heat rate vs. efficiency 148
  - heat recovery steam generator 79, 105, 109
    - dew point 110
    - requirements 110
    - steam conditions 109
    - TQ-diagram 111–113
    - water/steam properties 110
  - heat recovery steam generators (HRSG) 79, 105, 109–113
  - heat stable salts 185–187
  - Henry's law constant 168
  - Higher Heating Value (HHV) 41, 141, 220
  - higher-rank coal 41
  - high-pressure steam turbine (HPST) 107, 279
  - high-temperature Winkler (HTW) 225–226
  - H<sub>2</sub>, permeation porous membranes 195
  - hydrated lime 120, 121, 308
  - hydrofluorocarbon 64
  - hydrogenator 212
  - hydrogen sulfide 23, 46, 168, 174, 212
  - hydrotalcite 234, 235
- i**
- industrial gas turbines 93
  - inorganic solvents 178
  - In Salah Gas 22
  - integrated gasification combined cycle (IGCC) 77, 86, 100, 109, 211
  - integrated pre-combustion CO<sub>2</sub> capture
    - Le Chatelier's principle 233
    - membrane enhanced reforming 235–238
    - membrane enhanced water-gas shift 233–234
    - sorption enhanced reforming 238
    - sorption enhanced water-gas shift 234–235
  - integrated reforming combined cycle (IRCC) 243–246
  - internal combustion engines (ICE) 49, 118
  - internal combustion piston engine 89
  - International Energy Agency
    - Greenhouse Gas R&D Programme (IEA GHG) 17, 243
  - ionic liquids 183–184, 197
  - isentropic efficiency 130, 254
  - isentropic process 128
  - ISO 2314:1989 92

isobaric process 128  
 isothermal compression 130–132  
 isothermal process 128

**k**

kerosene 49

**l**

lactate 185  
 Lake Monoun 6  
 Lake Nyos 6  
 large fossil-fuel power plants 77  
 Le Chatelier's principle 233  
 lignite 41, 42, 79, 182, 223, 274  
 lime 56, 120, 121, 266, 308  
 limestone 30, 56, 120, 121, 186, 221, 224, 308  
 liquid CO<sub>2</sub> 62–64, 67, 209, 261  
 liquid fuels  
   ammonia 49  
   composition and properties of 47  
   diesel 46–48  
   ethanol 48–49  
   kerosene 49  
   methanol 48  
 live steam 114  
 loading 167  
 lower heating value (LHV) 25, 79, 89, 100, 141, 239  
 low-pressure turbine (LPT) 85, 107, 279  
 low rank coals 41, 88

**m**

magnesium carbonate 30, 56, 76  
 magnitude, of CCS 12, 13  
 MATIANT cycle 279  
 McElmo Dome 7  
 membrane  
   absorber 197–198  
   challenges 200–201  
   contactor 197  
   flux 199–200  
   inorganic 191–192  
   microporous 195, 196  
   mixed conducting 192–195  
   Palladium 192

permeability 190  
 permeant 189  
 perovskite 194  
 polymeric 196–197  
 proton conducting 194  
 retentate 189  
 selectivity 190  
 self-supporting 190  
 sweep gas 189  
 membrane water gas shift 234  
 membrane water-gas shift (MWGS) 234  
 mercaptans 168, 170, 173, 182, 212, 308  
 mesoporous membranes 195  
 metal organic frameworks 204  
 metal–organic frameworks (MOFs) 202, 204  
 metals 62  
 methanation reaction 215, 219  
 methanol 48, 61, 154, 182, 215, 264  
 methyl diethanolamine (MDEA) 21, 174, 177, 212, 242  
 methyl group 177  
 methyl tert-butyl ether (MTBE) 48  
 Milankovitch cycles 1  
 mineral carbonation 30–31  
 mixed conducting membrane 190–194, 271–272  
 mixed conductive membrane (MCM) reactor 280  
 mixed-matrix membranes 191  
 molecular sieving 195, 196, 202, 204  
 monoethanolamine (MEA) 139, 151, 174, 261  
 moving gasifier 221, 222

**n**

natural emissions of CO<sub>2</sub> 4, 7  
 natural gas based oxy-combustion cycles  
   Allam cycle 279  
   AZEP 280  
   CLC 284  
   MATIANT cycle 279  
   SCOC-CC 279–280  
   S-Graz cycle 278–279  
   SOFCs 280–284

water cycle 277–278  
 nitrous oxide 2, 7, 85, 123, 174, 266  
 non-regenerable and off-line  
   regenerable solid sorbents 65  
 not in my backyard 16  
 NO<sub>x</sub> 88, 101, 102, 105  
   CO<sub>2</sub> impurities 275  
   distillation 209  
   flue gas recirculation 247  
   reduction 121  
   solvent contaminant 186

## O

ocean storage 29–30  
 oil sand 10, 26, 27  
 open flow systems 127–130  
 organic solvents 174  
 oxalate 185  
 oxidative degradation 175, 185  
 oxy-combustion 58  
 oxy-combustion capture 164, 204, 264  
 oxy-combustion CO<sub>2</sub> capture  
   classification of 261  
   coal  
     oxy-CFBC process 276–277  
     pulverised coal oxy-combustion  
       274–276  
   definition 163  
   natural gas 277–284  
   separation of oxygen from air  
     CLC 272–274  
     cryogenic distillation 266–271  
     methods and applications  
       264–266  
     mixed conducting membrane  
       271–272  
 oxygen 185

## P

packed tower 120  
 packing 172  
 partial oxidation 214  
 partial pressure 12, 167, 168  
 peak oil 10  
 permeability 21, 24, 190, 192, 199  
 permeance 190, 191, 195, 199, 200  
 permeant 189

permeation 189, 195, 199, 201  
 perovskite 194, 272  
 phosphate 185  
 physical absorption 167–169, 211, 241  
 physical solvents 181  
 physisorption 202  
 pinch 112  
 pinch point 112, 113  
 piperazine 176, 178  
 plate tower 120  
 polymeric membranes  
   dense 196–197  
   FSC 197  
   SLM 197  
 polytropic coefficient 128  
 polytropic efficiency 130  
 post-combustion CO<sub>2</sub> capture  
   definition 163  
   power cycles 247  
 potassium carbonate 178, 234  
 power cycles  
   oxy-combustion CO<sub>2</sub> capture  
     classification of 261–264  
     coal 274–277  
     natural gas 277–284  
     separation of oxygen from air  
       264–274  
   post-combustion CO<sub>2</sub> capture  
     atmospheric pressure, FGR  
       255–256  
     classification of 247–249  
     Combicap 259–260  
     flue gas 249–251  
     flue gas pressure drop 253–255  
     high-pressure CO<sub>2</sub> absorption  
       cycle 256–258  
     power plant efficiency 251  
     Sargas cycle 258–259  
     steam turbine steam extraction  
       251, 252  
   pre-combustion CO<sub>2</sub> capture  
     classification of 239  
     IGCC 239–243  
     IRCC 243–246  
 power plant efficiency  
   additional consumption of fuel for  
     CO<sub>2</sub> capture 149–150

- power plant efficiency (*contd.*)
    - calculations 146–148
    - CO<sub>2</sub> accounting terms 153–157
    - efficiency definition 141–142
    - fuel energy 142–146
    - vs. heat rate 148
    - relating work requirement for CO<sub>2</sub> capture 150–153
  - power turbine 93
  - pre-combustion CO<sub>2</sub> capture
    - definition 163
  - power cycles
    - classification 239
    - IGCC 239–243
    - IRCC 243–246
  - removing carbon from fuel
    - COS hydrolysis 230
    - desulfurisation 212
    - gasification 218–221
    - gasifier 221–229
    - hydrogenator 212
    - integration 233–238
    - pre-reformer 212–214
    - principle of 211–212
    - reformers 214–218
    - syngas coolers 230
    - syngas quenching 229–230
    - WGS 231–233
  - pre-reformer 212
  - pressure drop, absorber 254
  - pressure ratio
    - compression 126–131
    - compressor 97
    - expansion 129
    - gas turbine 91, 93, 94, 103
    - membrane 190
    - steam 252
    - steam turbine 117
    - turbine 98
  - pressure swing adsorption (PSA) 205
  - pressurised fluidised bed combustion (PFBC) 84
  - Priestley, Joseph 61
  - propionate 185
  - propylene carbonate 181, 198
  - proton exchange membrane (PEM) 194
  - PTSA 205
  - public acceptance 13
  - pulverised coal combustion (PCC) 80–82, 274
  - pulverised coal oxy-combustion 274–276
  - Purisol 181–182, 242
  - pyrite 42
- q**
- quicklime 308
- r**
- R-12 64
  - radiative forcing 3
  - Rankine cycles 77, 262
  - rank of the coal 41
  - ratio of specific heats 71, 128
  - reburning 122
  - recirculation, flue gas 247
  - Rectisol 182
  - reformer
    - air-blown 214
    - oxygen-blown 214
  - reforming
    - ATR 216–217
    - combined 217–218
    - partial oxidation 215
    - POX 215–216
    - steam reforming 214, 215
  - retentate 189
  - room temperature ionic liquids (RTILs) 183
  - Ryan–Holmes process 208
- s**
- saline aquifer 20–22
  - Sargas cycle 258
  - Sasol-Lurgi dry-ash gasifier 223
  - seawater scrubbing process 121
  - seepage of CO<sub>2</sub> 5
  - selective catalytic reduction (SCR) 109, 123, 186, 254, 277
  - selective non-catalytic reduction (SNCR) 123
  - selectivity 190
  - Selexol 87, 182, 233, 241, 242



- self-supporting membrane 190
- semi-closed oxy-combustion combined cycle (SCOC-CC) 279, 280
- separation
- adsorption 201
  - anti-sublimation 207–208
  - complete 133, 135
  - cryogenic 208
  - distillation 208–209
  - hydrate formation 209
  - membrane 189
  - metal organic frameworks 204
  - minimum work requirement 132
  - partial 133
- serpentine 56
- SEWGS 234
- S-Graz cycle 278
- Shell Gasification Process 226
- shift converter 211
- shift reactor 211
- show stopper 15
- Siemens Power Generation Group
- gasifier 227, 228
- simple cycle 308
- Sleipner gas field 21
- SNCR 123, 277
- Snøhvit 22, 34
- sodium metavanadate 185
- sodium salicylate 62
- solar radiation 1
- solid oxide fuel cell (SOFC) 192, 272, 280
- post-combustion CO<sub>2</sub> capture 282
  - pre-combustion CO<sub>2</sub> capture 282
- solubility 76
- solvent 167
- contaminants 185
  - degradation 185
- solvent contaminants 185
- solvent loading 187
- soot 186
- sorbent injection process 121
- sorption enhanced water gas shift 234
- sorption enhancing 206
- specific heat at constant pressure 70, 71
- specific heat at constant volume 70
- specific heat capacity 70–73
- spray dry scrubbers 120
- spray tower 120
- stage, compressor or turbine 89
- steam cycle cooling systems
- air cooled condenser 116
  - direct water cooling of the condenser 113–115
  - dry cooling tower 116–118
  - wet cooling tower 115–116
- steaming 42
- steam reforming 214, 215
- steam turbine steam extraction 251, 252
- sterically hindered amine 176
- STP 57
- sub-bituminous coal 41, 42
- sublimation 67
- sublimation point CO<sub>2</sub> 67
- sulfur dew point 110, 111, 143, 249
- sulfur dioxide 46, 84, 119–121, 151, 175, 266, 276
- sulfuric acid 33, 63, 249
- sulfur trioxide 46, 119, 123, 186
- sulphate 185
- sulphite 185
- superheater 84, 112, 113
- supplementary firing 106, 246, 260
- supported ionic liquid membranes (SILMs) 183, 235
- supported liquid membrane (SLM) 197
- sweep gas 189
- syngas 101, 125, 164, 211, 214, 215, 217, 228, 232, 243, 244, 272
- coolers 230
  - quenching 229
- t**
- talc 56
- task specific ionic liquids 183
- TEG 33
- temperature swing adsorption (TSA) 205
- theory of absorption 167
- thermal conductivity 71
- thermal degradation 176

- thermal NO<sub>x</sub> 122
  - thiocyanate 185
  - thiosulphate 185
  - TQ-diagram 111, 117
  - transportation hazards of CO<sub>2</sub> 38, 39
  - trapping mechanisms 20
  - triethanolamine (TEA) 177
  - triethylene glycol 33
  - triple point, CO<sub>2</sub> 67, 208
  - turbine 98
  - turbine inlet temperature (TIT)  
89, 92
- U**
- underground storage 16, 20–29
  - universal gas constant 128
  - urea 61, 62, 123, 200, 241
  - Utsira aquifer 21
- V**
- vacuum pressure swing adsorption  
(VPSA) 205, 265
  - van Helmont, Jan Baptista 53
- variable guide vanes (VGV) 97, 99
  - viscosity 23, 28, 72–73, 86, 184, 186
- W**
- Wagner equation 199, 272
  - water and steam injection 122–123
  - water cycle 277–278
  - water dew point 110–111
  - waterflooding 23, 26, 28
  - water-gas shift 87, 160, 209, 211, 213,  
215–217, 229–231, 233, 241–243
  - water vapour 2, 3, 104
  - water wall 80, 226
  - wet cooling tower 79, 115–116
  - wet scrubber 119–121
- WGS
- sour 232
  - sweet 232
- Wobbe index 101–103
  - wollastonite 30, 31, 56
- Z**
- zeolites 191, 202–204, 269