

## Index

### a

$A_2(BB')O_6$  double perovskites 408  
 $AB_{12}O_{19}$  hexaferrites 408  
 $ABO_3$  perovskites 408  
 $AB_2O_4$  spinels 408  
 absorbed photon to current efficiency (APCE) 365  
 adsorption/desorption model 462  
 advanced oxidation processes (AOPs) 281, 317  
 AF/F(Fi) core/shell MNPs 419  
 Ag-SrTiO<sub>3</sub> nanocomposites 238  
 Ag/AgCl-(BiO)<sub>2</sub>CO<sub>3</sub> system 242  
 air and water cleaning photocatalyst 317  
 $Al_2O_3/p$ -GaSb interface 23  
 all-oxide spintronic heterostructures 427  
 all-oxide synthetic antiferromagnets 419  
 $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanofibres 249  
 American Conference of Government Industrial Hygienists 439  
 amorphous  $\alpha$ -nickel-cobalt hydroxide nanodendrites 47  
 anatase 287  
 anatase/rutile mixture system 326  
 anatase TiO<sub>2</sub> mesocrystals 236  
 anthropogenic greenhouse gas emissions 277  
 anti-fogging surfaces 281  
 AO rock-salt monoxides 408  
 artificial multiferroic oxide heterostructures 421  
 artificial photosynthesis (AP) processes 277  
 atomic layer deposition (ALD) 2, 356  
 Au-Mn<sub>3</sub>O<sub>4</sub> nanosystems 115  
 azo-dye (Plasmocorinth B, PB) 327

### b

ball milling 148  
 bandgap ( $E_g$ ) 317  
 barium titanate (BaTiO<sub>3</sub>)  
   dissolution-reprecipitation pathway 50–51  
   hydrothermal crystallization mechanisms 50–51  
   in organic solvents 51  
   ligand-free synthesis 53  
 BaTiO<sub>3</sub> core/shell nanoparticles 424  
 battery and supercapacitor materials 392  
 $Bi_2MoO_6$  photocatalyst 241  
 $Bi_2O_2CO_3/ZnFe_2O_4$  composite 250  
 bicontinuous porous electrodes 381  
 binder-free structured macroporous materials 382  
 BiOBr/Bi<sub>12</sub>O<sub>17</sub>Br<sub>2</sub> systems 242  
 BiOIO<sub>3</sub>/BiOI system 242  
 bismuth ferrate (BiFeO<sub>3</sub>) 412  
   Pechini process 54  
   phase selectivity 54  
   sonochemical synthesis 54  
 bismuth oxyhalides 241  
 BiVO<sub>4</sub> 363  
 blue-moon ensemble 114  
 Boudouard-like reactions 286  
 Bragg diffraction 121  
 brookite 288

### c

$CaAl_2O_4(Eu,Nd)/(Ta,N)$ -co-doped TiO<sub>2</sub>/Fe<sub>2</sub>O<sub>3</sub> composite 249  
 $CaO/TiO_2/Al_2O_3$  ternary oxides, photoactivity of 237

- capacitance-voltage (CV) measurements 23
- carbon capture and storage (CCS) 278
- carbon nanotubes (CNTs) 154  
array synthesis strategy 90–91  
varieties 154–155
- carbon quantum dots/zeolite imidazole frameworks (CQDs/ZIF-8) 247
- CaRu<sub>1-x</sub>Ti<sub>x</sub>O<sub>3</sub> 420
- cation doping 290
- CdIn<sub>1-z</sub>Ga<sub>z</sub>Se<sub>2</sub> (CIGS) 350
- CeO<sub>2</sub> 292
- charge modulation mechanism 426
- charge-ordering effect 409
- chemical adsorption/desorption model 467
- chemical vapor deposition (CVD) 2, 3, 90, 112, 115, 116
- chemical warfare agents (CWA) 112
- CNQDs/GO-InVO<sub>4</sub> aerogel composite 250
- CNT/dielectrics 95
- Co<sub>0.6</sub>Fe<sub>2.4</sub>O<sub>4</sub> nanoparticles 180, 181
- Co<sub>2</sub>FeO<sub>4</sub>/N-doped CNTs 156, 157
- Co<sub>3</sub>O<sub>4</sub> microtube arrays (Co<sub>3</sub>O<sub>4</sub>-MTA) 154
- Co<sub>3</sub>O<sub>4</sub>-coated Ni powder preparation 147
- Co<sub>x</sub>Fe<sub>3-x</sub>O<sub>4</sub> (CFO) nanoislands 163
- co-catalysts, for CO<sub>2</sub> reduction 299
- cobalt hydroxides 47
- cobalt oxyhydroxides 47
- coercive field 406
- CoFe<sub>2</sub>O<sub>4</sub> 409
- CoFe<sub>2</sub>O<sub>4</sub> (CFO) nanorod-containing nanocomposite 152
- CoFe<sub>2</sub>O<sub>4</sub>/graphene oxides hybrids 162
- colloidal synthesis 76  
for tungsten bronzes 72
- colossal magnetoresistance 406
- combustion synthesis 147
- commercial TiO<sub>2</sub>-white cement 254
- CoMn<sub>2</sub>O<sub>4</sub> (CMO) spinel nanotubes 157
- computational-guided structural resolution 122
- conduction band (CB) 317, 319
- contact-resonance piezoresponse force microscopy (CR-PFM) 14
- conventional detection methods 442
- converse magnetoelectric effect 422
- CoFe<sub>2</sub>O<sub>4</sub> MNPs 419
- cooperative magnetism 405
- copper oxides 292, 298
- core-ring structured NiCo<sub>2</sub>O<sub>4</sub> nanoplatelets 163
- crystalline phase composition 327
- C-TiO<sub>2</sub> mesoporous anatase nanocrystals 234
- Cu<sub>1.5</sub>Mn<sub>1.5</sub>O<sub>4</sub> spinel ceramic pigment 147
- Cu(hfa)2TMEDA 118
- Cu-Mn-citric xerogel 148
- Curie Temperature 406
- ## d
- decoupled regime 414
- DeNO<sub>x</sub> actions 229
- DeNO<sub>x</sub> activity, of TiO<sub>2</sub> photocatalyst 236
- density functional theory (DFT) 113, 114
- di(propyleneglycol) monomethyl ether (DPGME) 115, 116
- diamond anvil cell (DAC) 124
- dielectric oxide materials 18
- Diels-Alder cycloaddition reaction 282
- diffusion constant ( $D_K$ ) 450
- direct exchange interaction 405
- direct liquid injection chemical vapour deposition (DLI-CVD) 10, 11
- direct magneto-electric coupling 422
- ## e
- effective oxide thickness (EOT) 19
- electrocatalysts, for water splitting 45
- electron energy loss spectra (EELS) 331
- electron mediators 297
- electron paramagnetic resonance (EPR) 323
- electronic excitations 131
- electrospinning technique 288
- energy conversion process 346
- energy storage systems 389
- environmental humidity 461
- EPR spectra 331
- European Union (EU) 278
- Evonik P25 287
- exchange-bias effect 417
- exchange bias field 417
- exchange interaction mechanism 427
- exchange-spring regime 414
- exchange-spring systems 414
- exfoliation, of layered materials 49
- exhaustive surface cleaning protocols 286
- external quantum efficiency (EQE) 359

**f**

Faradic efficiency 363  
 $\text{Fe}_2\text{O}_3$  photoanodes 352  
 $\text{Fe}_2\text{O}_3/\text{SiO}_2$  composites 249  
 $\text{Fe}_2\text{O}_3/\text{TiO}_2$  nanocomposites 249  
 $\text{Fe}_3\text{O}_4/\text{CoFe}_2\text{O}_4$  spinel ferrite bilayers 416  
 $\text{Fe}_3\text{O}_4/\text{Pb}(\text{Zn}_{0.33}\text{Nb}_{0.66})\text{O}_3$ - $\text{PbTiO}_3$  hybrid thin film stack 425  
 $\text{Fe}(\text{hfa})_2\text{TMEDA}$  119  
 $\text{Fe}/\text{NiOOH}$  cocatalyst 352  
 $\text{FeCo}/\text{graphene}$  nanosheet hybrids 163  
ferro(i)magnetic/antiferromagnetic systems 416  
ferroelectric materials 4  
ferroelectricity 406  
ferroic properties, of complex transition metal oxides  
  magnetic oxides 412–413  
  perovskites 411–412  
  spinel ferrites 408–411  
ferroic thin films  
   $\text{Bi}_2\text{O}_3$  buffer layers 9  
   $\text{BiFeO}_3$  films on  $\text{IrO}_2/\text{Si}$  substrates 8  
  competitive wafer throughputs 18  
  CR-PFM 14  
  CVD 6, 7, 11, 13, 18  
  data storage applications 13  
  data-storage technologies 14  
  DLI-CVD 10, 11, 16  
  ferroelectric and multiferroic properties 8  
  ferroelectrics and multiferroics 7  
  layer-by-layer growth method 17  
  layered Aurivillius structures 15  
  metalorganic precursors 9  
  microstructural defects 7  
  MOCVD-grown PZT 12  
  OPB defects 17  
   $\text{SrBi}_2\text{Ta}_2\text{O}_9$  samples 9  
  2D ultrathin  $\text{B6TFMO}$  films 15  
 $\text{F}(\text{Fi})/\text{AF}$  heterostructures 419  
first principles molecular dynamics (FPMD) 114  
flexible single-crystalline LFO thin films 159  
fluorine doped tin oxide (FTO) 346  
Frank-van der Merve-type growth 14  
free electrode 428

free-standing flexible  $\text{TiO}_2/\text{CNT}$  films 102, 103  
functional porosity in electrochemical systems 379  
functionalized titania 319

**g**  
 $g\text{-C}_3\text{N}_4/\text{TiO}_2$  composites 231  
 $g\text{-C}_3\text{N}_4/\text{TiO}_2$  heterojunction photo-luminescence studies 232  
Gärtner equation 359  
gas sensing parameters 445  
gas sensors  
  adsorption/desorption model 462  
  chemical adsorption/desorption model 467–470  
  oxygen adsorption model 464–467  
  physical adsorption/desorption model 470–471  
  bulk resistance control mechanism 471–472  
  commercial practices 445  
  gas diffusion control mechanism 472–474  
  mechanisms 462  
  metal oxide  
    chemical composition 458  
    crystallographic defective and hetero-interface structures 453–458  
    humidity and temperature 461–462  
    morphology-related structural parameters 448  
    noble metal particles 458–461  
    operation mechanism 446  
    preparation 446  
  metal oxide nanomaterial-based 443  
  types 442  
Ge nanocrystal-containing  $\text{GeO}_2$  inverse opal Li-ion battery anode 386  
generalized gradient (GGA) approximations 114  
germanium based materials 385  
germanium (IV) ethoxide ( $\text{Ge}(\text{OC}_2\text{H}_5)_4$ ) precursor 386  
giant magnetoresistance (GMR) effect 428  
gold nanoparticles 300  
good water oxidation catalyst 295  
grafting 319

graphene oxide/TiO<sub>2</sub> photocatalysts 232

graphene/TBZ fibre preparation 233

graphene/TiO<sub>2</sub> photocatalysts 232

graphitic carbon nitride 298

**h**

half-metallicity 409

hard/soft exchange-coupled core shell magnetic nanoparticles (MNPs) 414

hard/soft exchange-coupled systems 413

hard/soft thin film heterostructures 416

hard systems 415

Helmholtz layer 362

heterogeneous photocatalysis applications 281–283 fundamentals 279–281

heterojunction 295

hexagonal Co<sub>3</sub>O<sub>4</sub> nanoplatelets 163

high performance computing (HPC) 111

high performance Li ion batteries (LIBs) 380

high-frequency intercept (HFI) 362

high-pressure thermal plasma synthesis 142

high-resolution transmission electron microscopy (HRTEM) 10

high-temperature processes 339

high-temperature solid solution method 148

holes-current ( $j_h$ ) 362

HOPG 26

H<sub>0.07</sub>WO<sub>3</sub> hexagonal bronze nanoplatelets 72

hybrid functionals 114

hybrid supercapacitor electrodes 91, 94

hybrid TiO<sub>2</sub>/CNT systems 99

hydrogen (H<sub>2</sub>) production 99, 100

hydrogen economy 339

hydrogen efficiency 364

hydrogen evolution reaction (HER) 341

hydrothermal method 143, 290

hydroxyl 281

hyperfine interaction 322

**i**

incident photon to current efficiency (IPCE) 365

indirect exchange interaction 405

indium tin oxide (ITO) 346

InGaAs/Al<sub>2</sub>O<sub>3</sub> MOS structures 23

innovative photocatalysts 258

inorganic molten salts 53

in-silico methodology 111

in-situ diffuse reflectance infrared technique (DRIFTS) 251, 252

insulating protective layer 357

intensity modulated photocurrent spectroscopy (IMPS) 361

inverse opal (IO) 381

inverse spinel 409

inversion degree 409

IrO<sub>2</sub>/CNT nanocomposites 91, 95

**l**

La<sub>0.67</sub>Ca(Sr)<sub>0.33</sub>MnO<sub>3</sub> 420

La<sub>0.67</sub>Ca(Sr)<sub>0.33</sub>MnO<sub>3</sub>/CaRu<sub>1-x</sub>Ti<sub>x</sub>O<sub>3</sub> superlattices 420

La<sub>0.67</sub>Sr<sub>0.33</sub>MnO<sub>3</sub> nanocubes 56

La<sub>2</sub>NiO<sub>4</sub> and LaSrNiO<sub>4</sub> layered perovskite Ruddlesden-Popper nanoparticles 58

La<sub>x</sub>Sr<sub>1-x</sub>MnO<sub>3</sub> 411

LaFeO<sub>3</sub>-CoFe<sub>2</sub>O<sub>4</sub> 425

laser pyrolysis 141

laser pyrolysis synthesis, of iron/iron oxide nanoparticles 141

LaTiO<sub>3</sub>-SrTiO<sub>3</sub> composites 238

layered nickelates 45

layered NiO<sub>6</sub>-based hybrid material synthesis 46

layered oxide-based materials 45

layered structured ferroelectrics 5

Li<sub>4</sub>Ti<sub>5</sub>O<sub>12</sub> (LTO) 393

Li-ion battery electrodes 384

LiFePO<sub>4</sub> (LFP) 393

LiMn<sub>2</sub>O<sub>4</sub> nanorods 152, 153

linear sweep voltammetry (LSV) 343

LiNi<sub>0.5</sub>Mn<sub>1.5</sub>O<sub>4</sub> spinel cathode 148, 149

liquid-phase synthesis 50, 53

localized surface plasmon resonance (LSPR) 299

**m**

- M(hfa)2TMEDA 121
- M-type hexagonal ferrites 413
- maghemite ( $\gamma\text{-Fe}_2\text{O}_3$ ) 409
- Magnéli phases 63  
tungsten 73
- magnetic anisotropy 407
- magnetic domain 406
- magnetic nanocomposites 407
- magnetic oxide heterostructures  
all-oxide synthetic antiferromagnets 419–421  
ferro(i)magnetic/antiferromagnetic systems 416–419  
hard/soft exchange-coupled systems 413–416
- magnetic oxide nanomaterials 112, 132
- magnetic oxides 412
- magnetically soft epitaxial spinel  
NiZnAl-ferrite film properties 159, 160
- magnetite ( $\text{Fe}_3\text{O}_4$ ) 407
- magneto-electric multiferroic (ME-MF) materials 421
- magneto-optical activity, of  $\text{WO}_{2.72}$  nanoparticles 71
- magnetocrystalline anisotropy 407
- magnetostrictive/ferrimagnetic  $\text{CoFe}_2\text{O}_4$  spinel ferrite (CFO) 423
- manganese oxide nanomaterials 114–116
- materials sustainability 379
- maximum polarization 406
- mesoporous  $\text{MnCo}_2\text{O}_4$  catalysts 167–168
- mesoporous  $\text{NiCo}_2\text{O}_4$  nanowire arrays 154
- mesoporous silica 320
- mesoporous  $\text{SiO}_2$  structure 323
- metal alkylamides 21
- metal dopants 319
- metal doping 290
- metal organic chemical vapour deposition (MOCVD) deposition parameters 8, 9
- metal-organic frameworks (MOF) crystallization 45
- metal oxide dielectrics, band gap vs. dielectric constant for 98
- metal oxide gas sensors  
crystallographic defective and hetero-interface structures 453  
chemical composition 458  
defect structure 453–455  
heterointerface structure 455–458  
noble metal particles 458–461  
humidity and temperature 461  
morphology-related structural parameters 448  
grain size 448–449  
pore size 449–453  
operation mechanism 446–448  
preparation 446
- metal oxide heterostructures 353
- metal oxide nanomaterials (MONs) 440, 441
- metal oxides 43
- metal-oxide synergies 299
- metals foams 390
- metastable oxides isolation, templating strategy for 74
- mixed nickel-cobalt oxyhydroxides 47
- mixed valence Ti(III)/Ti(IV) oxides 63
- mixed W(V)/W(VI) oxides 68
- Mn-Ni-Co ternary oxide nanowires 155
- Mn-Ni-Co ternary spinel oxide (MNCO) nanowires 154
- $\text{MnCo}_2\text{O}_4$  (MCO) spinel nanotubes 157
- MnO and  $\text{Fe}_3\text{O}_4$  monodispersed nanocrystals 175, 179
- Mo-O bonds 27
- molten salts 55  
inorganic 53  
synthesis, versatility of 56
- monomeric tert-butoxide [(OBu<sup>t</sup>)] group 20
- multicationic oxides  
layered oxide-based materials 45–50  
perovskites 50–53
- multicomponent oxides 243
- multiferroic tunnel junctions 430

**n**

- nano-hetero structures 422
- nano-objects 43, 44, 47
- nanocrystals,  $\text{La}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$  56
- nanogranular composites 419
- nanomaterials classification 137
- nanoparticles,  $\text{Ti}_4\text{O}_7$  and  $\text{Ti}_6\text{O}_{11}$  65

- nanoscaled tungsten bronzes 69
  - nanostructuration, for oxides 43
  - nanostructured oxide systems 111
  - N-doped TiO<sub>2</sub>/g-C<sub>3</sub>N<sub>4</sub> composites 232
  - Néel temperature for antiferromagnetic 406
  - Ni<sub>x</sub>Co<sub>3-x</sub>O<sub>4</sub> hierarchical nanostructures 175
  - Ni-Co oxide hierarchical nanosheets (NCO-HNSs) 159–161
  - nickel-cobalt layered double hydroxides 47
  - NiCo<sub>2</sub>O<sub>4</sub> core-sheath nanowires 171, 172
  - NiCo<sub>2</sub>O<sub>4</sub> micro-urchins 171, 174
  - NiO-based protective layers 358
  - NO<sub>x</sub> gases photochemical oxidation mechanism 251
  - non-cooperative magnetism 405
  - non-metal doping 290
  - non-zero coercivity 406
  - normal spinel 408
  - N-TiO<sub>2</sub>/ZrO<sub>2</sub> photocatalysts 234
  - n-type metal oxide semiconductors 357
  - n-type semiconductor 359
- O**
- octahedral and cubic 3D magnetite (Fe<sub>3</sub>O<sub>4</sub>) nanocrystals 165, 166
  - octahedral-to-pyramidal isomerization mechanism 120
  - ordered porous structures 383
  - out-of-phase boundary (OPB) defects 17
  - oxygen evolution reaction (OER) 45, 154, 341
  - oxide ferroelectrics 5
  - oxide nanomaterial
    - classical force-field techniques 113
    - CVD 116
    - DFT 113–114
    - geometrical approaches 113
    - molecular dynamics (MD) approaches 113
    - molecular interactions, manganese 114–116
    - Monte Carlo (MC) 113
    - oxide porous materials 121–131
    - synthesis/characterization of 111
  - oxide porous materials
    - high-pressure conditions 124–127
    - hybrid microporous functional materials 127–131
    - structural properties 121–123
  - oxide-based gate dielectrics 89
  - oxide-based heterojunctions 295
  - oxides bearing titanium(III) species, synthesis of 59
  - oxidizing radicals 281
  - oxygen adsorption model 464
  - oxygen evolution reaction (OER) pathway 45, 342
  - oxyhydroxides of Ni(III) 45
- P**
- palladium 303
  - Paris Agreement 277
  - partial oxidation reactions 282
  - PbZr<sub>0.52</sub>Ti<sub>0.48</sub>O<sub>3</sub>(PZT)-CoFe<sub>2</sub>O<sub>4</sub> 425
  - Pechini method 146, 147
  - perovskite solar cell (PSC) 366
  - perovskites 411
  - 3,4,9,10-perylenetetracarboxylic acid (PTCA) 26
  - phase separation phenomenon 412
  - photo-electrochemical reactions 339
  - photobiorefinery 283
  - photocatalysis 229, 256, 279, 282
  - titania-based coatings 317
  - photocatalyst 279
  - photocatalytic CO<sub>2</sub> reduction 283
  - photocatalytic CO<sub>2</sub> reduction
    - current issues 283–286
    - TiO<sub>2</sub>-based 286–291
  - photocatalytic pathway 283
  - photocatalytic processes 278
  - photocatalytic reactions 280
  - photocatalytic removal, of nitrogen oxide gases 229
  - photocatalytically active films 327
  - photocathodes 349
  - photochemical DeNO<sub>x</sub> action 229
  - photochemical oxidation pathways, for NO<sub>x</sub> molecules 252
  - photochemical process 230
  - photocurrents 351, 352
  - photoelectrochemical (PEC) 278
    - carbon-free 339
    - conduction band (CB) 344

- electrolyzer 344  
 metal oxide heterostructures 353  
 metal oxides candidate materials  
   photoanodes 349  
   photocathodes 349–350  
   properties 348–349  
 photoelectrode efficiencies evaluation  
   359–365  
 protective anti-corrosion layer 354–359  
 renewable energy sources 339  
 solar fuels 339  
 tailoring surface catalytic sites and  
   catalyst use 350–353  
 valence band (VB) 344  
 water-splitting 339  
 photoelectrodes 352  
 photogenerated charge carriers 326  
 photonic efficiency (PE) 281  
 photonic yield (PY) 281  
 photoreduction process 284  
 photosynthetic organisms 277  
 photovoltaic cell 344  
 photovoltaics 288  
 physical adsorption/desorption 470  
 piezoelectric/ferroelectric BaTiO<sub>3</sub> (BTO)  
   perovskite 423  
 pinning effects 7  
 Plank's constant 365  
 plasma methods 142  
 platinum 300  
 polaron hopping 69  
 polyrotaxanes 381  
 porous current collector 390  
 porous ZnAl<sub>2</sub>O<sub>4</sub> monoliths 143  
 Pourbaix diagrams 355  
 pressure-induced hydration 124  
 pressure-transmitting fluid 124  
 protective anti-corrosion layer 354  
 Pt nanoparticles 302
- q**
- quantum efficiency (QE) 281  
 quantum yield (QY) 280
- r**
- radiolysis 339  
 recombination 318  
 reference electrode (RE) 343, 428  
 remanence magnetization 406  
 remanent polarization 406  
 Resazurin ink 330  
 residual polarization in the material 406  
 reversible hydrogen electrode 343  
 rigid-coupled magnets 414  
 rigid-coupled regime 414  
 Ruderman-Kittel-Kasuya-Yosida (RKKY)  
   coupling 420  
 rutile 287  
 rutile TiO<sub>2</sub> 387
- S**
- sacrificial agents 285  
 saturation magnetization 406  
 saturation polarization 406  
 SBA-15 323  
 Schottky junction 356  
 Schrödinger equation 113  
 second order Jahn–Teller effect 412  
 secondary electrolyte interphase layers  
   382  
 self-assembled monodisperse magnetite  
   180, 182  
 self-cleaning reactions 25  
 semiconductor core-shell structures 167  
 semiconductors 278  
 sensor 439  
 siliceous zeolite ferrierite (Si-FER)  
   124–127  
 single-phase iron oxides MNPs 415  
 Sn-modified TiO<sub>2</sub> photocatalysts 325  
 SnO<sub>2</sub>-Zn<sub>2</sub>SnO<sub>4</sub>/graphene composite 244  
 SnO<sub>2</sub>/Zn<sub>2</sub>SnO<sub>4</sub> system 243  
 soda-lime glass 321  
 solar energy 282  
 solar fuels 278, 339, 365  
 solar-to-hydrogen (STH) efficiency 278  
 sol-gel method 143, 288  
 sol-gel process 44, 55  
 solid phase synthesis methods, of spinel  
   nanomaterials  
   ball milling 148  
   combustion synthesis 147–148  
   high-temperature solid solution method  
   148–150  
   solid-state thermal decomposition  
   146–147  
 solid-state gelation 55  
 solid-state thermal decomposition 146

- solution phase synthesis methods, of spinel nanomaterials
    - hydrothermal methods 143
    - sol-gel methods 143
    - solvothermal methods 145–146
    - thermal decomposition 143–145
  - solvothermal methods 145
  - sonochemical method 291
  - spherical hierarchical morphology 167
  - spin-glass-like frozen surface spins 419
  - spin-orbit coupling 407
  - spin-orbit torque (SOT) 428
  - spin-transfer torque (STT) 428
  - spinel ferrite  $\text{LiFe}_5\text{O}_8$  (LFO) nanofilms 159
  - spinel ferrites 408
  - spinel nanomaterials 138
    - one and three-dimensional structures 171
    - one and two-dimensional structures 170
    - one-dimensional (1D) structure 151
      - nanorods 151–154
      - nanotubes 154–159
      - nanowires 154
    - self-assembled structures 175
    - solid phase synthesis methods
      - ball milling 148
      - combustion synthesis 147–148
      - high-temperature solid solution method 148–150
      - solid-state thermal decomposition 146–147
    - solution phase synthesis methods
      - hydrothermal methods 143
      - sol-gel methods 143
      - solvothermal methods 145–146
      - thermal decomposition 143–145
    - structure-effect applications 150–151
    - three-dimensional structures 165
    - two and three dimensional structure 173
    - two-dimensional (1D) structure
      - nanofilms 159
      - nanoplatelets 163–165
      - nanosheets 159–163
    - vapor phase synthesis methods 138
      - laser pyrolysis process 141–142
      - plasma methods 142–143
      - spray pyrolysis 140–141
  - spray pyrolysis 140
  - $\text{Sr}_2\text{FeMoO}_6$  413
  - standard lithium hexafluorophosphate-based electrolyte 385
  - strain transfer mechanism 423
  - strain-coupled artificial multiferroic composites 412
  - structural engineering for electrochemical performance 382
  - structure-property-application relationships, for functional spinel oxide nanomaterials 183
  - sulphur doping 291
  - super-exchange interactions 405
  - supermagnetism 407
  - superparamagnetism 407
  - surface heterojunction 290
  - surface scattering and reflecting effect (SSR) 240
  - surface treatments 24
  - surfactant wrapping sol-gel method 101
  - synthetic antiferromagnets (SAFs) 419
- t**
- tailoring surface catalytic sites and catalyst 350
  - TDMAHf 25
  - terephthalic acid 330
  - tetrakis(diethylamido)hafnium (TDEAHf) 26
  - 3D interdigitated  $\text{Ti}_6\text{Al}_4\text{V}$  electrode 393
  - 3D interdigitated microbattery architectures 393
  - 3D periodic graphene composite aerogel microlattices 393
  - 3D-printed graphene composite aerogel (3D-GCA) 393
  - 3D printing
    - battery and supercapacitor materials 392–394
    - porous current collector 390–392
    - of porous electrodes 389–390
  - 3D spinel nanostructures 169
  - thermal decomposition 143, 167, 339
  - thermal-CVD 117
  - thin films of photocatalytic  $\text{DeNO}_x$  materials 259

- thioglycolic acid (TGA)-capped CdTe  
colloidal quantum dots 235
- three-dimensionally structured lithiated  
MnO<sub>2</sub> cathode 381
- Ti<sub>2</sub>O<sub>3</sub> nanostructures 61
- Ti<sub>4</sub>O<sub>7</sub> nanocomposite 64
- TiO<sub>2</sub> based materials 230  
dopant elements and quantum dots  
234–235  
NO<sub>x</sub> abatement in real environments  
254–256  
photocatalytic construction materials in  
urban areas 253–254
- TiO<sub>2</sub> nanostructure  
defects 235–236  
electronic band structure 237  
oxygen vacancies 235–236
- TiO<sub>2</sub>-containing cementitious materials  
229, 230
- TiO<sub>2</sub>-nanocarbon interface engineering 99
- TiO<sub>2</sub>-on-CNT systems  
vacuum techniques 103–107  
wet chemistry 100–103
- TiO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> binary oxides 237
- TiO<sub>2</sub>/ZnO mixture 247
- TiO<sub>2</sub>-NPs 323
- titania-based coatings  
air and water cleaning photocatalyst  
317–319  
characterization of 321–323  
fabrication of 320–321  
functionalization 319–320  
SiO<sub>2</sub> supported TiO<sub>2</sub> 329–334  
Sn-modified TiO<sub>2</sub> photocatalysts  
325–329  
TiO<sub>2</sub>-SiO<sub>2</sub> 323–324
- titanium 286
- titanium based oxides 237
- titanium based perovskite semiconductors  
237
- titanium dioxide (TiO<sub>2</sub>) 317
- titanium Magnéli nanostructures 65
- titanium oxide (TiO<sub>2</sub>) 96  
crystal structures 98  
nanosizing 98
- toxic gasses 441
- transition metal 319
- transition metal complex 117
- transition metal dichalcogenides (TMDs)  
27
- transition metal oxide DeNO<sub>x</sub>-photocatalyst  
alternatives 238  
bismuth oxides 238–242  
tin and zinc based oxides 242–247  
transition metal oxides 247–250
- transition metal oxides (TMOs) 349–350,  
358, 365, 405
- tunneling magnetoresistance (TMR) 428
- turnover frequencies (TOF) 324
- U**
- ultrathin Ni(0)-embedded α-Ni(OH)<sub>2</sub>  
heterostructured nanosheets 45
- urchin-like mesoporous TiO<sub>2</sub> hollow spheres  
(UMTHS) 236
- V**
- vacuum scale 354
- valence band (VB) 317, 319
- vanadium based oxides 250
- vapour phase deposition  
atomic layer deposition 2–3  
chemical 2  
metal oxide applications  
dielectric oxide materials 18–27  
ferroelectric materials 4–5  
ferroic thin films 5–18  
methodology 1  
precursors and chemistry 3–4
- vapour phase synthesis methods, of spinel  
nanomaterials  
atomic layer deposition 138–140  
chemical vapor deposition 138  
laser pyrolysis process 141–142  
plasma methods 142–143  
spray pyrolysis 140
- visible light 319, 329
- visible-light photocatalytic activity 295
- volatile organic compounds (VOCs) 439
- volcano plot 342
- Volmer-Heyrovsky mechanism 341
- Volmer-Tafel mechanism 341
- V<sub>2</sub>O<sub>5</sub> with vertically aligned arrays of carbon  
nanotubes (V<sub>2</sub>O<sub>5</sub>/VACNT)  
composites 93, 96, 97

**W**

water-splitting process 339–340, 344, 346  
wet chemistry, for TiO<sub>2</sub>/CNT hybrid  
  material preparation 100  
W<sub>18</sub>O<sub>49</sub>-based sensor 70  
W<sub>18</sub>O<sub>49</sub> nanostructures 68  
  gas sensing properties 68  
WO<sub>3-δ</sub> nanoparticles 69  
WO<sub>3</sub>/TiO<sub>2</sub> composites, for De-NO<sub>x</sub> processes  
  233  
working electrode (WE) 343

**Z**

zeolite L 122  
zeolites 112

zero polarization 406  
zinc ferrites 249  
zinc oxide 291  
Zn<sub>3</sub>Al-CO<sub>3</sub> photocatalyst 245  
Zn<sub>x</sub>Co<sub>3-x</sub>O<sub>4</sub> polyhedral spinel material  
  167  
Zn(hfa)<sub>2</sub>TMEDA 119, 120  
ZnAl<sub>2</sub>O<sub>4</sub> spinel monolith synthesis 143,  
  144  
ZnAl<sub>2</sub>O<sub>4</sub> spinel nanotubes 156  
ZnAl-LDH semiconductor 245  
ZnCo<sub>2</sub>O<sub>4</sub> nano-composites 250  
Z-scheme heterojunction 242–244  
Z-scheme photocatalytic systems  
  295