

Index

Note: Page numbers followed by *f* lead to figures and *t* to tables.

a

Abbe limit 3, 4
Acer saccharum 340
 acute stroke care 54–55
 adiabatic full passage (AFP) pulses 104
 advanced normalization tools
 (ANTs) 297
 agricultural crop production 237
 air–gel interface 228
 algebraic model-based reconstruction 106
 alkali metal 135
 Alzheimer’s disease (AD):
 APOE4HN models 294*f*
 biomarkers 286–288
 cerebrospinal fluid 286
 diffusion-weighted imaging 297–305
 integrating multivariate 305–309
 morphometry. *See* morphometry
 motivation 283–284
 mouse models 294
 2-aminoimidazoles 231
 amplitude modulation (AM)
 function 104
 amyloid beta (A β) 286
 amyloid plaques 287
 amyloid precursor protein (APP) 284
 APOE4HN models 294*f*, 298, 302, 304, 305*f*
 apolipoprotein E (APOE) alleles 306*f*
 apolipoprotein E4 (APOE4) genotype 284,
 288, 304

arterial spin labeling (ASL) 286
 atrophy 288–289
 augmented MR:
 microscopy 13–19
 electrochemistry 16–17
 hyperpolarization 17–19
 perfusion 16
 axial diffusivity (AD) 297

b

barium/strontium titanates 26, 27
 batteries 383–384
 commercial 389–394, 396, 398–399
 current density sensing 394–396
 defects 395
 fully enclosed commercial cell 399–400
 magnetometry 398–399
 mapping oscillating magnetic fields 396–397
 operando characterization 407
 pouch cell 399, 400*f*
 Bayonet Neill–Concelman (BNC) 360
 Berkeley advanced reconstruction toolbox
 (BART) 302
 Bessel function 29, 30
 Bindzil filtration 203, 204
 biofilms:
 distribution 218
 ¹⁹F NMR oxymetry 228, 229*f*
 granules 228, 230*f*

- growth 225
 - heteronuclear NMR and MRI 231
 - metabolomics 231
 - morphology 228
 - MR elastography 228
 - porous media design 225–227
 - rheo-NMR 228
 - singlet NMR diffusion 228–231
 - biofouling 218–219, 227*f*
 - bioluminescence 265
 - biomarkers 283
 - Alzheimer’s disease 286–288
 - APOE4HN models 294*f*
 - Biot and Savart law 136
 - bipolar field gradient pulses 322
 - bipolar PFG pair 323
 - Bloch equations 141
 - blood–brain barrier 287, 287*f*
 - blood oxygenation level dependent (BOLD) 76, 80–82
 - blooming effect 269, 272
 - Boltzmann distribution 134
 - Bose–Einstein distribution 134
 - brain atrophy 288–289
 - brain MRI scanner 52, 53*f*
 - acute stroke care 54–55
 - “easy-to-site suite” 51–57
 - emergency departments 54
 - intensive care unit 54
 - magnet designs 59–63
 - monitoring device 52–57
 - neonatal intensive care unit 56–57, 58*f*
 - other technological challenges 63–67
 - pediatric hydrocephalus 55, 56*f*
 - permanent magnets 61
 - POC devices, three levels 50–53
 - portable device 49–50, 52
 - rethinking system-level approaches 50
 - single-sided 53, 54*f*
 - technological approaches 57–67
 - Brain Research Through Advancing Innovative Neurotechnologies (BRAIN) Initiative 77–79
 - Brownian diffusion 198
 - bubble burst hydrodynamics 179–186
- C**
- Caenorhabditis elegans* 16
 - caged xenon 139, 140
 - calcium 26, 27
 - calcium ions 206, 207
 - canonical correlation (CCA) 307
 - Carr–Purcell–Meiboom–Gill (CPMG)
 - sequence 158, 160, 161*f*, 164, 166, 349, 426, 427
 - Cartesian sampling 107, 138
 - car tires 158–160
 - cartridge cells 366–367
 - cathode materials 389
 - caudate putamen/striatum (CPu) 295
 - cell:
 - detecting 266–267
 - electrochemical 365–367, 387
 - fully enclosed commercial 399–400
 - geometries 383
 - labeling 269–272
 - lumen water 340–342, 341*f*, 345, 347
 - polarization 410
 - water content 348*f*
 - cell cavity/lumen 339
 - cellular therapies 265
 - cellulose 339
 - ceramic coils:
 - design guidelines 34–37
 - dielectric cylindrical resonator 28–31
 - dual 42–45
 - magnetic resonance microscopy 38–45
 - mode frequency 33–34
 - relative permittivity 41*f*
 - SNR estimation 33, 36*f*
 - validation 37–38
 - cerebral edema 56
 - cerebrospinal fluid (CSF) flow 55, 75
 - biomarkers 286
 - plasma NfL 288
 - CFD – discrete element (CFD-DEM) 220
 - chemical exchange saturation transfer (CEST) 139, 242, 243
 - chemical shift imaging (CSI) 242, 367–371
 - metallic electrodes 369–370
 - metallic lithium 370*f*

- phase-encoded chemical 368–369, 368*f*
 - signal lifetime 368
 - in situ lithium–metal cell 384
 - solid electrolyte 370–371
 - chemical shift selective imaging (CSSI) 242
 - chemomechanical models 228
 - chest X-ray systems 49
 - chirp excitation function 102, 105
 - chronic wound biofilms 228
 - CIDNP 144
 - closed-circuit mode 142, 143*f*
 - coherence selection 244
 - coil(s) 7, 142–143
 - bandwidth 64–65
 - dual ceramic 42–45
 - external detection 66
 - fluidic system 141
 - intrinsic noise contributions 26
 - miniaturization 7–8
 - nuclear magnetic resonance 137
 - preamplifier 137
 - radiofrequency 64–65
 - solenoid 398
 - commercial batteries 389–394, 396, 398–399
 - compressed sensing 178, 302–305
 - computational fluid dynamics (CFD) 218
 - CFD – discrete element (CFD-DEM) 220
 - computed tomography (CT) 55–57, 265
 - concentration polarization 195, 195*f*, 198, 206, 207, 210–214, 220
 - conductive materials 386–389
 - continuous arterial spin labeling (CASL) 286
 - continuous SWIFT (C-SWIFT) 121–124, 122*f*, 123*f*, 124*f*
 - continuous wave (CW) 102, 122
 - coordinates system, cylindrical 28, 29
 - correlation spectroscopy (COSY) 142, 244
 - cortex 12, 75, 76, 79, 288, 294, 304, 308, 328–330
 - cortical bone 113
 - Cotts 322
 - counter electrode (CE) 412
 - countermeasures 194–196
 - crop production 237
 - cross-flow arrangement/filtration 194, 194*f*, 195, 205
 - inside-out filtration 199
 - in situ flow measurements 204
 - crude oil 427, 428
 - cryocoils 136–137, 149
 - cryo-detection system 137
 - cryogen-free refrigeration systems 52
 - cryogenic system 52, 61
 - cryoporometry measurement 350
 - crystallization effects 244, 252
 - curly fiber membranes 213
 - CVN mouse model 298
 - cyclic voltammetry 360
- d**
- delta function 102
 - diameter spherical volume (DSV) 60
 - dielectric cylindrical resonator
 - modes 28–31
 - dielectric resonators (DR) 26, 27, 45, 88
 - ceramic probes 42
 - high-permittivity 25, 26, 33, 45
 - lower permittivity 33
 - diethyl carbonate (DEC) 412
 - diffusion 138, 426–427
 - diffusion imaging in python (DIPY) 302
 - diffusion magnetic resonance imaging (dMRI) 78, 85–87
 - diffusion tensor imaging (DTI) 297, 300*f*
 - diffusion-weighted imaging (DWI) 297–305, 298*f*
 - microstructural reorganization by 15*f*
 - using compressed sensing 302–305
 - digital microfluidic approach 17
 - dimethyl carbonate (DMC) 412
 - dimethyl sulfoxide (DMSO) 146
 - dipolar field 267–269
 - disk resonator 29, 30*f*
 - probe 33
 - TE mode frequency 29, 33, 34*f*, 35*f*
 - displacement 54, 55, 107, 138, 176, 218, 226–228, 230, 323, 325–328
 - double quantum filtering (DQF) 244
 - drying methods 344
 - bulk measurements 345
 - compartmentalized water 349
 - microwaves 345
 - water migration 345

dynamic nuclear polarization (DNP) 5,
133, 384

e

earlywood 338, 338*f*, 342
 “easy-to-site suite” scanner 50, 51–52
 clinical use scenarios 53–57
 superconducting solenoid designs 59–60
 echo attenuation 226*f*
 echo time (TE) 85–86, 394
 eigenmodes 45
 cylindrical resonators 25
 dielectric structures 28
 electrical impedance spectroscopy (EIS) 383,
396
 electrical impedance tomography (EIT) 317
 electrical resistivity tomography (ERT) 317
 electroactive species 407
 electrocardiogram (ECG) device 52
 electrochemical active biofilm systems 232
 electrochemical cells 365–367, 387
 electrochemical double-layer capacitors
 (EDLCs) 357–359, 359*f*
 electrochemical field 384
 electrochemical storage devices 357
 characterizations 360
 commercial 364
 components 367
 electrochemical double-layer capacitors 358–
359, 359*f*
 EPR imaging 375
 lithium-ion batteries 357, 358, 359*f*, 361*f*
 in practice 361
 in situ and operando MRI 365
 electrochemical systems 16, 17, 384
 electrode–electrolyte interface 359
 electrodes 358, 360
 metallic 369–370
 metallic Li 375
 paramagnetic 371–375
 platinum 12
 sodium electrolyte 416
 electroencephalogram (EEG) monitoring 57
 electrolyte 358, 385, 414
 degradation 133, 416
 ²³Na NMR spectroscopy 415, 416, 418

electromagnetic (EM) field 30, 31, 31*f*, 37
 electromagnetic interference (EMI)
 mitigation 51, 63, 66–67, 66*f*
 electromagnetic modeling 83
 electromagnetic radiation imaging 3–4
 electron microscopy 407
 electron paramagnetic resonance (EPR) 27,
375, 376*f*
 electrophoretic NMR 232
 emergency departments (EDs) 49, 53–56
 emulsification 428
 endodermis 330
 endotoxin adsorbers 216–217
 epileptogenesis 12–13, 15*f*
 equilibrium moisture content (EMC) 343
 Ernst angles 110, 124
 ethylene carbonate (EC) 414*f*, 415*f*
 Euler angles 106
 exchange spectroscopy (EXSY) 149
 external interference detectors 66
 extravascular BOLD 80

f

false discovery rate (FDR) 292*f*, 293
 familial AD 294, 297–302
 Fano–Bode BW theory 65
 fast Fourier transformation (FFT) 101
 fast low angle shot (FLASH) 178
 fast spin echo multi-slice (FSE) 319, 319*f*
 ferroelectric ceramic materials 27, 38, 40
⁵⁷Fe-SPIOs 277–278
 fiber saturation point (FSP) 340, 341*f*, 342*f*, 343
 field distribution:
 bimodal 394
 electromagnetic 31*f*
 disk 32
 field gradients, internal magnetic 322, 323
 “filtration, dead-end arrangement” 194, 194*f*,
195, 204, 205, 205*f*, 208*f*, 216
 flat-slice sensor 155, 156, 156*f*
 florben[18 F]Florbenazine (18 F-AV-133) 288
 flow/flow process:
 curve equation 247
 diffusion 322
 foods 247–251
 heterogeneous flow phantom 324*f*

- long-distance water 240–241
 - plants 237–244
 - propagators 241
 - soil–plant system 315
 - velocity maps 327, 328
 - velocity vector field 323, 325
 - Vicia faba* 329f
 - flow-magnetic resonance imaging 212f, 213f
 - flow measurements via phase-contrast imaging (FLOWPC) 204
 - Fluorinert™ 41–42, 42f
 - fluorodeoxyglucose 286
 - flux 194, 198, 201, 213
 - ¹⁹F NMR oxymetry 228, 229f
 - food(s):
 - industry 238
 - materials 238, 244
 - MRI 247–251
 - plant-based food production 237
 - preparation 244, 245t
 - processing 244
 - products 238, 247
 - shear-induced spatial
 - heterogeneities 247–248
 - in situ 237
 - 3D printing 249
 - transport 244–246
 - fouling 210–214, 219
 - 4D spectroscopic SWIFT 113–114, 113f, 114f
 - Fourier theorem 102
 - fractional anisotropy (FA) 297, 300f
 - free-induction decay (FID) approach 391, 393
 - free water 340–342
 - free xenon 139
 - frequency-domain signal 102
 - frequency modulation 104, 104f
 - multi-band SWIFT 116
 - radiofrequency pulse 115
 - friction law 249
 - fruits, transport and flow 238–244
 - functional contrast-to-noise ratio (fCNR) 78, 81, 82f
 - functional magnetic resonance imaging (fMRI) 75, 76f, 80
 - diffusion imaging 78
 - time series, noise 81
 - ultrahigh field imaging 79–82
 - functional ultrasound (fUS) 265
- g**
- gadolinium-diethylene-triaminepenta-acetic acid (Gd-DTPA) 207, 215, 216f
 - galvanostatic intermittent titration (GITT) 360
 - Gaussian advection diffusion equation (ADE)
 - dynamics 225, 226
 - Gaussian and Lorentzian functions 413, 416
 - gel layer formation 206
 - g-factor noise amplification 84, 85f
 - Gibbs–Thomson equation 349
 - Gifford–McMahon (GM) cryocoolers 59
 - gradient and spin echo (GRASE) 177
 - gradient-modulated offset-independent
 - adiabaticity (GOIA) approach 114–115
 - gradient-modulated SWIFT (GM-SWIFT) 114–116, 115f, 117f
 - gradiometer coils 158
 - granular media 249
 - Gymnospermae* 337
 - gyromagnetic ratio 138, 145
- h**
- Hahn echo 368f, 400f
 - Halbach arrays 61–63
 - linear 62
 - Halbach bulb 52, 53f
 - hardwoods 337, 338
 - helix membrane 213, 213f
 - Helmholtz equation 28
 - Helmholtz microcoil 7, 7f, 10f
 - hemodialyzers, flow distribution 214–216
 - herringbone structure 210–211, 211f
 - Herschel–Bulkley model 247
 - heteronuclear multiple quantum coherence (HMQC) 244
 - heteronuclear NMR/MRI 231, 266
 - high performance gradients 85–87
 - high-performance liquid chromatography (HPLC) 412
 - high-resolution magic angle spinning (HRMAS) 231
 - high-resolution MR sensitivity 7–12
 - coil miniaturization 7–8

- Lenz lens 8–12
 - hollow fiber membranes module 193, 196, 197*f*, 201, 214
 - ceramic 204–206
 - horizontal bore NMR systems 16
 - hub-and-spokes model 54
 - human brain 79*f*
 - Human Connectome Project (HCP) 77
 - human torso 88–89, 89*f*
 - hybrid electromagnetic (HEM) mode 39
 - hydrocephalus 55
 - hyperbolic secant (HS) pulse 104
 - hyperCEST approach 139, 140*f*
 - hyperpolarization 17–19, 133, 135*f*, 136, 231
 - efficient dissolution 146–148
 - integrated mini-devices 144–145
 - micro-detection 143–145
 - MRI dedicated 138–140
 - spin 134–136
 - systems integrating 148
 - xenon 139, 147*f*
 - hyperpolarized pyruvate 19
 - hypometabolism 288
 - hypothermia neural rescue therapy 57
 - hypoxic-ischemic encephalopathy (HIE) 49, 57
 - hypoxic-ischemic injury (HII) 57
- i**
- image selected in vivo spectroscopy (ISIS) 372, 372*f*
 - imaging
 - non-Cartesian 138
 - nuclear magnetic resonance. *See* nuclear magnetic resonance
 - incubator systems 16
 - inductor-capacitor (LC) resonators 8, 9, 9*f*
 - industrial membrane module 218
 - inhomogeneous field 63–64
 - in situ:
 - electrochemical system 17
 - foods 237
 - monitoring 220
 - ²³Na NMR spectroscopy 410, 413
 - in situ spectroscopic imaging 362–363, 362*f*, 363*f*
 - challenges 363–364
 - classical chemical shift imaging. *See* chemical shift imaging
 - electrochemical cell and probe designs 365–367
 - electrochemical storage devices 358–361, 364
 - electron paramagnetic resonance 375, 376*f*
 - phase-encoded sequence 368–369
 - plastic cell capsule 366–367
 - pouch cells 365–366
 - quantitative measurements 364–365
 - S-ISIS 371–375, 374*f*
 - Swagelok cells 367
 - time resolution and sensitivity 365
 - intact-plant nuclear magnetic resonance 238, 240, 241
 - intensive care units (ICUs) 49, 53–56
 - interleave 321, 325, 326
 - interscan delay 137
 - intramural research program 77
 - intravascular BOLD 80
 - inverse Laplace transformation 158, 159
 - inversion-recovery (IR) 319
 - in vitro 9, 272, 273*f*
 - in vivo:
 - detection limit 272, 274*f*
 - labeled cells 272
 - magnetic resonance imaging 292*f*
 - morphometry 292–293
 - in plants 237
 - single-cell detection MRI 273*f*
 - spatial resolutions 266
 - voxel-based analysis 292
 - io-MRI approach 398, 399, 401
 - io-TRACING 396
 - iron oxide nanoparticles (IONP) 114, 272
 - blooming effect 272
 - cell labeling 269–272
 - dipolar fields and image contrast 267–269
 - moving cells 272–275
 - single-cell MRI 272
 - strategies 266–267
 - types 271*t*
 - validation 275–278
 - visualization and localization 277
 - lupin 317, 318, 320, 330, 331

j

Jacobian matrix 64

k

Katz–Thompson equation 427

k-space 138, 106, 107, 177

l

labeled cell detection 275–278

lab-on-a-chip (LOC) technologies 13

LAOS Rheo-MRI setup 253

large amplitude oscillatory shear
(LAOS) 253

Larmor frequency 25, 31, 35, 39, 40, 41*f*, 136,
155, 156, 364

laser-polarized xenon 146

latewood 338, 342

Lenz lens (LL) 8–12, 9*f*, 10*f*

Li–Li symmetric cell 369, 371*f*

limit of detection (LOD) 4–6

Li NMR spectroscopy 408

linogram sampling 107

liquid–gas interface 175

liquid helium (LHe) 59

liquid nitrogen (LN) 59

lithium 399–400, 400*f*

dendritic 370*f*, 409*f*

electrolyte 400

intercalated 400

metallic 369, 370*f*, 375, 400

lithium-ion batteries (LiBs) 357, 358, 359*f*,
361*f*, 365, 370, 407, 418

lithium–lithium cell 385

Lommel's integrals 33

long-distance water flow 237, 238,
240–241

Look-Locker approach 112

lower frequency mode 42, 43

low-field MRI technology 57–58, 61, 65*f*

Ludox filtration 203, 204

lumen channels 206, 208, 215

lumen water 338, 338*f*, 339, 341*f*, 344, 346

m

MacIntyre flow theory 183

macrostructural wood anatomy 338–339,
339*f*

magnet designs 59–63

cryogenics 59

Halbach arrays 61–63, 62*f*

permanent 61, 63

superconducting solenoid magnets 59–60,
60*f*

supercon magnets 59–60

magnet homogeneity 60

magnetic field:

amplitude 39, 40*f*

strengths 270*f*

ultrahigh field imaging 83–85

magnetic field maps 391*f*, 392, 394, 395*f*, 399*f*

magnetic iron oxide nanocrystallites

(MIONs) 204

magnetic particle imaging (MPI) 277

magnetic resonance (MR)

data acquisition 272–275

elastography 228

microimaging 4, 8*f*

spectroscopic imaging 244

velocimetry 179–185

well-logging applications 426–428

magnetic resonance force microscopy

(MRFM) 6

magnetic resonance imaging (MRI) 3, 133, 175,
237, 266–267, 357

angiography 133

brain. *See* brain MRI scanner

brain biomarkers 284–285

commercial batteries 389–394

components cost 50

dielectric probes 27*f*

electrochemical active biofilm systems 232

flow in foods 247–251

flowmetry 240, 241

Helmholtz microcoil 7

heteronuclear NMR 228

hyperpolarization 138–140

membrane filtration processes. *See* membrane
filtration processes

metabolites 251

noninvasive Faraday-detected 4

portable 49–50

pure water dead-end filtration 208*f*

scanners 11, 49, 66, 77, 101

- simultaneous transmission and
 - reception 122
- single-cell 272, 275
- sodium-ion batteries. *See* sodium-ion batteries
- spectroscopy 124
- Stachys sylvatica* stem 320, 320*f*
- superconducting systems 51*f*, 52
- SWIFT. *See* sweep imaging with Fourier transformation
- time series 385*f*
- tracer tracking 318–320
- velocity mapping 320–331
- magnetic resonance microscopy (MRM) 26, 285–287, 357, 425
 - advantage 13
 - augmented. *See* augmented MR microscopy
 - ceramic coils. *See* ceramic coils
 - electrochemical 17
 - high resolution. *See* high resolution MR sensitivity
 - imaging resolution 6
 - limit of detection 4–6
 - mouse brain 289
 - neurotechnologies 12–13
 - in vivo 293
- magnetic resonance spectroscopic imaging (MRSI) 112, 364
- magnetic resonance (MR) studies 337, 344
 - bound and free water 340–342
 - cell wall and cell lumen water 340–342
 - cryoporometry 349–350
 - moisture content 343–344
 - relaxation time distribution 349
 - research cells 384–386
 - water migration 344–348
- magnetization preparation (MP) modules 106, 111–112
- magnetoencephalography (MEG) 66
- magneto hydrodynamic effect 384
- magnetometers 398–399
- manganese-enhanced MRI (MEMRI) 308, 309*f*
- mapping oscillating magnetic fields 396–397
- mass-effect monitor 55–56
- mass transfer–polarization model 198
- Maxwell–Boltzmann statistics 5
- Maxwell equations 29
- mean squared displacements (MSD) 229
- medical products analysis 214–218
 - endotoxin adsorbers 216–217
 - hemodialyzers 214–216
 - medical connectors 218
- membrane(s) 193
 - biofouling 228
 - contacting systems 18, 18*f*
 - distillation process 213
 - flatsheet 193
 - flow velocities 204
 - helix and regular 213, 213*f*
 - micro- and ultrafiltration 209
 - module 193–194, 194*f*
 - polymeric 207–210
- membrane filtration processes:
 - countermeasures 194–196
 - forward and reverse osmosis 218–219
 - magnetic resonance imaging 196
 - medical products analysis 214–218
 - membrane module 193–194, 194*f*
 - membranes 193
 - pressure-driven 194–195
 - sodium alginate solutions. *See* sodium alginate solutions
 - vorticity during 211
 - z-velocity 217*f*
- membrane modules 212*f*
 - denser-packed 196
 - different positions 201
 - fouling 219
 - hollow fiber 193, 196, 197*f*, 201, 214
 - in industrial processes 213
 - membrane filtration process 193–194, 194*f*
 - multichannel 207, 209
 - polymeric multichannel 207–210
 - tubular 198, 200*f*
 - vertical operation 199
- metastability exchange optical pumping (MEOP) 135
- microcoils 136–137, 141, 145, 145*f*, 147
- microcrystalline iron oxide nanoparticles (MIONs) 271
- micro-detection 141–145, 143*f*
- microelectrodes 12

- micro-fluidics system 13, 16, 18, 141
 - microgel solution 213
 - micro Helmholtz coil 8, 9, 10*f*, 17*f*
 - micronized fat crystal (MFC) dispersions 247
 - micro-NMR detectors 17
 - micro total analysis system (μ TAS) 16
 - mineral transport 237
 - minimum deformation template (MDT) 289
 - mobile nuclear magnetic resonance (NMR):
 - biofilms 167–169
 - car tires 158–160
 - compact stray-field NMR sensors 155–158, 156*f*
 - conception 155
 - heritage buildings 162–167
 - hidden wall painting 164–166
 - Mackintosh Library 163–164
 - Roman frescoes 166–167, 167*f*
 - violins 160–162, 161*f*
 - mode frequency, ceramic coils 33–34
 - moisture content (MC) 340, 341*f*, 342*f*, 343–345, 344*f*, 346*f*, 347*f*
 - monitoring MR device 52–53
 - morphometry 288–296, 290*f*
 - challenges 294–296
 - ex vivo 293–294
 - in vivo 292–293
 - mouse models 12–13
 - familial AD. *See* familial AD
 - MRI brain biomarkers 284–285
 - neurodegenerative disease 284
 - sporadic AD 294
 - multi-band SWIFT (MB-SWIFT) 116–121, 121*f*
 - 118*f*, 119*f*
 - advantage 121
 - mandibular invasion 119*f*
 - original SWIFT 116–118, 118*f*, 120*f*
 - spin echo-planar imaging 120*f*
 - sub-voxel excitation 118
 - multi-echo gradient recalled echo (mGRE) 306
 - multifactorial diseases 283, 284
 - multi-phase (gas–liquid, solid–fluid) systems 176
 - multiple echo time gradient echo approach 389
 - multi-slice 204, 272, 321, 323, 325, 328, 413
 - multi-slice multi-echo imaging (MSME) 204
 - multispectral optoacoustic tomography (MSOT) 265
 - mustard seeds 250*f*
- n**
- ²³Na NMR spectroscopy 410, 415*f*, 419, 420*f*
 - electrolyte 415, 416, 418
 - metallic sodium 416, 417*f*
 - one-dimensional 411*f*
 - operando 410, 420
 - in situ and ex situ 410
 - two-dimensional (2D) 410, 414, 418*f*
 - nanoparticles, quasimetallic 418, 420
 - neodymium 61
 - neonatal intensive care unit (NICU) 56–57, 58*f*
 - neurocognitive disorders 288
 - neurodegenerative conditions 283, 284, 310
 - neurofilament light (NfL) 288
 - neuroimaging 77–78
 - neuropsychiatric disorders 77
 - neurotechnologies 12–13
 - neutron imaging 317–318
 - neutron radiography 317, 318*f*, 330
 - Newtonian fluid flow 176
 - niobium titanium (NbTi) 59
 - NMR-MANDHaLa 62
 - NMR MOBILE Lateral Explorer (NMR-MOLE) 156
 - NMR Mobile Universal Surface Explorer (NMR-MOUSE) 156–157, 157*f*, 158, 160, 166, 168
 - applications 158
 - depth profile 164, 165*f*
 - scaffold 163, 163*f*
 - tire analysis 159*f*
 - non-Gaussian ADE dynamics 225
 - nonhyperpolarized species 148
 - noninvasive Faraday-detected MRI 4
 - nonlocal flow behavior 249–251
 - novel SWIFT 125
 - nuclear magnetic resonance (NMR) imaging 3, 7, 101, 133, 177, 357, 384, 392*f*
 - advantage 134
 - biofilms. *See* biofilms
 - compatible battery designs 407
 - cryocoils 136–137, 142–143

- current status and perspectives 148–149
 - design and optimization 8
 - detection coil 141
 - development 425
 - diffusion 158
 - electrochemical active biofilm systems 232
 - flow 141–143
 - heteronuclear 231
 - hyperpolarized species 146
 - intact-plant 238, 240, 241
 - limitations 4
 - lithium 400*f*, 408
 - microcoils 136–137, 147
 - micro-detection 141–142
 - microfluidic domain 13, 17
 - mobile. *See* mobile nuclear magnetic resonance
 - pulsed gradient spin echo 225–227
 - relaxation 158, 427
 - relaxation-time distribution 159, 160
 - root–soil compartment. *See* root–soil compartment
 - scanners 121
 - sensitivity 134–137
 - signal-to-noise ratio 136
 - spin hyperpolarization 134–136
 - 3D-printed 143, 147*f*
 - transformation 103*f*
 - vertical bore 16
 - Xe channel 145
 - nuclear spins 134
 - Nyquist sampling theory 178
- O**
- Octopus Spring 168, 168*f*, 169
 - oil migration:
 - during food preparation 244, 245*t*
 - during shelf life 246, 246*t*
 - oil polarization layer 197, 197*f*, 198, 200, 200*f*
 - one-dimensional image selected in vivo spectroscopy (1D-ISIS) 372, 373*f*, 375
 - open-circuit mode 142
 - osmosis, forward and reverse 218–219
 - organotypic hippocampal slice cultures (OHSCs) 9
 - original SWIFT 105–109, 116–118, 118*f*, 120*f*
 - Overhauser dynamic nuclear polarization (ODNP) 19, 19*f*
- P**
- parahydrogen 146–147, 149
 - parahydrogen-induced polarization (PHiP) 5, 18*f*, 19
 - paramagnetic chemical exchange saturation transfer (PARACEST) 125
 - paramagnetic electrodes 371–375
 - paramagnetic relaxation enhancement (PRE) 266, 318
 - particle imaging velocimetry (PIV) 175
 - PASADENA hyperpolarization 149
 - passive radiofrequency shielding 66
 - patient-monitoring device 52
 - pediatric hydrocephalus 55
 - perfluorooctylbromide (PFOB) 228
 - permanent magnets 61, 62*f*, 63
 - phloem transport 238, 240, 241, 251, 320
 - phosphoenolpyruvate (PEP) 230
 - photoacoustic tomography (PAT) 265
 - photoassimilates 239
 - photosynthesis 237
 - Picea sitchensis* 340
 - plants 317, 239*f*
 - above-ground parts 320–321
 - below-ground parts 321–331
 - development/growth 240
 - photosynthesis 238
 - transport and flow 237–244
 - in vivo 237
 - xylem and phloem transport 251
 - plastic cell capsule 366–367
 - point-of-care (POC) scan 49
 - “easy-to-site suite” scanner 51–57
 - monitoring device 52–57
 - portable scanner 52
 - technological approaches 57–67
 - three levels 50–51
 - point resolved spectroscopy (PRESS) 138
 - polychlorotrifluoroethylene (PCTFE) 367
 - polyetheretherketone (PEEK) 366, 367, 411, 414
 - polyether sulphone membrane 201
 - poly(methyl methacrylate) (PMMA) layer 7

- polytetrafluoroethylene (PTFE) cell 367, 411, 412*f*, 414
- poppy Seeds 250*f*
- pore flow velocity 323
- porous media design 225–227
 - biofilm-impacted model 228
 - filtration devices 227
 - heterogeneous 225
 - MR behavior 426–427
- positron emission tomography (PET) 265, 286
- potentiostatic intermittent titration technique (PITT) 360
- pouch cell battery 365–366, 399, 400*f*
- power loss contributions 31–33
- PowerStream (PS) commercial battery 397
- principal component analysis (PCA) 231, 364, 390
- probes designs 365–367
- pseudo continuous arterial spin labeling (pCASL) 286
- Pseudomonas aeruginosa* 226
- pulsed field gradient (PFG) 320, 322, 365, 368
- pulsed field gradient-stimulated echo rapid acquisition with relaxation enhancement (PFG-STE-RARE) imaging 240, 242, 251
- pulsed gradient spin echo (PGSE)
 - approach 225–227, 230, 320
- pulsed radiofrequency (RF) 101, 109
- pulse-oximeter 52
- q**
- q-space 226, 302, 327
- quantitative susceptibility mapping (QSM) 308, 309*f*
- r**
- radial diffusivity (RD) 297
- radio amplification by stimulated emission of radiation (RASER) 145
- radiofrequency (RF) pulse:
 - AM and FM functions 107
 - amplitude-modulated function 104
 - bandwidth 373, 374
 - coil 64–65
 - frequency modulation 115
 - magnetic field gradient pulses 407
 - perturbation 109
 - propagation, conductive materials 386–389
 - time-dependent amplitude 115
 - transmission 83
- radioisotope imaging 265, 266
- rapid acquisition with relaxation enhancement (RARE) 177, 205, 218, 232, 244, 292, 328
- Rapid-Scan 103
- recirculation system 199
- recombinant tissue plasminogen activator (rtPA) 54–55
- regular membranes 213, 213*f*
- relative error 37, 37*f*
- relative permittivity 31*f*, 32, 37, 41*f*
- relaxation 426–427
- relaxation along a fictitious field (RAFF) 112
- relaxation-time distributions 159, 160
 - depth-resolved 159, 159*f*, 160, 162, 165, 165*f*, 169
 - wood pore 349
- relaxation-time imaging 242
- remote detection 141
- remote sensing approach 18
- resistance-in-series model 195, 197
- resonant Lenz lens 9–11
- resonators 25, 26, 33, 45
 - cylindrical 26, 28*f*
- Resovist® 272
- reverse osmosis modules 218–219
- Reynolds number 198
- rheo-MRI 238, 248, 248*f*, 249, 251
- Ricinus* plants 240
- ring resonators 32, 42, 43*f*
- Roman frescoes 166–167, 167*f*
- root–soil compartment:
 - diagnostics 317–332
 - geophysical 317
 - hydroponically grown roots 321
 - neutron imaging 317–318
 - soil–plant–atmosphere
 - continuum 315–317
 - x-ray computer tomography 317–318
- root water uptake 317, 318*f*, 319*f*
- S**
- Saccharum officinarum* 244
- scanning ISIS (S-ISIS) 371–375, 374*f*

- semi-analytical model (SAM) 37, 37f, 38f
- semi-phenomenological formula 105
- sensors, planar 228
- 7-T system 75–77
- shear-induced migration 247–248
- shear-induced spatial heterogeneities 247–248
- shim magnets 157
- signal amplification by reversible exchange (SABRE) 5, 136, 147, 149, 231
- signal-to-noise ratio (SNR) 5, 6, 9, 11, 26, 80, 81, 83–85, 87f, 242, 284–285
 - ceramic probe function 36f
 - estimation model 33, 37
 - field dependence 83
 - limitations 58
 - micro Helmholtz coil 9
 - NMR experiment 136
 - ultrahigh fields 83–85
- silica polarization layers 199
- silica suspensions 207–210, 209f
- simultaneous transmission and reception (STAR) 121, 122
- single cell metabolic monitoring 6
- single-cell MRI detection 272, 273f, 275
- single-photon emission computed tomography (SPECT) 265
- single point ramped imaging with T_1 enhancement (SPRITE) 176, 346–347, 347f, 393
- “single-sided” approach 52
- single-sided brain scanner 53, 54f
- singlet-assisted diffusion (SAD) 230
- singlet NMR diffusion 228–231
- six-directional icosahedral flow encoding (ICOSA6) 176
- small animal multivariate brain analysis (SAMBA) 289, 290, 291f
- sodium alginate solutions 219
 - ceramic hollow fiber modules 204–206
 - polymeric multichannel membrane modules 207–210
 - T_1 - and T_2 -weighted MRI 207f
- sodium batteries 385
- sodium dendrites 416–418
- sodium dodecyl sulfate 219
- sodium electrolyte 414, 416
- sodium hydroxide 219
- sodium-ion batteries (NiBs) 407
 - distribution and evolution 414–416
 - experimental 411–414
 - lithium-ion batteries 418
 - metallic formation 416–420, 420f
 - NMR investigations 410
- soft food materials 249–251
- softwoods 337, 338, 338f
- soil–plant–atmosphere continuum (SPAC) 315–317, 316f
- solenoid coils 44f, 137, 398
- solid electrolyte 370–371
- solid–electrolyte interface (SEI) 384, 396
- solid synthetic membranes 193
- sparse canonical correlation analysis (SCCA) 307
- specific absorption ratio (SAR) 88
- spectroscopic SWIFT (S-SWIFT) 112–114
- spectroscopy 16, 364
 - high-field NMR 426
- spin echo multi-slice pulse sequence (SEMS) 319, 319f
- spin echo pulse sequence 216, 252, 413
- spin-exchange optical pumping (SEOP) 135, 144, 146
- spin hyperpolarization 134–136, 143
- spin–spin relaxation time 346, 349
- spiral-wound modules 218–219
- Stachys sylvatica* stem 320, 320f
- Staphylococcus aureus* 272
- state of charge (SOC) 389, 390, 393
- statistical distributions 301
- steady-state free precession (SSFP) 138
- stem cells, neuronal 12
- stimulated echo acquisition mode (STEAM)
 - signal 138, 242, 243f, 325
- stimulated echo acquisition mode multi-slice imaging (STEAM-MSI) 325–327, 329,
- stimulated echo multi-slice imaging (STEMSI) 323, 325
- stimulated emission depletion (STED)
 - microscopy 4
- stray-field MR imaging (STRAFI) 367
- stray-field sensors 155–158, 156f, 162, 169
- stripline coils 137

- structured fiber's surface 203, 203f
sucrose transport 237, 238, 240, 241
supercapacitors 365
superconducting solenoid magnets 59–61, 60f
superior parietal lobule (SPL) 80
superparamagnetic iron oxide particles (SPIOs) 271
“super-resolution” approach 118
Swagelok cells 367, 411, 414
sweep imaging with Fourier transformation (SWIFT) 101, 105f, 124–125
 artifact and correction 107–109
 bullseye artifacts 107, 108f
 components 105–109
 continuous 121–124, 122f
 excitation function 102–103
 ex vivo 110f
 gradient-modulated 114–116, 115f, 117f
 Look-Locker approach 112
 multi-band 116–121, 118f, 119f
 spectroscopic 112–114
 steady-state magnetization 111
 tailored excitation profile 103–105
 using MP modules 111–112
 variable flip angle 110
sweet-spot sensor 155, 156, 156f
swept-frequency pulse 102
synthetic bromoacrylate (BrAc-STAG) 230
systems integrating hyperpolarization 148
- t**
tabletop spectrometers 155
tau 283, 286, 288
Teflon cylinder system 226
temporal SNR (tSNR) 81
tensor network principal components analysis (TNPCA) 304f
thermodynamic equilibrium 134, 246
Thermus aquaticus 168
13-interval pulse sequence 323, 327
three-dimensional (3D) Li MRI 408, 408f
3D-printed nuclear magnetic resonance 143, 147f
 T_1 map 112, 319
3-T head scanner 51f, 52
time-domain reflectometry probes (TDR) 317
time-lapse MRI 273, 275, 274f
tracer tracking 318–320
tracheid cells 338
training set model 308
transcendental equation 33
transformative food processing 238
transmembrane pressure (TMP) 200, 201
transmission electron microscopy (TEM) 277
transmitter duty cycle 106
transport:
 distribution 241–244
 foods 244–246
 fruits 238–244
 plants 237–244
 soil–plant–atmosphere continuum 315–317, 316f
 water 339
 xylem 238, 239, 239f, 240, 241, 316
transverse electric (TE) mode 26, 28
 cylindrical resonator 28f
 disk resonator 29, 33, 34f, 35f
 ring resonators 43f
transverse plane signal reduction 268
transverse relaxation-time distribution 160
true fast imaging and steady precession (TrueFISP) sequence 138
tubular membrane module 198, 198f, 200f, 212.
 See also hollow fiber membranes
two-dimensional Fourier transform (2DFT)
 velocity 214
two-dimensional (2D) ^{23}Na NMR spectroscopy 410, 414, 415f, 418f
two-dimensional NMR pulse sequences theory 427
two-dimensional phase-contrast (2DPC) 214
- U**
ultimate intrinsic SNR (uiSNR) 83–87
ultrafast MRI:
 bubble burst hydrodynamics 179–185
 chemical engineering 175–176
 engineering applications 176–178
 time-averaged approach 176
ultrafast Z-spectroscopy 140
ultrahigh field (UHF) imaging:

advantages 80, 82
 dense arrays 83–85
 functional magnetic resonance
 imaging 79–82
 human torso 88–89, 89*f*
 magnetic fields 83–85
 neuroimaging 77–78
 signal-to-noise ratio 83–85
 ultralow field (ULF) 58
 ultrashort echo time (UTE) 101, 138, 178, 252,
 347
 ultrashort *TE* spectroscopic imaging
 (UTESI) 113
 ultrasmall iron oxide particles (USPIOs) 271
 unilateral nuclear magnetic resonance
 (UMR) 344*f*, 345
 unsaturated chemical compound 135

V

validation, ceramic coils 37–38
 variable flip angle (VFA) 110, 112
 variable-rate selective excitation (VERSE) 115
 velocity mapping 183*f*
 bubble burst 183–185
 evolution 186*f*
 flow process 327, 328
 MRI 320–331
 out-of-plane 185*f*
 single-component transverse 183
 three-component 184–186
 two-dimensional 211*f*
 ventral posteromedial nucleus 120*f*
 ventricular system 55
 vertical bore NMR systems 16
 very small iron oxide particles (VSOPs) 271
Vicia faba 326, 328*f*, 329*f*
 violins 160–162, 161*f*
 volume of interest (VOI) 84
 voxel-based analysis (VBA) 292, 295, 295*f*, 296
 voxel-based morphometry (VBM) 295

W

wall paintings 164–166, 165*f*
 Wasserstein distance 301, 302*f*
 water:
 activity 246
 bound and free 340–342
 cell lumen 340–342, 341*f*, 345
 flow 315–317, 316*f*, 318*f*
 during food preparation 244, 245*t*
 saturation 166
 during shelf life 246, 246*t*
 transport 339
 tube 35*f*
 wood materials. *See* wood materials
 well-logging applications 426–428
 whole-body scanner design 50
 wide-bore systems plants 252
 wide-gap geometries 252
 wireless Lenz lens (LL) 9
 wood materials 337–339, 344*f*
 macroscopic structure 338–339, 339*f*
 MR cryoporometry studies 349–350
 oven-dry weight 343
 pore space 349–350
 products industry 343
 science 340
 water migration 344–348
 water states 340–348

X

Xe MRI-based pH sensors 139*f*
 xenon in–out exchange 139
 x-ray computer tomography (XCT) 317–318,
 407
 x-ray imaging 179
 xylem transport system 238, 239, 239*f*, 240,
 241, 316, 320

Z

zero echo time (ZTE) 101, 124, 138, 178











