

Index

a

- accelerated stability testing (AST) 162
- activated carbon nanofiber (AC-CNF) 243
- activation losses 144, 145, 151–152
- 4,4'-((1r,3r)-adamantane-2,2-diyl)bis (benzene-1,2diol) 78
- Aemion PBI polymer 284
- air separation membrane 89, 91, 93
- alkaline electrolysis 262, 263
- alkaline electrolyte membrane fuel cell 137
- alkaline exchange membranes (AEMs)
 - liquid electrolytes 276–278
 - NHA-based polymers for 186
 - physical and electrochemical properties 280–283
- alkaline exchange membrane water
 - electrolysis (AEMWE) 261, 274–276
- anion exchange membranes 277–278
 - AEMs and AEIs 296–298
 - chemical stability of cationic groups 290–293
 - commercial membranes 278–290
 - durability 294–296
 - ionomers 293–294
 - AWE vs. AEMWE 276
- alkaline fuel cell (AFC) 138, 140, 142
- alkaline water electrolysis (AWE) 257
 - alkaline electrolysis 262, 263
 - history of 261–263
 - major issues 263–264
- alkaline water electrolyzer (AWE) 261
- amorphous fluoropolymers 64–66
- amorphous perfluorinated polymers 65
- anion exchange ionomers (AEIs) 180
 - critical properties of 294
 - fuel cell 199
- anion exchange membrane (AEM) 13, 164, 180, 275, 277–278
- AEMs and AEIs 296–298
- ammonium groups stability 182–187
- chemical stability of cationic groups 290–293
- commercial membranes 278–290
- ionomers 293–294
- stable polymer backbones
 - aryl ether polymers 187–188
 - Diels-Alder polymer-polyphenylene 189, 191
 - poly(aryl piperidinium)s 191–195
 - polybenzimidazole and SEBS 188–189
 - poly(norbonene) 188–190
 - radiation grafted AEM 193–198
- water management 198–199
- anion exchange membrane fuel cells (AEMFCs) 135, 140, 180–182
- ammonium groups and their stability 182–187
- BTMA–spirofluorene ionomers 191
- and PEMFC 141
- polarization and power density curves 190
- power density of 194

- anion exchange membrane fuel cells (AEMFCs) (*contd.*)
- stable polymer backbones
 - aryl ether polymers 187–188
 - Diels-Alder polymer-polyphenylene 189, 191
 - poly(aryl piperidinium)s 191–195
 - polybenzimidazole and SEBS 188–189
 - poly(norbonene) 188–190
 - radiation grafted AEM 193–198
 - water management 156, 198
 - anion exchange membrane water
 - electrolysis (AEMWE) 5, 6, 257, 261, 262, 265, 274, 275
 - and AWE 276
 - effect of AEMs on 287
 - liquid electrolytes 276–277
 - outlook for 296–298
 - pure water fed 285
 - area-specific resistance (ASR) 153, 155, 189, 196
 - aromatic polyimides 58, 81, 83
 - Arrhenius equation 4, 40, 44, 53
 - aryl ether polymers 187–188
 - asymmetric membranes 4, 9, 11–13, 29–33, 55, 57, 92, 229, 312
 - auxiliary power units (APU) 273
 - Avogadro's number 147
 - 6-azonia-spiro[5.5]undecanium (ASU) 184–187, 199, 290, 292, 293
- b**
- battery separator 6, 11, 12, 26, 218, 222–226, 230, 241–243
 - benzyltrimethyl ammonium (BTMA) 182, 184, 186–189, 191, 192, 195, 196, 199, 205, 289
 - biogas, CO₂ 110–112
 - biological membrane 14
 - 3,3',4,4'-biphenyltetracarboxylic dianhydrides (BPDA) 87
 - 2,3-bis(3,4-dicarboxy-phenyl)hexafluoropropane dianhydrides 87
 - bismaleimides (BMIs) 86
 - bis(*o*-hydroxyl)maleamic acid (BHMAA) 86
 - bis(phenazine)-based tetrahalide monomer 78
 - 1,2-bis(*p,p*-vinyl-phenyl)ethane (BVPE) 167, 179
 - block copolymers 170
 - AFM 172
 - Brackish Water (BW) 270
 - Brunauer-Emmett-Tellet (BET) mode 42
 - BTMA-functionalized ethylene-tetrafluoroethylene (BTMA-ETFE) 195, 196, 199
 - BTMA-functionalized low-density polyethylene (BTMA-LDPE) membrane 195, 196, 199
 - Buttler-Volmer equation 151
- c**
- carbon capture and storage (CCS) 4, 102, 107
 - carbon dioxide-selective separation 101–102
 - post-combustion flue gas 102–108
 - recovery from biogas 110–112
 - removal from natural gas 109–110
 - carbon molecular sieve membranes 100
 - carbon molecular sieves (CMS) 48, 49, 99
 - catalyst coated membrane (CCM) 271
 - cation exchange membranes (CEMs) 13, 137, 157, 168–177, 278
 - cellulose acetate (CA) 4, 5, 30, 40, 55–57, 94, 109
 - cellulose triacetate (CTA) 56, 318, 323, 327
 - ceramic-based membranes 20
 - ceramic composite separators 231, 232
 - ceramic-incorporated separators 231
 - ceramic membranes 20–22
 - charge transfer coefficient 151
 - cohesive energy density (CED) 45, 64

composite membranes 21, 68, 227
 separators 230–233
 thin-film 4, 33–34, 270, 322
 composite separators 231, 232, 238, 247
 compound annual growth rates (CAGR)
 4, 5, 203, 221
 concentration polarization (CP) 42, 313,
 317, 318, 324
 copolymerization 59, 65, 78, 83, 84, 89,
 142, 158, 164
 copolymers with intrinsic microporosity
 (CoPIMs) 79
 CO₂-selective membranes 52
 covalent organic frameworks (COFs) 48,
 69–71, 73, 101
 crosslinked polymers 18
 CTA membrane 56, 318
 Cynara membrane plant 109, 110

d

D-A polyphenylenes (DAPPs) 191, 192
 Darcy's law 225
 deionized water (DI) 276–278, 291, 323
 density functional theory (DFT) 184, 291
 diamino benzoic acid (DABA) 89
 1,4-diazabicyclo[2.2.2]octane (DABCO)
 196, 288
 Diels-Alder polymer-polyphenylene
 189, 191, 192
 diethyl carbonate (DEC) 218, 238
N,N-dimethylformamide (DMF) 230,
 234, 323, 325
 dimethylacetamide (DMAc) 323
 dimethyl piperidinium (DMP) 184–187,
 199, 290, 292, 293
 diphenyl isophthalate (DPIP) 66
 direct methanol fuel cell (DMFC) 5, 135,
 182
 advantages 181
 membranes in 177–180
 divinyl benzene (DVB) 167, 179
 dope solution 22, 24–30
 dry process 5, 221, 227–228, 247
 dual-mode sorption mode 42, 47

e

electrical power 144, 316, 317
 electrochemical reactions 139, 141,
 143–145, 151, 160, 218, 222, 240,
 277
 electrolysis, hydrogen production 260
 electrolyte membranes 137, 138, 140,
 156, 166, 232, 242, 261, 264, 266,
 267
 electrolytic cells 266
 electromotive force (EMF) 147–150
 electronic conduction 143–145
 energy crisis 1, 298
 energy storage system (ESS)
 gel polymer electrolytes 233–234
 lithium ion batteries 217–221
 next-generation li battery 239–247
 polymer electrolytes
 polyolefin 234
 poly(vinylidene fluoride-hexafluoro
 propylene) 238–239
 PVDF 234–238
 equivalent weight (EW) 143, 159, 290
 ethanoanthracene (EA) 80, 81, 88
 ethylene carbonate (EC) 218, 238, 239,
 243
 ethyl methyl carbonate (EMC) 218
 exchange current density 151–153, 155
 external concentration polarization (ECP)
 313, 314, 317

f

FAA3 membrane 279
 facilitated transport mechanism 99
 facilitated transport membrane (FTM)
 100, 104, 107
 Fickian diffusion 41, 161
 Fick's first and second laws 43
 Fick's second law 4, 40, 43
 flat sheet membranes 13, 33–34, 61, 106
 Flory-Huggins mode sorption 42
 fluoropolymer 55, 64–66, 135, 142, 160,
 163–168, 204, 205, 217, 230, 234,
 235, 247
 fossil fuels 1–3, 95, 102, 257–261

- Fourier's law 44
- fractional free volume (FFV) 44, 58, 59, 63, 65, 79, 83, 84, 87, 88, 100
- free volume (V_f) 19, 20, 44, 48, 55, 56, 58, 61, 63–66, 68, 69, 75, 76, 78, 79, 81, 83, 87, 97, 100, 201, 322
- fuel cell 96
- advantages of 140
 - anion exchange ionomers 199–202
 - anion exchange membrane 180–182
 - ammonium groups stability 182–187
 - water management 198–199
 - basic principles of 145–151
 - classification of 140–141
 - demonstration of 135
 - development history 141–143
 - direct methanol membranes 177–180
 - electrochemical engines 138–140
 - electrochemical principles 143–157
 - performance 144–145
 - proton exchange membrane 157–158
 - hydrocarbon-based cation exchange membranes 168–177
 - Nafion characteristics 159–162
 - PEM composite 163
 - perfluorosulfonic acids 158–159
 - radiation grafted fluoropolymer 163–168
 - stacks-MEA 177
 - vehicle market 202–204
 - voltage losses 151
 - activation losses 151–152
 - fuel crossover and internal currents 153
 - mass transport and concentration losses 154–155
 - ohmic losses 153–154
 - water management 156–157
- fuel cell electric vehicle (FCEV) 203, 260
- fuel crossover 153, 155, 167, 182, 204
- g**
- garnet-type lithium electrolyte 244
- garnet-type solid electrolytes 244, 245
- gas diffusion electrodes (GDE) 190, 200
- gas diffusion layer (GDL) 142, 177, 178, 180, 201
- gas-fired power plant 3
- gas permeation unit (GPU) 56, 97
- gel polymer electrolytes 233–234, 238
- Gibbs free energy 14, 15, 22, 23, 27, 145–149
- glass transition temperature 18, 19, 45, 46, 64, 158, 159
- glassy polymers 20, 45–49, 51, 54, 55, 57, 61–64, 66, 68, 75, 79, 83, 94, 112
- global primary energy consumption 2
- GO nanosheets 72, 73
- graphene-based membranes 70
- graphene oxide (GO) membrane 242
- green-house gas (GHG) 101
- green hydrogen 94, 95, 257, 258, 275, 298
- green hydrogen energy system 258
- grey hydrogen 94, 260
- h**
- Henry's law 41, 42, 48, 161
- hexafluoroacetone (HFA) 65
- hexamethylterphenyl-polydimethylbenzimidazole (HMT-PDMBI) 279
- hexyltrimethylammonium (HTMA) 192
- higher heating value (HHV) 148, 260
- hollow fiber membrane module 35, 312
- hollow fiber membranes 14, 30, 31, 67, 89, 99, 321
- hollow fiber (HF) PI membranes 59
- homogeneous dense membranes 12–13
- HTMA-DAPP 289–291
- hydraulic pressure 311–313, 318–320, 324, 327
- hydrocarbon-based cation exchange membranes 168–176
- hydrocarbon-based membranes 268, 270, 279
- hydrocarbon/hydrocarbon separation 97–101
- hydrocarbon polymer 26, 64, 165, 176, 204
- hydrogen economy 95, 260

- hydrogen fueling stations (HRS) 203, 204
- hydrogen gas 78, 136, 150, 203, 258, 298
- hydrogen oxidation reaction (HOR),
electrocatalysis of 182
- hydrogen separation membranes 95
- hydroxyl-containing polyimide 83
- Hyflon® AD 65, 66
- i**
- inorganic membranes 20, 21, 48, 66, 100
- integrated gasification combined cycle (IGCC) 101
- internal concentration polarization (ICP) 313, 317–319, 321, 322
- inverse ion exchange capacity 159
- ion exchange capacity (IEC) 157, 159, 167–170, 172, 175, 180, 192, 194, 198, 269, 279, 288, 290, 296
- ion exchange membranes 13
radiation grafting for 166
- ionic conduction 141, 143, 144
- ionomers
alkaline exchange membrane water electrolysis 293–294
anion exchange 199–202
proton exchange membrane water electrolysis 271–273
- l**
- ladder-like polymers 81
- landfill gas 40, 89, 110
- Laplace equation 223
- Li-air battery separator 241–242
- Li-based batteries, electrochemical reactions in 240
- LiPON, advantages of 244
- LiPON based thin-film ASSB 245
- liquid electrolytes 156, 218, 219, 222, 223, 225, 226, 232, 233, 240, 242–244, 246, 247, 263, 264, 276–277, 294, 295
- lithiated Nafion membrane 243
- lithium ion battery (LIB) 217–219
- battery market, separator market 218, 220–221
- fluoropolymer-based separators for 235–237
- gel polymer electrolytes 233–234
- next-generation 239–241
Li-air battery separator 241–242
Li-S battery separator 242–243
solid-state Li ion battery 243–247
- polymer electrolytes
polyolefin 234
poly(vinylidene fluoride-hexafluoro propylene) 238–239
PVDF 234–238
- separator fabrication 227–233
composite membrane 230–233
dry process 227–228
modification 230
nonwoven membranes 230
wet process 228–229
- separators 218, 220–226
- separator types 226–227
- typical parameters for 224
- variety of properties 222–223
- worldwide market from 1990 to 2015 220
- lithium-ion gel polymer cells 238
- lithium phosphorous oxynitride (LiPON) 244, 245
- long-side-chain (LSC) 158, 159, 271, 288, 293
- low density polyethylene (LDPE) 164, 195–197, 199, 202, 234, 288
- lower heating value (LHV) 148, 149, 265
- m**
- MacMullin number 225
- mass transport in membranes 14–16
- membrane-based gas separations 5, 39
applications
air separation 89–94
carbon dioxide-selective separation 101–103
hydrocarbon/hydrocarbon separation 97–101

- membrane-based gas separations (*contd.*)
 - hydrogen separation 94–96
 - polymer membranes
 - amorphous fluoropolymers 64–66
 - cellulose acetate 55–57
 - diffusivity-selective polymer membranes 48–50
 - glassy polymers 46–48
 - limitations of 52–55
 - membrane material selection 48–52
 - mixed matrix membranes 68–74
 - permeability and selectivity 41–44
 - polybenzimidazole 66–68
 - polyimides 58–59
 - polysulfone 57–58
 - pressure-dependence of gas transport 45–46
 - siloxane polymers 59, 61–62
 - solubility-selective membrane 49–52
 - substituted polyacetylenes 61–64
 - temperature-dependence of gas transport 44–45
 - promising polymers
 - high-performance polyimides 86–89
 - intrinsic microporosity 75–82
 - Pebax 74–75
 - thermally rearranged polymer 81, 83–86
 - vapor/gas separation 112–113
- membrane-based separation technology 97
- membrane electrode assemblies (MEAs) 5, 36, 102, 107, 139, 162, 166, 167, 176, 178, 200, 264, 267, 268, 271, 272, 287, 288, 291, 294, 297
- membrane fabrication
 - asymmetric membranes 29–33
 - flat sheet membranes 33–34
 - thin film composite membranes 33–34
- membrane gas separation systems 4
- membrane module fabrication 34–37
- membrane technology 3
 - current state-of-the-art 5–6
 - history of 3–6
 - mass transport 14–16
 - materials 17–22
 - materials and structure 10–11
 - homogeneous dense membranes 12–13
 - ion exchange membranes 13
 - membrane shapes 13–14
 - porous membranes 12
 - symmetric and asymmetric membranes 11–12
 - membrane and function 9–10
 - membrane fabrication
 - asymmetric membranes 29–33
 - flat sheet membranes 33–34
 - thin film composite membranes 34
 - membrane module fabrication 34–37
 - membrane preparation
 - nonsolvent-induced phase separation 25–27
 - thermally induced phase separation 27–29
 - thermodynamics of phase separation 22–25
 - three-component phase diagram 23
 - polymer materials 18–20
 - inorganic membranes 20–22
 - physical state and properties 19–20
 - separation property 16–17
- Mesh Adjustable Molecular Sieve (MAMS-1) 73
- mesoporous silica 163
- metal-organic framework (MOF)/GO-based battery separator 243
- microporous membranes 34, 227–233
- mixed matrix membrane (MMM) 68–74, 98, 100
- molecular sieves 48, 49, 66, 73, 99, 100, 102
- molten carbonate fuel cells (MCFC) 140–141
- monolayer separator 234
- multilayer separators 229, 234, 247

n

- Nafion
 characteristics of 159–162
 chemical structure of 267
 degradation of 162
 ionomer 159, 160, 271, 272
 membrane 5, 142, 159–163, 166, 179,
 180, 204, 243, 267, 269, 270
 nanofibrous membranes 319, 321–322
 Nernst equation 149, 150
 next-generation, Li-S battery separator
 241
 N-heterocyclic ammonium (NHA)
 184–186, 291
 N-methyl pyrrolidone (NMP) 30, 234
 non-solvent-induced phase separation
 (NIPS) 24–25
 additives 26
 casting temperature 26–27
 polymer concentration 26
 polymer types 26
 non-woven membranes 226, 227, 230,
 231
 nonwoven separators 234
 nuclear fuels 259
 nuclear power 2
 nucleation-growth (NG) model 29

o

- on-board inert gas system (OBIGS) 91,
 92
 open circuit voltage (OCV) 145,
 147–150, 152, 153, 155, 162, 178,
 241
 Orion TM1 polymer 285
 osmotic heat engine (OHE) 317,
 327–328
 osmotic power 311–314, 324
 4,4'-oxidiphthalic anhydrides (ODPA)
 87
 oxygen reduction reactions (ORR) 162,
 182, 205

p

- perfluorinated film-based membranes
 167
 perfluorosulfonic acid (PFSA) 135,
 158–159, 201, 269, 270
 drawbacks of 168
 membranes 5, 264
 polymers 157
 permeability of separators 225
 PFTP polymer, structure of 286
 phase inversion process 12, 28, 30, 229,
 247
 phase separation, thermodynamics of
 22–25
 phosphoric acid fuel cells (PAFC) 140
 PiperION polymer 285
 plastic lithium-ion cell (PLIOJN) 238
 PNB ionomer 289, 296, 297
 Polaris® membranes 102
 polyacetylene-based polymers 61
 polyacrylonitrile (PAN) 26, 226, 234, 318
 PolyActive™ membranes 103
 poly(amide-6-b-ethylene oxide) (PEBAX®)
 74–76
 polyamide-imide (PAI) 59
 poly(arylene ether ketone)-gc-sulfonated
 poly(arylene ether sulfone)
 (PAEK-gc-SPAES) 173
 polybenzimidazole (PBI) 66–68, 81, 163,
 168, 179, 181, 188, 189, 200,
 269–271, 278, 279, 284, 287, 288
 poly(benzoxazole-co-imide) membranes
 83
 polycarbazole 278
 polydimethylsiloxane (PDMS) 49, 51,
 58, 59, 61, 62, 93, 112
 poly(ether ether ketone) (PEEK) 179,
 187, 271, 278, 279
 polyethersulfone (PES) 26, 319, 321
 polyethylene (PE) 6, 36, 75, 97, 112, 164,
 166, 179, 181, 195, 202, 225–229,
 231, 232, 234, 247, 278, 288
 poly(ethylene oxide) (PEO) 26, 52, 59,
 75, 200, 233, 234, 244

- poly(ethylene terephthalate) (PET) 33, 34, 226
- poly(flourenyl aryl piperidinium) (PFAP) membranes 193, 278
- polyimides incorporating TB units (PI-TBs) 88, 89
- polyimides (PI), polymer membrane materials 58–59
- polymer concentration 26, 27, 30
- polymer electrolyte membrane (PEM) 135, 137, 140, 142, 157, 160–168, 170, 176, 177, 199, 204, 264–268, 274, 290
- polymer electrolyte membrane water electrolysis (PEMWE) 261
- polymer electrolytes 233
 - development of 233
 - polyolefin 234
 - poly(vinylidene fluoride-hexafluoro propylene) 238–239
 - PVDF 234–238
- polymer membranes
 - advantages of 39
 - amorphous fluoropolymers 64–66
 - cellulose acetate 55–57
 - diffusion mechanisms of gas 41
 - diffusivity-selective polymer membranes 48–50
 - glassy polymers 46–48
 - limitations of 52–55
 - membrane material selection 48–52
 - mixed matrix membranes 68–74
 - permeability and selectivity 41–44
 - polybenzimidazole 66–68
 - polyimides 55, 58–60
 - polysulfone 57–58
 - pressure-dependence of gas transport 45–46
 - siloxane polymers 57, 59, 61
 - solubility-selective membrane 47, 49–52
 - substituted polyacetylenes 61–64
 - temperature-dependence of gas transport 44–45
- polymer membrane technology 18
 - inorganic membranes 20–22
 - physical state and properties 19–20
 - polymer-solvent interaction 28–29
 - polymers with intrinsic microporosity (PIMs) 75–82
 - physical and permeation properties 82
 - poly(4-methyl-1-pentene) 89
 - poly(4-methyl-2-pentyne) (PMP) 63, 68, 69, 112, 187
 - poly(norbonene) (PNB) 188–189, 198, 289, 292
 - chemical structure of 190
 - ionomer 289
 - membranes 188–190
 - polyolefin 5, 112, 217, 226–228, 230–232, 234, 235, 238, 242
 - polyphenylene, AEMs 278
 - poly(phenylene oxide) (PPO) 63, 74, 181, 186, 187, 278, 288
 - polypropylene (PP), battery separators 226
 - poly(aryl piperidinium)s 186, 191–195
 - polystyrene 100, 166, 179, 278, 279, 289
 - poly(styrene sulfonic acid) (PSSA) 142, 167, 168
 - polysulfone 4, 5, 26, 30, 33, 34, 49, 51, 55, 57–58, 61, 63, 88, 94, 96, 179, 196, 278, 288, 319
 - poly(terphenyl piperidinium) (PTP) membranes 191, 192, 287
 - polytetrafluoroethylene (PTFE) 26, 64, 157, 162, 163, 167, 189, 197–199, 201, 272, 279, 287, 297
 - poly(1-trimethylsilyl-1-propyne) (PTMSP) 61–66, 68, 69, 83, 90, 93, 112
 - polyvinylamine (PVAm) 104, 106, 107
 - poly(4-vinylbenzyl chloride-co-styrene) 279
 - poly(vinylidene fluoride) (PVDF) 26, 29, 64, 100, 164, 166, 167, 182, 193, 194, 200, 204, 218, 226, 227, 230, 234–239, 247, 321
 - poly(vinylidene fluoride-hexafluoro propylene) (PVDF-HFP) 26, 100, 232, 234, 238–239, 242

- poly(vinyltrimethoxysilane) (PVTMS) 168
- pore dimension 223
- pore size distribution 18, 27, 84, 86, 223, 229
- porosimetry techniques 223
- porosity 26, 27, 29, 57–59, 73, 138, 223, 225, 226, 228–230, 234, 313, 318, 319
- porous membranes 5, 10, 12, 14–16, 23, 26, 29, 34, 36, 58, 226, 232, 318
- positron annihilation life time spectroscopy (PALS) 76, 78
- power generation membranes
 energy obtained from PRO 314–317
 hybrid systems with membrane distillation 324–328
 osmotic power 311–314
 pressure retarded osmosis membranes 317–318
 cellulose triacetate membrane 318
 nanofibrous support membrane 321–322
 selective layer 321–324
 sponge-like porous structure 320–321
 support membrane 319–320
 thin film composite membrane 318–319
 water energy nexus and membranes 309–310
- pressure-retarded osmosis (PRO) membranes 310–312, 317
 cellulose triacetate membrane 318
 nanofibrous support membrane 321–322
 selective layer 321–324
 sponge-like porous structure 320–321
 support membrane 319–320
 thin film composite membrane 318–319
- pressure swing adsorption (PSA) systems 89, 93, 95
- PRO-MD hybrid system 324–325
- proton exchange membrane fuel cell (PEMFC) 5, 135, 140
 advantages 181–182
 cathode catalyst layer of 159
- proton exchange membranes (PEMs) 137, 157
 composite 163
 hydrocarbon-based cation exchange membranes 168–176
 Nafion characteristics 159–162
 perfluorosulfonic acids 158–159
 radiation grafted fluoropolymer 163–168
 stacks-MEA 176, 177
- proton exchange membrane water electrolysis (PEMWE) 1, 5, 257, 264
 advantages of 266
 disadvantages of 266–267
 ionomers 271–273
 membranes 267–271
 technical achievements and applications 273–274
- proton exchange membrane water electrolyzer (PEMWE) 261
- pulverized coal 3
- q**
 quantum mechanics (QM) 162
- r**
 radiation grafted AEM 193–198, 202
 radiation grafted fluoropolymer 163–168, 204
 radiation-grafted ion exchange fluoropolymers 164
 radiation-grafting methodology, advantages 166
 reactive ionic liquids (RILs) 100
 reverse electrodialysis (RED) 261, 316, 317
 reverse osmosis (RO) 4, 11, 29, 30, 33, 34, 36, 40, 55, 270, 311, 312, 314, 315, 317, 318, 322, 324, 327

- RO-MD-PRO hybrid system 327
 rubbery polymers 20, 45, 46, 51, 52, 54, 59, 61, 68, 112
- S**
- sea water reverse osmosis (SWRO) 317, 326, 327
 short-side-chain (SSC) 158, 159, 268, 271, 273
 siloxane-based elastomers 59
 siloxane polymers 57, 59, 61–62
 single walled carbon nanotubes (S-SWCNT) 163
 sodium dodecyl sulfate (SDS) 323
 solid electrolyte interphase (SEI) 243
 solid electrolytes 140, 233, 241, 244–247, 264
 solid oxide fuel cell (SOFC) 5, 141, 150, 153
 solid-polymer electrolyte (SPE) 244
 solid-state electrolytes 244, 246
 solid-state Li ion battery 243–247
 solubility-selective membrane 49–52
 spiral wound module 35, 56, 106
 spirobisindane (SBI) 78–81, 84, 88
 spriobifluorene (SBF) 79, 81, 84, 88
 styrene–ethylene–butylene–styrene polymer (SEBS) 187, 188, 289
 styrene sulfonic acid (SSA) 142, 168
 sulfide-based solid electrolytes 246
 sulfonated poly(phenylene sulfone)s (sPPSs) 269
 sulfonated PPO (SPPO) 170, 173
 supported liquid membrane 99
 sustainion membrane 279, 284
 Suzuki-Miyaura coupling reaction 191
 SWRO-PRO-MD trihybrid system 327
 SWRO-PRO system 325–327
 symmetric membranes 11–12
 synthetic membranes 4, 9, 10, 14, 15
- t**
- Tafel equation 151
 Tafel plots 151
- tetrafluoroethylene (TFE) 65, 142, 158, 159
 tetrafluoroterephthalonitrile (TFTPN) 79
 5,5',6,6'-tetrahydroxy-3,3,3',3'-tetramethylspirobisindane (TTSBI) 79
 tetramethyl ammonium (TMA) 182, 184, 187, 196, 202, 288, 291
 thermally-induced phase separation (TIPS) 24, 31–33
 additives effect 29
 basic procedure for 27–28
 cooling rate effect 29
 polymer-solvent interaction 28–29
 thermally rearranged polybenzoxazole (TR-PBO) 83, 84
 thermally rearranged (TR) polymer membranes 72, 74, 81, 83–86, 319, 321, 322
 thermal rearrangement 83, 84, 86
 thermal shrinkage 223, 225
 thermodynamic efficiency 148
 thin film composite (TFC) 34, 73
 membrane 4, 33, 34, 270, 318–319, 322
 thiourea-crosslinked GO (TU-GO) membranes 72
 three phase boundary (TPB) 138, 200, 271
 tortuosity factor 225
 triallyl cyanurate (TAC) 167
 2,2,4-trifluoro-5-trifluoromethoxy-1,3-dioxole (TTD) 65
 trimethylamine (TMA) 182, 184, 187, 193, 194, 196, 202, 288, 291
 triptycene-containing PIMs (TPIMs) 79
 Troger's Base (TB) 88
 turbine-based system (TBS) 325–327
- u**
- ultrahigh molecular weight polyethylene (UHMWPE) 228–229, 234
 UOP Separex membrane systems 109

V

- van't Hoff equation 45
- vinylbenzyl chloride (VBC) 193, 194, 196, 202, 279, 288
- volatile organic compound (VOC) 5, 112

W

- water electrolysis 261
 - alkaline exchange membrane 274–276
 - anion exchange membranes 277–293
 - AWE vs. AEMWE 276
 - liquid electrolytes 276–278
- alkaline water electrolysis 261
 - alkaline electrolysis 263
 - history of 261–263
 - major issues 263–264
- hydrogen production, global wind power capacity 260
- proton exchange membrane water electrolysis 264–265
 - advantages of 266
 - disadvantages of 266–267
 - ionomers 271–273

- membranes 267–271
 - technical achievements and applications 273–274
 - technology 259, 262, 276
- water electrolyzer technology 261
- water energy nexus and membranes 309–310
- water-gas-shift (WGS) reaction 96, 101
- water, in PEMFC and AEMFC 156
- water management 138, 143, 156–157, 159, 182, 309
 - anion exchange membrane 198–199
- wet process 5, 221, 227–229, 232, 247
- wettability 200, 226, 230–232, 243
- world energy consumption 1

y

- Y₂O₃-stabilized ZrO₂ (YSZ) 141

Z

- zeolitic imidazole framework (ZIF)
 - membranes 73, 97, 98, 101
- ZIF-8 membranes 98

