

Index

a

- acid caseins 20
- β -(1,4)-2-acetamido-2-deoxy-
 β -D-glucopyranose 90
- N*-acetyl-D-glucosamine 23, 133
- N*-acetyl glucosamine 90
- active packaging materials 144, 164,
 266, 286, 302, 309
- active packaging systems
 - effect of metal and metal oxide
 nanoparticles
 - antimicrobial activity 157–161
 - barrier properties 156–157
 - mechanical properties 155–156
 - morphology 153–155
 - optical properties 163
 - photocatalytic properties
 162–163
 - scavenger properties 161–162
 - structure 152–153
 - environmental impact
 - biodegradability 166–167
 - life cycle assessment 167–168
 - recyclability 167
 - functionalities of 286
 - incorporation of metal and metal
 oxide nanoparticles
 - casting 150–151
 - electrospinning 151–152
 - extrusion 150
 - physical vapor deposition 151
 - metal and metal oxide
 nanoparticles
 - alkali and alkaline-earth NPs
 145
 - hybrid NPs 147
 - noble metal NPs 145
 - transition metals NPs 146–147
 - migration of nanoparticles
 - food safety and 164–165
 - regulations 165–166
 - nanofillers in 286
 - production methods
 - biological synthesis 149
 - chemical synthesis 148–149
 - physical synthesis 147–148
- additives 3, 9, 41, 67, 70, 72–74, 92,
 94, 97, 105, 117, 146, 151, 163,
 165, 166, 242, 249, 255, 276,
 290, 307, 309, 312–316, 329, 346
- adenosine triphosphate (ATP) 198
- aerosol generation equipment 148
- Ag-LDPE 362
- agglomeration 83, 148, 152, 153,
 155,
 274
- agrinanotechnology 100
- alginate nanoparticles 102, 133–134
- alkaline deacetylation 332
- alkaline solution 91–93, 98

- Al₂O₃ incorporated nanocomposites
 - 246
- amino acid histidine 337
- aminoclay-stabilized Ag nanoparticle
 - 240
- amphiphilic surfactant 334
- anthocyanin-charged chitosan nanoparticles 105
- antimicrobial activity
 - copper and copper oxide nanoparticles 160
 - gold nanoparticles 161
 - other nanoparticle systems 161
 - silver nanoparticles 157–159
 - titanium dioxide nanoparticles 160
 - zinc oxide nanoparticles 159–160
- antimicrobial films 2, 5, 10–11, 159, 339
- antimicrobial food packaging materials 6, 157
- adenosine triphosphate (ATP) 198
 - degradation products 202–205
- Au@Ag core-shell nanorods 199
- b**
- bacterial cell adhesion 330
- bacterial cellulose 41, 71, 72, 77, 78, 158, 160, 184, 194, 273
- bacterial nanocellulose 79, 81
- bacteriocins 329, 331
- barrier properties
 - of metal and metal oxide nanoparticles 156–157
 - of nanocellulose 73
 - nanoadditives for 238
 - of polymeric packaging materials 235
- β-carotene 59, 102, 135
- β-D-glucose 22
- bio-based nanocomposites 8, 236
- bio-based nano-wrapping paper 8
- bio-based packaging 1, 2, 144
- biodegradability 8, 41, 67, 73, 84, 108, 166–167, 250, 253, 254, 278, 290, 307–317, 328
- biodegradable food packaging 1, 134
- biodegradable films 1, 8, 28, 32, 80, 154, 244, 291, 292, 307
- biodegradable packaging materials 74, 236, 245, 307
- biodegradable polymers 40–41, 81, 149, 166, 250, 268, 289, 308–310, 316, 317
- biodegradation
 - of biopolymers with additives 314–316
 - defined 312
 - mechanism 312–314
 - of PLA/lignin composites 315–316
 - types of 312
- biofilm formation 294, 296, 329, 330
- biogenic amines, freshness sensors 199–201
- biogenic sulfides 198, 201–202
- bionanocomposites 8, 79, 219, 236, 243, 252, 254, 255, 297, 299, 317, 332–333, 345, 362
- bioplastics 92, 308, 312
- biopolymer-based composites 333, 334
- biopolymers, in food packaging
 - barrier improvement with organic nanoadditives 249–250
 - biodegradable polymers 40
 - casein 20–22
 - cellulose 22–23, 250–252
 - chitosan 23, 253
 - chitin 23
 - collagen 23–29
 - gelatin 23–29, 254
 - microbial production 35

- soybean
 - soybean soluble polysaccharide 32
 - fiber and derivatives 32
 - soy protein 29–32
 - soy protein isolate 255
 - starch 35, 252–253
 - whey 20–22
 - whey protein isolate 254–255
 - zein 253–254
- bottom-up approach 287
- C**
- calcium carbonate (CaCO_3) 89, 290, 315
- carbohydrate-based nanocarriers
 - alginate nanoparticles 133–134
 - chitosan nanoparticles 133
 - starch nanoparticles and nanocrystals 133
- carbon-based nanoparticles 330
- carbon nanotube (CNT) 5, 14, 236, 248, 249, 289, 315, 316, 330, 333, 335, 337, 364, 368, 369
- carboxymethyl cellulose (CMC) 22, 68, 115, 135, 159, 191, 252, 272, 277, 340, 343, 362
- carboxymethyl chitosan (CMC) 95, 104, 105, 278
- casein 20–22, 36, 134, 218, 309
- casting 21, 24–26, 30, 31, 33, 34, 36, 38, 39, 41, 76, 80, 110, 150–151, 196, 244, 252, 254, 255, 270, 273, 278, 288, 289
- cationic nanoparticles 339
- cellulose
 - chemical modification 68
 - classification, source and application of 69
 - and derivatives 22–23
 - nanocomposites 331
 - vs. nanocellulose 81
 - properties 70
 - purity 70
 - source of 68
 - structure 68–70
- cellulose–graphene composites 80
- cellulose nanoballs 72
 - polyrhodanine nanoparticles 194
- cellulose nanocrystals (CNCs) 72–74, 77, 81, 82, 193, 194, 221, 240, 251, 252, 290, 331
- cellulose nanofibers 72, 74, 78–80, 194, 219, 250, 290, 340
- cellulose nanofibrils 71–72, 77, 272
- cellulose nanostructures (CNS) 67–84
- cellulose nanowhiskers 72, 273
- cellulose polysaccharide 67, 68
- cellulosic nanofibers 78
- chemical composition
 - diverse properties 92
 - structural properties 90–91
 - physicochemical properties 91–92
- chilled food sensor (CFS) 189
- chitin 5, 23, 25, 87–94, 133, 185, 216, 219, 253, 290, 332
- chitosan 23, 219
 - advantage and disadvantages 93
 - applications
 - agriculture 100
 - aquaculture 94
 - dentistry 97
 - drug delivery 100
 - food and beverage industry 94
 - nanofoms of 97
 - pharmacy and cosmetics 97
 - tissue engineering 100
 - water treatment 100
- characterization techniques
 - dynamic light scattering 99
 - electron microscopy 99
 - UV–visible spectroscopy 98–99

- chitosan (*contd.*)
 - zeta potential 100
 - derivatives 95–96
 - food regulation 116–117
 - modifications 93–94
 - preparation methods
 - coprecipitation method 98
 - emulsion-based solvent
 - evaporation method 98
 - ionic gelation method 98
 - and manufacturing 92–93
 - reverse micellar method 98
 - chitosan-based nanoforms 88
 - food packaging materials
 - dairy products preservation 114
 - fruit and vegetables preservation 111–112
 - meat and fish products
 - preservation 112–114
 - food taste and appearance 102–103
 - nutritional value maintenance
 - essential fatty acids 107–108
 - essential oils 106–107
 - fish-derived oils 107
 - phenolic compounds 105–106
 - vitamins 103–105
 - opportunities 101–103
 - chitosan/gelatin blend films 314
 - chitosan–gelatin/nanophase
 - hydroxyapatite composite
 - scaffolding 100
 - chitosan nanocarriers 97–98, 100
 - chitosan nanocomposites 97, 112, 114
 - chitosan nanoemulsions 97, 334
 - chitosan nanoforms 87, 97, 100, 108–114
 - chitosan nanoparticles 5, 29, 98–100, 102–111, 116, 133, 232, 253, 277, 343
 - chitosan precursor
 - aquatic sources 89
 - microbiological sources 89–90
 - terrestrial sources 88–89
 - chitosan/PVA films, SEM analysis of 297
 - chitosan/sodium tripolyphosphate (STPP) 104
 - chitosan–tripolyphosphate
 - nanoparticle addition 253
 - chlorogenic acid (CGA) 106
 - clay-incorporated polymer
 - nanocomposites 236
 - clay nanoparticle 247, 269, 292, 313, 368–369
 - CO₂ inhibits 197
 - coating process
 - high barrier food packaging materials 240
 - nanocellulose synthesis 77
 - colorimetric O₂ indicator 196, 197
 - commercial and renewable
 - biodegradable polymers
 - polylactic acid 310
 - thermoplastic starch 309–310
 - conventional food packaging 156, 183, 288
 - Cu nanoparticle-reinforcement 246
 - curcumin 58, 59, 80, 105, 106, 130, 275, 334, 338
- d**
 - degradation procedures 167
 - degree of crystallinity 152
 - degree of deacetylation (DDC) 91, 332
 - Dendrobium officinale* polysaccharide (DOP) 338
 - β-(1,4)-2-deoxy-β-D-glucopyranose 90
 - deproteinization 92

- diffuse reflectance technique (DRIFT) 294
- dipping method 241, 271
- disassembled Ag triangular nanoplates 187
- disruptive agents 333
- diverse properties 92
- docosahexaenoic acid (DHA) 107
- dry and wet processes 333
- dynamic light scattering (DLS) 99–100
- e**
- edible coatings 9–10
 chemical characteristics 215–216
 diverse structural materials 218
 and films 341–342
 immersion technique 216
 materials used 217–218
 nanocomposite safety 223–224
 nanomaterials incorporation 218–223
 polymeric matrix 220
- edible nonocapsules 103
- icosapentaenoic acid (EPA) 107
- electrohydrodynamic atomization (EHDA) 273
- electrohydrodynamic processing (EHDP) 269, 271–275
- electronic configuration 162
- electron microscopy (EM) 99, 298
- electrospinning technique 74, 151, 152, 272, 273, 289, 338
- electrospraying technique 273, 289
- emulsion-based solvent evaporation method 98
- emulsion-ionic gelation cross-linking method 103
- encapsulation technique 129
- enzymatic hydrolysis 56, 92, 133, 332
- essential fatty acids (EFAs) 107, 108
- essential oils (EOs) 5, 21, 30, 33, 35, 41, 106–107, 114, 135, 254, 275–277, 288, 313, 316, 331, 334, 338, 340, 343, 344
- ethylcellulose (EC) 22
- ethylene-vinyl alcohol (EVOH) 150, 196, 238
- European Food Safety Authority (EFSA) 5, 165, 346, 368
- evaporation–condensation method 148
- exfoliated nanoclays 239
- extrusion 150
 melt compounding approach 289
 nanocellulose synthesis 76
- f**
- face-to-face assembled Ag triangular nanoplates 187
- FDA-mandated regulation 226
- Fickian behavior 237
- Fickian diffusion process 369
- fish-derived oils (FOs) 107, 108
- fish deterioration 337
- fish myofibrillar protein-based bionanocomposites films 333
- flexible multilayer packaging 268
- foodborne infections 112
- food coating 8
- food industry
 antimicrobial films used 10–11
 bio-based nano-packaging in 8
 nanocoating applications 8–9
 nanocoats used in 9–10
 nanolamine importance 10
 pathogen and adulterant detection 6
- food nano-packaging 5
- food packaging industry 4, 144, 183, 328
 applications 19
 biopolymers 19

- food packaging industry (*contd.*)
 food safety issues 7
 material functions of 267
 nano-intelligent food labelling 12
 nano-scavenging oxygen film 11
 nanotechnology-aided freshness 12
 nanotechnology-aided oxygen indicators 13
 pathogen and adulterant detection 6
 spoilage indicators 12
 starch 57–59
 system requirements of 266–267
 traceability and active tags 13–14
 UV-proof processing 11
 food processing, nanotechnology
 diverse applications 7
 food ingredients 3
 food nutrient value 4
 meat density, taste and presentation 3–4
 preserving or shelf life 4
 food safety
 issues 7
 and regulations 164–165
 food taste and appearance
 coloring agents 102
 flavoring agents 103
 Fourier-transform infrared spectroscopy (FTIR)
 measurements 153
 freshness sensors 198–205
 frozen food sensor (FFS) 189
 fullerenes (OD) 330
- g**
- gallic acid/chitosan nanoparticles
 incorporation 253
 gastrointestinal tract (GIT) 102, 130, 165, 365, 370
 gelatin 9, 10, 23–31, 35, 36, 55, 56, 58, 79, 100, 111, 115, 133–135, 149, 152, 154, 155, 158, 185, 187, 188, 218, 236, 250, 252, 254, 277, 309, 310, 314, 333
 Generally Recognized As Safe (GRAS) 159, 215, 243, 270, 286, 331
 glutathione peroxidase (GSHpx) 105
 glycerol 21, 22, 36, 40, 56, 79, 115, 196, 197, 299, 300, 310, 311, 312, 316
 glycol chitosan nanoparticles 108
 gold nanoparticle-based TTIs 187–188
 good adhesion coating 216
 gram-negative bacteria 71, 145, 159, 332, 337
 gram-positive bacteria 160
 graphene-based nanomaterials 291
 graphene coil (multidimensional) 330
 graphene oxide–nanocellulose composites 80
- h**
- halochromic nanosensors 195
 high barrier food packaging materials 238, 239, 248
 high barrier packaging films 235
 highly fibrillated cellulose 77
 high-pressure homogenization 56, 130, 334
 histidine 337
 hollow Au–Ag alloyed nanoparticles 200
 homogenic coating 217
 hydrophilic materials 215
 hydrophobic materials 216, 290
 hydrophobic nanoparticles 115
 hydroxyethyl cellulose (HEC) 22, 68, 69, 196, 197
 hydroxypropyl methylcellulose (HPMC) 22, 253, 331

i

- immersion technique, edible coatings 216
- inductively coupled plasma spectrometry (ICPMS) 301
- intelligent packaging
 - nanomaterial-based CO₂ sensors 197–198
 - nanomaterial-based freshness sensors 198–205
 - nanomaterial-based humidity sensors 190–193
 - nanoparticle-based O₂ indicators 195–197
 - nanomaterial-based pH indicators and sensors 193–195
 - nanoparticle-based temperature indicators 185–190
 - smart packaging 339–341
- intelligent/smart package 266
- interfacial polymer deposition 97
- ionic gelation method 98, 106
- ionic silsesquioxane 161
- ionotropic polyelectrolyte pre-gelation process 104

l

- lactic acid-grafted chitosan nanoparticles 98
- laser ablation 148, 151, 301
- layer by layer (LbL) nanoassembly technique 240, 270–271
- LiCl-poly(divinylbenzene) 192
- life cycle assessment (LCA) 84, 167–168
- lipid-based nanocarriers
 - nanoemulsions 130
 - nanoliposomes 130–132
 - nanostructured lipid carriers 132
 - schematic representation 131
 - solid lipid nanoparticles 132
- lipophilic vitamins 104, 105, 130

localized surface plasmon resonance (LSPR) 185, 337

low-density polyethylene (LDPE) 40, 150, 243, 362, 363

LPDE/curcumin multilayer film 275–276

m

- magnetron sputtering 27, 147–148, 151
- masterbatch production 150
- mechanochemical processing (MCP) 148–149, 291
- metabolic processes 327
- metallic nanoparticle-based humidity sensors 191–192
- metal oxide nanomaterials 144
- metal oxide nanoparticles (MONPs) 8, 143–168, 236, 242, 246, 269, 330, 339
- metformin-loaded chitosan nanospheres 98
- methylcellulose (MC) 22, 80, 253, 331
- MgO nanoparticles reinforcement, in polymer nanocomposites 244
- microbial biodegradation 312
- microbial cellulose 71
- microfluidization 334
- microorganisms 6, 10–13, 36, 37, 56, 67, 68, 78, 80, 101, 108, 144, 147, 157–160, 166, 183, 193, 198, 215, 219, 237, 243, 266, 285, 286, 294, 295, 307–313, 315, 316, 327, 328, 330, 332, 334, 335, 337, 339, 341, 342, 347, 367, 371
- milk proteins 20
- modified atmosphere packaging (MAP) 196, 221, 248
- modified atmospheric packaging (MAP) 237

- molecular weight (MW) 23, 37, 91–92, 165, 201, 241, 308
- montmorillonite (MMT) 9, 10, 24, 27, 39, 114, 221, 239, 241, 247, 272, 273, 289, 290, 333, 334, 340, 362
- multilayer films
 - description 267–268
 - issues 267
 - nanostructures incorporation in 265
 - nanotechnology-based 269
 - packaging, structure and functions of 268–269
- multiphase solid hybrid material 331
- multi-walled carbon nanotube (MWCNT) 202
- murine cells 108
- n**
- nanoadditives 235, 238, 239, 242–255
- nanobiotechnology
 - active packaging 338–340
 - in food preservation and food packaging 328, 329
 - intelligent (“smart”) packaging 339, 341
 - nanoclays 334
 - nanocomposites 331
 - cellulose-based 331
 - chitosan-based 332
 - polylactic acid 333–334
 - protein-derived 332–333
 - nanoemulsions 334
 - nanoparticle 330
 - silver-based nanoparticles 330
 - TiO₂ nanoparticles 331
 - ZnO nanoparticles 331
 - nanosensors 334, 335
 - applications of 336
 - classification 335, 337
 - nanostructures 337–338
 - regulations and safety aspects 345–346
- nanocarriers 3, 4, 58, 104, 129, 136
 - in active and bioactive food packaging 134–135
 - carbohydrate 132–134
 - chitosan 97–98, 100
 - lipid-based 129–132
 - protein 134
- nanocellulose 68, 70, 71, 82–84, 219, 252, 290, 331, 333
 - advantages 73
 - aggregate 77
 - balls 72
 - barrier properties 73
 - coatings 80
 - vs. cellulose 81–82
 - incorporated packaging materials 73
 - mechanical properties 73
 - as packaging material 77–81
 - properties 72–74, 80
 - synthesis of
 - casting method 76
 - coating process 77
 - electrospinning 74
 - extrusion 76
 - paper making process using filtration 76
 - types of 71–72
 - water vapour properties 73
- nanoclays 5, 9, 10, 239–242, 246–248, 290, 299, 316, 333, 334, 362, 368, 370
 - reinforcement in polymer nanocomposites 247
- nanocomposites 1, 9, 10, 97, 152, 153, 155–157, 161–163, 166, 185, 194, 213, 214, 219, 223–224, 288–289, 313, 314

- cellulose-based nanocomposites 331
- chitosan-based nanocomposites 332
- development methods 288
- in food packaging 8, 288
- PHB-CNC 251
- plastic 5
- PLA-ZnO 243
- polydiacetylene/silica nanocomposites 188
- polymer 4–5, 12, 78, 149, 236, 238–240, 242–249, 255, 256, 269
- polylactic acid nanobiocomposites 333–334
- protein-derived bionanocomposites 332–333
- SPI-MMT nanocomposites 255
- nanoemulsions 3, 88, 97–98, 130, 132, 329, 334, 342
- nanoencapsulation 3, 4, 58, 59, 101–107, 130, 134, 135, 290, 328, 338
- nanofibers 5, 6, 71, 72, 74, 77–81, 97, 112, 114, 189, 192–195, 197, 205, 219, 250, 272, 273, 290, 329, 337, 338
- TTIs 189–190
- nanofibrillated cellulose 77, 331
- nano-foods 327
- nano-inspired oxygen barrier coatings 339
- nanoliposomes 130–132, 337
- nanomaterial
 - CO₂ sensor 197, 198
 - freshness sensors 198
 - ATP degradation products 202–205
 - biogenic amines detection 199–201
 - biogenic sulfides detection 201–202
- humidity sensors
 - metallic nanoparticle 191–192
 - polymeric nanocomposite 192–193
 - ZnO nanoparticle 190–191
- pH indicators and sensors 193–195
- starch 57
- nano-oxygen scavengers 162
- nanoparticles (NPs) 145
 - characterization of 293
 - electron microscopic techniques 296–299
 - FTIR 294–296
 - ICPMS 301–302
 - Raman spectroscopy 302
 - thermal analysis of packaging material 299–300
 - X-ray diffraction technique 300–301
 - X-ray photoelectron spectroscopy 300
 - clay 368, 371
 - defined 286
 - environmental impacts of 370–371
 - in food packaging 362, 371
 - incorporation, issues associated with 292–293
 - migration issues of 369–370
 - nanoclays 290
 - O₂ indicators 195–197
 - role in packaging applications 287–288
 - silica 367–368
 - synthesis 287
 - temperature indicators 185–190
 - titanium nanoparticle (TiO₂ NPs) 366–367
 - toxicity measurement of 364–365
 - zinc oxide 363

- nanoscale polymeric composite
 - humidity sensors 192
 - nano-scavenging oxygen film 11
 - nanoscience 109, 165, 327, 346
 - nanosensors 3, 6, 8, 9, 12, 14, 195, 199, 201, 203, 226, 329, 334–337, 341
 - nanosilver 219, 301, 362–363, 366
 - nanosize, defined 70
 - nanostructure-based multilayer food
 - packaging films 269
 - electrohydrodynamic processing 271–275
 - food packaging applications 276, 277
 - LbL nanoassembly 270–271
 - multilayer coextrusion technique 275–276
 - nanostructured coatings, food 219
 - nanostructured lipid carriers (NLCs) 132
 - nanostructure materials (NSMs) 338
 - nanosystems 134, 341, 342, 346, 347
 - nanotechnology, in food packaging 313
 - based multilayer films 269
 - development 214
 - edible coatings 215–223
 - food nutrient value 4
 - food packaging 4–8
 - meat density, taste and presentation 3–4
 - nanotechnology regulation 225–227
 - potential role 2
 - preserving or shelf life 4
 - principles and applications 213–214
 - uses 214
 - nano, terminology 327
 - nanotoxicity 365–369, 371
 - N*-methyl-D-aspartate (NMDA)
 - receptors 367
 - nonbiodegradable materials 84, 307, 315, 328
 - noncytotoxic doses 330
 - non-degradable polymers 149
 - novel nanomaterials 338
 - NPs-based O₂ indicator 196
 - nuclear magnetic resonance (NMR) 90
- O**
- organic modified MMT (OMMT) 290
 - original Ag triangular nanoplates 187
 - oxidative stress 115, 159, 161, 331, 346, 367, 368, 371
 - oxygen scavenger materials 339
- P**
- packaging materials 1, 2, 6, 9, 12, 14, 37, 60, 70, 73, 74, 76–81, 84, 108–114, 144, 145, 285
 - pathogenic microorganisms 10, 328, 337, 339, 342
 - permeability 11, 81, 132, 156, 157, 223, 235, 244, 247, 249, 251, 334, 346
 - gas and moisture 236
 - of moisture 238
 - of oxygen and carbon dioxide 23, 237–238
 - through polymer film 236, 237
 - permeation 97, 105, 161, 235, 237, 238, 240, 247, 251
 - petroleum-based packaging 144
 - phase change materials (PCM) 275
 - PHB–CNC nanocomposites 251
 - photocatalytic properties 162–163
 - phyllosilicates 334

- physical vapor deposition (PVD)
 techniques 147, 150, 151, 246
- PLA–ZnO nanocomposites 243
- plant derived nanocellulose 78
- plastic-based food packaging
 applications 166
- plasticizers 22, 35, 40, 56, 253, 254,
 308–312, 316
 migration of 311–312
 selection of 311
 use in biopolymer processing
 311
- poly(acrylonitrile-co-vinyl acetate)
 195
- polyamide (PA) 249, 307, 328
- polyaniline (PANi) 12, 192
- poly(butylene
 adipate-co-terephthalate) film
 (PBAT) 112, 156, 289
- polycaprolactone/PCM fibrous mats
 275
- polydiacetylene nanocomposite-based
 TTI 188–189
- polydispersity index (PDI) 104
- polyetherimide (PEI) 201
- polyethylene (PE) 155, 239, 268,
 292, 307, 308, 310, 328, 370
- polyethylene oxide (PEO) 192, 194,
 196, 338
- polyethylene terephthalate (PET)
 40, 166, 167, 239, 240, 242, 268,
 273, 307, 328
- polyhydroxyalkanoates (PHAs) 35,
 37–39, 309–310
- poly(3-hydroxybutyrate) (PHB) 36,
 37, 79, 310
- polyhydroxy butyrate/bacterial
 cellulose nanowhisker fibre
 mats (PHB/BCNW) 273
- poly(3-hydroxybutyrate-co-3-
 hydroxyvalerate) (PHBV) 36,
 37, 311
- poly(hydroxy-butyrate-co-
 hydroxyvalerate) 35
- poly(3-hydroxyvalerate) (PHV) 36,
 37
- poly(lactic acid)-graphene
 nanoplatelets composite 314
- poly(lactic acid)/polylactide (PLA)
 8, 40, 166, 168, 194, 243, 244,
 250, 251, 273, 310, 314–316,
 333, 334, 363
 biodegradation behavior of
 315–316
 food packaging materials 37
- poly(lactic) (PLA)/semi-crystalline
 poly (butylene succinate)
 multilayer film 275
- polylysine/chitosan nanofibers 112
- polymeric films filler 57
- polymeric nanocomposite-based
 humidity sensors 192–193
- polymeric nanoparticles 4, 98, 102,
 269
- (polymeric) substrates 151
- polymer nanocomposites 4, 12, 78,
 236, 238–240, 251, 255, 256, 269
 carbon-based nanomaterials
 248–249
 inorganic nanoadditive
 reinforcement 242
 metal and metal oxides
 nanomaterials 243–246
 nanoclays 246–248
- poly(*N*-acetyl- β -D-glucosamine) 90,
 91
- polypropylene (PP) 167, 239, 249,
 251, 268, 310, 328, 364, 370,
- polysaccharide 9, 10, 22, 23, 35, 40,
 55, 90, 97, 132, 133, 134, 216,
 217, 218, 250, 252, 307, 309,
 312, 331, 332, 338, 342
- polystyrene (PS) 40, 307, 328
- poly(styrene-4-sulfonate) (PSS) 186

- poly(vinyl butyral) (PVB) 192
 - polyvinyl chloride (PVC) 11, 40, 108, 150, 239, 292, 297, 299, 328, 370
 - post-consumption waste 108
 - post-harvest disease and ethylene production 342, 345
 - potassium persulfate (KPS) 186
 - potential antimicrobials 11, 160
 - protein-based nanocarriers 134
 - protein-derived bionanocomposites 332–333
 - PVA-aminoclay hybrid films 240
- q**
- quartz crystal microbalance (QCM) 190, 191
 - quartz tuning forks (QTFs) 190, 191
 - quercetin-charged lecithin/chitosan nanoparticles 105
- r**
- radiofrequency identification tags (RFID) 3, 13, 14, 184
 - radiofrequency recognition 13
 - Raman spectroscopy 302, 337
 - reactive oxygen species (ROS) 157, 159, 160, 161, 165, 219, 243, 245, 291, 330, 331, 338, 339, 366–368
 - refractometric sensors 200
 - relative humidity (RH) 8, 19, 40, 162, 190, 235, 256, 312
 - renewable biopolymers 307
 - reverse micellar method 98
 - ring-opening polymerization (ROP) 40, 310
- s**
- scanning electron microscopy (SEM) 99, 293, 296–297
 - scanning–transmission electron microscopy (STEM) 298
 - scattered nanofillers 97
 - scavenger properties 161–162
 - self-emulsification 334
 - signal-to-noise ratio (S/N) 202
 - silica nanocomposite-based TTI 188
 - silica nanoparticle 367–368
 - silicon dioxide (SiO₂) 243, 332, 363–364, 371
 - nanoparticles incorporated EVOH-SiO₂ nanocomposites 244
 - nanoparticles reinforcement, in polymer nanocomposites 244, 245
 - silver-based alloy materials 330
 - silver nanocluster (AgNC) 330
 - silver nanoparticle (Ag NPs) 6, 8, 9, 80, 145, 148, 149, 152, 153, 155, 156, 157, 159, 160, 163–166, 168, 185, 186, 191, 200, 201, 205, 219, 270, 290, 292, 330, 345, 365–366
 - silver nanoparticle-based TTI 185–187
 - smart packaging 2, 9, 12, 14, 23, 267, 276, 313, 335, 339, 341, 347, 362
 - sodium hydroxide (NaOH) 20, 92
 - sodium hypochlorite (NaOCl) 92
 - sol–gel processing 149, 243, 288, 289
 - solid lipid nanoparticles (SLNps) 132, 135
 - solvent casting technique 244, 273, 288, 289
 - soybean 255
 - fiber and derivatives 32–34
 - soy protein 29
 - soybean soluble polysaccharide (SSPS) 32
 - soy protein concentrate (SPC) 29, 32
 - soy protein isolate (SPI) 29, 32, 79, 219, 246, 253, 255, 333

- spherical-shaped chitosan nanoparticles 105
- SPI–MMT nanocomposites 255
- spirogyras functional nanofibrous 198
- spraying coating technique 217
- spraying methods 271
- starch 5, 8, 9, 35, 55
- bioactive molecules 58–59
 - crystals reinforced composites 253
 - food packaging 57
 - nanomaterials 57–59
 - nanoparticles and nanocrystals 55–57
- starch/lignin polymer
- bionanocomposite 252
- starch nanocrystals (SNC) 5, 55, 56, 57, 59, 133, 135, 253, 333
- starch nanoparticles (SNPs) 55–59, 133
- stiffness of crystalline cellulose 70
- superabsorbent polymer 155
- surface-enhanced Raman spectroscopy (SERS) 337
- surface modification 333
- synthetic polymers 1, 8, 19, 243, 247, 252, 285, 307, 312, 342
- t**
- tensile strength 40, 57, 73, 81, 83, 111, 135, 155, 156, 161, 219, 244–247, 249, 253–255, 267, 288, 297, 309, 314, 316
- thermal analysis, of packaging materials 299–300
- thermoplastic starch (TPS) 252, 299, 309–310, 315
- thymol (THY)/ γ -Cyclodextrin(γ -CD) inclusion complex (IC)
- encapsulated electrospun zein nanofibrous webs (zein-THY/ γ -CD-IC-NF) 254
- time-temperature indicators (TTI) 2
- time-temperature integrators (TTIs)
- gold nanoparticle 187–188
 - nanofiber-based 189–190
 - polydiacetylene/silica nanocomposites 188–189
 - silver nanoparticle 185–187
- tissue engineering 74, 100
- titanium dioxide (TiO₂) 4, 145, 168, 243, 290–291, 339, 363
- nanoparticles 160, 197, 290–291, 330, 331, 366, 367
 - nanoparticles reinforcement 246
 - NPs-based O₂ indicator 196–197
- α -tocopherol 105, 135, 254
- top-down approach 287
- total viable count (TVC) 195
- total volatile basic nitrogen (TVB-N) 195
- toxicity and fate, in human body 114, 115
- chitosan-based nanoparticles, absorption of 116
 - digestion of, chitosan-based nanoparticles 115–116
- TPGS 364
- transmission electron microscopy (TEM) 99, 187, 189, 204, 291, 293, 296–299
- triangular Ag nanoplates 185–187
- trimethyl chitosan (TMC) nanoparticles 105
- tripolyphosphate (TPP) 98, 133
- u**
- United States Food and Drug Administration (FDA) 337
- UV-based colorimetric O₂ indicator 196

V

- vacuum packaging 237, 341
- viscosity 20, 23, 28, 76, 81, 92, 151, 195, 216, 224, 311, 370
- vitamins 2, 4, 20, 59, 101, 103–105, 130, 134, 335, 337
 - in active and bioactive food packaging 135
 - in nanoencapsulation 104

W

- water treatment 87, 100
- whey protein concentrate (WPC) 20, 22
- whey protein isolate (WPI) 20, 21, 22, 254–255
- wound dressing 92, 292

X

- xanthine oxidase (XOD) 202–204
- X-ray diffraction (XRD) technique 87, 90, 300–301
- X-ray photoelectron spectroscopy 293, 300

Z

- zein 105, 134, 195, 236, 250, 253–254, 333
- zeta potential (ZP) 100, 368
- zinc oxide nanoparticles (ZnONPs) 291, 297, 331, 345, 363
 - antimicrobial activity 159–160
 - humidity sensors 190–191
 - reinforcement 243–244
- ZnO/PVC nanocomposite films 301

