

Index

a

acid extraction (AcidSS) 39–40
 acrylamide 4, 151
 acrylic acid 151
 air filter 121
 alcohol extraction (AlcoholSS) 40
 alkali conversion process 144
 alkali extraction methods 5, 8, 22
 α -linolenic acid (ALA) 157, 159, 163
 amino acid composition
 mulberry cocoon 8–11
 non-mulberry cocoon 12–14, 37
 in silk gland of mulberry silkworm 6, 8
 amino acid extraction 225–226
 ammonium persulfate 151
 angiotensin-converting enzyme inhibitory peptide (ACEIP) 171
 animal feed 176–181
 antibacterial activity 29–31, 48, 64, 68, 89, 102–104, 116, 118, 122
 anti-diabetic drug 188
 anti-diabetic potential 106–107
 anti-elastase activity 23–24
 anti-inflammatory activity 25–27
 anti-lipid peroxidation activity 25
 antioxidant activity 23–25, 43–45, 48, 54, 101, 102, 106, 108, 112, 114, 115, 134, 135, 159, 163, 164, 225
 antioxidant properties 23, 44, 54, 101–102, 144
 anti-tumor activity 27–28
 antitumor effect 48, 105–106

anti-tyrosinase activity 22–23, 27, 44, 45, 116
 autoclaving method 25

b

Bacillus thuringiensis (Bt) 185, 202, 203
 bioactive compounds 225–226
 biodiesel 163, 164, 193
 biofilm formation 28, 30–31, 202
 biomaterials 19, 20, 29, 53, 55, 74–89, 113, 117–123, 226
 blending sericin blends 85–89

c

calcium chloride 65, 81, 152, 226
 cappadine silk 227
 carbodiimide cross-linking 51–53
 cell attachment 44, 47, 48, 66, 75
 cell culture 55, 56, 60, 63, 112–114, 117, 170
 cell proliferation 27–28, 44, 47, 48, 50, 89, 104, 106, 113, 115, 119, 121
 cell protection 22, 44, 48
 chemical cross-linking agents 55
 chemiluminescence 23
 chemotherapy 105, 109
 chitin 85, 87, 88, 181–184
 chitosan 30, 60, 63, 66, 83, 87, 88, 181–184
 chlorophylline 195–197
 chronic nerve compression (CNC) 120
 circular dichroism (CD) spectroscopy 19
 circulatory systems 108–109
 cocoon sericin 2–6, 8, 12, 13, 16, 25, 30, 119

collagen production 21, 28–29, 44, 84, 105
 cosmetic applications 29, 113–117
 crude polysaccharides 133–135
 crude sericin extract (CSE) 54
 cryopreservation 112–114
 β -cyclodextrin 63, 64

d

defatted pupae 166, 169, 171, 181
 defatted silkworm pupae hydrolysate
 (DSWPH) 185, 188
 dehydrothermal (DHT) cross-linking 51
 1-deoxynojirimycin (DNJ) 107, 188
 dimethylolurea (DMU) cross-linking 53
 1,1-diphenyl-2-picrylhydrazyl (DPPH) 23
 2,2-diphenyl-1-picrylhydrazyl (DPPH) 43
 drug delivery 27, 45–48, 55, 77, 83, 109–113
 dry silkworm pupae protein hydrolysate
 (DSWPH) 185

e

electron spin resonance (ESR) 23
 electrospinning silk sericin 56
 environmental remediation 56,
 148–149, 189
 using litter 199–203
 silk wastes, composites from 227–228
 enzymatic cross-linking 53
 1-ethyl-3-(3-dimethylaminopropyl)
 carbodiimide (EDAC) 51
 excessive immune responses 108

f

fermentation
 and biogas production 144, 147
 fibroin-sericin blends 69–71
 folic acid (FA) 111
 folin–Ciocalteu reagent 43
 Fourier-transform infrared spectroscopy
 (FTIR) 16, 50, 228
 freeze-drying process 71–73

g

gas foaming 73–74
 gastrointestinal tract 107–108
 gelation property 20

gel electrophoresis 2
 gentamicin sulfate (GS) 119
 glutaraldehyde 20, 43, 47, 49–52, 55, 59, 62,
 64, 66, 75, 76, 79, 84, 87, 90, 117,
 174, 219
 glycerol 74, 75, 79, 81, 83, 90, 159, 219
 graphene oxide (GO) 54, 221

h

hand layup technique 214
 hexafluoro acetic acid (HFA) 58
 hydrochloric acid 64, 140, 144, 145,
 215, 229
 hydrogels 20, 45–47, 50, 51, 53–56, 65, 73,
 74, 83, 89, 107, 110, 111, 113, 118–123

i

immune systems 108–109
 indole acetic acid (IAA) 142
 inducing collagen production 28–29
 interleukin-1 β (IL-1 β) 25, 47, 108
 interpenetrating network (IPN)
 hydrogel 111, 113

l

LiCl/dimethyl sulfoxide (DMSO) solvent 48
 lipid metabolism 109, 134, 169, 181
 lipid peroxidation 25, 114, 116
 lipid production 185, 188
 lipopolysaccharide 140
 low-density lipoprotein (LDL)-
 cholesterol 109, 134

m

methyl esterification 159
 microphthalmia-associated transcription
 factor 28
 microwave-assisted process 132
 middle silk gland (MSG) 2, 7
 molecular imprinting 64
 monounsaturated fatty acid
 (MUFA) 158, 160
 mulberry cocoon
 amino acid residue 8
 sericin 2–5
 mulberry hydrolysate 145

- mulberry leaf 1, 23, 131–138, 140, 142, 144–145, 188, 195, 199
- mulberry paper 142–143
- mulberry plant extracts
- composites 150–151
 - environmental remediation 148–149
 - fermentation and biogas
 - production 144, 147
 - nanomaterials synthesis 144–148
 - paper production 142–143
 - pectins and lignins 140–141
 - phenols and flavanoids 135–140
 - polysaccharides 132–135
 - superabsorbents 151–153
- mulberry sericin 1, 2, 5–8, 12, 20, 21, 25, 28, 40–48, 112
- mulberry silkworms 1–2, 6, 7, 9, 10, 14, 17, 22
- amino acid residue composition 6, 8
- mulberry stems 131, 132, 135, 140–142, 144, 148, 150–152
- n**
- nanoclay 64, 65, 90
- nanomaterials synthesis 144–148
- nanoparticles
- from litter 209–211
 - from pupae proteins 174–176
 - sericin 112
- native sericin 2
- N*-hydroxysuccinimide (NHS) 51
- nitrofurazone (NFZ) 62
- non-mulberry cocoon
- amino acid composition 12
 - sericin 5–6
- non-mulberry sericin 1, 5, 12, 13, 18–21, 25, 27, 30, 40–48
- non-mulberry silkworm 1, 12, 17, 22
- non-sericin protein blends 78–81
- o**
- obesity 109
- osteogenic differentiation 58, 119, 120
- oxidative stress 21, 23, 27, 28, 44, 101, 102, 106, 112–115, 162, 199
- oxygen radical absorbance capacity (ORAC) 23
- p**
- paper mulberry 131, 142
- pectins
- and lignins 140–142
- peduncle sericin 5–6, 12, 13
- phenols
- and flavanoids 135–140
- photo-cross-linking 49, 54–55, 99
- photodynamic therapy (PDT) 111, 113, 197
- photoinitiation properties 196
- photoirradiation 196
- photothermal therapy (PTT) 111, 113
- poly(caprolactone) 65–66
- polydopamine (PDA) 89, 171, 228
- polypropylene (PP) 214–219
- polysaccharides 20, 81–89, 132–135, 181
- binary and ternary sericin blends 85–89
- polyunsaturated fatty acids (PUFA) 158–160
- pupae oil
- antioxidative properties 160
 - biodiesel 163
 - extraction 157–159
- pupae peptides 164, 169–174
- pupae protein hydrolysate 168, 170, 171, 185
- pupae proteins 164, 166, 172, 174–177, 179
- pure sericin biomaterials 74–81
- pure sericin electrospun fibers 57–59
- r**
- red fluorescent proteins (RFP) 197, 198
- ring-open polymerization 65
- s**
- salt-leaching process 90
- ser1* gene 14–16, 19, 20
- ser2* gene 14–16, 19, 22
- ser3* gene 14–16, 19, 20
- sericin
- antioxidant activity 43–44
 - anti-tyrosinase activity 44

- sericin (*continued*)
- cytotoxicity 44
 - Pharmaceutics and cosmetics 45
 - molecular weight of 40–41
 - phenolic content of 43
 - secondary structure of 40–43
 - from wild silks 66–69
- sericin–alginate blends 81–83
- sericin blends
- with natural polymers 59–60
 - with poly(caprolactone) 65–66
 - with polysaccharides 81–89
 - with synthetic polymers 60–65
- sericin–carboxymethyl cellulose blends 83–85
- sericin–chitosan blends 83–84
- sericin coatings 121
- sericin–fibroin blends 77–78
- sericin gelation 20
- sericin–lignin blends 90–91
- sericin processing 55–66
- sericin–protein blends 74–89
- sericin proteins 1, 3–6, 14–20, 22, 23, 25, 29, 40–43, 51, 53–55, 67, 74, 108, 112
- sericin–PVA blends 63
- sericin structure 1–31, 48, 49, 115
- sericin supplementation 106, 108, 112
- silk filament 2
- silk sericin 101
- adhesion properties 22
 - amino acid composition of 6
 - β -sheet structure of 18
 - biochemical activity 22–25
 - biological activity 25–31
 - biophysical properties 19–22
 - electrostatic interaction 22
 - layers of 6
 - localization 1–2
 - molecular mass 2–6
 - type of 1
- silk wastes, composites from 213
- amino acids extraction 225–226
 - bioactive compounds 225–226
 - environmental remediation 227–229
 - fibers and hydrogels 226–227
 - plasticizer and glutaraldehyde 219
- silkworm eggs 229
- silkworm litter
- carbon conversion 203–209
 - environmental remediation 199–203
 - extraction 198–199
 - nanoparticles 209–211
 - proteins application 197–198
- silkworm powder 107
- silkworm pupae 157
- carbonization of 184–185
 - chitin and chitosan from 181–184
 - environmental remediation 189
 - proteins from 163–176
- silkworm pupae oil 162, 163
- skin aging 113, 115
- skin fibroblast cell line 23, 102
- skin tissue repair 104, 117, 118, 122
- slow release urea fertilizer (SURF) 153
- sn*-1,3 TAGs 162
- sodium dodecyl sulfate and polyacrylamide gel electrophoresis (SDS-PAGE) 2–4, 17, 40
- structured TAGs (STAGs) 162
- superabsorbents 151–153
- sustained urea release fertilizer (SURF) 152
- synthetic polymers 20, 56, 60–65, 89–90
- t**
- ternary sericin blends 85–89
- thermogravimetric analysis (TGA) tests 20, 21
- thin layer chromatography 135
- thiobarbituric acid reactive substances (TBARS) 25, 114
- tissue engineering 117
- biomaterials for 122
 - bone and cartilage 119–120
 - sericin 47
- tissue regeneration and controlled delivery drugs 226
- transepidermal water loss (TEWL) 45, 115

transglutaminase (TGase) 53, 166, 168
triacylglycerols (TAGs) 160
trifluoroacetic acid (TFA) 57, 60, 71
tumor necrosis factor- α (TNF- α) 25, 47, 108

U

ultra high performance liquid
 chromatography-mass spectrometry
 (HPLC-MS) 136
ultraviolet (UV) protection 21
ultraviolet protection factor (UPF) 116
urea extraction (UreaSS) 4, 5, 16, 17, 18,
 22, 40, 43

V

very-low-density lipoprotein
 (VLDL)-triglyceride 109

W

waste silk, carbonization of 221–225
waste silk fabrics 218, 221–224
water extraction 39
water solubility 19–20, 53, 82, 164, 226
wild silkworm 1
wound healing 27, 45–48, 50, 51, 55, 62, 71,
 85, 104–105, 108, 111, 112,
 117–119, 122

