

Index

a

ab initio methods 21
 abrasion 195
 absorption coefficient 9, 54, 57, 71, 84
 absorptivity 54–57, 71, 72, 237
 acoustic cavitation 110–115
 acoustic vibrations 111
 activation energy 145
 additive manufacturing (AM) 1–16, 20,
 23, 37, 64, 101, 183, 185, 187, 190,
 198, 223, 261
 adhesive wear 195
 Allen-Cahn 29, 30
 analytical solution 19
 anisotropic fatigue response 194
 anisotropic texture 173
 anisotropy 105, 111, 130, 160, 163, 167,
 178, 192, 195, 197
 annular channels 48
 arbitrary Lagrangian Eulerian (ALE) 63,
 64, 82
 arbitrary Lagrangian Eulerian moving
 mesh 63
 aspect ratio 25, 118, 158
 atomic cluster 104
 atomic density 106
 atomic lattice 192
 atomic mass 62
 atomic scale 21–23, 30
 atom probe tomography 143, 145
 automated laser powder deposition
 (ALPD) 9
 auxiliary manufacturing 3

b

back stress 233
 balling 41, 46, 68, 261, 268, 269
 balling phenomena 70
 Bauschinger effect 228–229, 232
 beam size 65, 68, 87
 Beer-Lambert's law 57
 bidirectional mode 161
 binder jetting 6
 Boltzmann constant 24, 61, 62
 bond energy 192
 boundary lubrication 195
 brown part 16
 build direction 8, 12, 26, 128, 143, 144,
 148, 149, 152, 160, 165–168, 173,
 183–195, 242
 build orientation 166–167, 195, 199
 build plane 163
 bulk density 84
 bulk nucleation 27, 28, 110, 112, 130
 buoyancy force 110, 135
 Burgers orientation relationship
 143
 Burgers vector 148

c

Cahn-Hillard 29
 canonical 21
 carrier gas 7, 48, 58, 59, 77, 78
 Cauchy stress tensor 229
 cavitation erosion resistance 196
 cellular
 features 171

- cellular (*contd.*)
 - network 181
 - walls 178–181
 - cellular automata (CA) 25–29, 32, 106, 107, 156, 157
 - cellular automata finite element (CAFE) model 27
 - cellular-dendritic regime 130
 - chessboard pattern
 - Clapeyron equation
 - classical cellular automata (CCA) 25
 - Clausius-Clapeyron 62
 - coarsening 32, 110, 157, 165, 194, 196, 236, 237, 251, 252
 - coating simulation 42
 - coaxial nozzle 9, 10, 48, 49
 - CO₂ laser 9, 152
 - columnar 25, 104, 105, 107, 109–111, 113, 118, 120, 130, 131, 133, 134, 143, 158, 160, 163, 164, 170, 173
 - columnar region 104, 107, 109, 111, 158, 164
 - columnar-to-equiaxed transition (CET) 25, 131–134, 160, 197
 - complex 2, 6, 7, 10, 19, 20, 22, 23, 25, 30, 37, 39, 41, 48, 55, 65, 67–69, 79, 87, 101, 134, 149, 167, 197, 225, 234, 245, 265, 269
 - composition undercooling 122
 - compressive stress 223, 224, 241, 242
 - computational efficiency 44, 87
 - computational fluid dynamics (CFD) 41, 82, 235
 - computational material science 16, 20, 29, 31, 115
 - computational science 19–20
 - computer-aided design (CAD) 4
 - conduction mode 68, 69, 171–175
 - conical curvature 173
 - constitutional supercooling 28
 - constitutional undercooling 122, 123, 128, 130, 132, 171, 177
 - constitutional variation 107
 - continuous wave 9, 14, 15, 176
 - operation 173
 - continuum gas phase 50
 - contour pattern 161, 162
 - convective forces 110, 171
 - cooling rate 87, 101, 102, 115, 123, 124, 128, 129, 131, 135, 142, 143, 150, 154, 156, 157, 164, 165, 167, 171, 173, 176, 177, 192
 - corrosion 29, 196–199, 265
 - resistance 196, 197, 261
 - cracks 10, 12, 20, 31, 130–132, 153–155, 163–165, 173, 193, 194, 196, 197, 252, 269
 - creep 194–195
 - critical thermal gradient 133
 - crystallographic defects 10, 20, 22, 23, 31, 32, 101, 142, 143, 178, 192, 194–196
 - dynamics 23
 - crystallographic orientation 25, 116, 124
 - crystallographic texture 12, 25, 29, 32, 105, 111, 115, 124, 130, 132, 143, 156, 158, 160–163, 165, 167, 171, 173, 178, 194–196
 - crystal plasticity 31, 32
 - curvature effect 109, 110, 135
 - cyclic stress 193
 - cyclic thermal loading 215, 229
- d**
- debinding 16
 - decentered squares 28
 - deformation twins 180, 181
 - delamination 195, 223
 - dendrite fragmentation 110
 - dendritic growth 27, 28
 - dendritic structure 105, 111, 123, 130, 182
 - densification 16, 154, 160, 164, 267
 - density 7, 13, 14, 16, 21, 22, 27, 31, 32, 38, 39, 41–43, 45, 46, 48, 50, 60, 64, 68, 74, 80, 84, 106, 133, 135, 139, 142, 147, 148, 153–156, 160, 164, 167, 171, 178, 192–196, 231, 252, 263

- density functional theory (DFT) 21–22, 32
- denudation 41, 46, 60, 67, 79, 89, 153
- denudation mechanism 79
- depressed region 65, 67, 68
- depth focus 263
- diffusion coefficient 28, 62, 121, 145, 147
- diffusion length 121, 122, 143, 145–147, 171
- digital image correlation 53, 244, 245
- digital technologies 2
- dilute flow 50
- direct energy deposition 7–9, 38, 88, 101, 103, 108, 114, 155, 157, 160, 184, 186, 189, 191, 199, 242, 261, 263, 269, 271
- direct metal deposition (DMD) 7
- discrete element method 41–44
- discrete phase model 49–52
- dislocation
 - cells 179
 - core 192
 - density 148, 164, 192
 - dynamics model 31, 32
 - tangles 178, 179
- displacement gradient tensor 230
- drag force 50, 51
- ductile-to-brittle transition temperatures (DBTT) 164
- ductility 131, 167, 171, 179–182
- duty cycle 15, 175, 177
- dynamics
 - dynamic recrystallization 25
 - dynamic viscosity 60
- e**
- effective density 84
- elastically driven phase transformation 30
- elastic compressive stress 223
- elastic deformation 116, 179, 225–227, 233
- elastic energy 179
- elastic modulus 116, 148, 192
- elastic strain gradient 192
- elastic-plastic 226, 229, 232–237
- elasto-plastic 226, 253
- electrochemical response 31, 123, 179, 196–199
- electromagnetic 2, 21
- electromagnetic wave model 56
- electron beam 4
- electron density 22
- energy density 7, 13, 14, 68, 74, 147, 156, 171, 263
- energy fluence 13
- energy function 22
- energy input 13–15, 84, 158, 237, 239, 240
- enthalpy of vaporization 62
- epitaxial growth 104, 107, 109, 110, 120, 129, 156, 158, 160, 163, 171, 173
- equiaxed 25, 116, 120, 123, 129, 131–134, 160, 164, 165, 178
- equiaxed grain 105–107, 109–111, 113, 123, 129, 131–134, 156, 157, 164, 169, 170, 177, 197
- evaporative heat flux 65, 135
- excimer laser 9, 152
- f**
- fatigue strength 193, 194
- feed rate 74–78, 80, 81, 108, 126, 127, 139, 152, 154, 155, 157, 160, 169–170
- feedstock 4, 6–10, 12, 16, 37–60, 75, 79, 80, 83, 84, 107, 108, 111, 114, 127, 139, 141, 152, 153, 161, 171, 193, 196, 265
- ferrite-pearlite phases 154
- fiber lasers 9, 152
- finite element method (FEM) 30–33, 41, 64, 82, 115, 131, 226, 235
- first-principles methods 21, 22
- flow field 50–52
- flow rule 226, 231, 232
- flow stress 179
- fluid dynamics 10, 31–34, 41, 82, 156, 235
- formative 2, 4

- Fresnel formula 55
- friction
- coefficient 43, 44, 46
 - stir AM 3
 - stir welding 3
- functionally graded material 10
- fusion zone 37, 74, 87, 89
- g**
- gas dynamics 49
- Gaussian intensity 154
- Gaussian mode 61
- Gaussian pattern 52
- generalized cellular automata (GCA) 25
- gradient grain structure 179
- grain boundary 20, 25, 109, 110, 197
- grain coarsening 32, 196, 251, 252
- grain growth 25, 27, 29, 30, 32, 158, 171
- grain morphology 102, 104, 113, 129, 131, 132, 134, 151, 156, 158, 160–162, 165
- grain refinement 107, 110, 111, 163, 171
- grand canonical 21
- green part 16
- grinding 269
- growth rate 29, 107, 116
- h**
- H13 tool steel 127, 139, 140, 142, 148–152, 165, 191, 252
- Hamiltonian energy operator 24
- hardening function 228, 229, 232
- hardness 86, 157, 160, 165, 195, 251, 252, 265
- hard phases 195
- Hartree-Fock (HF) method 21, 32
- hatch length 162, 163
- hatch spacing 14, 15, 81, 82, 86, 137–139, 152, 154, 162, 262
- heat accumulation 86, 138, 141, 143, 148, 149, 150, 163, 167, 175, 177, 246, 251
- heat and mass transport 37
- heat flux 65, 135
- heat input 154, 158, 163, 246
- heat transfer 38, 44, 61, 76, 87, 102, 238, 241, 247
- height function method 63, 64
- Hertz-Langmuir relation 61
- heterogeneity 105, 130, 131, 134, 166, 167, 178, 193, 196, 197
- heterogeneous
- microstructure 23
 - nucleation 104–107, 109, 111, 129, 169, 170
- high angle-oriented grain boundaries 181
- high energy density 7, 68
- high-entropy alloys 107
- high melting point 175
- high-speed videography 89
- homogeneous nucleation 104, 107–110, 116, 123, 132
- honing 269
- Hooke's law 233
- hot cracking 132
- hot isostatic pressing (HIP) 16, 194
- hot tearing 131
- humping
- defects 74
 - effect 73, 269
- hydrodynamic factor 39, 74, 265
- hydrostatic part 229, 230
- i**
- incidence angle 55
- incubation time 107
- Industrial Revolution 1, 2, 261
- inoculants 104–108
- inoculation-assisted nucleation 107
- in-situ high speed X-ray micrography 89
- integrated computational materials engineering (ICME) 33–34, 115
- interatomic potential 21, 23, 115
- interatomic separation 192
- interdendritic spacing 181
- interfaces 10, 28, 106, 173, 179, 192, 196
- interfacial energy 25, 104, 106, 116
- interfacial free energy 104
- interlayer time 141

- intermetallics 106
 - precipitates 105, 107
- internal stress 244, 252
- internal twins 192
- interplanar spacing 148
- interpolation function 30
- intricate 2–4, 31, 261
- invariants 192, 229–231
- irradiance 13
- Ising lattice model 24
- isobaric 21
- isochoric 21
- isothermal 21, 50
 - heat treatment 16, 148, 149
- isotherms 127, 128
- isotropic and kinematic hardening 251
- isotropic material 230, 231
- Ivantsov function 28

- j**
- Johnson-Cook 234, 235

- k**
- keyhole 68–74, 79, 84, 87, 126, 139, 153, 154, 157, 163, 171, 240
 - mode 68–72, 126, 155, 171–175
- kinematic hardening 228–229, 231–234
- kinetic 14, 19, 20, 28–30, 33, 50, 101, 104, 107, 109, 111, 118, 128, 142, 143, 197
- kinetic effect 109
- kinetic Monte Carlo (KMC) 23–25, 32
- Kronecker delta 24, 50, 230
- Kurz, Giovanola, and Trivedi (KGT)
 - model 28

- l**
- Lagrangian approach 42, 49
- laser absorption 48, 54–56, 65, 71, 72, 79, 84
- laser absorptivity 54–56, 71
- laser attenuation 53, 57
- laser-based additive manufacturing (LAM) 37, 64, 101, 183, 185, 187, 190, 198, 223, 261, 271
- laser-based direct energy deposition (LDED) 7–9, 88, 103, 108, 114, 155, 157, 160, 184, 186, 189, 191, 199, 242, 263, 269, 271
- laser beam 4, 7–10, 13, 14, 38, 40, 48, 49, 54–57, 60, 61, 65, 67, 69, 71–73, 85, 135, 139, 141, 151–154, 171, 223, 237, 247, 251, 261, 267, 270
- laser beam diameter 9–13, 126, 135, 139, 141, 152–155
- laser bending 223
- laser cladding 7, 76
- laser consolidation (LC) 9
- laser direct casting (LDC) 9
- laser engineered net shaping (LENS) 8
- laser fluence 13, 152
- laser intensity distribution 9
- laser metal forming (LMF) 9
- laser power 9–13, 58, 59, 65, 68, 71, 72, 74–78, 80–82, 86, 87, 125, 126, 129, 139, 149–152, 154–158, 163, 176, 199, 239, 262, 263, 267, 269
- laser powder bed fusion (LPBF) 7, 10–13, 23, 38, 43, 88, 101, 103, 108, 114, 155, 157, 160, 184, 186, 189, 191, 199, 242, 261, 263, 271
- laser scanning speed 11, 103, 126, 152–154, 156, 158, 159
- laser scanning velocity 13, 87, 120, 125, 156
- laser tracks 7, 8, 15, 105, 135–138, 141, 150, 161–163, 176, 177
- laser wavelength 55, 57, 152
- latent heat
 - of fusion 57, 122, 178
 - of vaporization 61
- lattice Boltzmann method (LBM) 64, 82, 83
- lattice-invariant shear 192
- lattice misfit 106
- laves phases 130–132, 156, 157, 165, 177, 193, 197
- layer thickness 8, 14, 37, 39–41, 44, 46, 57, 68, 71, 80, 108, 126, 152, 155, 157, 158, 160, 261, 262, 269

- leading boundary 119
 - level-set method 63, 64
 - linear strain tensor 230
 - liquid isotherm 117
 - lower bainite 149, 157
 - lubricants 195
 - lumped capacitance model 237
- m**
- Mach number 50
 - Marangoni convection 39, 62, 63, 65, 69, 73–77, 80, 84, 87, 265
 - Marangoni effect 110, 135
 - Marangoni shear stress 62, 65
 - martensite 143, 145, 147, 149, 150, 157, 160, 164, 165, 192, 195
 - mass and momentum conservation 50
 - mass flow rate 49, 61, 87
 - mass flux 38, 53
 - material extrusion 6
 - material surface roughness 55
 - meander 161, 162
 - mechanical threshold stress model 234
 - melt dynamics 65, 121, 123
 - melting mode 126, 153, 154, 166, 170–174
 - melt overlap 263
 - melt pool 8, 11, 23, 25, 37–39, 46, 48, 56, 60–63, 65–69, 71–77, 79, 83–87, 89, 103–107, 109, 114–120, 124–131, 135, 136, 138, 139, 141, 142, 153–158, 164, 169–175, 177, 225, 237, 239, 241, 248, 251, 261, 264–269
 - melt pool oscillation 76, 89, 265, 268
 - melt spinning 102
 - melt stirring 134
 - meshing 30, 82, 85
 - mesoscopic modeling 31
 - metallurgical bond 15, 166
 - Metropolis Monte Carlo method 32
 - microcanonical 21
 - micro-galvanic corrosion 197
 - micromechanics 31
 - micro-notch 193
 - microstructural evolution 20, 23, 25, 29, 31, 32, 101–199
 - microstructural gradient 143, 149
 - microstructures 10, 16, 20, 23, 25, 26, 28–31, 33, 37, 39, 101, 104, 109, 110, 114, 123, 130, 134, 153–157, 160–164, 166, 167, 169, 170, 178, 181, 193, 195, 223, 248, 253
 - micro-void 193
 - milling 245, 269
 - Mises surface 231
 - mobile dislocation 180
 - mobility of phase-field 30
 - molecular dynamics (MD) 21–22, 32, 109, 115
 - molten splat 265
 - moment of inertia 42
 - momentum transfer 50, 76
 - monotonic change 147, 148
 - Monte Carlo (MC) 22–24, 32
 - morphology 7, 20, 31, 40–41, 46, 70, 72–75, 81, 101, 102, 104, 113–116, 120, 122–124, 128–132, 134, 138, 142, 149, 151, 156–158, 160–162, 165, 171, 173, 178, 179, 181, 182, 193–195, 197, 264, 265
 - morphology factor 115, 122, 124, 128–131
 - multicomponent 21
 - multiple reflections 55, 56, 61, 71, 72, 77, 84
 - multi-step LAM 15–16
 - mushy region 122, 128
 - mushy zone 61, 84, 87, 115, 116, 123, 127, 128, 131, 135
- n**
- nanoscale 21
 - nano twins 180
 - Nd:YAG laser 9
 - near-infrared 9
 - near-net-shape 16
 - neutron diffraction 147, 244, 245
 - Newtonian 21, 84
 - non-dendritic equiaxed 129

- non-destructive technique 244
 - non-equilibrium dynamics 115
 - non-reacting 8
 - nucleating sites 106, 107, 111
 - nucleation 25, 27–29, 104–116, 123, 129, 130, 132, 169, 170, 193
 - rate 107, 111, 114
 - numerical modeling 83
 - numerical tool 41
- O**
- off-axis lateral nozzle 9, 10
 - order parameter 29
 - oxidation 8, 48, 153
 - oxidative wear 195
- P**
- packing efficiency 46
 - partial dislocation 180
 - particle image velocimetry 49, 53
 - particle velocity 42
 - partitioning coefficient 121
 - part-scale model 87, 89, 243
 - part-scale thermal profiles 89
 - Peclet number 28, 29, 87
 - periodic molten humps 73
 - phase-field crystal model 30
 - phase-field method 29–30
 - phase transformation 10, 23, 29–32, 37, 39, 115, 129, 138, 142–151, 154, 161, 163, 165, 196, 234, 235
 - phenomenological modeling 23, 30, 82
 - physical and chemical phenomena 19
 - physical defects 19, 20
 - physical phenomena 6–8, 10, 15, 20, 25, 29, 37–40, 48, 107, 109, 111, 225
 - physical texture 7, 9, 31, 33, 195
 - planar defects 142
 - planar interface 116, 122, 129
 - planar solidification 122, 123, 130, 178
 - plasma 171
 - plasma plume 171
 - plastic compression 223, 242
 - plastic deformation 30, 179–181, 194, 225, 226, 228–233
 - plastic flow 180, 229
 - plasticity 31, 32, 227, 230, 231, 235
 - plastic potential function 232
 - plastic strain 230, 234, 241
 - Plateau-Rayleigh instabilities 65, 67
 - Poisson's ratio 148, 233
 - pores 10, 20, 31, 41, 46, 67–69, 74, 89, 193, 194, 196, 197, 261, 267
 - porosity 16, 31, 39, 60, 68, 73, 153–155, 157, 163, 171, 193, 195–199
 - post-heating 138, 141
 - post-waist 52
 - potential energy 21
 - Potts lattice model 24, 32
 - powder bed fusion 6, 67, 267
 - powder catchment efficacy 48
 - powder denudation 46
 - powder dynamics 41
 - powder flowability 46
 - powder size distribution 38, 41, 42, 44, 46, 80
 - powder spreading 40, 41, 43–48
 - powder stream 38, 48–49, 52–58, 265, 266
 - power density 7, 13, 135, 139, 153, 154, 171
 - precipitation-hardening alloy 149
 - pre-heating 138, 141
 - pre-waist 52
 - principal direction 229
 - principal stresses 229
 - process kinetics 33, 104
 - process-structure 33, 34
 - pulse duration 175–177
 - pulse energy 14, 175
 - pulse frequency 15, 175, 177
 - pulse overlapping 15, 175
 - pulse repetition 15, 175
 - pulse spacing 15
 - pulse wave
 - mode 9, 152
 - operation 173
 - pure shear stress 230
 - PW-LAM 15, 175–177

q

Q-state Potts model 24
 quantum mechanics 21, 22
 quasi-static 226, 231

r

radiation 38, 55, 56, 61
 radiative cooling 61
 rain model 42
 randomize powder distribution 42
 rapid prototyping 16
 rapid solidification 87, 102, 114, 178,
 196
 ray-tracing model 56
 real-time monitoring 253
 recoil force 65, 68
 recoil pressure 39, 58, 61–62, 65, 67–69,
 71, 72, 84, 87, 109, 110, 135, 265
 recrystallization 25, 29, 32
 reflectivity 164
 refractive index 55
 refractory alloys 165, 175
 renewable sources 2
 repose angle 44, 46
 rescanning 163, 164
 residence time 13, 50, 58, 116, 135, 139,
 142, 153, 176
 residual stress 31, 37, 147, 161–163, 167,
 192–196, 223–253
 retained austenite 147, 150, 160,
 165
 Reynolds-averaged Navier-Stokes
 equations 50
 Reynolds stress 50
 ricochet effect 53
 ripples 73, 261, 268
 rolling and sliding friction 46
 rolling friction coefficient 43, 44
 rotational velocity 42

s

scanning pattern 37, 79, 126, 138, 152,
 162, 163, 247, 248
 scanning speed 11, 12, 15, 65, 68, 70, 72,
 73, 75, 76, 80, 81, 86, 87, 103, 124,

125, 126, 128, 129, 135, 150,
 152–154, 156, 158–160, 163, 171,
 176, 199, 239, 263
 scattered radiation 38
 Schrodinger's equation 22
 selective laser sintering (SLS) 15
 sessile dislocation 179
 shape deposition manufacturing (SDM)
 9
 sheet lamination 6
 shield gas 8, 53
 shielding gas 48, 261
 shock waves 111
 shrinkage 16, 131, 242
 sintering 15, 16
 sliding friction coefficient 43, 44
 slope angle 44, 269
 solidification
 cracking 105
 morphology 31, 115, 124, 128, 142,
 149, 179, 197
 solidifying interface 107
 solid-liquid interface 28, 104, 107, 109,
 115, 116, 120–123, 125, 127–130,
 133, 135, 156, 173
 solid-state diffusion 142, 163
 solid-state phase transformation 129,
 142, 149, 154, 163, 234
 solid-state precipitation 30
 solutionization heat treatment 134
 spatial 14, 19, 20, 23, 25, 31–33, 41, 45,
 49, 53–56, 61, 80, 101, 102, 107,
 114, 115, 124–126, 128–130, 134,
 135, 142, 149, 167, 175, 196, 197,
 199, 223, 246, 247, 266
 spatter 8, 46, 60, 66, 67, 79, 89, 153, 155,
 266
 specific heat 57, 60, 64, 102, 103, 128,
 148, 165, 178
 spherical carbides 165
 splat quenching 102
 spreader blade angle 46
 stacking faults 10, 31, 142, 180, 181, 192,
 196
 staircase effect 268, 269

- stair-step effect 261, 263
- Standard Triangulation Language or Standard Tessellation Language (STL) 4
- state of stress 225, 226, 229, 230, 231, 237, 239, 241, 242
- static recrystallization 25
- steady strain-hardening 180
- stereolithography (SLA) 3
- stiffness 192
- stochastic analysis 131
- Stokes number 52
- strain-displacement relation 226
- strain-hardening rate 179, 180
- strain-induced phase transformation 30
- strain rate 50, 228, 230
- stray grains 110
- strength and work hardening 181
- strength-ductility dilemma 180
trade-off 179
- stress concentrators 193, 197
- stress corrosion cracking (SCC) 196, 197, 199
- stress-induced cracks 153, 155
- stress-relieving 194
- stress-strain 180, 182, 192, 226–228, 231–233
- stress tensor 229, 231
- stripe pattern 161–163
- structure-property 33
- subatomic particles 21
- subgrain size 181
- subtractive manufacturing 1, 4, 253
- surface asperities, (AU: Not found)
- surface coating 3
- surface curvature 62, 65
- surface energy 43, 44, 46, 65, 67, 116
- surface finish 7, 11, 12, 153, 161, 261, 262, 265, 269–271
- surface fluctuation 265
- surface roughness 7, 9, 10, 39, 46, 55, 79, 80, 153, 163, 164, 193, 196, 261–271
- surface tension 39, 62–65, 68, 69, 71, 73–75, 87, 127, 128, 135, 262, 265, 267
- surface tension coefficient 62–64
- t**
- tail-end region 65, 69
- teardrop 158
- temperature softening 228
- tempered martensite 149, 157, 165
- temporal 20, 21, 23, 25, 31–33, 79, 101, 115, 173, 175
- temporal and spatial scales 20
- tensile longitudinal stress 239
- tensile strength 131, 167, 182, 193, 265
- tensile stress 224, 241, 242, 253
- tensor quantity 229
- 3D printing 1
- thermal conductivity 60, 84, 102, 103, 128, 148, 164, 165, 175, 178, 238
- thermal cracking 105
- thermal cracks 12, 164
- thermal cycles 37, 39, 105, 134–143, 145–151, 154, 163, 176–178, 192
- thermal cycling 83
- thermal distortion 16, 83, 89, 165, 226
- thermal expansion and contraction 225
- thermal expansion coefficient 60
- thermal gradient 9, 12, 27–29, 62, 86, 87, 101, 102, 115–118, 120, 122–128, 131–133, 164, 165, 173, 174, 177, 196, 197, 224–226, 238, 239, 247, 250
- thermal gradient field 28, 116, 117, 174
- thermal history 37, 60, 138, 141, 147, 150, 225, 239, 241, 246
- thermal softening 229, 232, 234
- thermal stress 12, 31, 32, 154, 164, 165, 178, 179, 192, 196, 253
- thermodynamic 7, 13, 20–23, 29, 32, 33, 101, 104–106, 116, 122, 124, 128, 129, 142, 143, 154, 156, 178, 196
- thermo-elastic-plastic 234
- thermo-fluidic simulation 75
- thermography 89

- thermokinetic 7, 9, 10, 12, 13, 16, 20, 23, 27, 29, 31–34, 101–199
- thermokinetic effect 154
- thermo-mechanical 60, 224–238, 241, 242, 245, 253
- thermo-mechanical analysis 225, 242
- thermomechanics 10
- thermophysical 128, 135, 148, 156, 164, 177, 178
- three-dimensional defects 10, 163
- time-temperature-transformation (TTT) diagram 150
- tool steel 165
- top-hat distribution 9
- traceless deviatoric 229
- trailing boundary 119, 120, 125–131, 156, 158, 170, 171, 173
- transient keyhole formation 79
- transition mode 171
- transition region 65, 69
- translational velocity 42
- transport phenomena 60, 76, 89
- turbulent viscosity 50, 51
- turning 269
- twin boundary 179, 180
- twins 10, 31, 142, 180, 181, 192, 196
- two-phase turbulent 49
- u**
- ultrasound 4, 111, 113, 169, 170, 183, 245
vibration 111, 113
- undercooling 27–29, 104, 107, 109–111, 116, 118, 122, 123, 128–130, 132, 171, 177
- uniaxial tensile test 226
- unidirectional mode 161
- v**
- vacancies 20
- Van der Waals cohesion force 43
- vaporization 38, 39, 46, 61, 62, 65, 68, 72, 73, 75–77, 84, 87, 135, 139, 153–155, 225, 262, 266
- vapor plume 60
- vat polymerization 6
- vertex model 32, 33
- viscoplastic behaviour 229
- viscoplasticity 228, 229, 232, 234, 235
- viscosity 50, 51, 60, 64, 127, 128, 135
- volume of fluid method 63, 64
- volumetric energy density (VED) 13, 14, 171, 263
- volumetric heat source 87, 88
- von Mises yield criterion 231
- w**
- warping 16
- wave function 22
- wave particles 22
- wear 157, 195–196
- wear resistance 195
- welding 3, 68, 69, 72, 156
- Widmanstätten structure 143
- wire-fed LDED 10
- wire feedstock 10
- y**
- Yb-doped fiber laser 9, 152
- Yb-fiber laser 9
- yield function 231–233
- yield strength 164, 180, 181–191, 194, 223, 232

