

## Index

### **a**

absorption 1, 3, 7–12, 32, 33, 39–45, 51,  
56–59, 62, 63, 75–81, 84, 87–89, 96,  
104–113, 115, 123, 125, 138, 147,  
156, 159–161, 172–174, 179, 180,  
182, 183, 187, 189, 190, 192, 193,  
214, 216, 217, 235

absorptivity 42, 45

adenine (A) 180

ammonium sodium tartrate 187

androstane 190, 191

angular momentum 19, 93–95, 97–100,  
103, 110, 117, 127–129, 132–135,  
137, 139, 157–160, 171, 172, 189,  
253, 255–257

anharmonic force constant 60

anharmonic oscillator 59–62, 87, 125,  
173, 225

anharmonic potential 56, 61, 176, 182

anharmonicity 49, 61–63, 65, 77, 89,  
112, 225

anomalous dispersion 12, 77–81, 187

anomalous Zeeman 127

anti-Stokes Raman process 83, 84, 238,  
239

associated legendre polynomials 101,  
102, 104, 109

associative law 203

asymmetric molecule 186–191

asymmetric top rotor 96–98, 110

atomic absorption 3, 7–10, 161

atomic number 120, 154, 155

atomic radii 156

atomic spectra 2, 159, 160

atomic spectroscopy 10, 157, 160–162

Aufbau principle 153–155

### **b**

beat frequencies 82, 83

Beer–Lambert law 43, 162

benzene 175, 180, 202

blackbody radiation 3–5

blueshift 183, 185

Bohr radius 117, 122, 123

Boltzmann distribution 4, 44, 84, 90,  
105, 106, 221

bond order 170, 172, 173, 176

Born–Oppenheimer approximation 86,  
164, 165, 174–176, 199

boundary conditions 23, 24, 28, 51, 53,  
99, 225

Brewster angle 47

1,3-butadiene 179

### **c**

camphor 190, 192

carbon disulfide 76

carbonyl chromophore 178–179, 190

carotene 180

Cartesian component 70, 97–99, 103,  
128, 132, 133, 139, 209, 210, 215,  
217, 253, 255, 256

Cartesian displacement coordinates  
69–72, 85, 211–214

Cauchy integral 81

- center of inversion 88, 171, 200, 201, 208, 217
- centrifugal distortion 112
- centrifugal effects 107
- character table 85, 208–210, 213, 214, 216–218
- characteristic vibrational frequency 51
- chemical bonding 115, 163–167
- chemical shift 138, 140–141, 143–146, 244
- chirality 185–187, 189, 192, 193
- chloroform 88–90, 108, 201
- chromophore 178–181, 190–193
- circular dichroism (CD) 81, 179, 185–193
- circularly polarized light 81, 185–187, 190
- Clebsch–Gordan expansion 157, 158
- coherent anti-Stokes Raman scattering (CARS) 184, 233–235, 237–239
- nonlinear Raman effects 233, 234, 236, 237, 240
- collisional energy loss 182–183
- color band 243
- combination band 77, 89
- commutation 18, 103, 128, 133, 134, 255, 256
- commutators 19, 97, 255, 256
- conservation of momenta 236
- constructive and destructive interference 2
- $C_3$  operation 207
- Coulomb's law 116
- $C_{2v}$  point group 203
- crystal field theory 181
- cytosine (C) 180
- d**
- de Broglie equation 6, 16
- degeneracy 120, 121
- detector noise 243
- 2-deuterobutane 190
- diamagnetic response 140
- dichloroethene 217
- dielectric susceptibility 139, 234, 236
- differential operator 16
- 1,3-dimethylallene 187
- dipolar coupling 191
- dipole-allowed absorption 40–42, 124
- dipole-allowed transitions 76–77, 124, 172, 199
- dipole moment 38, 40, 62, 76, 77, 81–83, 87, 88, 96, 105, 112, 113, 124, 189, 191, 193, 199, 210, 216, 233
- dipole strength 179, 189, 191
- Dirac 1, 128, 129
- discrete Fourier transform 248, 249
- disentanglement 241
- dissymmetric molecules 187, 188, 191–192
- DNA bases 180
- doubly degenerate 88, 181, 208
- e**
- effective nuclear charge 151–152
- Einstein coefficients 42–45
- elastic scattering 81
- electric and magnetic dipole transition moments 189
- electric dipole moment 38, 189, 191, 216
- electric dipole operator 188, 189
- electric field 2, 3, 38, 40, 82, 83, 90, 109, 138, 188, 189, 231, 233, 234
- electric transition moment 3, 190
- electromagnetic radiation 2, 3, 10, 11, 18, 25, 37–46, 51, 56, 78, 80, 81, 83, 131, 134, 136–139, 146, 147, 189, 230–231, 233
- electron configuration 127, 158
- electron correlation 151, 152, 169
- electron–electron correlation 223
- electron–electron repulsion 151, 164
- electronic circular dichroism and optical rotation 185–193
- electronic spectra 173
- of diatomic molecules 173–177
- of polyatomic molecules 177–181
- electronic spectroscopy 115, 160, 163, 211

- electronic transition moments 84, 85, 176  
 electron paramagnetic resonance 131, 134  
 electron spin 11, 126–129, 131, 134, 152, 254  
 enantiomeric forms 186, 190  
 enantiomers 185–187, 189, 190  
 energy eigenvalues 17, 22, 24, 28, 51–56, 60, 74, 95, 96, 99–103, 118, 121, 123, 125, 142, 153, 165, 191, 214, 224, 229, 230  
 energy expectation value 165, 168, 224  
 energy states 3, 8–10, 28, 34, 40, 43–45, 55, 63, 90, 115, 127, 128, 131, 134, 136, 139, 140, 147, 155, 163, 176, 195  
 estrogen 190  
 exciton couplet 190, 192  
 exciton formalism 192  
 excitonic state 191  
 exciton model 191–192  
 expectation value 17, 40, 83, 165, 168, 224, 226  
 external magnetic field 128, 129, 131, 137–140, 144, 145, 147, 243
- f**
- fast Fourier transform (FFT) algorithms 248–249  
 femtosecond stimulated Raman scattering (FSRS) 240–242  
 first order non-linear susceptibility 183  
 fluorescence microscopic imaging 181  
 fluorescence resonance energy transfer 181  
 fluorescence spectroscopy 174, 181–185  
 fluorochlorobromomethane 186, 187  
 formaldehyde 178, 179, 202  
 Fourier series 244–247, 249  
 Fourier transform 131, 146–147, 243–244, 247–249  
 Franck–Condon factor 176, 184  
 Franck–Condon principle 174–177, 181–184
- free induction decay (FID) 139, 146–148, 243, 244  
 frequency doubling 234–237  
 FT-IR spectroscopy 147, 249, 250  
 full width at half maximum (FWHM) 77
- g**
- gain medium 46, 47  
 gas laser 46  
 Gaussian distribution 79, 169, 215  
 Gaussian profile 79  
 glyceraldehyde 187  
 green fluorescent protein (GFP) 182  
 group frequencies 93, 178, 244  
 group representations 204–211  
 guanine (G) 180
- h**
- half-filled shell 155  
 Hamiltonian 17, 22, 23, 27, 28, 51, 132, 141, 143, 144, 151–152, 157, 158, 164, 165, 168, 175, 214, 224–226, 254  
 Hamilton operator 17  
 handedness 185, 186, 189  
 harmonic analysis 244, 247  
 harmonic oscillator 38, 49–66, 69, 70, 73, 74, 76, 87, 101, 102, 104, 110, 111, 125, 173, 223, 225  
 harmonic oscillator Schrödinger equation 51–56  
 harmonic oscillator wavefunctions 21, 52, 55  
 harmonic potential energy function 60  
 Hartree–Fock method 152, 153, 155  
 He–Ne laser 46, 47, 159  
 heat capacity 91  
 Heisenbergs matrix mechanic 254  
 Heisenberg’s uncertainty principle 15, 19, 55, 241  
 helical molecules 187  
 $\alpha$ -helix 192  
 Hermite’s differential equation 51, 118, 125

Hermite polynomials 53, 54, 57, 101, 102, 104, 215  
 high spin 181  
 highest occupied molecular orbital (HOMO) 32, 163, 180  
 hollow cathode lamp (HCL) 3, 161  
 homonuclear diatomic molecule 62, 105, 168–172, 195  
 hot bands 62–65, 79, 89  
 Hund's rule 154, 171, 172  
 hydrogen atom 2, 7–10, 12, 20, 28, 33, 93, 103, 115–129, 151, 156, 159, 164, 166, 168, 187, 201–203, 254  
 hydrogen-like orbitals 169  
 hyper-Raman scattering 234  
 hyper-Raman effect 139, 233, 235, 236  
 hyperpolarizability tensor 234

**i**

identity element 186, 200, 203  
 improper axes of rotation 200  
 induced dipole moment 82, 83, 233  
 induced electric dipole 233  
 inelastic scattering 81  
 inertial tensor 95  
 infrared absorption spectroscopy 62, 63, 76–81, 88, 111, 214, 235  
 infrared spectroscopy 93, 235, 243  
 intersystem crossing 182, 183  
 intrinsic fluorescence 181  
 inverse operation 203  
 inversion symmetry element 88, 217  
 ionization energy 6, 155  
 ionization potential 155  
 irreducible representations 181, 189, 204–209, 212–214, 216, 217, 220  
 IR vibrational circular dichroism (VCD) 192  
 isotopic species 63–65, 75  
 isotopic splitting 64

**j**

Jablonski diagram 182–183  
*J*-coupling 143, 145

**k**

Kramers–Kronig transform 12, 80, 81  
 Kronecker symbol 25, 54

**l**

Lagrange's equation of motion 71  
 LaGuerre differential equation 117  
 LaGuerre polynomials 117, 119  
 Laplace operator 116  
 Larmor frequency 139, 147  
 laser theory 43  
 Legendre differential equations 118, 125  
 Legendre polynomials 101, 109  
 lifetimes 77–79  
 ligand field theory 181  
 line shapes 77–79  
 linearly polarized light 187  
 linear molecules 75, 76, 94, 96, 103, 105–109  
 lithium 160  
 Lorentz force law 136  
 Lorentzian band 78, 79  
 lowest unoccupied molecular orbital (LUMO) 32, 180  
 low spin 181

**m**

magnetic dipole transition operator 189  
 magnetic moment 128, 134–136, 139, 147, 189  
 magnetic transition moment 3, 188–192  
 magnetic quantum numbers 103, 117, 126, 127  
 magnetization 11, 129, 131, 137–139, 147, 148, 189, 243  
 magnetogyric ratio 135  
 mass-weighted Cartesian displacement coordinates 70–72  
 Maxwell's equation 1, 2, 5, 6  
 3-methylheptane 190  
 mirror image 186, 187  
 molar extinction coefficient 42, 43, 76, 77, 178–180  
 molecular orbital theory 163, 164, 168–170

- moment of inertia 75, 93–95, 98, 103, 107, 108, 112, 132
- momentum conservation 236
- Morse potential 59
- multidimensional NMR processes 233
- multi-electron systems 133, 151–162
- multiple spin interaction 144–145
- multispin system 141–146
- mutual exclusion rule 217
- n**
- natural broadening 79
- Nd:YAG laser 90
- net magnetization 129, 139, 147–148, 189
- Newtonian mechanics 1
- Newton's second law of motion 50
- noncoherent nonlinear effects 234–235
- noncoherent three-photon effect 233
- nondegenerate hyper-Rayleigh effect 234
- nonlinear spectroscopic techniques 233–242
- nonlinear spectroscopy 90, 233, 235, 242
- normal coordinate analysis 69, 70, 72
- normalization 25–27, 41, 53, 100, 123, 166, 247, 255
- normal modes of vibration 69–72, 74, 75, 77, 211, 212
- nuclear magnetic resonance (NMR) 93, 129, 131–148, 243
- nuclear magneton 135, 221
- nuclear spin 129, 134–139, 141, 147
- nuclear spin energy states 131, 139
- o**
- oblate symmetric top rotor 96
- oblate top rotor 108
- olefins 179–180
- one-dimensional representation 206
- optical activity 185, 187
- asymmetric molecules 188–191
- dissymmetric molecules 191–192
- manifestation of 187–188
- vibrational 192–193
- optical rotation 185–193
- optical rotatory dispersion (ORD) 81, 187
- orbital angular momentum quantum number 117
- orbital approximation 151, 152, 223
- orthogonality condition 208
- orthogonality theorem 206
- orthonormal functions 253
- orthonormality condition 254, 256
- orthonormal vector space 25, 54, 120
- p**
- parallel envelope 113
- paramagnetic 155, 170
- parity 21, 41, 42, 56, 57, 65, 76, 171
- particle-in-a-box 17, 21, 23–26, 29–31, 33, 37, 38, 40–42, 49, 58, 65, 66, 125, 223, 226–230
- particle-in-a-2D-box 27–28, 33, 73
- particle-wave duality 5, 6
- partition function 91
- Pauli exclusion principle 18, 152–154
- Pauli spin matrices 253–256
- P-branch 112
- 2,3-pentadiene 186, 187
- periodic chart of elements 115, 155
- perpendicular 2, 113, 201, 202, 254
- perturbation Hamiltonian 225, 226
- perturbation method 34, 37, 60, 144, 225
- perturbed wavefunction 225, 226, 228, 229
- phase-matching 236–239
- phenylalanine 180
- phosphorescence 178, 182, 183
- photoelectric effect 1, 2, 5–7, 12, 155
- photon mass 7
- Planck's constant 4, 5, 15, 16, 32, 95, 221
- polarizability 40, 81–86, 96, 185, 193, 199, 217, 234
- polarizability tensor 85, 86, 185, 193, 210
- polyenes 31–32
- poly-L-Pro (II) 192
- population inversion 45–47

potential energy 16, 20–22, 24, 27, 29, 30, 33, 34, 49, 50, 55, 56, 59–60, 70–73, 89, 95, 97, 116, 125, 176, 182, 226, 227, 230  
 principal axes of inertia 95, 99  
 prolate symmetric top rotor 96, 108  
 prolate top rotor 97, 108, 109  
 proper axes of rotation 200–201  
 pseudo-Voigt function 79  
 pulse Fourier transform (FT) NMR spectroscopy 138, 146  
 pulse FT method 131, 243

**q**

Q-branch 112, 113  
 quadrant or octant rules 190–191  
 quantized energy level 24  
 quantum cascade lasers 31–34  
 quantum dots 31–34  
 quantum mechanics 1–12, 15–21, 24, 28, 37, 39, 49, 69, 97, 103, 115, 128, 223, 254  
 quantum number 8, 18, 24, 26, 28, 53, 56, 57, 61, 62, 77, 100, 101, 103, 107, 109, 112, 116–118, 120, 124, 126–129, 133–135, 145, 153, 154, 157–160, 173, 178, 253, 254

**r**

racemate 187  
 racemic mixture 187  
 radial distribution function 122, 123  
 Raman optical activity (ROA) 192  
 Raman scattering 12, 39, 62, 81, 82, 84, 87, 88, 173, 217, 233–236, 240  
 Raman spectroscopy 81–86, 96, 185, 192, 210, 211, 217, 234, 235, 240, 241  
 random coil 192, 193  
 Rayleigh scattering 81, 84  
 R-branch 112  
 recursion formula 52–54, 57, 101, 102, 104, 109, 118  
 redshift 183, 185  
 reducible representation 209–214

reflection 42, 47, 201, 204, 208, 214  
 reflection by mirror plane 186, 200, 201, 204  
 refraction 42, 79, 80  
 refractive index 11, 12, 42, 79–81, 84, 187, 188  
 resonance condition 40, 86, 138, 146  
 resonance/off-resonance 11  
 resonance Raman process 185  
 resonance Raman spectroscopy 85  
 resonator structure 46, 47  
 rigid rotator 107  
 rotation–reflection axes 200, 201  
 rotational constants 95, 96, 103, 108, 112, 113, 173  
 rotational kinetic energy 94, 95, 132  
 rotational quantum number 100, 112, 158, 173  
 rotational Raman spectrum 96  
 rotational Schrödinger equation 97, 99–103, 115  
 rotational spectroscopy 93–113, 117, 140, 163  
 rotational strength 189, 192  
 rotational wavefunction 93, 101  
 rot–vibrational transitions 110–113  
 ruby laser 233  
 Rydberg constant 8, 10, 118, 221

**s**

scattering tensor 85, 86, 234  
 Schrödinger equation 16, 18, 20, 23–24, 29, 37, 49, 73, 93, 99, 115, 116, 125, 151, 157, 175, 224, 225  
 second harmonic generation (SHG) 184, 235–237  
 second-order dielectric susceptibility 139, 236  
 second-order nonlinear susceptibility 185  
 second-row diatomic molecules 169  
 selection rules 40, 57, 85, 102, 104, 109, 124, 137, 160, 172, 199, 217, 235  
   for absorption 57  
   for dipole-allowed processes 214–216

- for electronic transition 178
  - for harmonic oscillator 56–60, 102
  - for homonuclear diatomic molecules 171–172
  - for IR and Raman spectroscopy 87–88
  - for one-spin nuclear system 137–138
  - for particle in a box 40–42
  - for Raman effect 85
  - for Raman scattering 217
  - for rotational transitions 104
  - for transitions in atomic species 160
  - series expansion 17, 52, 53, 223–225, 229, 233
  - SF<sub>6</sub> 75
  - $\beta$ -sheet 192
  - shielding effect 138, 140, 141, 156
  - singlet state 158, 172, 182, 183
  - singlet to triplet transition 160, 172, 178, 183
  - Slater determinant 18, 152, 153
  - sloped baseline 226
  - sodium D line 127
  - sodium doublet 127
  - sodium 589nm line 159, 161
  - spatial quantization 103, 129, 133, 139
  - spectral transitions 3, 9, 37
  - spectroscopic transitions xi
  - spherical harmonic functions 33, 98, 99, 101, 102, 115, 117, 119, 121
  - spherical polar coordinates 16, 98, 116, 117
  - spherical top rotor 96, 109
  - spin angular momentum 103, 128, 129, 132–134, 139, 156, 157, 159, 160, 171
  - spin functions 128, 134, 136, 152, 153, 253, 254, 257
  - spin–lattice relaxation 147
  - spin multiplicity 154, 158, 159, 171
  - spin-orbit coupling 158, 161
  - spin-pairing energy 155
  - spin spectroscopy 93, 129, 131
  - spin–spin coupling 143–146
  - spin state population 137–140
  - spin states 11, 128, 134, 136–140, 144, 145, 158, 254
  - spin wavefunctions 132, 133, 142, 152, 153, 253–254
  - spontaneous emission 45–47, 78, 182
  - spontaneous, nonresonant Raman process 185
  - spontaneous Raman 184, 236, 240, 242
  - square wave 246, 247
  - Stark splitting 109
  - stationary states 3, 8, 24, 37–40, 43, 51, 78, 85, 97, 230
  - stationary-state wavefunctions 25, 37, 40, 83
  - statistical thermodynamics 91
  - Stefan–Boltzmann law 5
  - stereochemistry 188, 190, 191
  - Stern–Gerlach experiment 127, 254
  - stimulated emission 34, 40, 43–45, 48
  - stimulated Raman scattering (SRS) 240–242
  - Stokes Raman frequencies 83, 84, 238
  - successive application 203–205
  - sum-frequency generation 234, 237
  - superimposable image 186
  - symmetric top rotors 96, 97, 108
  - symmetric tops 96, 108, 109
  - symmetry group 186, 200–204, 209, 213, 215, 217
  - symmetry operation 186, 200–207, 210–212, 214
  - symmetry representation 199, 210–214
- t**
- Taylor series 82
  - term symbols 127, 156–161, 171–172, 195
  - testosterone 190
  - tetrachloroethene 235
  - tetramethylsilane 141
  - thermal ellipsoids 75
  - thermal energy 90, 105
  - 3<sup>rd</sup> law of thermodynamics 49, 55
  - third-order nonlinear susceptibility 238
  - third-order susceptibility tensor 239

- thymine (T) 180
  - time-dependent perturbation 37–40, 230–231
  - time-dependent Schrödinger equation 18, 37–39, 230
  - time-dependent wavefunction 18, 38, 39, 83
  - time-independent perturbation theory 225–226
  - toluene 180
  - total orbital angular momentum 157–159, 172
  - total spin angular momentum 139, 159, 160, 171
  - trace 25, 41, 42, 187, 205, 207, 211, 212, 214, 241, 245, 246, 248
  - transformation matrix 72, 204, 207, 211, 212, 214, 249
  - transition coupling 191–192
  - transition metals 154, 155, 181
  - transition moment 3, 39–45, 47, 56–59, 84–87, 104, 105, 107, 124, 175, 176, 188–192, 215–217, 231, 234
  - translational and rotational degrees of freedom 213, 214
  - trial function 23, 118, 224
  - triplet state 158, 171, 172, 183
  - triplely degenerate 113, 181, 208
  - tunnelling 29–31, 34, 56, 230
  - two-photon fluorescence 183–184
  - two-photon process 39, 85, 87
- U**
- unbound particle 27–31
  - uncertainty principle 15, 19, 55, 78, 241
- V**
- valance-shell electron-pair repulsion (VSEPR) model 93
  - variation method 169, 224–225
  - vector space 17, 19, 22, 25, 54, 97, 101, 120, 200, 223, 224
  - vibrational dephasing 241
  - vibrational infrared and Raman spectroscopy 69–91
  - vibrational optical activity 192–193
  - vibrational Schrödinger equation 51, 52, 54, 60, 73, 214
  - vibrational spectroscopy 52, 62–65, 69, 70, 78, 79, 90, 93, 97, 178, 193, 199, 211
  - vibronic absorption spectrum 173–174
  - Voigt function 79
- W**
- wave vector 2, 29, 237, 239
  - Wien's law 5
  - work function 6
- Z**
- Zeeman effect 126, 127
  - zero-point vibrational energy 74













