

## Index

### a

acrylamide 156  
adamantane (Ad) 154, 158  
agarose 26  
air-assisted atomization 197–198  
alginate 19, 30, 75–77  
alginate-based cell-laden microfibers 238  
alginic acid 19  
amniotic fluid-derived stem (AFS) cells  
137  
aortic valve printing 132–133  
apparent tissue surface tension 3  
azobis (isobutyronitrile) ethanol solutions  
156

### b

$\beta$ -cyclodextrin ( $\beta$ -CD) 154, 158  
Bingham plastic fluids 159, 214, 229  
bioink design  
biocompatibility 48–49, 51  
category 47–48  
commercial photo-crosslinking bioink  
58  
composite bioink 50  
GelMA-based bioinks 52–53  
mechanical properties of 48  
microfiber-assisted reinforcement 51  
printability 124–126  
crosslinking sequence 49–50  
definition 48  
microgel-based bioink 50  
support material-assisted bioprinting  
50  
reinforcement 50  
significance of 47  
bioinks 5  
biomimetic fibrous geometry 237

biomimetic tissue structures  
biomedical applications 275–276  
light-based bioprinting 273–275  
support bath-assisted bioprinting 273  
biomimetic vascular network 259  
biomimicking vascular model 299–301  
bioprinting  
of complex 3D GelMA structures  
341–342  
of GelMA fibers 340–341  
of GelMA microspheres 339–340  
bone and cartilage tissues 21–22  
bone marrow stem cells (BMSCs) 136, 185  
bovine aortic endothelial cells (BECs) 15  
bulk crushing 208–211  
buoyant support fluids 151

### c

canine smooth muscle cells (cSMCs) 15  
Carbopol 940 163  
Carbopol granular microgel 157, 159  
Carbopol powder 157  
Carbopol Ultrez 30 163  
cardiomyocyte fiber 249  
cardiovascular disease 81  
cell aggregate-based bioinks 27, 28  
cell amplification 223  
cell culturing 339  
cell-laden bioinks 47, 152  
cell-laden projection-based bioprinting 5  
cell-monolayer planar culture model 311  
cell passage process 224  
cell proliferation 302  
cell therapy 216–219  
cell viability 295–296  
central nervous system (CNS) 135  
chemical crosslinking 19

- chitosan 26, 118
  - circulating tumor cells (CTCs) 227
  - coaxial bioprinting 7, 267
    - coaxial nozzle-assisted bioprinting 240–241
    - microfluidic 239–240
    - principle 239
  - coaxial 3D bioprinting
    - biomedical applications
      - morphology-controllable
        - microfiber-based organoids 80–82
        - vessel-on-a-chip 81–84
    - future aspect 85
    - hollow fiber-based coaxial bioprinting 73–74
    - printable ink materials
      - alginate 75–77
      - forming mechanism 74–75
      - gelatin 78
      - GelMA 79–80
      - hydrogels 75
      - requirements 75
    - significance 69–72
    - solid fiber-based coaxial bioprinting 72–73
  - coaxial nozzle-assisted bioprinting strategy 240–241
  - co-cultured multi-organoids interactions 249–250
  - coflow rope-coil effect (CRC effect) 242
  - collagen 19
  - commercial photo-crosslinking bioink
    - fluorescent GelMA 58, 60, 62
    - GelMA (EFL-GM series) 58, 61
    - HAMA (EFL-HAMA series) 64
    - PCLMA (EFL-PCLMA series) 64, 66
    - porous GelMA (EFL-GM-PR series) 60, 63
    - SilMA (EFL-SilMA series) 64, 65
  - composite bioink 50
  - composites 150
  - computed axial lithography (CAL) 13, 37
  - confocal laser scanning microscopy (CLSM) 248
  - continuous-inkjet bioprinting (CIJ) 14
  - critical filament diameter 165
  - cross-linking capacity 122
  - crosslinking process 93
  - crosslinking property 18
  - cross-linking-while-printing 113
  - Cytodex-1microsphere 223
  - cytoscribing technology 3
  - cytoskeleton staining 296
- d**
- damage-free demolding process 282, 283
  - decellularized extracellular matrix (dECM) 47, 134
  - decellularized matrix (dECM) 28
  - destructive demolding stress 283
  - digital light processing 208
  - digital light projection (DLP) 13
    - channel structures 104
    - conduit structures 104–105
    - constructing complex features 91, 92
    - customized physical properties
      - bioprinting 107–109
    - DLPBP structures with high precision 107
    - environment controlling systems 98
    - focusing system 97
    - high printing accuracy 90
    - ink tank 99
    - mass production with consistency 90
    - mechanical movement units 99–102
    - microcolumn structure 105, 107
    - optical units 96–99
    - photocurable biomaterials 91–96
    - printing error formation and optimization
      - strategies
        - parameters 91, 102
        - process parameters 101, 102
        - transmission and scattering of light 101
    - printing process 89
    - regenerative and biomedical applications 108, 110
    - solid structures 103–104
    - thin-walled structures 105
  - digital light projection 3D printing (DLP-3DP) 35
  - digital micromirror devices (DMD) 97
  - diphase emulsion
    - air-assisted atomization 197–198
    - microfluidic technology 198–202
    - non-aqueous liquid stirring 195–197
  - direct ink writing (DIW)
    - bioinks
      - biocompatibility and biodegradation 123–124
      - cross-linking capacity 122–123

- mechanical properties 124
  - printability 124–126
  - rapid solidification-induced 3D printing approach 126–130
  - rheological properties 122
  - self-supporting material-assisted 3D printing approach 130–132
  - biomedical applications
    - aortic valve printing 132–133
    - blood vessel printing 138
    - bone and cartilage tissue printing 133–134
    - cardiac tissue printing 134–135
    - eye and ear printing 136–137
    - liver tissue printing 135
    - lung tissue printing 135
    - neural tissue printing 135–136
    - pancreas printing 137
    - skin tissue printing 137
  - printable bioinks in
    - chemical cross-linking 117–119
    - physical cross-linking 115–117
  - rapid solidification-induced 3D printing 113, 115
  - self-supporting material-assisted 3D printing 113
  - yield-stress additive-assisted
    - self-supporting strategy
    - internal scaffold additives 119–120
    - microgel additives 121
  - directly cell-laden scaffold printing 261
  - discrepant wettability 203–206
  - dopamine-functionalized hyaluronic acid (HA-DA) 228
  - Doxorubicin (Dox) 219
  - droplet-based bioprinting 5
  - drop-on-demand (DOD) inkjet bioprinting
    - electrostatic bioprinting 16
    - piezoelectric inkjet bioprinting 15–16
    - thermal inkjet bioprinting 15
  - drug delivery 219
- e**
- elastomers 150
  - electrohydrodynamic (EHD) jet bioprinting 16
  - electrohydrodynamic printing 185, 190, 191, 193–195
  - electrostatic bioprinting 16
  - embedded 3D printing (e-3DP) 149
  - embryoid bodies (EBs) 158
  - energy-absorbing layer (EAL) 29
  - enzyme cross-linking 119, 129
  - ETD 2020 163
  - extracellular matrix (ECM) 17, 47, 161
  - extrusion-based bioprinting 4, 48, 314
  - extrusion-based 3D bioprinting 80
  - extrusion bioprinting
    - cell aggregate-based bioinks 27–28
    - dECM 28
    - extrude biomaterials 23–24
    - hydrogels 25–26
    - micro-carriers 26
    - primary extrusion bioprinting strategies 24
  - extrusion bioprinting method 232
- f**
- fabrication, of GelMA-based microfluidic chips 342
  - fiber mini-tissue model 317–318
  - fibrin 19
  - Fick's second law of diffusion 165
  - filler 151
  - fluorescent GelMA 58
  - freeform reversible embedding of suspended hydrogels (FRESH) technology 4, 229
  - functional inks 149
- g**
- gelatin 18, 78, 116
  - gelatin-methacryloyl (GelMA) 20, 79, 238, 316
  - gelatin microparticles 155
  - gel-based channels 73
  - gellan gum 117
  - GelMA-based bioinks
    - dual crosslinking strategy 53–55
    - HAMA 64
    - nanoclay 55–57
    - porous GelMA 60
    - property characterization of 52–53, 57
  - GelMA/chitosan microgels 232
  - Ghost writing 154
- h**
- Herschel-Bulkley model 159
  - heterogeneous independent/interconnected porous structure printing 262
  - heterogeneous microfibers bioprinting 244–245

- heteromorphic microfibers bioprinting 241–243
  - Hewlett-Packard (HP) inkjet printer 3
  - high-magnification scanning electron microscopy images 297
  - high plateau shear elastic modulus 151
  - <sup>1</sup>H nuclear magnetic resonance (1HNMR) method 95
  - hollow channel network printing 259
  - hollow fiber-based coaxial bioprinting 70, 73–74
  - hollow vascular constructs 281
  - human adipose-derived mesenchymal stem cells (hADSCs) 223
  - human amniotic fluid-derived stem cells (hAFSCs) 15
  - human bone marrow-derived mesenchymal stem cells (hBMSCs) 229
  - human breast cancer cells (MDA-MB-231) 214
  - human microvascular endothelial cells (HMVEC) 19, 22
  - human pluripotent stem cells (hiPSCs) 135
  - human umbilical cord mesenchymal stem cells (HUMSCs) 225
  - human umbilical vein smooth muscle cells (HUVSMCs) 84
  - hyaluronic acid (HA) 26, 154, 158
  - hydrogel(s) 25–26, 75, 150
    - biomimicking vascular model 299–301
    - characterization 298–299
    - construction process 293
      - damage-free demolding process 282–286
      - multi-scale 3D printing process 291–293
      - twice-crosslinking mechanism 286–291
    - microfiber-based organoids 238
    - microfluidic chip 287
    - multi-scale vascular model 299
  - hydrogel-based bioinks
    - alginate 19
    - collagen 19
    - crosslinking property 18
    - fibrin 19
    - gelatin-methacryloyl 20
    - polyethylene glycol 20
    - rheological property 18
  - hydrogel network 213
  - hydrophobic C<sub>12</sub>F<sub>27</sub>N 153
  - hydrostatic stress 159
  - 2-hydroxy-4'-(2-hydroxyethoxy)-2-methylpropiope 93
- i**
- immunofluorescence staining 303
  - independent porous structure printing 259–261
  - induced pluripotent stem cells (iPSCs) 158
  - induced pluripotent stem cells (iPSCs)-derived cardioimycytes (CMs) 172
  - inkjet bioprinting 313
    - cell printing applications
      - bone and cartilage tissues 21–22
      - organoids 22
      - skin tissues 22
      - vascular networks 22
    - droplet formation mechanisms
      - CIJ bioprinting 14–15
      - DOD 15–16
      - electrohydrodynamic jet bioprinting 16–17
      - hydrogel-based bioinks 17–22
  - inkjet printing
    - piezoelectric inkjet 180–182
    - thermal bubble inkjet 183–184
  - ink tank 99
  - in situ-crosslinking strategy 49
  - integrated tissue-organ printer (ITOP) 4
  - interconnected porous structure printing 261
    - directly cell-laden scaffold printing 261
    - synchronous bioprinting 261–262
  - interfacial tension-induced filament deformation 165
  - internal scaffold additive-assisted 3D printing 130
  - internal scaffold additives 119–120
  - in vitro mini tissue models
    - cardiomyocyte fiber 249
    - co-cultured multi-organoids interactions 249–250
    - myocyte fiber 248
    - nerve fiber 248–249
    - vascular organoid 247–248
  - in vivo blood circulation system 300
  - in vivo vascular system 326
  - ionic cross-linking 116
  - ionizable comonomer 156

**L**

- lab-on-a-chip 171
- Laponite EP nanoclay 171
- laponite nanoclay 120, 159
- laponite nanoclay suspension 155
- large scale tissues bioprinting
  - advanced bioprinting techniques 259
  - cell-laden porous structures printing 259
    - heterogeneous
      - independent/interconnected 262–265
      - independent 259–261
      - interconnected 261–262
      - perfusion culture chip 265
  - challenges 257
  - hollow channel network printing 259
    - with nutrient networks 258
  - porous network printing 258
  - with vascular channels printing 266
    - coaxial bioprinting 267–268
    - sacrificial bioprinting 266–267
- large scale vascularized tissue constructs
  - 268
  - freeform structure 269–270
  - heterogeneous structure 270–272
  - mechanism 268–269
  - perfusion culture chip 272
- laser-assisted bioprinting 316
  - biomedical applications 30–31
  - materials 30
  - mechanism 28–30
- laser-assisted printing 184
- laser-induced forward transfer (LIFT) 28
- “layer cake” 3D tumor array chip 214
- lentiviral green fluorescent protein (GFP)
  - constructs 299
- lifting mechanism 99
- light-assisted bioprinting 315–316
- light-based bioprinting 11, 273
- light-based 3D bioprinting
  - CAL 37–38
  - DLP-3DP 35–37
  - laser-assisted bioprinting
    - biomedical applications 30–31
    - materials 30
    - mechanism 28–30
  - multi-photon polymerization
    - biomedical applications 35
    - material 35
    - mechanism 34–35
- stereolithography
  - biomedical applications 33
  - materials 33
  - mechanism 32–33
- limb ischemia 217
- 1,4 linked  $\beta$ -Dmannuronic acid 19
- liquid support bath-assisted
  - three-dimensional (3D) printing 149
- liquid support bath materials
  - biocompatibility 161
  - bio-related applications 173
  - buoyant support fluids 151
  - chemical stability 159
  - chemical synthesis 158
  - critical properties of 160
  - diffusion of ink materials 163–165
  - dissolvability 161
  - gelatin microparticles 161
  - homogenous suspensions with inherent micro and/or nanostructures 157–158
  - hydrophilicity/hydrophobicity 161
  - interfacial tension-induced filament deformation 165
  - lab-on-a-chip 171–172
  - microparticle aggregation 156
  - nozzle movement 165–166
  - operating conditions 162
  - organ printing 169–171
  - path design 166–167
  - physical stability 159, 161
  - post-treatments in 167, 169
  - reversibly self-healing hydrogels 153
  - rheological properties 158–159, 162–163
  - unrecoverable matrix materials 151
  - yield-stress fluids 154
- lithium acylphosphinate (LAP) 93
- lithography technology
  - digital light processing 208
  - discrepant wettability 203–206
  - photomask film 206–208
  - replica mold 202
- liver tissue 22
- localized “layer-by-layer” printing method 166
- localized unjamming microgels 155

**m**

- massed 3D printing strategies 326
- material storage units 98
- matrigel 26

- matrix-assisted pulsed-laser evaporation (MAPLE) 12, 28
  - matrix-assisted pulsed-laser evaporation direct-write (MAPLE DW) 184
  - mesenchymal stem cells (MSCs) 31
  - methacrylate hyaluronic acid (HAMA) 117
  - methacryloyl hyaluronic acid (HAMA) 64
  - micro-array models 318
  - micro-carriers 26
  - microdroplets 216
  - microfiber-assisted reinforcement 51
  - microfiber-based organoids (MFOs) 237
    - coaxial bioprinting 238–239
      - coaxial nozzle-assisted bioprinting 240–241
      - microfluidic 239–240
      - principle 239
    - 3D assembly 245
    - 3D bioprinting 245–247
    - 3D bioweaving 245
  - heterogeneous microfibers bioprinting 244–245
  - heteromorphic microfibers bioprinting 241–243
  - hydrogel materials 238
  - significance and challenge 237
  - for in vitro mini tissue models 247
    - cardiomyocyte fiber 249
    - co-cultured multi-organoids
      - interactions 249–250
    - myocyte fiber 248
    - nerve fiber 248–249
    - vascular organoid 247–248
  - microfluidic coaxial bioprinting 239–240
  - microfluidic spinning 238–239
  - microfluidic system(s) 157, 332
  - microfluidic technology 198, 200–202
  - microgel
    - auxiliary dripping
      - electrohydrodynamic printing 185–195
      - inkjet printing 180–184
      - laser-assisted printing 184–185
    - bulk crushing 208–211
    - cell amplification 223
    - cell therapy 216
    - complex mechanical properties 214
    - diphase emulsion 195
    - drug delivery 219
    - hydrogel network 213
    - in-vitro model 214
    - lithography technology 202
    - principle 179
    - secondary bioprinting 232–234
    - single cell capture 227–229
    - supporting matrices 229–232
    - tine size 213
  - microgel additive-assisted 3D printing
    - approach 132
  - microgel additives 121
  - microgel-based bioink 50
  - micro-manufacturing process 282
  - microparticle aggregation 156
  - mini-tissue model 316
  - modular microfluidic system 322
  - monomer 93
  - monomer polymerization 93
  - multi-cell printing 262
  - multicellular tumor sphere model 331
  - multi-photon polymerization (MPP) 13, 34–35
  - multiple-organ system 323
  - multi-scale 3D printing process 291–293
  - multi-scale vascular model 299
  - myocyte fiber 248
- n**
- nanosilicates 155
  - natural bioink materials 47
  - natural biomaterials 238
  - natural/synthetic hydrogels 6
  - neonatal human epidermal keratinocytes (NHEKs)-laden collagen 22
  - nerve fiber 248
  - nerve growth factor (NGF) 232
  - N-isopropylacrylamide (NIPAAm) 117
  - non-aqueous liquid stirring 195–197
  - norbornene-modified hyaluronic acid (NorHA) 132
  - NorHA/PEGDA/agarose solutions 157
- o**
- organoids 22
  - organ-on-a-chip
    - integrated 321–322
    - limitations 325
    - modular microfluidic system 322–323
    - multiple-organ system 323–325
  - organ printing 169
  - orifice-based bioprinting 11
  - orifice-based 3D bioprinting technologies

orifice-free bioprinting 11  
 orifice-free 3D bioprinting technologies  
 12

## **p**

perfluorotributylamine (C<sub>12</sub>F<sub>27</sub>N) 153  
 perfusion culture chips 265  
 periodontal ligament stem cells (PDLSCs)  
 119  
 peripheral nervous system (PNS) 136  
 pH cross linkable biodegradable  
 glucosamine polymer 118  
 photo cross-linking 117  
 photo crosslinking reaction 89  
 photocurable biomaterials  
 gelatin methacryloyl  
 composition and synthesis 94–95  
 substitution degree 95–96  
 photo-crosslinking mechanism  
 monomer polymerization 93–94  
 photo initiator 92–93  
 photocurable liquid materials crosslinks 89  
 photoinitiator 92–93  
 photomask film 206–208  
 physical crosslinking 18  
 physical sedimentation 156  
 piezo-based inkjet bioprinting system 16  
 piezoelectric inkjet 180–182  
 piezoelectric inkjet bioprinting 15, 22  
 Plateau-Rayleigh instability 165  
 pluronic 26  
 Pluronic F127 48, 171  
 Pluronic F127-DA 151, 158  
 poly(ethyleneimine) (PEI) 221  
 poly(propylene fumarate-co-ethylene  
 glycol) (PPF-co-EG) 116  
 poly(ethylene glycol) diacrylate 156  
 polyethylene glycol (PEG) 20  
 polyethylene glycol dimethacrylate  
 (PEGDMA) 15  
 porous GelMA 60  
 porous network printing 258  
 porous structure printing  
 independent 259–261  
 interconnected 261–262  
 post-treatments  
 in e-3DP 167–168  
 in support bath-enabled 3D printing 169  
 pre-crosslinking strategy 49  
 pre-polymerization 93  
 printability 48

crosslinking sequence 49–50  
 definition 48  
 microgel-based bioink 50  
 support material-assisted bioprinting 50  
 printing-then-cross-linking 114  
 projection-based bioprinting 5  
 pure Pluronic F127 158

## **r**

rapid solidification-induced 3D printing  
 113, 115  
 rapid solidification-induced 3D printing  
 approach  
 enzyme cross-linkable biomaterials  
 129–130  
 ionic cross-linkable biomaterials  
 127–128  
 photo cross-linkable biomaterials  
 128–129  
 thermal cross-linkable biomaterials  
 126–127  
 Rayleigh-Plateau instability 14  
 reversibly self-healing hydrogels 153  
 rheological property 18  
 rope coiling effect 185  
 rray mini-tissue model 318

## **s**

sacrificial bioprinting 69, 266  
 sacrificial inks 149  
 Schwann cells (SCs) 136  
 secondary bioprinting 232  
 self-supporting material-assisted 3D printing  
 113, 123  
 internal scaffold additive-assisted 3D  
 printing 130–131  
 microgel additive-assisted 3D printing  
 approach 132  
 shear-thinning 18, 122  
 single cell capture 227  
 single inner GelMA injection 244  
 skin tissues 22  
 sodium alginate 75, 77, 83  
 soft fiber template 282  
 solid fiber-based coaxial bioprinting 70, 72  
 “solidification-while-printing” fashion 11  
 somatosensitive actuator (SSA) 173  
 Span 80 157  
 stereolithography (SLA) 3, 13  
 support bath-enabled 3D printing 149  
 supporting matrices 229

suspension printing 50  
 synchronous bioprinting 261  
 synthetic biomaterials 238

**t**

textit cross-linking 129  
 thermal bubble inkjet 183  
 thermal cross-linking 115  
 thermal inkjet bioprinting technique 15, 21  
 thin-walled structures 105  
 thixotropic time scale 122  
 3D-Bioplotter 3  
 3D bioprinting 245, 311, 335  
   definition 11  
   digital light projection (DLP) 113  
   DIW 113  
   extrusion bioprinting 23  
   individual differences 335  
   industrialization 335  
   inkjet bioprinting 13  
   light-based 3D bioprinting 28  
   orifice-based bioprinting 11  
   orifice-free bioprinting 11  
   systematic interaction 335  
 in vitro models 312, 316  
   advantages 334  
   array mini-tissue model 318  
   cancer 330  
   common target tissue/organ demand 312  
   3D growth state, mini-tissue in 316  
   disadvantages 334  
   fiber mini-tissue model 317–318  
   limitations 319  
   multi-cell tumor sphere 331–332  
   organ-on-a-chip 319–322  
   sphere mini-tissue model 316–317  
   tissue/organ construct, with  
     biomimicking property 325–330  
     tumor cell-laden construct 330–331  
     tumor metastasis 332–333  
 3D bioweaving 245  
 3D printing 281  
   bioinks 5  
   classification of 4–5  
   definition 1  
   disadvantages of 6  
   evolution of 3  
   functionalization 6  
 tilting mechanism 100  
 traditional manufacturing methods 69

trinitrobenzene sulfonic acid (TNBS)  
   method 95  
 tumor cell-laden construct 330  
 tumor metastasis 332  
 tumor microspheres (TM) 214  
 tumor spheroids (TS) 214  
 twice-crosslinking strategy 286  
   bonding results 289–291  
   feasible domain 289  
   hydrogel-based microfluidic chips 287  
   material selection 288–289  
   mechanism study 287–288

**u**

ultrafine fibers 51

**v**

vascular barrier function 304  
 vascular chips  
   characterization  
     cells viability 295–296  
     cytoskeleton staining 296  
     endothelial cells 296–297, 302  
     endothelium channel 297–298  
     endothelium function of channels 295  
     nutrition supply function 302  
     vascular barrier function 304  
     vascular inflammation reaction 303  
   hydrogel  
     biomimicking vascular model 299–301  
     construction process 282, 293  
     multi-level bifurcated channel network structure 298–299  
     multi-scale vascular model 299  
 vascular inflammation reaction 303  
 vascularization 6, 85  
 vascularized breast tumor tissue model 302  
 vascularized tissue construct 328  
 vascular network 22, 281  
 vascular organoids 237, 247  
 viscosity 18, 122

**w**

wet spinning 238

**y**

yield-stress fluids 122, 154, 165