

Index

a

- absorption coefficients 147, 148, 397
- acene-bridged PDI dimers 348
- acene-linked PDIs 348
- acetylated diaza [4]helicene 137
- achiral or racemic helical nanographenes 292–297
- achiral polyfluorene-based polymers 338
- acridinium 130, 142
- acridinium chromophore 144, 145
- acridinium system 128
- 1,8-bis(1-adamantyl)naphthalenol (*P*) 242
- 1,8-bis(1-adamantyl) structure 241
- Adiabatic Hessian or the Vertical Hessian model 386
- alkyl diphosphine oxide 226
- alkyne trimerization 329
- aminoacridinium intermediate 145
- amino-carbo[6]helicene 524
- amino diaza [4]helicene 159
- 5-aminohelicene 507, 508
- 5-amino-hexahelicene 507–509
- aminomethylhelicene 246
- amino-pyridinium 520, 521
- annulative π -extension (APEX) 268, 285
- anti-glare filters 476, 480, 481
- arene-linked triynes 104
- aromatic ketone 121, 122
- aromatic ortho-fused polycyclic compounds 424
- aryl lithium 345
- aryl-substituted alkyne 266
- asymmetrically fused double [7][5]helicene 379
- asymmetric catalysis 237, 246–247, 329, 434, 505–524
- asymmetric hydrogenation 224
- asymmetric induction 247
- asymmetric organocatalysis
 - azahelicene catalyzed enantioselective acyl transfer reaction 522
 - helical amino-pyridium catalyzed asymmetric addition to nitroalkenes 520–521
 - helical chiral 2,2'-bipyridine *N*-monoxides 522
 - helicene *N*-oxide catalyzed enantioselective desymmetrization of *meso* epoxides 519
 - phosphahelicene catalyzed enantioselective [3+2] annulation 522, 523
- asymmetric photosynthesis 1
- asymmetric synthesis of double helicenes 109
- asymmetric synthesis of nonracemic helicenes
 - catalytic enantioselective synthesis 82–84
 - stoichiometric diastereoselective synthesis 76–82
- asymmetric transition metal catalysis 510–519
- Au(I)-catalyzed quadruple intramolecular hydroarylation 115
- Au(111)/1,2,4-trichlorobenzene (TBC) 509
- autocatalytic Soai reaction 517–519
- axial chirality 66, 205, 329, 436, 447, 510, 513, 524

- axially chiral biaryls 110, 115, 336
 axially chiral bis(aryllithium)-Li₂ 121
 axially fused carbo[6]helicenes 362
 aza-bicyclo-[4.1.0]heptenes 171, 516
 azabora 378
 azabora[5]helicene dyes 387
 azaborahelicenes 28, 343
 azaborahexahelicenes 343
 azadioxatriangulenium (ADOTA) 130
 aza[4]helicenes 338, 339, 439, 440
 4-aza[6]helicene 16, 169
 aza[6]helicene-phosphole 176, 400, 402
 aza[6]helicenes 6, 16–18, 115, 116,
 168–171, 176, 177, 335, 338, 345,
 400, 439, 482, 517, 522, 523
 aza[9]helicene 122
 azahelicene 15–23, 63–68, 115–117, 128,
 145, 147, 176, 177, 188, 335–341,
 343, 361, 384, 400–402, 404, 424,
 437–440, 522
 catalyzed enantioselective acyl transfer
 reaction 522
 azahelicene-phosphole Pd(II) and Cu(I)
 complexes
 multitopic helicenic ligands 402–404
 π -conjugated helicenic P,N bidentate
 ligands 400–402
 azahelicene-phospholes 176, 177, 400,
 401, 404
 5-azahexahelicene 385
 azaoxa 130, 131
 azaoxa [5]helicene 142
 azaoxa[6]helicene 67, 79, 439
 azaoxahelicenes 66, 72, 378
 azathia [4]helicene 131
 azoniahelicenes 15, 19, 20, 68–71, 345
- b**
- 3,3'-bis(benzo[1,2-*b*+4,3-*b'*])dithiophene)
 derivatives 200, 204
 3,3'-bis(benzo[1,2-*b*+4,3-*b'*]
 dithiophene)dihaldehyde 205
 benzo[1,2-*b*+4,3-*b'*]dithiophene units
 205
 1,2-bis-(2-benzo[1,2-*b*+4,3-*b'*]
 dithiophenyl) ethene 202
 benzocarbo[*n*]helicenes 11, 12
 1,2-bis(benzodithienyl)ethenes 200, 201
 1,2-bis(benzodithienyl)ethenes 200, 201
 benzodithiophene 202–205
- benzo-fused diazatriangulenium dyes
 (BDATA) 133
 benzo[*ghi*]perylene 7, 9, 15, 17, 20, 31,
 32
 benzo[5]helicenes 11, 12, 15, 55, 305,
 429, 432
 benzo[*c*]phenanthren-2-ols 120
 1,4-benzoquinone 53, 341
 benzoyl peroxide (BPO) 154
 benzylamine 513
 biaryl bisphosphine 105, 106, 110
 bicyclic helicenes 241–242, 257
 bidentate helicenes 171–177
 bihelicenol 246, 247
 bihelicenol phosphite ligand 247
 5,5'-bihelicenol (*P,P,R/S*) 239
 (*R*)-BINAP complex-catalyzed
 intramolecular [2 + 2 + 2]
 cycloadditions 108
 binaphthyl-linked terminal tetrayne 111
 biphenyl-linked terminal tetrayne 110
 2,2'-bipyridine 66, 171, 275, 301, 522
 bipyridine-helicene-based multifunctional
 pH-switchable platform 408–410
 bipyridine-helicene-rhenium complexes
 410–411
 bipyridine-helicene-ruthenium 173
 bisoxazine-based helicene derivatives
 439
 2,20-bipyridine 444
 2,2'-bithiophene (α -T₂) 212
 blue CPL [7]helicene-like compound
 426
 borahelicenes 343
 borohelicenes 435–438
 boronated arylquinoline skeleton 437
 boron-azahelicenes 437, 438
 boron-fused double [5]helicene 435
 borylated arylisoquinoline skeleton-based
 helicenes 387
 bowl-shaped corannulene core 382
 bowl-shaped corannulene derivatives
 270
 2,7-Bpin anthracene 348
 2,7-Bpin naphthalene 348
 brominated benzo[*a*]xanthone 135
 brominated dioxo [5]helicene 135
 2-bromo-3,3'-bibenzo[1,2-*b*+4,3-*b'*]
 dithiophenes 205
 2-bromobenzoic acid 138

- bromo-functionalized cationic
[5]helicenes 134
- bromohelicenes 32
- 2-bromohexahelicene 374, 375, 385
- Buchwald–Hartwig cross-coupling
reactions 138
- [Bu₄N][PF₆] 156
- C**
- C[^]N chelate ligands (Pt, Ir, Os) 182–185
- carbocation-based heterohelicenes 345
- carbo[5]helicene 10, 170, 290, 292,
294–301, 304, 305, 313, 477
- carbo[6]helicene 10, 11, 115, 116, 118,
119, 170, 175, 179–181, 184, 224,
290, 295, 299, 301, 331, 333, 358,
362, 474, 492, 510, 513, 518, 524
- carbo[7]helicene 110, 111, 191, 290, 298,
299, 301–304, 495, 524
- carbo[9]helicene 111, 302
- carbo[*n*]helicenes 329, 376, 505
- carbohelicenes 62, 108, 268, 424, 427
- carbon 290–292
- achiral or racemic 292
- Chiral or enantioenriched 297
- carbon helical nanographenes
- achiral or racemic 292–297
- chiral and enantioenriched 297–305
- carboxaldehyde 136, 137
- carboxylic derivative 152
- cata-condensed systems 374
- catalytic enantioselective synthesis
82–84, 103, 104, 120
- cationic π -systems 127
- cationic [4]helicene 128, 131, 145, 154,
157
- cationic [5]helicene 133–135, 137
- cationic [*n*]helicene 127, 161
- cationic Au(I)/(*R*)-BINAP complex 115
- cationic Au(I)/(*R*)-BINAP
complex-catalyzed
enantioselective sequential
intramolecular hydroarylation
115
- cationic Au(I)/(*R*)-BINAP
complex-catalyzed quadruple
hydroarylation 116
- cationic Au(I)/(*R*)-Difluorophos catalyst
116
- cationic Au(I)/(*R*)-MeO-DTB-BIPHEP
complex-catalyzed intramolecular
hydroarylation 116
- cationic diaza [4]helicenes 135, 136,
138, 151, 155, 158, 161
- cationic diaza [6]helicenes 135
- cationic dibromo diaza [6]helicene 156
- cationic dioxo[6]helicene 439
- cationic heterohelicenes 343
- bis cationic imidazolium salt 160
- α -cationic phosphonites 118–120
- cationic Rh(I)/(*R*)-H₈-BINAP 108, 110
- cationic Rh(I)/(*R*)-Segphos 110
- cationic Rh(I)/(*S*)-Difluorophos complex
111
- cationic Rh(I)/(*S*)-H₈-BINAP complex
112
- cationic Rh(I)/(*S*)-Segphos catalyst 112
- cationic Rh(I)/(*S*)-xyl-Segphos catalyst
110
- cationic rhodium (I) complexes (\pm) 224
- cationic triarylcarbenium helicenes
absorption and fluorescence properties
144–148
- cellular imaging 151–153
- central nucleophilic additions
140–141
- chiroptical properties 148–150
- early-stage equatorial functionalization
of [4]helicene 141–142
- electrochemiluminescence (ECL)
154–155
- generalities 135
- helical pitch and configurational
stability 142–143
- interaction with DNA 151–153
- north functionalization 135–137
- organometallic chemistry and
photocatalysis 159–161
- south functionalization 137–139
- spintronics 161
- stable radicals 157–158
- synthesis and resolution of 128–135
- thin film voltammetry 156–157
- tropical functionalization 139–140
- cationic triarylmethyl Ar₃C⁺ dyes 127
- cationic triarylmethyl helicene series
145
- CH₂Cl₂ / CH₃CN 146

- chalcogen-containing helicene derivatives 27
- charge transfer (CT) complexation 244–246
- chiral amine [(–)-sparteine] 121
- chiral and enantioenriched helical nanographenes 297–305
- chiral BODIPY derivatives 137, 436
- Chiralcel® OD column 210
- chiral formamides 121, 211
- chiral induced spin selectivity effect 494–496
- chirality-induced spin selectivity (CISS) 161
- chiral lanthanide complexes 424
- chiral ligand [AuCl(SMe₂)]/(*S*)-BINAP] 336
- chiral metal diamine dithiolene complex 444
- chiral molecules 199, 244, 329, 384, 397, 455, 467, 473, 487, 492, 494, 495
- chiral nanographene embedding hextuple helicene units 277
- chiral nanographenes 86, 264, 275, 277
- chiral neomenthylindene Co(I) complex 105
- Chiralpack® IA column 210
- chiral peropyrene enantiomers 427
- chiral phosphoric acid catalyst 121, 122
- chiral polymers 424
- chiral S-shaped double helicene-like molecule 109
- chiral tetrathiahelicene-based alkyl phosphine-borane complexes 219–220
- chiral vanadium complex 120
- chiroptical switching 149, 167, 168, 173, 177, 341, 342, 345, 406
- Chlamydomonas reinhardtii* 152
- 4-chloro isomer 142
- 2,13-bis(chloromethyl)[7]thiaheterohelicene 208
- 2-chloro-phenyl boronic acid 270
- cinnamyl methyl carbonate 513
- circular dichroism (CD) 14, 149, 167, 215, 219, 289, 301, 333, 341, 374, 395, 398, 459, 466, 473
- circularly polarized electro-luminescence (CPEL) 432, 448
- circularly polarized light (CPLight) 3, 148, 220, 289, 332, 361, 397, 398, 423, 424, 466, 481
- circularly polarized luminescence (CPL) carbohelicenes 424–434
- defined 423
- heterohelicenes 434–442
- spectra 374
- circularly polarized organic light-emitting diode (CP-OLED) 432, 442, 482
- circularly polarized phosphorescent light-emitting diodes (CP-PHOLEDs) 484–487
- classic electron acceptors 345
- cobalt-mediated/catalyzed [2 + 2 + 2] cycloisomerisation 66
- π -conjugated diketopyrrolopyrrole helicene derivatives 427
- π -conjugated helicenic P,N bidentate ligands 400–402
- π -conjugated long molecular structure 374
- cooling-water circulation 3
- coordination chemistry
- bidentate helicenes 171–177
- monodentate helicenes 168–171
- polydentate helicenes 177–179
- corannulene 12, 27, 263, 270, 294, 301, 315, 353, 356, 382
- Cotton effects 150, 302, 303, 305, 312, 346, 348, 350, 352, 353, 355, 365, 380
- coumarin-fused helicene 116, 118
- coupled-perturbed Kohn-Sham (CPKS) level 457
- CpCo(CO)₂/PPh₃ 56
- C₂-symmetric fused and annulated double [6]helicenes 379
- cyclic amide monomer (*P*) 241
- cyclic anhydride tetramer (*P*) 240
- [2 + 2 + 2] cycloaddition strategy 103
- cyclobis[4]helicene 274
- cycloborylated hexa-, octa-, and deca-helicenes 343
- cyclodextrins (CDx) 242, 243

- cycloiridiated complexes with helicenic
N-heterocyclic carbene 411–413
- cyclometallated helicenic complexes
C'N chelate ligands (Pt, Ir, Os)
182–188
NHCs (Ir, Re) and related complexes
184–188
sandwich-type helicenic complexes
188–192
- cyclopentadienyl (Cp) anions 188
[2+2+2] cyclotrimerization 266
- d**
- D-band for PAH 375
- degenerate four-wave mixing (DFWM)
454
- dehydrative p-extension (DPEX) 285
- density functional theory (DFT) 150,
216, 333, 374, 398, 459, 505
- deoxynucleosides 250
- Depolarization Ratio (DR) 455
- (*M*)-diacetate 210
- (*P*)-diacetate 210
- diacetylenic carbo[6]helicene 331
- dialdehyde 201, 204, 205, 223, 240, 335,
346
- dialkyl acetylene dicarboxylates 115
- N,N'*-dialkylated PDI 348
- 1,2-dialkylquinoxalinefused [7]helicene
426
- dialkynyl ketones 110–111
- dialkynylphosphine oxides 110, 112
- diamino benzene derivative 346
- diaminohelicene 244
- 1,8-diaminonaphthalene-based tetrayne
116
- 2,7-diaminonaphthalene-based tetrayne
116
- diaryltetrayne 435
- diaza derivative 131, 135, 155
- diaza [4]helicene 127, 136, 137, 141, 142,
145, 148, 149, 151, 155, 157–159,
161, 162, 439, 440
- diaza [5]helicene 17, 133, 135, 143
- diaza [6]helicene 16, 132, 136–138, 143,
147, 156, 345, 439
- diaza[7]helicene 18, 308, 346, 476
- 8,11-diaza[7]heptahelicene 20
- diaza[10]helicene 116
- diazaoxatriangulenium (DAOTA) 128
- diazapentacenes 148
- diazatetracene 148
- dibenzo(C,P)chrysene 264
- dibenzo(hetero)[5]helicenes 54
- dibenzo[6]helicene 57, 58, 82, 104, 105,
514, 515
- dibenzo[7]helicene 82, 84, 105, 108, 514,
515
- dibenzochrysene 268, 274
- dibenzocoronene diimide core 353
- dibenzopyrido[n]helicenes 64
- (*Z*)-diboronic acid esters 203
- B,B*-dibromo-azaborole system 343
- 2,11-dibromo-[4]helicene 274
- 7,8-dibromo[5]helicene 275, 277
- 9,10-dibromo-[7]helicene 277
- dibromomaleimide 203
- 6,13-dicyano[7]helicene 507, 509
- Diels–Alder reaction of
adamantylbenzynes 241
- differential molar extinction coefficient
377
- (*S*)-Difluorophos 108
- dihalogenated biphenyl substrate 268
- dihydro-aza[6]helicene 121, 122
- dihydro-aza[7]helicene 121
- dihydro-dioxa[6]helicene 122
- dihydrohelicenes 1, 28, 30
- 4a,4b-dihydrophenanthrene (DHP) 2
- 9,10-diketo[7]helicene 32
- diketopyrrolopyrrole 427
- diisopropyl (1-bromonaphthalen-2-yl)
phosphonate 513
- diisopropylethylamine (DIPEA) 139
- dimethoxychromenoacridinium (DMCA)
130
- dimethoxychromenoxanthanium
(DMCX) 130
- dimethoxy [4]helicene DMQA 142
- 2,6-dimethoxyphenyllithium 131, 133
- dimethoxyquinacridinium (DMQA) 127
- dimethylacetylene dicarboxylate 114
- (*P*)-2,13-bis(dimethylaminomethyl)-
tetrathia[7]helicene 227

- 1,12-dimethylbenzo[*c*]phenanthrene-5,8-dicarboxylic acid 238
- 1,12-dimethylbenzo[*c*]phenanthrenes 239
- dimethyl-substituted diyne 119
- dinaphtho[2,1-*i*+1',2'-*l*]hexahelicene 379
- N,N'*-di(1-naphthyl)-*N,N'*-diphenyl-(1,1'-biphenyl)-4,4'-diamine 479
- dinitro derivative 137, 239
- dioxo [4]helicene 130, 142, 143, 145
- dioxo [5]helicene 133, 135
- dioxo [6]helicene 122, 131, 139, 140, 147, 148, 150
- diphenanthro[3,4-*c*+3',4'-*l*]chrysene 379
- 2,15-bis(diphenylphosphino)-carbo[6]helicene ligand (*M*) 510
- 1-(diphenylphosphino)-pentahelicenic ligands 512
- bis(diphenylphosphino)-thiahelicene ligand (*P*) 510
- 1-diphenylphosphinoxy-carbo[6]helicene (*P*) 513
- 1-diphenylphosphinoxy-5,6,9,10-tetrahydro[6]helicene (*P*) 513
- 1,3-diphenylpropenylacetate 512
- 7,8-dipropyltetrathia[7]helicene 121, 222
- dispersed silica (*P*)-nanoparticles 252, 256
- displays 127, 149, 187, 228, 302, 346, 403, 423
- dissymmetry factor 171, 289, 299, 301, 305, 332, 335, 338, 350, 357, 389, 396, 397, 434, 480, 481, 483, 486
- 1,12-disubstituted carbo[4]helicenes 119
- 3,6-disubstituted phenanthrene linker 350
- 7,8-disubstituted 7-THs 205
- dithia-and tetrathia[7]helicenes 462
- dithia[6]helicene 23, 313–315, 444
- dithia[7]helicene 17, 223, 466
- 1,2-dithienylbenzenes 24
- dithienylethene (DTE) 180
- diversity-oriented helicene synthesis 104
- divinyl benzene 341
- 1,3-diyne 104, 110
- diynes 60, 71–74, 78, 83, 84, 104, 110, 112, 115, 118, 119, 122, 124, 295
- bis(diyrones) 116
- donor–acceptor helicenes 331
- double azahelicene 115–117, 335, 336, 384, 424
- double BODIPY (bis(boron-dipyrrromethene)) complex 436
- double carbo[6]helicenes 116, 298, 299
- double cross-coupling Suzuki–Miyaura reactions 268
- double Fischer indolization 122
- double[8]helicenes 350, 352
- double Wittig olefination 335
- Duschinsky and Herzberg–Teller effects 386
- Dy(III) ion 171
- dynamic light scattering (DLS) 251
- e**
- (*M*)-enantiomers 161
- (*P*)-enantiomer 386
- eight-shaped azahelicene dimer 438
- 8-shaped helicene dimer 425
- electric field-induced second harmonic (EFISH) technique 221
- electric second-order NLO responses 456–465
- electrochemiluminescence (ECL) 154–155
- electrodeless discharge lamps (EDLs) 5, 6
- electroluminescent dissymmetric factor 432
- electron-accepting azahelicenes 338
- electron-accepting borahelicenes 343
- electron-accepting π -extended frameworks embedded with helicenes
- extended helicenes with naphthalimide units 346–348
- perylene diimide (PDI) 348–363
- terrylene-based helicenes 363–365
- electron-accepting heterohelicenes
- azahelicenes 335–341
- borahelicenes 343
- cationic heterohelicenes 343–345
- incorporation of oxygen atoms 341–343

- electron donating carbo[6]helicene core 331
- electron hole 405, 407
- electronic circular dichroism (ECD) 14, 149, 150, 167, 219, 289, 333, 374, 395, 396, 401, 402, 473
- electron-poor dialkynylketones 110
- electron-poor ester-linked tetraynes 110
- electron-poor internal tetrayne 111
- electron-rich terminal tetrayne 111
- electron-rich tetraynes 110
- electrophilic aromatic substitutions involving aromatic halides 273–274
- electrospray ionization mass spectrometry (ESIMS) 191
- elegant bilayer helical nanographene 263
- elusive *o*-quinone analogue 341
- enantiomeric helical aromatic imides 429
- enantiomerically pure substituted (*M*)-tetrathia-[7]-helicenes 221
- enantiomerically stable PDI-based [5]helicenes 352
- enantiopure aza[6]helicene 338
- enantiopure BINPHAT anion 129, 132
- enantiopure 9,10-dibromo-[7]helicene 277
- enantiopure 2,13-dimethyltetrathia[7]helicene 205
- enantiopure helicene 76, 79, 152, 161, 177, 179, 184, 188, 263, 480, 482, 488, 495, 519, 524
- enantiopure mono-cycloplatinated-[8]helicene 442
- enantiopure or racemic 4-aza[6]helicene 168
- enantiopure 7-TH tertiary diphosphine oxides 225
- enantioselective Ni(0)-catalyzed [2+2+2] cycloisomerization 514
- enzymatic resolution 210
- enzyme inhibitor 250
- expanded helicenes 53, 87, 88, 286, 287, 384
- extended helicenes with naphthalimide units 346–348
- π -extended nanohelicene 429
- π -extended PDI-heterohelicenes 361
- extended transition state–natural orbitals for chemical valence (ETS-NOCV) 412
- external chamber photoreactor 3
- bis(2-ethylhexyl)sebacate 156
- ## f
- Fc-based terminal alkyne 208
- ferroelectricity 248–249
- fill factor (FF) 491, 493
- fluorescence quantum yield 299, 303, 307, 313, 363, 378, 384, 423, 424, 448
- 2-formyltetrathia[7]helicene (\pm) 228
- fourfold alkyne cyclization reaction 427
- Friedel–Crafts acylation 296, 329
- functionalized helicenes 62, 76, 207, 221, 309, 334, 440
- functionalized dioxo [5]helicenes 135
- fused double-chrysene derivative 268
- fused double [7]helicene 191, 379
- fused triple [5]helicenes 380, 381
- ## g
- G-band for polycyclic aromatic hydrocarbons (PAH) 375
- gold(I) complexes 118, 119, 180, 181, 224, 225, 518
- gold(I) of phosphahelicene 171
- graphene 86, 264, 279, 283–287, 290, 305, 382
- ## h
- α -halogenated benzoic acids 137
- halloysite nanotubes (HNTs) 228
- Hartree–Fock (HF) perturbation theory 398
- (*R*)-H₈-BINAP catalyst 110
- Heck–Mizoroki reactions 265
- Heck–Mizoroki/Suzuki–Miyaura cross-coupling reactions 266
- helical amino-pyridium catalyzed asymmetric addition to nitroalkenes 520–521
- helical chiral *N,N,O,O*-boron chelated dipyrromethenes 435
- helical chiral 2,2'-bipyridine *N*-monoxides 522

- helical diphosphane 510
- helically chiral aza[6]helicenes 115
- helically chiral fully benzenoid carbo[6]helicenes 115
- helically chiral helicene 378
- helically twisted graphenes 382
- helical nanographenes
 - carbon 290–292
 - heteroatom-containing 305
 - structural and photophysical properties 316–321
- helical NHCs in enantioselective Ru-catalyzed metathesis 514–516
- π -helical non-fullerene acceptors 333
- helical π -conjugated systems 331
- [4]helicene 127–131, 136–138, 141–149, 151, 152, 154, 155, 157–159, 161, 162, 180, 187, 264, 265, 268, 274, 275, 289–291, 346, 361, 447, 465, 488
- [5]helicene 6, 7, 9, 10, 13–17, 19, 20, 22, 31, 32, 60, 61, 67, 68, 79, 82, 114, 115, 128, 133–135, 137, 138, 142, 143, 146, 150, 187, 188, 191, 264, 268, 275, 277, 279, 289, 300, 301, 306, 313, 346, 352–354, 364, 376, 380, 381, 384, 425, 426, 429, 433, 435, 446, 465, 474, 488
- [5]helicene-containing TDI 364
- [6]helicene
 - precursor 350
 - skeleton 427
- [7]helicene-based PDI dimers 350
- [9]helicene-like molecules 108, 441
- [11]helicene-like molecule 109
- helicene
 - advanced helicene architectures 85–88
 - advantage of 473
 - asymmetric catalysis 246–247
 - asymmetric synthesis of nonracemic 76–84
 - bicyclic helicenes 241–242
 - carbo- and heterohelicenes
 - azahelicenes 63–68
 - azoniahelicenes 68–71
 - carbohelicenes 62–63
 - oxahelicenes 71–72
 - silica-, phospho- and thiahelicenes 73–75
 - chiral-induced spin selectivity effect 494–496
 - coordination chemistry
 - bidentate helicenes 171–177
 - monodentate helicenes 168–171
 - polydentate helicenes 177–179
 - ECD spectra 385–389
 - electric second-order NLO responses 456–465
 - electronic properties
 - ferroelectricity 248–249
 - self-assembly monolayer (SAM) method 247–248
 - enantiomers vs. racemates
 - CP photodetectors 489–490
 - helicene bulk charge transport and OFETs 487–489
 - organic photovoltaics 490–494
 - functionalized 76
 - grafted nanoparticles
 - aggregation of nanoparticles 251
 - gold nanoparticles 251
 - metal-catalyzed chemical equilibrium 252
 - molecular recognition and separation 252–256
 - silica nanoparticles 251–252
 - time event 256–257
 - helical length dependence of chiroptical properties of 376–378
 - helicene aggregates and self-assembled monolayers 467–468
 - interactions with biological macromolecules
 - enzyme inhibitor 250
 - nucleic acid binding 249–250
 - noncovalent bond interactions and chiral recognition
 - charge transfer (CT) complexation 244–246
 - Langmuir–Blodgett (LB) technique 244
 - oligosaccharides in water 242–243
 - self-assembly gel formation 246
 - OLED 474
 - optical activity of 395

- organometallic chemistry
 - cyclometallated helicenic complexes 182
 - metal-ethynyl-helicene complexes 179–181
 - metal-vinyl-helicene complexes 179
- photochemical transformations 31–33
- of π -electron systems
 - intermolecular alkyne [2 + 2 + 2] cycloisomerisation 59–61
 - intramolecular [2 + 2 + 2] cycloisomerisation 54–59
- racemic and enantiopure forms 473
- with remote electron-withdrawing functionalities 330–335
- small numbers of benzene rings 237–238
- symmetry impact 378–384
- synthesis of 53
- tetracyclic helicenes 238–241
- third-order NLO responses 466
- helicene backbones 9, 23, 27, 35, 57, 89, 330, 348, 456, 461–464, 514
- helicene-based azacarbene 444
- helicene-based nanostructures 378
- helicene-based NGs 290
- helicene bis-*p*-quinones 341
- helicenebisquinone 341, 342, 456, 467
- helicenediamide 248
- helicenediamine 249
- helicenedimethanol 245
- helicenedi(methylamine)s 249
- helicene-ethynyl-iron complexes 180
- helicene nanoribbons 53, 362, 363
- helicene N-oxide catalyzed
 - enantioselective desymmetrization of *meso* epoxides 519–520
- helicene optical activity 396–400
- helicene quinone 341
- helicene synthesis
 - metal-catalyzed hydroarylation 115–120
 - metal-catalyzed oxidative annulation 120
 - Ni- and Co-catalyzed [2 + 2 + 2] cycloaddition 104–105
 - organocatalyzed annulation 121–123
 - Pd-catalyzed [2 + 2 + 2] cycloaddition 114–115
 - Rh- and Ir-catalyzed [2 + 2 + 2] cycloaddition 105–114
- helicenethiols 251
- helicenic electron acceptors 329, 330, 333, 365
- helicenic phosphite in enantioselective Ir(I)-catalyzed allylic amination 513
- bis-helicenic terpyridine ligand 443
- helicenoids 28, 31, 362
- helicenyl arynes 60, 115
- HelPhos catalysts 523
- heptahelicene 20, 506–507, 509
- (hetero)arylboronic acids 205
- heteroatom-containing helical nanographenes
 - heteroatoms of group 15 (N, P) 306–312
 - heteroatoms of group 16 (O, S) 313–322
- heteroditopic ligands 176
- hetero-double-helices 254
- hetero[6]helicenes 330
- hetero[*n*]helicenes 34, 378
- heterohelicenes
 - azahelicenes 438–440
 - borohelicenes 435–438
 - metal helicene derivatives 442–445
 - oxalohelicenes 440–441
 - regulation of CPL 446
 - silahelicenes 435
 - thiohelicenes 441–442
- hexabenz[7]helicene 104, 297, 382, 383
- hexabenzotriphenylene 60, 299, 313, 429
- hexahelicene 151, 191, 220, 302, 373–375, 379, 385, 389, 459, 461, 507–509
- hexa-*peri*-hexabenzocoronenes (HBC) 285, 346
- hexa-*peri*-hexabenz[7]helicene 297, 382, 393
- hexaphenylbenzene core 346
- hexapyrrolohexaazacoronene (HPHAC) 308, 309
- hexathia[7]helicene 26
- hexathia[11]helicene 24, 507

- hexathiahelicene 211, 213
 hexayne 68, 69, 82, 84, 88, 109
 highest occupied and lowest unoccupied molecular orbitals (HOMO-LUMO) 212, 213, 294, 295, 297, 338, 389, 409, 410, 473
 highly oriented pyrolytic graphite (HOPG) 286
 histamine *N*-methyl transferase (HNMT) 250
 homophthalimide 346
 Hoveyda–Grubbs catalyst 514
 Hückel approximation 374
 Hünig's base 139, 140, 345
 hydrazines 121, 122, 129
 hydrogenated (*S*)-2lb and (*S*)-4lb enantiomers 510
 hydrohelicenes 447
 5-hydroxyhelicene 239
 hydroxyl-containing dioxas 135
 2,13-(hydroxymethyl)tetrathia[7]helicene 210
 hyperpolarizability tensor elements 453, 458
 hyper-Rayleigh scattering (HRS) 222, 454
- i**
- immersion well photoreactor 3, 5
 imine tetramer (*P*) 240
 indoline-derived enamines 140
 inherently dissymmetric chromophore 374
in situ acylation/ S_N Ar sequence 137
in situ drop-coating method 355
 intermediate neglect of differential overlap for spectroscopic modification (INDO/S) method 377
 intermolecular alkyne [2 + 2 + 2] cycloisomerisation 59
 intraligand charge transfer (ILCT) 403
 intramolecular charge transfer (ICT) 333, 448
 2-iodo-benzodithiophene 203
 ionization potential (IE) 217, 218, 399
 ion mobility separation (IMS) 191
 iron-ethynyl-helicenes 406–407
 Ir(I)/(*S,S*)-Et-FerroTANE complex 112
- k**
- Katz's conditions 3, 16
 Knoevenagel condensations 20, 71, 346
 Kohn–Sham (KS) molecular orbitals (MOs) 358
 Kramers–Kronig relation 374, 389
- l**
- ladder copolymers 179
 Langmuir–Blodgett (LB) films 177, 244, 341, 467
 laterally-extended expanded helicenes 287
 lead photocyclizations 3
leuco adducts 140, 141
 ligand-to-ligand CT (LLCT) 403
 ligand-to-metal CT (LMCT) 405
 light-emitting polymers (LEPs) 482
 luminescence dissymmetric factor 423, 432
 LUMO coupling 489
- m**
- magnetic flux density 377
 majority-rule effects 507
 Mallory photocyclization 329
 Mallory reaction 2, 8, 201, 335
 metal-catalyzed homocouplings with aromatic halides 274–279
 metal-catalyzed hydroarylation 115–120
 metal-catalyzed oxidative annulation 120
 metal-ethynyl-helicene complexes 179–181
 metal helicene derivatives 442–445, 448
 metal-to-ligand CT (MLCT) 403
 metal-vinyl-helicene complexes 179
 methoxy-diaza [5] helicene 143
 2-methoxy-1-naphthaldehyde 131
 (2-methoxynaphthalen-1-yl)lithium 131
 2-methoxyphenyllithium 133
 methyl-2-acetamidoacrylate 511
 2-methylene-succinate 511
 2-methylhexahelicene 385
 Mizoroki–Heck couplings 266
 molar extinction coefficient 147, 377
 molecular spring 208, 223
 molecularly defined PAHs 268
 Møller-Plesset perturbation theory 216

- molten pyridine hydrochloride 133
 (*M*)-monoacetate 210
 mono- and bis-cycloplatinated helicenes 407–408
 mono- and bispentacenes 139
 mono- and bistetracenes 139
 mono- and disubstituted
 tetrathia[7]helicene 457
 mono and disubstituted 7-TH nitriles 207
 monoaza[5]helicenes 477
 monoazahelicenes 336
 mono-/bisaddition products 139
 mono carboxaldehyde 136
 monodentate helicenes 168–171
 mono[8]helicene 350
 mono-oxa[5]helicenic unsymmetrical
 imidazolium salt 514
 monosubstituted 7-THs 205
 multihelicenic platforms 263–279
 multi-hydrogen-functionalized helicene
 derivatives 440
 multiple carbo[*n*]helicenes 13–14, 33
 multipole helicenes 53, 60
 multitopic 2,6-bis(aza[6]
 helicenephosphole)-pyridine 177
 multitopic helicenic ligands 402–404
- n**
- nanographenes (NGs) 86, 263–265, 275, 277, 279, 283–322, 350, 353–355, 388, 429
 naphthalene diimide (NDI) 308, 345, 346, 492
 naphthalene monoimide (NMI) units 309
 naphthalimide monoanhydride 346
 naphthalimide units 333
 near-infrared (NIR) fluorophores 345
 NHCs (Ir, Re) and related complexes 184–188
 [*n*]helicenes 1–3, 7, 9, 127, 161, 167, 287, 290, 291, 300, 347, 348, 376–378, 424, 465
 N-heterocyclic carbenes (NHCs) 159, 184, 187, 188, 411–413, 510
 Ni(0)/chiral NHC catalyst 105
 Ni(0)/(*M,R,R*)-(M,R,R)-NHC complex 105
 Ni(0)/(*S*)-MOP complex-catalyzed
 intramolecular [2 + 2 + 2]
 cycloaddition 104
 Ni(0)/PPh₃ complex 112
 Ni(CO)₂(PPh₃)₂ 57
 Ni- and Co-catalyzed [2 + 2 + 2]
 cycloaddition 104–105
 nickel-catalyzed alkyne [2 + 2 + 2]
 cycloisomerization of triyne 341
 nitroalkenes 122, 520–521
 nitrogen-containing helicenes 19, 517
 noncovalent bond interactions of
 helicenes 242–246, 251, 257
 non-fullerene electron acceptor materials 333
 nonlinear optical responses 177, 453
 nonlinear optical materials 220, 341, 395, 424
 non photochemical oxidative cyclization 200, 203
 nonracemic compounds 54
 nonracemic helicene 3, 54, 76–85, 88, 341, 468
 nonracemic helicene bis-*p*-quinone 341
 nonracemic tetrahydro[6] and [7]helicenes 105
 nucleic acid binding 249–250
- o**
- octa- and decahelicenes 343
 octabenz[5]helicenes 305
 octyl ester [4]helicene 152
 oligothiophene-based [7]helicene 121
 one-dimensional (1D) D- π -A NLOphore 455
 optical activity (OA) 167, 192, 220, 374, 378, 379, 386, 395–400, 402, 403, 484
 optically active 2-[[[(2,4,5,7-tetranitro-9-fluorenylidene)amino]oxy] propionic acid 376
 optically active triple helicenes 115
 optically pure disulfide [6]helicene derivative (*P*) 441
 optically pure [7]helicene 376
 optically stable enantiomeric tetrahydro-benzo[5]helicene derivatives 432

- optically stable enantiomeric tetrahydro[5]helicene derivatives 431
 - optical rotations (ORs) 54, 167, 263, 288, 333, 373, 395, 466, 523
 - optical rotatory dispersion (ORD) 223, 333, 374
 - orange-red fluorescence 429
 - organic field effect transistors (OFETs) 290, 343, 346, 474, 487, 488
 - organic light emitting diodes (OLEDs) 474
 - electroluminescent (EL) layer sandwiched 474
 - fundamental operation principles 475–476
 - helicene racemates
 - device components 477–480
 - emissive 476
 - helicenes as enantiopure materials
 - CP-PHOLEDs 484–487
 - small-molecule dopants, CP-OLEDs 482–484
 - lighting and display industry 474
 - technology 395
 - organic photovoltaics (OPVs) 290, 333, 474, 490–494
 - organic semiconductors (OSCs) 211, 248, 292, 345, 361, 473
 - organocatalysis 53, 214, 225–226, 519, 523
 - organocatalyzed annulation 121–124
 - organometallic alkyne-gold(I) complexes 180
 - organometallic catalysis 209, 224–225
 - organometallic chemistry and photocatalysis 159–161
 - ortho*-annulated aromatic rings 329
 - ortho*-dibrominated arenes 268
 - ortho*-dibromoarenes 274
 - ortho*-fused benzene rings 53, 329, 424, 429
 - oxahelicenes 27, 68, 71–72, 79–81, 84, 88
 - oxa[5]helicenol 122
 - oxalohelicenes 440–441
 - oxidative cyclization of bis(benzodithienyl)ethenes 200
 - oxidative photocyclization 335
 - benzocarbo[*n*]helicenes 11–12
 - multiple carbo[*n*]helicenes 13–14
 - substituted carbo[*n*]helicenes 9–11
 - unsubstituted carbo[*n*]helicenes 6–9
 - oxidative photocyclodehydrogenation method 1, 263
 - oxidative Scholl cyclizations 266
- p**
- palladium-catalyzed Sonogashira and Suzuki coupling reactions 137
 - palladium-mediated cross-coupling reactions 266–272
 - palladium-catalyzed Heck coupling reactions 273
 - P-containing helicenes
 - in enantioselective Pd(II)-catalyzed allylic substitution 510–513
 - in enantioselective Rh(I)-promoted hydrogenation 510
 - P-containing helicenic ligands 170
 - Pd(0)/(*R*)-BINAP catalyst 114
 - Pd(0)/(*R*)-QUINAP complex-catalyzed enantioselective intermolecular [2 + 2 + 2] cycloaddition 115
 - Pd-catalysed coupling method 203
 - Pd-catalyzed [2 + 2 + 2] cycloaddition 114
 - PDI-azahelicene 361
 - PDI-embedded [8]helicene 350
 - pentacenes 138, 292, 473
 - pentahelical phosphines in enantioselective Suzuki–Miyaura coupling 513
 - penta-[6]helicene 270, 353
 - pentahelicene (PH) units 429
 - pentathia[9]helicene 23
 - (+) and (–)-pentathia[9]heterohelicene 386
 - persistent diaza [4]helicene radicals 157
 - perylene diimide (PDI) 263, 311, 345, 348
 - perylene imide 433
 - perylene units 263
 - 3-phenanthrenol-linked triynes 108, 441
 - phenylated dioxa [5]helicene 135
 - N*-phenylbenzohydroxamic acid 22
 - 2-phenylnaphthalene-linked triyne 108
 - phenyl-naphthalene-linked triyne 105

- phospha[7]-and [9]helicene-like molecules 110
- phospha[7]helicenes 73, 79, 112, 113
- phosphahelicenes 75
- catalyzed enantioselective [3+2] annulation 522–524
 - in enantioselective Au(I) cycloisomerization of enynes 516–517
- phosphine-borane adducts 209, 224
- phosphine oxides 209, 217, 218, 224, 226, 306
- phosphine selenides 209, 214, 224
- phosphole-containing helicene 28, 32
- phosphole helicene derivatives 432
- phosphonium bromide 335
- phosphorescence 171, 180, 182, 184, 187, 188, 396, 399, 407–413, 442–444, 484, 486
- phosphorescent OLEDs (PHOLEDs) 476, 479
- photochemically induced quaternization 20
- photochemical oxidative cyclization 200–204
- photochemical preparation, helicene-like molecules 28–31
- photochemical preparation, carbohelicenes
- eliminative photocyclizations of carbo[*n*]helicenes 14–15
 - oxidative photocyclizations
 - benzocarbo[*n*]helicenes 11–12
 - multiple carbo[*n*]helicenes 13–14
 - substituted carbo[*n*]helicenes 9–11
 - unsubstituted carbo[*n*]helicenes 6–9
- photochemical preparation, heterohelicenes
- azahelicenes 15–23
 - phosphole-containing helicene 27
 - thiahelicenes 23–27
- photochemical transformations, helicenes 31–33
- photocyclodehydrogenation 1, 2, 19, 23, 31, 53, 54, 62, 68, 85, 86, 89, 263, 346
- cis/trans* photoisomerization of stilbenes 2
- photoreactors 3, 5, 6, 34
- photoswitches 223
- photovoltaics (PVs) 263, 290, 311, 333, 474, 490–494
- phthalocyanines 177, 178
- plain dioxa [5]helicene 133
- platinahelicenes
- bipyridine-helicene-based multifunctional pH-switchable platform 408–410
 - mono- and bis-cycloplatinated helicenes 407–408
- platinum-catalyzed double-cyclization reaction 426
- (*P*)-monoacetate 210
- polarizability 221, 398, 453, 461
- polarizable continuum model (PCM) 217, 399, 459, 463
- polyaromatic hydrocarbons (PAHs) 329, 505
- polyaza 378
- polycyclic aromatic hydrocarbons (PAH) 263, 268, 285, 375
- polycyclic derivatives 241, 242
- polydentate helicenes 177–179
- poly[9,9-dioctylfluorene-co-benzothiadiazole] (F8BT) 482
- polyethylenimine ethoxylate (PEIE) 484
- polyfluorene-based polymer 338, 340
- poly(lactic-co-glycolic acid) (PLGA) 228
- polyurethane 156
- positively charged quaternary sp² nitrogen atoms 343
- potassium titanyl phosphate (KTP) 453
- power conversion efficiency (PCE) 292, 333, 490, 491, 493
- (*P,P,P*)-**16** (hexabenzotriphenylene) 429
- pristine carbo[*n*]helicenes 378
- propyl and ethylene-2-pyridine side chains 159
- N*-propyl-4-aza [4]helicene 151
- protonated azahelicenes 343
- prototypical [6]helicene 330
- prototypical helicenes 329
- Pseudomonas cepacia*-mediated transesterification 210
- Pt-catalyzed cycloisomerization 268
- Pummerer fragmentation 129

- pyrene 6, 12, 87, 242, 244, 245, 248, 263, 299, 388, 389
- pyreno[a]pyrene-based helicene 389
- pyreno[a]pyrene helicene system 388
- Pyrex-filtered light 20
- pyridine containing heterohelicene 336
- pyridine-fused helicenes 116
- pyridohelicenes 54, 64–67, 168, 335, 336, 338, 343
- bis(3-(pyridylethynyl)phenyl) ligand 175
- pyrrole (carbazole) 15, 19
- q**
- quinacridinium DMQA 145
- quinone-like substructures 341
- quinoxaline-tetrathia[9]helicene 442
- r**
- racemic and optically active
[7]thiaheterohelicenes 208
- racemic/enantiopure helicenes 263, 524
- racemic or enantiopure 5-aza[6]helicene 4
ligands 170
- racemization behavior 379
- Raman optical activity (ROA) 167, 220, 374, 395, 398
- range-separated functionals (RSFs) 399
- Re(I) and Ir(III) helicenic phosphors
bipyridine-helicene-rhenium
complexes 410–411
- cycloiridiated complexes with helicenic
N-heterocyclic carbene 411–413
- redshifted cyanine-like dioxo [6]helicenes
150
- redshifted dye 150
- relatively simple pristine (unsubstituted
and hydrocarbon) helicenes 379
- Rh(I)/cyclobutadiene complex 108
- Rh- and Ir-catalyzed [2 + 2 + 2]
cycloaddition 105–114
- rhenium-based enantiomers 443
- rhodacycle 108
- rhodium-catalyzed [2 + 2 + 2] and [2 + 1
+ 2 + 1] cycloadditions 106
- rhodium-catalyzed double intramolecular
[2 + 2 + 2] cycloadditions 109
- rhodium-catalyzed hydrogenation of
itaconate 247
- right-right/left-left rule 242, 245, 257
- rollover cycloplatinated derivative 446
- Ru- and Fe-[6]helicene redox-triggered
chiroptical switches
iron-ethynyl-helicenes 406–407
- ruthenium-vinyl-helicenes 404–405
- rylene diimides 345, 346, 363
- s**
- sandwich-type helicenic complexes
188–192
- scanning tunneling microscopy (STM)
222, 505
- Scholl reaction 24, 53, 85, 86, 285, 294,
295, 297–299, 308, 309, 311–314,
322
- Se adduct 160
- self-assembly monolayer (SAM) method
247
- self-assembly onto surfaces 505–509
- sergeant-and-soldiers 507
- S-shaped double azahelicenes 115, 116,
336
- short circuit current density (J_{SC}) 491
- sil[7]helicene 73, 84, 112, 113, 435
- silahelicenes 60, 73, 74, 435
- silicon-linked bis(propargylic alcohol)
112, 435
- single crystal X-ray diffraction (SCXRD)
analysis 115, 350, 489
- single molecule magnet (SMM) 171
- six stereoisomeric double[8]helicenes
350
- sodium ionophore 156
- sodium tetrakis 3,5-bis(trifluoromethyl)
phenyl borate 156
- Sonogashira coupling 62, 65, 205, 208,
268, 294, 302, 331
- (-)-sparteine-mediated annelation 121
- (-)-sparteine-mediated asymmetric
silylation 121
- spin filters 161, 329, 495, 496, 505
- SPINOL [1,1'-spirobiindane-7,7'-diol]-
derived chiral phosphoric
acid (S) 121
- spintronics 89, 161, 480, 494–496, 524
- squalene-[4]helicene construct 152
- S-shaped C_2 symmetric fused double
[6]helicene 379
- stable radicals 157–159, 214

- stairwise kinetics 256
 stereodefined *Z*-diboronic esters 202
 stoichiometric diastereoselective synthesis 76–82
 Stone–Wales rearrangement 286
 substituted carbo[*n*]helicenes 9–11
meta-substituted distyrylnaphthalene derivatives 9
 sulfoxides 129, 140, 182
 sulfur bridged cationic [4]helicene 131
 sum-over-states (SOS) 374, 389, 401
 superacenes 285
 superacid/Lewis acid-mediated S_EAr 274
 superhelicenes 294, 302, 303, 305, 314
 supertwistacene 303
 Suzuki coupling/photocyclization sequence 350
 Suzuki–Miyaura cross-coupling reactions 135, 266, 270, 348
 switches 167, 192, 223, 329, 406
 sydnone 336, 337
 symmetrical 1,3-bisoxa[5]helicenyl imidazolium salts 514
 symmetry-allowed photoreaction 2
- t**
- targeted sila[7]helicene 112
p-terphenyl-2,2'',6,6''-tetrayne derivative 427
 terpyridine (Terpy) ligands 177
 terylene-based helicenes 363–365
 terylene diimide (TDI) 364
 terylene diimide-based double[5]helicene 364
 terylene diimide-based helicenes 363
 2,2' +5',2''-terthiophene (α-T₃) ones 212
 tetraaza[7]helicene 447
 tetrabrominated corannulene substrate 270
 tetrabrominated TDI 364
 tetrabromo cyclooctatetrathiophene 315–322
 tetracenes 138, 440
 tetracyclic helicenes 238–241
 tetrahydro[6]helicene 82, 83, 104, 106, 513
 tetrahydro[7]helicene 104, 106
 1-tetralone 264
 tetramethoxybisquinone derivative 466
 tetraphenyl ethylene (TPE) 427
 tetrasubstituted helicenebisquinones 456
 tetrathia[7]helicene 23, 25, 191, 199, 203, 205, 207, 209, 210, 222, 224, 227, 457–463, 466, 488
 tetrathia[9]helicene skeleton 442
 tetrathiahelicene (7-TH) scaffold 3,3'-bis(benzo[1,2-*b*+4,3-*b'*]dithiophene) derivatives 204–205
 computational studies 216–220
 diphosphane (±) 224
 electrochemical properties and applications 211–215
 ferrocene derivatives 213
 functionalization 206–209
 interaction with biomolecules 226–229
 mono and diphosphane (±) 224
 nonlinear optic (NLO) materials 220–222
 organocatalysis 225–226
 organometallic catalysis 224–225
 organometallic complexes 207, 208
 oxidative cyclization of bis(benzodithienyl)ethenes 200
 phosphorus derivatives 213, 216–219
 resolution of enantiomers 209
 tetrayne 59, 71–75, 83, 104, 110–112, 115, 116, 124, 427
 thiahelicenes 16, 23–27, 73–75, 170, 191, 203, 206, 211, 221–223, 225, 229, 313, 386, 510, 523
 (*M*)-thiahelicenophane 227
 thiahelicenophanes 227
 (thio)xanthone 137
 thickness-dependent photoluminescence and electroluminescence spectra 341
 thin film voltammetry 156–157
 thiohelicenes 441–442
 thiophene-containing propeller-shaped nanographene 315
 thioxanthonium 131
 third-order NLO responses 466, 469
 time-dependent density functional theory (TD-DFT) 150, 216, 333, 358, 398, 399, 408, 413, 459

- time-dependent Hartree–Fock (TDHF)
method 222, 398, 457
- o*-tolaldehyde 238
- (*R*)-tol-BINAP catalyst 110
- o*-tolylboronic acid 513
- TPA upconverted CPL (TP-UCPL) 289
- trans*-alkene 202
- trans* effect 176
- transition-metal-catalyzed aromatic ring
construction 103
- transition-metal-catalyzed [2 + 2 + 2]
cycloaddition of alkynes 103,
104, 115, 124
- triangulenium dyes triazatriangulenium
(TATA) 128
- triarylmethyl cation π systems 144
- 1,2,3-triazolium-based gold(I) complex
119
- 1,2,4-triazolium-based chiral gold(I)
complex 119
- tribenzo[*b,n,p,qr*]perylene substructures
383
- tribenzoperylene-extended double
[6]helicene 383
- 1,2,4-trichlorobenzene (TCB) 507
- trifluoromethanesulfonate-substituted
naphthalene 114
- trifluoromethylbenzene 254, 256
- 1,3-bis(trifluoromethyl)benzene 252
- 1,3,3-trimethyl-2-methyleneindoline
139
- trimethylsilyl and trifluoromethanesulfo
nate-substituted [5]helicenes 115
- o*-trimethylsilyl-triflate benzene 364
- trinaphthylenes 274, 275
- trioxatriangulenium (TOTA) system 131
- 3,6-bis(triphenylamino)phenanthrene
479
- triphenylenes 191, 274, 300, 301
- triple [5]helicene 13, 14, 60, 300, 380,
381, 384
- tripropylamine (TPA) 154
- trithia[5]helicene 23
- trithia[7]helicene 23
- triyne 54, 55, 58, 59, 62–73, 75, 76,
78–84, 87, 88, 103–106, 108, 112,
124, 299, 341, 441, 514, 515
- Truly chiral 215
- two-photon absorption (TPA) 289, 429,
466
- two-photon circular dichroism (2PACD)
167, 289, 466
- two-photon circular dichroism (TPCD)
289, 466
- two-photon emission (TPE) 429
- two-photon upconverted emission (TPE)
289
- U**
- undecabenzo[7]helicene unit 304
- unsubstituted carbo[*n*]helicenes 6–9
- unsymmetrical diaza [4]helicene 159
- unsymmetrically substituted diaza
[6]helicenes 132
- V**
- vacant-defects 286
- van der Waals interactions 177, 257, 508
- vibrational circular dichroism (VCD)
167, 301, 333, 374, 395
- vibrational Raman optical activity
(VROA) spectroscopy 220
- vibrational transitions (VCD) 398
- vibronically resolved ECD 374
- vibronic (chir)optical spectra 412
- vibronic coupling 398
- vibronic contribution 399
- vibronic effects 375
- Vilsmeier–Haack reactions 136
- W**
- water-soluble helicene dyes 155
- Weinreb amide 206
- Wilkinson's catalyst Rh(PPh₃)₃Cl 57
- Wittig reaction 3, 23, 24, 201, 202
- X**
- X- and S-type triple [5]helicenes 380
- xanthone 131, 133, 135, 137
- X-shaped double [6]helicene 383, 384
- X-type triple [5]helicene 380
- xyl-Segphos 84, 106, 107, 110, 112
- Z**
- Zwitterionic dye 149