

Index

a

- A_{A1} acid-catalysed solvolysis 56
 Abh-heterooligomer 90–91
 accelerated molecular dynamics
 simulation 85
N,O-acetals 123
 α -acetamidoamides 143, 144
 acetoxylation 350, 351
N-acetylated methionylglycine 227
 acid anhydrides 309, 407, 408, 453–458,
 460, 466
 acidic hydrolysis 131, 134, 136, 300, 470
 acidic proton 191
 activated *N*-acyl pyrrolidines 148
 activated *N*-(2-haloethyl) secondary
 amides 146
 activated amides 131, 143, 145, 148, 149,
 150, 171, 172, 177, 179, 222, 223,
 235–237, 251, 255, 273, 274, 276,
 278, 279, 282, 286–288, 395, 396,
 398
 activation of, carbonyl group 190
 acyclic and cyclic tertiary amides 119
N-acylated benzoxazole intermediate
 148
 acylating reagents 134, 309, 333, 340
 acylative cross-coupling reactions 308,
 433
 acylative cross-electrophile coupling 309
N-acylazetidines 104, 105
N-acyl bis(picoly)amines 225
N-acylcarbazoles 283
 acyl chlorides 309, 313, 324, 403–405,
 408, 439
 acyl electrophiles 243, 308, 403, 405,
 407, 408, 439
 acyl fluoride 207, 229
N-acyl formamidine 222, 223
O-acyl hydroxamides 328
 acyliminium intermediate 229
N-acylindoles 283
 acyl nitrogen resonance 42
N-acyloxy-*N*-alkoxyamides 37, 38, 41,
 53–56, 58, 60, 61, 62, 66, 67
N-acylpseudoephedrine 103
N-acylpyrroles 115, 116, 118, 119, 255,
 256, 276, 283, 298
 derivative 115
 Suzuki–Miyaura coupling of 256
N-acylpyrrolidines 104, 105
N,O-acyl rearrangement 227, 232
N-acylsaccharin 260, 286–287, 302
N-acyl-succinimides 301, 310–315
 acyl Suzuki cross-coupling 429
 2-acylthiophene 229
 air-stable 1-copper(I) alkynes 131
 alcohol nucleophile scope 246, 247
 aldehydes 102, 107, 119, 131, 132, 135,
 136, 157, 172, 298, 339, 406, 421,
 439, 473
 aliphatic amides 104, 124, 179, 229, 230,
 234–236, 245, 251, 252, 257, 386
 aliphatic and (hetero)aromatic aldehydes
 132
 alkaline hydrolysis 15, 79, 84

- alkaline hydrolysis rate 15
- alkaloid (-)-*epi*-pseudoconhydrine.HCl 139
- alkoxide-bridged manganese
 - homodinuclear complex 230
- N*-alkoxyamides 37, 38, 41, 53–56, 58–63, 66, 67, 119–128, 323
- N*-alkoxyhydroxamates 62
- N*-alkoxylactams 112, 113, 122, 124
- N*-alkoxy-*N*-aminoamides 38, 41, 58–60
- alkoxynitrenium ion 54
- alkyl amides, Suzuki–Miyaura coupling of 257
- alkyl/aryl 3,4,5-trisubstituted
 - 1,2,4-triazoles 146
- N*-alkylated isoquinolin-2-ones 17
- α -alkylations 315, 330
- α -alkyl groups 313, 441
- alkylmetal intermediates 319
- O*-alkyl-*N*-benzyloxy-*N*-(*N'*-methylanilino)carbamates 62
- alkyl nucleophiles 406
- alkyltrifluoroborate nucleophiles 312
- alkylzinc nucleophile 319
- N*-allylamides 141
- N*-allylated secondary amides 134–135
- Ames reverse mutation assay 55
- amide(s) 101, 119, 187
 - esterification of 243–248
 - hydrolysis of 248–249
 - Mizoroki–Heck coupling of 261–265
 - Negishi coupling, of 258–261
 - reduction and reductive coupling of 265–268
 - Suzuki–Miyaura coupling of 255–258
- amide acetals 144
- amide alcoholysis 222–224
- amide bond activation
 - application to, amino acids
 - artificial helices and strand mimics 90–92, 93
 - bicyclic β -amino acids 85–92
 - bridgehead-substituted bicyclic amino acids 88–90
 - chemical stability of,
 - nitrogen-pyramidal amides 83–85
 - thioamides 83
- amide bond esterification and hydrolysis
 - activated amides 235–237
 - catalytic reactions 228–232
 - chelating auxiliary, nitrogen atom of amides 234
 - N*- β -hydroxyethyl amides 232–234
 - stoichiometric reactions 221–228
- amide bond functionalization, activated tertiary amides
 - [2+2]-cycloadditions 164–167
 - nucleophile addition
 - carbon nucleophiles 168–170
 - heteroatom nucleophiles 171–175
 - hydric reduction 170–171
 - stereoselective cycloadditions 167–168
- amide bonds 3, 4, 7, 13, 18, 21, 24, 42, 67, 79, 80, 88, 94, 104, 175, 221, 226–228, 234, 258, 294
- amide bond scission reactions 57, 58
 - HERON reactions of,
 - N*-alkoxy-*N*-aminoamides 58–60
 - $\pi_Y-\sigma_{NX}^*$ 63–66
 - other HERON reactions 60–62
- amide bond twisting 293
- amide *cis-trans* preference 85
- amide C–N bond activation mechanism 366
 - general mechanism 367–368
 - Lewis acid-mediated nucleophilic substitution 368–380
 - ammonium salt-mediated
 - hydrazinolysis, mechanism of 375–380
 - LiHMDS-mediated transamidation
 - selectivity and mechanism 369–373
 - reactivity of, Zn-catalyzed
 - esterification of amides 373–375
- transition metal-catalyzed cross coupling 380–398

- Ni-catalyzed C–N bond activation, mechanism of 388–391
- Ni-catalyzed C–N bond activation, structure-activity 391–394
- Ni-catalyzed esterification, mechanism of 381–386
- Ni-catalyzed Suzuki–Miyaura coupling, mechanism of 387–388
- Pd-catalyzed Suzuki–Miyaura coupling 395–397
- Pd-catalyzed transamidation 398
- Ni-catalyzed C–N bond activation, mechanism of 390
- amide cross-coupling 273–275, 278–282, 286, 288, 293
- amide-directed C(sp²)-H 316, 340–359
- amide isomerisation 33, 45, 52, 80, 94
- amide isomerism 80
- amide linkages 1, 29, 365
- amide methanolysis 223
- amide nitrogen (*O*-chelation) 224
- amide nonplanarity 79, 83
- amide planar configuration 221
- amide resonance 1, 4, 8, 30, 32, 35, 40, 41, 44, 49, 53, 58, 61, 66, 159, 294, 371
- amides as precursors, to nitrogen- or carbon-centered radicals
 - amides reactions via α -aminoalkyl radicals 328–331
 - C–H bond functionalization via cross-coupling 329–331
 - C–H bond functionalization via radical addition 328–329
- amides reactions via amidyl radicals 323–328
 - distant C–H bond functionalization 325–328
 - vicinal difunctionalization, of pendant olefins 324–325
- amides reactions via carbamoyl radicals 331–333
- amides as precursors, to organometallic compounds
 - chelation-assisted radical reactions of amides 316–322
 - amide-directed C–H bond functionalization 316–318
 - amide-directed functionalization of, unactivated alkenes 318–322
 - radical reactions of, amides via metal-catalyzed C–N bond activation 308–309
 - photoredox cross-coupling reactions 312–316
 - reductive cross-electrophile cross-coupling reactions 309–312
- amide substrate 244–246, 250, 252, 275, 276, 278, 284, 285, 307, 327, 341, 350, 355, 361, 368, 369, 373, 388, 390, 392, 394, 395
- amide substrate scope 245, 246
- amides reactions via α -aminoalkyl radicals
 - C–H bond functionalization via cross-coupling 329–331
 - C–H bond functionalization via radical addition 328–329
- amidic resonance through, heteroatom substitution
- anomeric amides, properties of
 - anomeric amides, sources 37–42
 - natural bond order analysis 33–34
 - spectroscopic properties 43–45
 - structural properties 32–33
 - theoretical determination of, amide bond 35–37
 - theoretical structures and amidicities 46–50
- anomeric amides, reactivity of 50–66
 - anomeric amide nitrogen 53–57
 - anomeric effect 50–53
- amines 102, 119
 - like compounds 137–144, 150
 - nucleophile 250, 429, 439
 - protons 191
- α -amino acids 79, 85–92, 94, 148, 194, 195, 227, 378
- α -amino bisphosphonates 141
- amino-borane intermediate 140

- α -amino- α -cyanophosphonic acid
 - derivatives 141
 - amino-enyne 131
 - β -aminoethyl ester 232
 - β -aminoethyl ester intermediate 232
 - aminoketone adduct 117
 - amino-ketone resonance 4, 7, 18
 - N*-amino-*N*-chloroamides 38, 66
 - aminonitrile 124
 - 8-aminoquinoline (AQ) 234, 316, 318, 319
 - amides 316
 - analogous *O*-TMS protected hemiaminals 118
 - anhydride cross-coupling reaction 407
 - anionic hemiaminal 127
 - anomeric amides, properties of 32–50
 - anomeric substitution 55
 - anomeric systems 46, 52
 - aqueous dioxane 228
 - arene-carboxylates 453
 - arene-carboxylic acids derivatives 453, 475
 - aromatic alkylesters 464
 - aromatic carboxylic anhydrides 407
 - aromatic ketimines 133
 - aromatic ketones 133
 - aroyl-*X* bond formation 453
 - N*-aryl amides 147, 222
 - aryl amides, Suzuki–Miyaura coupling of 256
 - arylamine synthesis 470
 - arylated isoquinolones 296
 - α -arylation 103, 330–331, 465
 - arylboronic acids 236, 284, 327, 414, 443, 460–462
 - 1,3-arylic strain 81
 - aryl neopentylborates 476
 - aryl nitriles 422, 465
 - aryl phosphines 471
 - aryl Weinreb amides 347, 348, 351–353, 356, 358, 359
 - aryl-*X* bond formation 453
 - asymmetric hydroarylation of, bicycloalkenes 357
 - atoms in molecules (AIM) 4
 - Aubé–Schmidt strategy 13
 - 7-azabicyclo[2.2.1]heptane 31, 79–83, 85, 89, 90, 94
 - 2-azinecarboxylates 462, 473
 - 1,3-azoles 298, 302, 411, 421, 466, 467
 - azoniaallene intermediate 135
- b**
- benzimidazoles 305, 410, 466
 - benzo[*h*]quinolines 466
 - benzothiazoles 410, 466
 - benzylating reagent 482
 - N*-benzyloxy-*N*-chlorobenzamide 44
 - benzyl Weinreb amides 347, 349, 350
 - biaryl ketones 109, 111, 255, 275
 - bicyclic alkoxyoxazolium salts 174
 - bicyclic amides 81–84
 - bicyclic β -amino acid 80, 85, 90, 91
 - bicyclic amino acid dipeptide derivatives 80
 - bicyclic and monocyclic amides 81
 - bicyclic imidazolines 149–150
 - bicyclic β -proline homoligomers 92
 - bicyclic ring skeleton 85
 - bipyridine 225, 232, 235, 312, 313, 326, 327, 355
 - Bischler–Napieralski reactions 158
 - 3,4-bis(dicyclopentylphosphino)thiophene (dcppt) 473
 - bisheteroatom-substituted amides 32, 45
 - bisheteroatom-substitution 32, 50, 67
 - bisoxazole framework 467
 - N*-Boc amides 107, 275, 277, 279–283, 287, 301, 388
 - N,N*-Boc₂ amides 110, 111
 - N*-Boc pyrrolidine 109
 - N*-Boc substituted amides 208, 209
 - boronates 354
 - boronic acids 280, 284, 327, 406, 407, 409, 413, 421, 460, 462
 - boronic ester 107, 229, 255, 257, 387
 - borylating reagent 476
 - borylation 300, 301, 303, 304, 355, 357, 417–420, 475–478

- α -boryl carbanion 106
 Brønsted base 231
 bridged bicyclic β -amino acids 85
 bridged lactam crystal structures 5
 bridged lactams 1
 carbonyl group, reactivity of 18–22
 carbonyl reduction 20
 enolate and conjugate addition chemistry 21–22
 heteroatom nucleophiles 18–19
 olefination and epoxidation reactions 20–21
 organometallics 19–20
 polymerization reactions 22–23
 general properties of
 amide bond distortion, parameters 3–5
 bond length and angle 5–7
 N- vs. *O*-protonation and methylation 7–14
 twisted amide basicity 14–15
 miscellaneous reactions
 ring opening via olefin metathesis 23–24
 reactivity, of lactam nitrogen
 cleavage of, σ C–N Bond 17–18
 hydrolysis of, N–C(O) bond 15–17
 types of 3
 bridgehead-substituted bicyclic amide 81, 84
 bridgehead-substituted bicyclic amino acids 88–90
 bromine–atom abstraction 314
 Buchwald–Hartwig amination reactions 104, 276, 282, 286–288, 300, 424, 433
 Buchwald–Hartwig coupling 275
C
 C(acyl)–C(sp³) bond formation 310
 C(acyl)–N bond activation 293
 Cambridge Structural Database (CSD) 40
 carbamoylation of, arenes 332, 333
 carbamoylation reactions 307
 4-carbamoyl-1,4-dihydropyridines 332, 333
 carbinol 104, 107, 108, 111, 115–117, 245
 β -carbon-carbon radical fragmentation 322
 carbonyl(s) 102
 fragment 429
 like compounds synthesis 129–137
 moiety 115, 221, 222, 230, 231, 236
 oxygen 4, 29, 36, 50, 88, 148, 194, 200, 204, 296, 349
 retentive alkylated ketones 432
 Weinreb amide-type electrophile 111
 1,1'-carbonyldipyrrole 115
 carbonyl retentive couplings 429
 of alkyl esters 439
 amidation 439–441
 Mizoroki–Heck type domino reactions 441–443
 Suzuki–Miyaura coupling 443–444
 of phenyl esters 429
 alkyne insertion 438
 amidation 433–434
 cross-electrophile coupling 434–435
 deoxygenative organophosphorus coupling 437–438
 ester transfer and ester dance 435–437
 Suzuki–Miyaura coupling 429–433
 carbonyls from amides
 addition to canonical amides 102–107
 tetrahedral intermediates isolation 115–119
 variation of the amide structure 107–115
 α -carbonyl Weinreb 111, 113
 carboxylic acids 57, 144, 172, 225, 228, 248, 328, 329, 360, 407, 413, 437, 453, 458, 460, 471, 472 catalytic and promoted processes
 bases 198–199
 boron derivatives 199–200
 derivatives 1, 243, 366, 368, 373, 379, 403–408, 421, 429, 475

- carboxylic acids (*contd.*)
 - heterogeneous catalysis 201–203
 - promoters 201–203
- 6-carboxypicolinoyl moiety 225
- (–)-castoramine 126
- catalytic coupling reaction 454
- catalytic decarbonylative reaction of,
 - aromatic esters 454
- catalytic esterification 230, 235
- catalytic intermediates 476
- caulophyllumine B 147
- C(benzyl)-H radical abstraction 322
- C–C bond formation 133, 139, 213, 387, 453, 460
- C–C/C–H bond forming reactions
 - cyanation 422, 423
 - Negishi type coupling 421–422
 - reduction 421
 - Sonogashira-type couplings 419–421
- α -CF₃-amines 140
- CF₃-functionalized bisindolylmethanes 141
- C–H activation 286, 339–362, 409, 411
- C–H activation reactions 346, 362
- C–halogen bond 351
- C–H arylation 298, 299, 302, 348–350, 409–412, 466–470, 479
- C–H biaryl coupling 409–412
- N*-chelation 224, 466
- chelation assistance 293, 316, 430, 445, 456, 475
- chelation-assisted radical reactions of amides
 - amide-directed C–H bond
 - functionalization 316–318
 - amide-directed functionalization of, unactivated alkenes 318–322
- chelation-assisted system 475
- C-heteroatom bond forming reactions
 - carbon-phosphorus bond formation 428
- chiral *-cis-N*-benzyloxylactam 113
- chiral Weinreb amides 108
- chlorine-bearing systems 46
- 2-chloro-4,6-dimethoxy-1,3,5-triazine (CDMT) 89
- α -chloro enamines 161–164
- 3-chloro pyridine 285
- cis-trans* equilibrium 79, 88, 94
- cis-trans* isomerization 44, 45, 79, 80, 88, 93, 94
- classic Friedel–Crafts acylation methods 131
- C–N anti-bonding orbital 5
- C–N bond dissociation energies (BDEs) 365, 366, 392
- C–N bond formations 275, 276, 384, 470–471
- C–N linkage 365
- Co catalyzed reactions 344–346
- computational modelling of, *N*-C(O) rotation 30
- concerted metallation-deprotonation (CMD) mechanism 345, 346
- δ -coniceine 147
- C–P bond formations 303, 428, 471–472, 482
- C₄ reductive elimination 311
- cross-coupling reactions 307
 - of amide electrophiles 315
 - of carboxylic acid derivatives 1, 243, 366, 368, 373, 379, 403–408, 421, 429, 475
 - cross-electrophile couplings 309–312
- C(sp³)-H bond functionalization 316
- C-terminal carbonyl group 85
- Cu-catalyzed decarbonylative coupling 298
- cyanation 141, 142, 298, 422, 423, 465–466
- cyclic amines 104, 107, 120, 122
- cyclic α -aminoketones 109, 110
- cyclic nitrones 121, 122
- cyclobutaniminium salt 142
- cyclobutanone *O*-perfluorobenzoyl oximes 322
- cyclobutyl amines 142
- γ -cyclodextrin 227

d

- Davis' urea dearrangement 189
- dcype (1,2-bis(dicyclohexylphosphino)ethane) 457
- dcypt (3,4-bis(dicyclohexylphosphino)thiophene) 457
- decarbonylation 417
- of acyclic amide derivatives
 - N*-acyl-glutarimides 298–305
 - of cyclic amide derivatives
 - phthalimides 295–297
 - Saccharins and other cyclic amide derivatives 297–298
 - Negishi coupling 463–464
 - Sonogashira coupling 464–465
 - Suzuki–Miyaura coupling 460–463
- decarbonylative alkylation reaction 416
- decarbonylative alkyne insertions 459
- decarbonylative borylation reaction 304, 418
- decarbonylative coupling 453, 454, 456, 457, 481
- of alkyl esters 444–446
 - directing group assistance 444–445
 - methylation 445
 - organostannane formation 445–446
 - of esters 408–428, 453, 454, 456, 460–463, 476
- decarbonylative coupling, of aryl esters 408
- C–C/C–H bond forming reactions 419–424
- cyanation 422
 - methylation 422–424
 - Negishi type coupling 421–422
 - reduction 421
 - Sonogashira-type couplings 419–421
- C–H biaryl coupling 409–412
- C–heteroatom bond forming reactions 424–428
- carbon-phosphorus bond formation 428
 - etherification 424
 - thioetherification 427–428
- Mizoroki–Heck type coupling 408–409
- silylation and borylation 417–419
 - Suzuki–Miyaura coupling 412–417
- decarbonylative cross coupling 293, 294, 297, 305, 382, 397, 424, 447, 460, 479
- decarboxylative elimination 328
- decarbonylative Mizoroki–Heck reaction 299, 302, 454, 457–460
- decarbonylative reaction 294, 295, 297, 299–303, 407, 454, 457, 462, 482
- decomposition of, hydrazine dimers 63
- degrees of nonplanarity 81
- density functional theory (DFT) 231, 236, 296, 369
- deoxygenative organophosphorus coupling 437–438
- deprotonated aryl isocynoacetates 150
- destabilized amide 1, 308
- N,N*-dialkoxyamides amides 45
- N,N*-dialkyl aliphatic amides 230
- dialkyl(aryl) phosphites 141
- N,N*-dialkyl-halobenzamides 103
- 2,4-diaryloxazoles 470
- diastereoselective Mizoroki–Heck cyclization 261, 262
- diazonium tetrafluoroborates 318
- 1,1-diborylalkanes 106
- dihedral angles 52, 85, 86, 92
- dihydropyridines to pyridinium 208
- diisobutylaluminum hydride (DIBAL) 115, 119, 121
- N,N*-diisopropyl(benz)amides 132
- 1,3-diketones 107
- N,N*-dimethoxyacetamide 33, 35, 36, 41, 44, 45, 48, 50, 63, 64
- N,N*-dimethylacetamide 30, 31, 33–37, 44–46, 48–50, 328
- dimethylaluminum chloride 422, 445, 463, 464
- N,N*-dimethylamides 103
- N*-(dimethylamino)formamide 52
- dimethylamino group 59
- N,N*-dimethylbenzamides 103

- N,N*-dimethylformamide 14, 222, 223
 dimethyl sulphoxide 320, 359
 dinuclear manganese complexes 230
 dinuclear palladium complexes 227, 228
 dinuclear platinum complexes 228
 diphenyliodonium triflates 413
 diphenylphosphine oxide 471
 direct transamidation
 mechanistic insights 190–193
 organocatalysis 195–198
 transition metal catalysis 193–195
 1,2-disubstituted 2-imidazolines 146
 2,2-disubstituted 3-iminoindolines 142
 α,α -disubstituted ketones 136
 2,6-di-*tert*-butyl-4-methylpyridine
 (DTBMP) 131, 139
 dithiazolyl oxazole 470
 donor nitrogen lone pair 60
- e**
- electron-donating monophosphine ligand
 462
 electron-donating substituents 82, 348
 electron-rich monodentate phosphines
 457
 electron-withdrawing substituents 43,
 348
 electronegative atoms 32, 50
 electronegativity of the substituent 83
 electrophilic activation
 of amides 158–159
 electrophilic acyl-transfer agents 309
 electrophilic amide activation
 activation of, secondary amides
 159–160
 history of, tertiary amides activation
 160–164
 electrophilic amide bond
 functionalization
 amide bond functionalization, activated
 secondary amides 175–180
 ketone synthesis 179–180
 synthesis and functionalisation of,
 heterocycles 176–179
 amide bond functionalization, activated
 tertiary amides
 [2+2]-cycloadditions 164–167
 nucleophile addition 168–175
 stereoselective cycloadditions
 167–168
 electrophilic activation 157–158
 of amides 158–159
 electrophilic amide activation
 activation of, secondary amides
 159–160
 history of, tertiary amides activation
 160–164
 electrophilic amide linkage activation
 activation of amides with different
 electrophilic agents 144–145
 amine-like compounds 137–144
 carbonyl-like compounds synthesis
 129–137
 general concept 128–129
 electrophilic nitrilium intermediate 133
 electrophilic reagents 129, 158, 201, 202
 electrophilicity 5, 18, 53, 102, 107, 120,
 122, 128, 158, 162, 171, 177, 180,
 187, 188, 190, 198, 201, 202, 204,
 205, 207, 359, 405
 elimination reactions (SN1 type
 processes) 56–57
 enamines 133, 135–137, 139, 140,
 161–164, 168, 180
 derivatives 106
 β -enaminone products 136
 enantioenriched cyclobutanones 167,
 168
 enantioenriched
 α -oxy- α -methylbenzyl lithium
 reagents 109
 enantioenriched ketones 103
 enantioselectivity 168, 321, 355, 357,
 368, 378–380
 enolate and conjugate addition chemistry
 21–22
 enolizable ketones 107
 enones 113, 133, 134
 entropic barrier 350

enzymes 221, 243
 esterification of amides 221, 228, 230,
 231, 243–248, 255, 373–375,
 381–387
 ester transfer and ester dance
 435–437
 etherification 424, 425, 473, 482
 Evans-type oxazolidinones 213
 exchange spectroscopy (EXSY) 94
 extrusion of, carbon monoxide 311

f

facilitate rearrangement 60
 five-membered Weinreb-type chelated
 intermediate 122
 fluoride anion 229, 236
 fluorinated amides 280
 fluorinated amine moieties 122
 formamides 33, 124, 127, 203
N-formylpiperidine 107
 Fourier transform infrared (FT-IR) 302
 free energy of rotation (ΔG^\ddagger) 82
 Fujiwara–Moritani reaction 341
 fully substituted amine 102
 fully substituted (tertiary) amine 101
 fully substituted cyclic nitrones
 121–122
N-functionalized amidyl radical
 precursors 328
 functionalized carbenoids 118
 α -functionalized cyclic amines 107
 functionalized ketones 103, 106, 108,
 339
 α -functionalized ketones 103, 106, 108,
 339
 furan-2-methylamine 359
 furfural acid 280

g

gem-alkynylation products 139
 gephyrotoxin 121
 gephyrotoxin 223AB 121
N-glutarimide 274–276, 278, 283, 300,
 388–390
 gram scale synthetic application 256

h

halogenated secondary amides 146–147
 α -halo substituent 112
N-halo succinimide 351–352
 Hammett's σ_p^+ constants 83
 Hartwig–Buchwald coupling 274
 HERON (Heteroatom Rearrangement On
 Nitrogen) 50
 (hetero)aromatic amides 124
 α -(hetero)arylations 330
 (hetero)aryl bromides 324, 329, 332
 heteroatom-substituted amides 32
 heterocycles 145–150, 174, 176–181,
 213–214, 245, 247, 248, 250, 257,
 284, 285, 313, 324, 332, 441, 475
 heterocyclic amides 280
 heterogeneous catalysts 193, 200, 201,
 227, 231
 heterolytic C–N bond dissociation
 energies (HBDEs) 392, 394
 heterooligomers 90–92
 heterophenyl esters 414, 415, 421–423,
 425
 hexafluoroisopropanol (HFIP) 345
 highly polar carbanions 103
 hindered lithium
 diisopropylaminoborohydride
 (*i*-PrLAB) 119
 histidylglycine 228
 homo-dinuclear manganese complex
 230
 homo-oligomer of, bicyclic amino acids
 79
 homolytic bond dissociation energies
 (BDEs) 392, 394
 Hoppe's carbamates 109, 117
 β -hydride elimination 261, 298, 302, 308,
 319–321, 342, 415, 432, 454
 hydride reducing agents 339
 hydrogen atom 91, 165, 229, 314, 318,
 320, 322, 325, 326, 330, 421
 hydrogen atom abstraction process 229
 β -hydrogen atoms 91, 165, 318, 320
 hydrogenation 35, 144, 145, 355, 356,
 473–475

- hydrolysis
 of amides 248–249
 of dipeptides 227, 228
 hydrophobic surface 93
 hydroxamic ester precursors 43
 hydroxide ion (-OH)-catalyzed hydrolysis
 84
N- β -hydroxyethyl amides 232–234
N-hydroxy lactones 121
 hydroxylamine hydrochloride 195
 hydroxyl moiety of, alcohol 231, 236
 hypervalent iodine(III) reagent 343
- i**
- imidates 144, 172
 imidazolyl-containing Weinreb amide
 113
 imides, metallophotoredox
 Suzuki-Miyaura coupling of 258
 imidoyl chloride 159, 160, 178
 imidoylium chlorides 160, 163
 imidoyl triflates 137
 iminium ion 102, 122, 127, 140–141,
 150, 168
 iminium triflate 128, 129, 131–133, 139,
 144–146, 148
 iminium triflate intermediates 129, 131
 iminochloride intermediates 223
 β -iminoiminium salt 136
 3-iminoindoles 142
 indole alkaloid communesin 19
in situ anhydride formation strategy 471,
 472, 476
 π - π interactions 48, 50–52, 58, 80, 92,
 293, 365, 380
 inter-peptide hydrogen bonding 90
 intermediate iminium triflate 131, 133,
 145
 intermediate ketenimine 148
 intermediate nitrilium intermediate
 133, 137
 intermediate α -trifluoromethylated
 amines 141
 intermolecular competition experiments
 260, 341
 intramolecular *N,O*-acyl rearrangement
 232
 intramolecular carboamination of,
 alkenes 307, 324
 intramolecular radical carbo-amination
 321
 intricate reaction 179
 intrinsic resonance energy 36
 iodoarenes 309–310, 348
 Ir catalyzed borylation 355
 Ir catalyzed *ortho*-amination 358
 isocyanacetates 149–150
 isodesmic methods 36
 isolated diastereopure pyrrolyl carbinols
 115
 isolated sterically hindered hemiaminals
 117
 isomerization process 67, 94
 isooxazololactams 121
 isoquinoline 177, 245, 408–409, 457–459
- k**
- keteniminium ion 141, 162–174, 177
 keteniminium species 163–164
 keteniminium triflate 131
 β -ketoamides 107
 ketones 102, 104, 131
 aromatic ketones 133
 functionalized ketones 103
 saturated ketones 134
 ketoreductase (KRED) enzyme 258
 α -keto Weinreb amides 113, 114
 Knochel's Grignard reagents 131
 Kulinkovich-De Meijere-type
 cyclopropanations 121
- l**
- lactams 1–24, 29–30, 32, 35–36, 93–96,
 106–107, 117, 120–122, 126–127,
 139, 144, 149–150, 170–171, 205,
 223, 225–226, 236, 321
 γ -lactone 4, 62, 113, 121, 123, 133, 172,
 353, 354
 levilinic acid 280
 Lewis acid activation 318

- Lewis acid catalysts 223, 228, 230
 Lewis acidity 200, 226, 347, 423, 464
 Lewis acid methylaluminum
 bis(2,6-di-*tert*-butyl-4-
 methylphenoxy) (MAD) 296
 Lewis acid promotion 377
 lithiated Hoppe's carbamate 115,
 117–118
 lithium aluminum hydride (LiAlH₄) 119
 lithium chloride 315
 lithium *N,N*-dimethylamide 103
 lithium triethoxyaluminum hydride
 [LiAlH(OEt)₃] 119
 lone pair dislocation 41
- m**
- manganese homodinuclear system 230
 manganese-potassium heterodinuclear
 species 230
 metadynamics simulation 89, 95–96
 metal-catalyzed alkyne insertions 459
 metal-catalyzed cross-coupling 243, 273,
 380–398, 403, 453
 metal-catalyzed decarbonylative coupling
 453
 metal-catalyzed decarbonylative reactions
 294
 metal-free transamidation of primary
 amides 144–145
 metalloenzymes 221, 225
 metallophotoredox methodology 257
 metal-organic framework (MOF) 227
 meta-substituted arenes 341
 methanolysis 57, 160–161, 222–223, 225,
 233
 δ -methine (vs. δ -methylene) centers 326
 methionine-containing dipeptides
 227–228
N-methoxy amides 107, 122–124, 300
N-methoxyamines 123
 5-methoxyindole-3-ethylamine 359
N-methoxy-*N*-(dimethylamino)
 formamide 45, 52, 59, 60
N-methoxy-4-nitrobenzamide 39, 41
N-methoxy-*N*-methylacetamide 33, 34,
 36, 37, 44
N-methoxy-*N*-methyl amides 339
N-methoxy-*N*-methylcyanofornamide
 113–114
N-methoxy-*N*-methyl-1*H*-pyrrole-1-
 carboxamide 111
N-methoxyformamide 33, 45, 52, 61
 5-methoxyoxazoles 149
 methylaluminum dichloride 464
 methyl aluminum reagents 464
N-methylaniline 53–55, 58, 62
 β -methyl C(sp³)-H bonds 318
N-methylformamide 223
 methyl nicotinate 414
N-methyl-*N*-methoxy amides 107
N-methyl-picolinanilides 225
N-methyl-*N*-(trimethylsilyl)
 trifluoroacetamide (MSTFA)
 425, 471
 Mizoroki–Heck coupling
 of amides 261–265
 of aryl esters 408–409
 Mizoroki–Heck reaction 262, 299, 302,
 407–408, 454, 457–459
 moderate nonplanarity 79
 moderate pyramidalisation 30
 monoheteroatomic substitution 32
 mononuclear manganese(II) complex
 230
 mononuclear palladium(II) complexes
 227
 mononuclear zinc complex 223
 morpholine amides 131–132
 morpholino amide 470
- n**
- 1-naphthyl esters 439
 Negishi coupling 265, 463–464
 of amides 258–261
 Negishi cross-coupling pathway 434
 neophyl-type rearrangement 329
 neutral hydrolysis of, glycyl-glycine 221
 Ni-catalyzed cross-coupling reactions
 309, 443

- Ni-catalyzed decarbonylative borylation 419, 476
- Ni-catalyzed decarbonylative C–H arylation 467
- Ni-catalyzed decarbonylative silylation 300, 418–419
- Ni-catalyzed esterification, of amides 244, 248, 381–387
- Ni-catalyzed reductive cross-coupling, of amides 267, 268
- nickel catalysis 324, 391, 394–396, 456, 462
 - amide C–N bond activation by 243–268
- nickel catalyst 202, 244, 250, 255, 297, 308, 310, 313, 326, 329, 390, 409, 438, 462, 466
- nickel catalytic cycle 309, 314
- nickel(II)–NHC complex, transamidation using 252, 253
- nickel-catalyzed alkene carboacylation 263
- nickel-catalyzed arylation, of amide derivatives 260
- nickel-catalyzed cross-coupling of, *N*-acyl-imidazoles 310
- nickel-catalyzed Mizoroki–Heck reaction, of amide derivatives 262
- nickel/copper co-catalysis 417
- nickel/photoredox-catalyzed cross-coupling reactions 309, 313–315
- Ni/dcype-catalyzed decarbonylative aniline synthesis 471
- Ni/dcyppt-catalyzed decarbonylative amination 470–472
- Ni/dcyppt-catalyzed ester transfer reaction 479
- Ni-mediated decarbonylative coupling 296
- Ni/photoredox-catalyzed alkylations 315, 325
- nitrenium ions 56–57
- nitrilium intermediates 133, 137
- nitrilium ion 133–136, 142, 145, 147–148, 175–179
- N*-nitroamides 222
- nitroarene, Ni-catalyzed reductive transamidation 253
- nitrogen-centered radical cation 229
- nitrogen lone pair 7, 20, 29–30, 32, 34, 40–42, 45–46, 49–50, 60–61, 63, 115, 159–160, 221
- nitrogen nucleophile 172, 470
- nitrogen pyramidalisation 10–11, 15, 30, 32, 79–96, 104
- nitrogen-pyramidalized tertiary amides 94
- p*-nitrophenol 409
- p*-nitrophenyl esters 408
- 4-nitrophenyl moiety 459
- N*-nitrosoamide 203, 222
- N*-methylmorpholine (NMM) 89
- non activated *N,N*-dialkyl carboxamides 127
- non-decarbonylative couplings 453
- non-heteroaryl esters 414–416, 428, 432
- non-hindered lithium
 - dimethylaminoborohydride 120
- non-interacting β -chain sequence 92
- non-planar lactam amide spinning 93–94
 - lactam amide rotation 94–95
- non-planar tertiary amides 79
- non-precious metal catalysis 243, 265
- nonplanar amides 1–4, 79–83, 94–96, 276
- N*-phenyl-*N*-tosyl amides 236, 274
- N*-Ph-*N*-Boc amides 275, 277, 279–283, 287
- nucleophiles 404
 - alkyl nucleophiles 406
 - amine nucleophile 429
 - heteroatom nucleophiles 18, 19
- nucleophilic alkyl radical 314, 321
- nucleophilic attack 1, 13, 15, 53, 128–129, 137, 160, 175, 178
- nucleophilic coupling 409, 419, 424, 428
- O-nucleophilic reaction 160

O

okanin 133–134
olefination 20–21, 341–344, 350,
352–353, 355, 360–361
(*Z*)-olefins 321
one-carbon-homologated Weinreb amides
114–115
organic halides 453
organic semiconductor 329–330
organo-boron derivatives 197
organocatalysis 195–198
organocatalytic transamidation 198
organoceriums 103, 131
organolanthanums 103
organometallic reagents 19, 102, 113,
127, 129–131, 139, 142, 150,
169–170, 178, 179, 309, 405, 429,
434
organosilanes 417
organotin nucleophiles 433
ortho-benzoylation 343, 344
ortho-C–H halogenation of, aryl Weinreb
amides 351
ortho-olefinated products 341
ortho-olefination 341–344, 350, 352, 355
oxalate monoamides 331–332
oxidative transamidation 212–213
 α -oxyketones 109, 110

P

para-cyclopentyl ring 443
Pd-catalyzed amide bond formation
433–434
Pd catalyzed arylation 349
Pd catalyzed *ortho*-functionalization
346–352
Pd catalyzed reactions 346–352
Pd₂(dba)₃/SPhos catalytic system 103
Pd/dppb-catalyzed decarbonylative
coupling 397, 460
Pd(NHC)(allyl)Cl pre-catalyst, in
Suzuki-Miyaura cross-coupling of
amides 275–278
Pd(II)-NHC catalysis, cross-coupling of
amides 274–275

Pd/phosphine systems 275, 277
peptidomimics 92
pharmaceutical-derived molecule
repaglinides 462
phenacyl bromides 55
1,10-phenanthrolinyl moiety 225
2-phenoxypyridine 482
phenyl 2-azinecarboxylates 462
phenyl esters 424
carbonyl retentive coupling 431–438
heterophenyl esters 414
phenyl isonicotinate 482
photocatalyst 312–314, 317, 318, 324,
326, 328–330, 332, 354
phthalic anhydrides 438, 459
phthalimide 199, 260, 294–297, 365
 α -phthalimido-amides 148
picolinylsarcosine 225
pivalic anhydride 407, 460, 471, 476
pivotal iminium triflate 129
planar conformation 221
polyhydroxylated cyclic amines 122
polymerization reactions 22–23
poly(methylhydrosiloxane) (PMHS)
136–137, 421, 475
 α -(poly)-substituted methylketones 108
porantheridine 121
potassium aryltrifluoroborates 332
potassium persulfate 202, 332
pre-chiral *N*-sulfonyl amide 378
precursor hydroxamic esters 41, 43
pre-oxidative addition intermediate 390
previous functionalization of, amide bond
activated substrates using fluoride 207
activated substrates using metallic
catalysts 205–207
activated substrates using promoters
208–209
activated substrates without promoters
209–211
 α -proline amide 94
propargylic amines 125
prosophylline 121
protein-protein interactions (PPIs) 80,
92

- N*-protonation 8–12, 14
O-protonation 4, 7–14
 proton switch/amine elimination
 mechanism 221
 pseudo C–N double bond 81
 (pseudo)halide 309, 403
p-toluemsulfonic acid (PTSA) 122
p-type lone pair alignment 52
C-pyramidalization 4
N-pyramidalization 3
 pyramidal nitrogens 30, 40–41, 51, 95
 pyridin-2-ylbenzenes 466
 pyridine sulphonic acid 360
 pyridinium triflates 128
 2-pyridyl esters 421, 429, 430
 pyridylmethyl esters 444, 456, 475
 pyridyl *N*-methyl amides 107
 pyrrolyl carbinols 115–117
- q**
- quantitative *N*-methylation 8
 α-quatarnary ketones 109, 110
 quinoline ring 316
 quinolines 147–148, 245, 248, 296–298,
 460, 466, 482
 quinuclidine moiety 236
- r**
- radical-based acylative cross-coupling
 reactions 308
 radical cation 229
 radical reactions of, amides via
 metal-catalyzed C–N bond
 activation
 photoredox cross-coupling reactions
 312–315
 reductive cross-electrophile
 cross-coupling reactions 309–312
 radical translocation 307, 333
 reduction
 of amino acid derivatives 267
 of secondary and tertiary Amides 266
 reductive elimination 459
 C₄ reductive elimination 311
 reductive transamidation 211, 212
 of alkyl amide derivatives with
 nitrobenzene 254
 of aryl amide derivatives with
 nitrobenzene 254
 rehybridisation of nitrogen 30
 remote functionalization 307, 316
 resonance destabilized amides 308
 resonance hybrid contributions 30
 resonance structures of benzamide
 81–82
 reusable heterogeneous catalysts 231
 Rh catalyzed reactions 352–356,
 455–456
 ring-closing metathesis (RCM) reactions
 94
 ring transformation strategy 467
 robust ligands 428
 Ru catalyzed *ortho*-olefination 343
 Ru catalyzed reactions 341–344
- s**
- S*_Ni mechanism 222
 saturated ketones 134
 secondary *N*-arylamides 142
 secondary amides 129, 131, 133, 134
 transamidation 250
 secondary aromatic
 N-(trimethylsilylmethyl)amides
 141
O-SEM-protected five-membered
 N-hydroxy lactam 122
N-silylated-succinimide 314
 silyl-copper species 477
 silylated amines 424
 silylating reagent 477
 silylation 115, 300, 417–419, 426,
 475–477
 silylstannanes 477
 single deuterium atom 17
 single electron transfer (SET) processes
 229, 308, 310, 312–313, 316–323,
 329, 332
*S*_N2 reactions 53–55, 57, 58
 sodium borohydride (NaBH₄) 119, 171,
 180

- sodium borohydride reduction 20
 Sonogashira coupling 300, 419, 464–465
 Sonogashira type decarbonylative coupling 464
 sp² hybrid orbitals 32
 stable ketimine intermediates 130–131
 steric and stereo-electronic effects 88
 stoichiometric cleavage 223
 stoichiometric pivalic anhydride 407
 stoichiometric reaction 221–228, 403, 476
 strained cyclic system 273
 β-strand-like structure 90
 β-strand structure 79, 90–92
 structurally diverse tertiary amines 125
 styryllactone natural products 133
 substituted amines 102, 122, 128
N-p-substituted benzoyloxyl leaving groups 55
 substituted quinolines 147–148
N-substitution effects, computational & experimental studies of 244
 succinimidate anion 314
 2-sulfanyl tertiary amines 127, 128
N-sulfonyl biaryl lactams 236
 sulfuramidite 223
 sulfuramidite intermediate 223
 Suzuki–Miyaura couplings 274, 275, 406
 of amides 255–258, 387–388
 decarbonylative 302, 303
 Suzuki–Miyaura cross-coupling of amides
 4-Pd(η^3 -1-*t*-Bu-indenyl)(IPr)Cl catalyzed 279–281
 5-Pd-PEPPSSI Pre-catalyst 281–285
 synthetic proline mimics 88
- t**
- terminal olefins 127, 135–136, 318, 409
N-terminal *p*-bromobenzoyl group 92
tert-butoxy radical 321
tert-butylhydroperoxide (TBHP) 208, 209
 tertiary *N,N*-dialkylamides 228
 tertiary *N*-phenyl-*N*-methyl aromatic amides 235
 tertiary amides 32, 44, 79, 85, 88, 94, 103, 106, 107, 119–128, 131–132, 136–137, 139–145, 160–177, 179–180, 191, 195, 197, 199–200, 211, 213, 231, 234, 235, 265–266, 329–330, 332, 369, 371, 375
 tertiary amines 57, 101, 119, 125, 127–128, 169, 379–380, 423–424
 tetrahedral intermediate 15, 18, 61, 64, 101–150, 202–203, 209, 339, 367, 369, 371, 373, 375, 377, 379
 tetrahedral intermediates isolation 115–119
 1,1,3,3-tetramethyldisiloxane (TMDS) 123, 124, 139, 140, 141
 2,2,6,6-tetramethylpiperazine (TMP) moiety 221, 222
 tetramethylurea (TMU) 104
 thermal homolysis 63
 thermodynamic equilibrium 369, 373, 383–385
 thermodynamically stable metal-chelated intermediate 111
 thioamides 83
 thioetherification 301, 427, 473
 thioether moieties of methionine 227
 thioformamides 127
 thiopeptide antibiotics 470
 Thorpe–Ingold effect 360
O-TMS protected hemiaminals 117, 118
 torsion angle τ 52, 81, 85
 traditional Pd/Ni-catalyzed cross-coupling reactions 309
 transamidation of, carboxamides and amide derivatives
 atypical substrates 211
 from amidines 214–215
 carbonyl and thiocarbonyl heterocycles 213–214
 oxidative transamidation 212–213
 reductive transamidation 211–212
 catalyst and promoter-free processes 203–204
 catalytic and promoted processes
 bases 198–199

- transamidation of, carboxamides and amide derivatives (*contd.*)
- boron derivatives 199–200
 - heterogeneous catalysis 200–201
 - promoters 201–203
- direct transamidation 190
- mechanistic insights 190–193
 - organocatalysis 195, 197–198
 - transition metal catalysis 193–195
- history 188–190
- mechanistic insights 193
- previous functionalization of, amide bond 204–205
- activated substrates using fluoride 207
 - activated substrates using metallic catalysts 205–207
 - activated substrates using promoters 208–209
 - activated substrates without promoters 209–211
- transamidation of tertiary amides 193
- transamidation reaction 187–190, 195, 198, 205, 214–215, 249–250, 254, 255, 369, 371, 373, 398
- trans*-diastereoselectivities 325
- transesterification 232
- transition metal catalyzed C–H amination reactions 357–358
- transition metal catalyzed cross-coupling reactions 243, 273, 403
- transmetalation 260, 263, 265, 293–294, 298, 300–304, 312, 319, 327, 368, 380, 388–390, 396–397, 405–406, 414–415, 417, 425, 427, 433, 442–443, 446, 471, 477–478
- triarylpyridines 415, 467, 470
- 2,4,6-tricyclopentylaniline-derived N-heterocyclic carbene 443
- triflic anhydride (Tf₂O) 128–129, 133–136, 139–142, 145, 147–148, 163–164, 166–168, 170, 180, 223–224
- triflic anhydride/2-fluoropyridine 135, 140
- trifluomethylated hemiaminal 140
- trifluoroacetic acid 236–237
- N*-(trifluoroacetoxyiodobenzene) derivative 56
- N*-trifluoroacetylenamines 107
- O*-triflyl amination 129
- trimethyl aluminum 206, 464
- triphenylphosphine 457
- triphenyl phosphite-chlorine adduct (TPP·Cl₂) 223
- triphenylsilane 475
- trithiazolopyridine 470
- N*-troponylglycine moiety 236
- tryptophan of peptides 227
- tryptophan selective hydrolysis 228
- tryptophan-containing peptides 228
- turnover numbers (TON) 274
- U**
- ubiquitous functional moiety 365
- ultrasound irradiation 206
- unnatural helix peptides 80
- α,β-unsaturated imine 140
- α,β-unsaturated ketimines 133, 134
- α,β-unsaturated Weinreb amides 345, 355, 356
- unsubstituted bicyclic amides 84
- unsymmetrical ketones 111–112, 114–115
- urea dearrangement 189, 193
- V**
- 6-various Pd-NHC pre-catalysts 286–288
- versatile synthesis 56
- vicinal C(sp³) stereocenters 262, 319
- Vilsmeier–Haack reactions 158–159, 168
- visible-light photoredox catalysis 308–309
- W**
- waste free procedure 409
- Weinreb amide(s) 104, 108, 109, 117, 119, 140, 339, 340
- directed C(sp³)–H activation 359–361

- electrophile 405
 - N*-alkoxy bond cleavage 342
 - N*-*O* bond 342
 - substrate 341
 - Weinreb amide directed C(sp²)-H
 - activation
 - Co catalyzed reactions
 - 344–346
 - Ir catalyzed reactions 354–359
 - Pd catalyzed reactions 346–352
 - Rh catalyzed reactions 352–354
 - Ru catalyzed reactions 340–343
 - Weinreb-type *O*-TMS protected hemiaminal 117
 - Winkler–Dunitz distortion parameters
 - 3–4
 - Winkler–Dunitz parameters 4–5, 8, 14,
 - 15, 17, 30–31
- y**
- ynones 131, 132
- z**
- zerovalent nickel catalyst 308, 310
 - zinc triflate system 232–234
 - zirconacycle 122
 - Zr(IV)-substituted polyoxometalate (POM) 227

