

Index

a

acceptor doping 367, 369
 analytical technique 3, 117, 152,
 217, 259, 261, 267
 anti-Stokes Raman scattering, 189,
 190
 asymmetric poly(L-lactide)/
 poly(D-lactide) (PLLA/PDLA)
 blend, isothermal
 crystallization 23–29
 atomic force microscopy (AFM) 7,
 40, 88, 90–92, 94, 96, 349, 350,
 358, 359, 365
 atomic force microscopy-infrared
 spectroscopy (AFM-IR) 7, 40,
 88, 91, 92, 94
 ATR–FUV spectroscopy 166
 graphene nanocomposites
 172–176
 measurement 166–167
 nylons 167–172
 poly(ethylene glycol) 176–181
 poly(3-hydroxybutyrate) 172–176
 attenuated total reflectance (ATR)
 technique 322
 absorption 166
 -FTIR spectroscopy 45–55
 spectrometer 165
 Avrami equation 136, 139, 146–147,
 419

b

band splitting 323, 415
 Beer–Lambert law 45, 65, 419
 biodegradable polyesters 117, 443,
 445
 biodegradable polymers 151, 261,
 303, 307, 435–449
 biological macromolecules 193
 biopolymers 46, 197–203, 298
 bipolarons 369
 doubly charged bipolarons 368
 negative bipolarons 370
 positive bipolarons 370, 372, 374,
 375, 379, 380, 388
 Born–Oppenheimer molecular
 dynamics (BOMD) 299–301,
 303–305
 1-butyl-3-methylimidazolium
 bis(trifluoromethylsulfonyl)
 imide ([BMIM][TFSI])
 377–379, 381, 382

c

Car–Parrinello molecular dynamics
 (CPMD) 301
 carbon dot nanocomposite films 84,
 86
 carbon nanotubes (CNTs) 36, 40, 78,
 81, 94

- carrier density 367, 384, 385, 417, 425
- carrier mobilities 369, 378, 383
- carriers 368, 369–371, 374–384, 386–388, 413, 425–429
- Cartesian coordinate tensor transfer (CCT) method 111–113
- CF₂ symmetric stretching vibration ($\nu_s(\text{CF}_2)$) band 397, 399, 408
- chain packing/aggregate mode identification 413–414
- chain stretching vibration 397
- charge carriers, structure and dynamics of 425–429
- charge density 368, 378, 382
- charge–transfer (CT) enhancement 9, 167, 176
- chemical composition/morphology analysis 413, 420–423
- chemometric techniques 149, 270–272
- chromophore 82, 83, 165, 191–194, 199
- cold-crystallization process 51, 53
- conductive polymers 4, 7, 367, 413–431
- conductive-polymer-based blends 413, 420–423
- conformation-sensitive bands identification 414
- crystallinity 7, 46, 51, 82, 88, 109, 117–120, 128, 132, 146, 151–153, 156, 158–160, 174–175, 278, 317–318, 334–338, 351, 368, 380, 383, 419, 436, 439, 442–443
- crystallization 51
 - in polymers under high-pressure or supercritical CO₂ 61
 - solvent-induced 51–52
- d**
 - deep-UV (DUV) 3, 9, 39, 40, 165, 166, 173–176, 192
 - degree of swelling 56, 66
 - density functional theory (DFT) 8, 16–20, 127, 166, 167, 169, 170, 174, 178, 179, 299, 383, 416, 417, 429
 - deoxyribonucleic acid (DNA) 193, 197–201, 203
 - 2D gradient mapping method 269, 270
 - 2D hetero-spectral correlation analysis 267
 - dication 370, 371
 - dichroism 129, 132, 259, 298, 328, 404
 - dielectric relative permittivity 406
 - dispersion force 181, 400
 - donor doping 367, 370
 - doping-induced infrared active vibrational (IRAV) bands 368–369
 - doubly charged bipolarons 368
 - 3D SERS method 29
 - symmetric nanoporous silver microparticles 28–34
- e**
 - effective thickness 66, 67
 - electric-field-induced structural changes 429–431
 - electrical conductivity 80, 367, 368, 378, 388
 - electrically conductive polymers 367
 - electrolyte-gated transistor (EGT) 368, 417
 - electromagnetic (EM) enhancement 9
 - electron spin resonance (ESR) spectroscopy 371

- electronic transitions 9, 10, 125, 165,
 166, 172–174, 176, 181, 193,
 194, 209, 217
 empirical simulation methods 338
 entropically-driven self-healing
 353–365
 epoxy resins 76, 84
 785-nm excited Raman spectra 375,
 378
- f**
- factor group analysis 398, 399
 far-infrared (FIR) spectroscopy 8,
 107
 intermolecular hydrogen bonds
 poly(3-hydroxybutyrate) 108
 poly(ethylene terephthalate)
 115–117
 polybutylene succinate 113–115
 polycaprolactone 109–113
 far ultraviolet (FUV) spectroscopy 3,
 9–10, 39, 40, 165, 166, 176, 181
 FeCl₃ doping 372, 373, 375, 376,
 381
 femtosecond time-resolved NIR
 inverse Raman spectroscopy
 386
 femtosecond time-resolved resonance
 inverse Raman spectroscopy
 427
 Fickian diffusion 52
 finite damping factor 407
 Flory–Huggins equation 46, 47
 fluorescence spectroscopy 4, 76,
 82–85
 fluoroalkyl trichlorosilane
 (FTS)-modified structure 425
 fluorocarbons 396
 fluorous' property 400, 409
 Fourier Transform Infrared (FTIR)
 spectroscopy 75, 183
- high-pressure or supercritical CO₂
 55
 crystallization 61–67
 swelling and CO₂ sorption 65–67
 intermolecular interactions 47–51
 miscibility of polymer blends
 46–47
 Fraser's derivation 328
- g**
- graphene 40, 78–80, 84, 88, 93–94
 nanocomposites 172–176
 graphene oxide (GO) 78–80, 84
- h**
- harmonic oscillator model 185
 hydrogen bonding 435
 definition 435
 weak hydrogen bonding 435–449
 hydrophobic interaction 400
 hyperbranched epoxy/carbon dot
 nanomaterials 84
 hyperspectral imaging (HSI)
 278–283
- i**
- imaging spectroscopy 40, 117
in-situ ATR-FTIR spectroscopic
 approach 66
in-situ FTIR spectroscopy 6, 45–68,
 78, 89, 90, 96
 infrared reflection–absorption
 spectroscopy (IRRAS)
 262–264, 269
 infrared (IR) spectroscopy 3–7, 39,
 89, 91, 108, 126, 128, 227, 259,
 261–262, 265, 267, 269, 302,
 358, 369, 387–388, 399, 413,
 436, 444
 interfaces
 characterization 80–95

- interfaces (*contd.*)
- fluorescence spectroscopy 82–85
 - solid-state NMR spectroscopy 85–88
 - vibrational spectroscopy 88–95
- interactions 76–80
- interfacial region 75, 76, 80, 82, 83, 95, 228, 348, 351
- intermolecular weak hydrogen bonding 445
- internal reflection element (IRE) 165–167
- inverse Raman spectroscopy 369, 386, 388, 427
- ionic-liquid-gated transistor (ILGT) 368, 369, 377–385, 388
- isothermal crystallization process 25, 26, 29, 51, 136, 418, 419, 443, 444
- isothermal melt-crystallization kinetics 418
- k**
- Kramers–Kronig (KK) relations 407, 408
- Kramers–Kronig transformation (KKT) 166, 167
- l**
- light-emitting diodes 367
- linear low-density polyethylene (LLDPE) 21–23, 128
- linear region 384
- liquid NMA 167, 168
- lithiumbis(trifluoromethanesulfonyl) imide (LiTFSI) 177, 179
- London's equation 400
- longitudinal acoustic modes (LAM) 5, 8
- low-frequency Raman spectroscopy 6, 8, 107, 108, 113, 117, 120
- lower critical solution temperature (LCST) 46, 55, 262, 265
- m**
- macroscopic information 75, 82
- macroscopic shape memory recovery 351
- mean square electric field (MSEF) calculation 423
- melt-crystallization process 51, 135, 419
- microsecond time-resolved infrared spectra 387
- mineral fillers 75
- molecular conformation on phase diagram 393–396
- molecular dynamics (MD) 297, 302–309, 333
- molecular orbitals (MOs) 9, 172, 174, 175
- molecular polarizability 7, 189, 190, 400, 409
- molecular vibration 183
- of an R_f group 396–399
- multi-angle incidence resolution spectrum (MEIRS) 39
- multiplicative scatter correction (MSC) 21–25
- multiwall carbon nanotubes (MWCNTs) 34–39, 78, 80, 81, 93, 94
- nanocomposites 34–39
- n**
- nanospectroscopy 40
- near-infrared (NIR) spectroscopy 8, 40, 125
- analysis 126–128
 - applications 128–147
 - biodegradable polymer degradable process monitoring, 154–155

- crystal evolution combined with chemometrics, 151–153
- diffusion process monitoring 153–154
- characteristics 126
- imaging 148–151
- linear low-density polyethylene 21–23
- molecular orientation 128–134
- principles 125
- residual crystal amount, at the extruder outlet nozzle 140–141
- negative bipolarons 370
- negative polarons 370
- N*-methylacetamide (NMA) 167, 168
- nylons 16, 167–172
- o**
- one-electron theory 370
- optical absorption spectra upon chemical doping 371–374
- organic field-effect transistors (OFETs) 425
- organic solvents 55, 79, 367, 400
- output characteristics 383
- overtone bands 8, 21, 125, 134, 186
- oxetane-substituted chitosan-polyurethane (OXE-CHI-PUR) 355, 357–359
- p**
- partial least squares (PLS) regression analysis 21, 22, 25, 127, 153, 157–160
- perfluoroalkyl-containing compounds
 - molecular conformation on phase diagram 393–396
 - molecular vibration of an R_f group 396–399
- ROA analysis of R_f compounds 402–405
- stratified dipole-arrays (SDA) theory 400–401
- surface modes of phonon and polariton 405–408
- [6,6]-phenyl- C_{61} -butyric acid methyl ether (PCBM) 368, 369, 386–388, 414–416, 422, 423, 427, 428
- photoinduced infrared absorption spectrum 387
- piezoelectric polymers 334
- planer-zigzag conformation 393
- PLLA crystallization 53, 64, 65
- pMAIRS technique 402, 407
- polarons 369
 - negative polarons 370
 - positive polaron 369–372, 374–376, 378–380, 383, 384, 386–388, 416, 428
- polyacetylene 367, 368
- poly(acrylic acid) (PAA) 10–16
- poly(3-alkylthiophenes) (P3ATs) 414
- polyaniline 369
- poly[2,6-(4,4-bis-(2-ethylhexyl)-4H-cyclopenta[2,1-*b*:3,4-*b'*]dithiophene)-alt-4,7(2,1,3-benzothiadiazole)] (PCPDTBT)
 - donor/acceptor moieties 421, 422
- poly[[4,8-bis[(2-ethylhexyl)oxy]benzo[1,2-*b*:4,5-*b'*]dithiophene-2,6-diyl][3-fluoro-2-[(2-ethylhexyl)carbonyl]thieno[3,4-*b*]thiophenediyl]] (PTB7) 368, 387
- poly(2,5-bis(3-hexadecylthiophene-2-yl)thieno[3,2-*b*]thiophene) (PBTTC-C16) 368, 369, 372, 375, 381

- poly(2,5-bis(3-tetradecylthiophen-2-yl)thieno[3,2-b]thiophene) (PBTBT) 368, 369, 372–376, 380–383, 388, 415–417
- polybutadiene 61, 62, 86, 227, 244
- polybutylene succinate (PBS) 107, 113–115
- poly(3-butylthiophene) (P3BT) 413, 414, 416
- polycaprolactone (PCL) 46, 47, 58, 59, 70, 107, 109–113, 117, 118, 119, 349–353, 436, 447, 448
- poly(dimethylsiloxane) (PDMS) 66, 76–78, 80, 81, 84, 86, 90, 93, 129–134, 227
- poly((9,9-dioctylfluorene)-2,7-diyl-alt-[4,7-bis(3-hexylthien-5-yl)-2,1,3-benzothiadiazole]-2',2''-diyl) (F8TBT) blend thin films 420, 421
- polyethylene (PE) 21–24, 132, 133, 227, 439
- polyethylene glycol (PEG) 5, 49, 60, 176, 355
- poly(ethylene terephthalate) (PET) 64, 65, 107, 115–117, 228, 436
- poly(3-hexylthiophene) (P3HT) 367, 369, 371–374, 414
- P3HT/PCBM blend films 368, 369, 386–388, 414–416, 421–423, 427, 428
- P3HT:PCBM bulk heterojunction film 386
- polyhydroxyalkanoates (PHAs) 443
- copolymers 442–443
- poly(3-hydroxybutyrate) (PHB) 30, 32, 34, 46–48, 53–55, 107, 108, 128, 134–140, 172–176, 436–438, 443
- crystallization process 443
- isothermal crystallization kinetics 134–140
- poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) (PHBH) 140–147
- polyisoprene 87, 238, 240–244
- poly(lactic acid) (PLA) 156, 157, 317, 318–328, 334–338
- aging behavior 338–340
- anisotropic 327–328
- morphological features 318
- ordered and disordered structures 329–334
- polarization 327–328
- vibrational features 321–323
- polymer semiconductors 367–369
- polymer solar cells 367, 369
- polymer spectroscopy 3
- polymer swelling 61, 65–67
- polymer-filler system 75, 81, 83, 85, 90
- polymeric hydrogels
- phase transition in
- thermo-sensitive 208–212
- water and polymer dynamics 212–215
- water confinement 204–208
- poly(methyl methacrylate) (PMMA) 48–51, 56, 58, 76, 83, 227, 232, 234, 247, 361
- poly(2-methoxy-5-(2'-ethylhexyloxy)-1,4-phenylene vinylene) (MEH-PPV) 430, 431
- poly(*N*-9'-heptadecanyl-2,7-carbazole-alt-5,5-(4',7'-di-2-thienyl-2',1',3'-benzothiadiazole) (PCDTBT) 387
- poly(3-octylthiophene) (P3OT) 418–419
- poly(*p*-phenylene) 369
- poly(*p*-phenylenevinylene) 369
- polypyrrole 367

- polystyrene (PS) 33, 51, 56, 83, 227,
 230–237, 238–240, 298
 non-solvent interface 230–237
 solid interface 238–240
 syndiotactic polystyrene (sPS) 51,
 62, 64
 poly(styrene-*co*-butadiene) rubber
 244–250
 polytetrafluoroethylene (PTFE) 307,
 393–395, 397, 399, 400
 poly[[1,2,5]thiadiazolo[3,4-*cli*]
 pyridine-4,7-diyl(4,4-
 dihexadecyl-4*H*cyclopenta
 [2,1-*b*:3,4-*b'*]dithiophene-2,6-
 diyl)[1,2,5]thiadiazolo[3,4-*c*]
 pyridine-7,4-diyl(4,4-
 dihexadecyl-4*H*-cyclo-
 penta[2,1-*b*:3,4-*b'*]dithiophene-
 2,6-diyl)] (PCDTPT) 426, 427
 polythiophene (PT) 367–370
 poly(vinyl acetate) 76
 poly(vinyl methyl ether) (PVME)
 56, 57
 polyvinyl pyrrolidone (PVP) blend
 33, 34, 60–61
 positive bipolarons 370, 372, 374,
 375, 379, 380, 388
 positive polaron 369–372, 374–376,
 378–380, 383, 384, 386–388,
 416, 428
 primary polymer films 367
 principal component analysis (PCA)
 11, 21, 22, 24, 127, 136, 139,
 150, 152, 261, 262, 265, 270,
 271–275, 284
- q**
- quantum chemical calculations
 (QCC) 8, 40, 107, 127, 166,
 167, 169, 170, 179, 181, 299, 447
 quantum dots 83, 84
- r**
- radical cation 371
 Raman and infrared (IR) spectra 394
 Raman effect 183–191, 328, 375
 Raman imaging 23, 28, 369, 383–385
 Raman optical activity (ROA) 298,
 402–405
 Raman scattering 5, 34–39, 78, 88,
 91, 189–193, 298, 319–321, 327,
 329, 332, 333, 340, 422
 Raman spectra of ILGTs
 fabricated with P3HT 378–380
 fabricated with PBTTC-C16
 380–383
 Raman spectra of positive polarons
 and bipolarons generated upon
 chemical doping
 P3HT film 374–376
 PBTTC-C16 film 375–376
 Raman spectroscopy 5, 6, 10, 23, 91,
 374, 378, 380, 413
 Rayleigh (or elastic) scattering 189
 Rayleigh component 189
 reflection-absorption infrared
 spectroscopy (RAIR) 431
 regioregular poly(3-hexylthiophene)
 (P3HT) 368
 regression coefficients (RC) 21–22,
 25
 resonance Raman (RR) scattering 4,
 6, 7, 35, 191–193, 199, 201, 414,
 416
 Reststrahlen band 407
 R_f-containing compounds 396–397,
 399–401, 406, 408–409
 Rydberg transitions 9, 166, 167, 173,
 176
- s**
- saturation region 384
 scanning angle (SA) Raman
 spectroscopy 422

- SDA-packing model 402
- self-healing polymers 347
- damage-repair cycle 361–365
 - mechanisms 348
 - microphase separation 349–353
 - Van der Waals interactions 360–361
- self-modeling curve resolution (SMCR) 127
- shape memory effects (SMEs) 348–349, 353
- single-monolayer Langmuir-Blodgett (LB) film 402
- single-walled carbon nanotubes (SWCNTs) 78–79, 94–95
- singly charged polarons 368
- singular value decomposition (SVD) 271, 275
- sol-gel method 77
- solar cells 367, 369, 386–388, 415, 421
- solid interface 238–239, 250
- solid polymer electrolytes (SPEs) 302, 309
- soluble polymers 261, 367
- solvent-induced crystallization 51–52
- Sommer's criteria 385
- spatial resolution 9, 29–30, 33, 34, 38, 40, 91, 94, 96, 117, 148, 150, 337, 347, 349, 369, 385, 417, 431
- steered molecular dynamics (SMD) methodology 307
- Stokes Raman scattering 189–190
- stratified dipole-arrays (SDA) theory 400–402, 406, 408–409
- structural dynamics 413, 418–420
- styrene-butadiene rubber (SBR) 34–39, 81, 86, 95, 238, 244–250
- sum frequency generation (SFG) vibrational spectroscopy 423
- depth resolution 227
 - non-solvent interface 230–237
 - principle 228–229
 - solid interface 238–250
- surface-enhanced Raman spectroscopy (SERS) spectroscopy 5–7, 9–10, 28–34, 227, 420–421
- surface free energy 233
- surface IR spectroscopy 39
- surface modes of particles (SMP) 407–408
- surface modes of phonon and polariton 405–408
- surface/interface molecular orientation 413, 423–425
- symmetry-adapted cluster-configuration interaction (SAC-CI) 166
- synchrotron radiation (SR) 195
- syndiotactic polystyrene (sPS) 51, 62, 64
- t**
- Teflon® 307, 393
- terahertz (THz) spectroscopy 4, 8, 107–120, 261, 298, 303, 425, 436
- tetraethoxysilane (TEOS) 77
- thermally-induced phase transitions 417–418
- thermo-responsive polymers 259, 261–267, 284
- thermoplastic polyurethanes (TPUs) 349–350, 353–356

- thin-film transistors 367, 429–430
- THz-time domain spectroscopy (THz-TDS) 8, 117, 120
- time-dependent density functional theory (TD-DFT) 166–167, 169–170, 174, 178–179
- time-dependent IR ATR spectra 406
- time-resolved FT-IR spectroscopy 369, 388
- time-resolved infrared spectroscopy 387, 418
- time-resolved resonant Raman spectroscopy 420
- time-resolved terahertz spectroscopy (TRTS) 425–426
- tip-enhanced Raman scattering spectroscopy (TERS) 5–7, 9, 34–40, 88, 94–95
- traditional composites 75
- trans-polyacetylene 368
- transmittance (Tr) absorption 165, 167
- tunable infrared (IR) beams 227
- two-dimensional correlation spectroscopy (2D-COS) 259–284
- application 259–284
- biodegradable polymers 261–262
- chemometric techniques 270–272
- 2D gradient mapping method 269–270
- 2D hetero-spectral correlation analysis 267–269
- hyperspectral imaging 278–283
- smooth factor analysis 272–275
- theory 260–261
- thermo-responsive polymers 262–267
- U**
- ultraviolet (UV) light 165
- unannealed PBTTT-C16 ILGT 380–383
- UV resonance Raman (UVR) spectroscopy
- characterization 197–203
- instrumentation 193–194
- polymeric hydrogels 203–215
- synchrotron-based setup 194–197
- V**
- vacuum UV region 165
- van der Waals forces 400
- van der Waals radius of fluorine 393
- vibrational circular dichroism (VCD) 298, 404
- vibrational spectroscopy 6, 88–95, 413–431
- infrared absorption and Raman scattering 88
- infrared spectroscopy 3, 10, 89–91
- low-frequency 8, 16–20, 107, 108, 113, 117, 120
- Raman spectroscopy 91–95
- structural dynamics 418–420
- surface/interface molecular orientation 423–425
- thermally-induced phase transitions 417–418
- viscoelastic length transitions (VLTs) 353–354
- visible spectroscopy 4, 165
- W**
- water-and-oil repellency 393, 400
- weak hydrogen bonding
- CH-O 443–447

weak hydrogen bonding (*contd.*)

PHB and PHV 439–441

polyhydroxyalkanoate copolymers
442–443

PHB 436–438

vs. strong hydrogen bonds
438–439

wide-angle X-ray diffraction (WAXD)

108, 117–118, 303, 436,
443–445, 447

X

X-ray diffraction (XRD) 64, 113,
115, 153, 303, 322, 334, 393,
402, 437, 443

Z

zero damping 406

