

Index

a

- absolute intensity-based sensor 195
- absorption properties 172
- acetylcholine regulation 10
- acute myocardial infarction (AIM) 8, 11, 145
- Ag@AuNPs-HBN nanocomposite 225
- Ag nanocubes (AgNCs) sponge surface-enhanced Raman scattering (SERS) 211
- aluminium (Al) 209
- ambient light sensor (ALS) 11
- amine-functionalized reduced graphene oxide 214
- aminophenyl boronic acid 165
- amoxicillin (AMO/AMOX) 92, 142–143, 224
- amyloid- β -derived diffusible ligands (ADDLs) 28
- antibiotics 92, 150
- antibody-functionalized plasmonic sensor 78
- anti-cyclic citrullinated peptide (anti-CCP) imprinted SPR sensors 97
- anti-stokes process 189
- anti-stokes shift 37
- aptamer-based assay 110
- atomic force microscopy (AFM) 35–36, 92–93, 126, 163–164, 215–216
- CS-FA conjugation interface morphology 163
- atomic layer deposition (ALD) 40–41

Au nanoparticles (AuNPs) 36, 95, 168, 197

2,2'-azobis(2-methylpropionitrile) (AIBN) 90
2,2'-azo isobutyl amidine hydrochloride 223

b

- bioassays 34, 40, 74, 105, 110, 202
- bio-detection techniques 158
- biofunctionalization 29, 113
- bio-functionalized black phosphorus nanosheets 10
- biological warfare agents detection of 73–78
infection dose (ID) 73
- biomarkers 173 common cancer 159
detection methods 166
- biomimetic SPR sensor 227
- biosensors 197 GMI-based biosensor 111
iSPR biosensor 142
optical biosensors 173
plasmonic biosensors 13
- biotinylated double crossover DNA (DXB) lattice 213
- bottom-up techniques 29
- Botulinum neurotoxins type A 76
- bovine serum albumin (BSA) 18, 34–35, 57, 76–77, 97, 108, 130, 145, 171, 202, 211
- breast cancer 152–153, 159, 160, 162–164, 167–168
- Brucellosis* 74–75

c

cancer cells
 breast cancer 160, 162–164
 common cancer biomarkers 159
 liver cancer 160, 161
 lung cancer 164
 ovarian cancer 164–165
 prostate cancer 159–160
 selectivity 158
 carbon nanotube attached with polymeric membrane (CNT/PIM) 215
 carbon nanotube-based electrical cell impedance (CNT-ECIS) 166
 carbon nanotube-based plasmonic sensors 214–215
 carbon nanotubes (CNTs) 103, 108, 209–211, 216
 carbon nitride nanotubes 215
 carbon paste electrode (CPE) 112
 carboxylate ion (COO^-) moiety 179
 carcinoembryonic antigen (CEA) 159, 165
 cardiac biomarker troponin T (TnT) 225
 α -casein detection 226
 chemical enhancement (CE) theory 191
 chemical warfare agents (CWA) 73
 classes of 79
 detection 79–81
 chemosensors 178, 193–194
 cholesterol oxidase 212
 chromatographic techniques 55
 chromium (Cr) 194, 209
 chromophore-coupled plasmonic nanoparticle 40
 ciprofloxacin (CIP/CPX) 91–92, 146, 223
 collagen type IV (COLIV)
 determination 152
 colorimetric detection study 11, 17, 25, 130, 132, 143, 178–180
 colorimetric sensing methods 179, 181
 colorimetric sensors 16, 123, 125–126, 130, 142, 149–151
 colorimetric techniques 178
 complementary metal-oxide-semiconductor (CMOS) 146
 conventional antibody 78

conventional plasmon enhancement

techniques 13

copper (Cu) 5, 23, 25, 29, 89, 121, 124–125, 129–130, 173, 194, 209, 213

core-shell nanoparticles

(Ag@AuNPs) 125, 225

COVID-19 6, 111, 216

β -cyclodextrin 91

d

dengue virus (DENV) 2 E-proteins 214

deoxynivalenol (DON) 142

diblock copolymer micelle
 nanolithography 31

dichlorodiphenyl trichloroethane (DDT) 194

1,4-diketo-3,6-diphenylpyrrolo[3,4-c]pyrrole (DPP) 195

diketopyrrolopyrrole (DPP) 195

dimethyl methyl phosphonate (DMMP) 80

dimethyl sulfoxide (DMSO) 92

dirac fermions 210

direct method 192–193

dithiocarbamate (DTC) pesticides 211

4,4'-dithiodibutyric acid (DDA) 41

DNA detection 59, 112

DNA hybridization 57, 72, 200, 201

1-dodecanethiol-capped silver nanoprisms
 transition 65

D-shaped POF-SPR sensing platform 229

dual sensor modes 213

e

electrochemical impedance spectroscopy (EIS) 75–76

electromagnetic (EM) theory 191

entangled Fabry–Perot cavities (EFPC) 15

Enterococcus faecalis 227

erythropoietin (EPO) 214

ethylene glycol dimethacrylate

(EGDMA) 90, 92, 94–95, 159, 223

monomers 92

N-ethyl-*N'*(3-(dimethylamino)-propyl) carbodiimide (EDC) 91

etoposide (ETO) detection 225

exosomes 6, 15

f

- fabrication methods 12, 32
 metal nanostructures 29
 $\text{Fe}_2\text{H}_2\text{O}_4$ -MWCNT 215
 fiber Bragg grid (FBG) 10
 fiber cables sensors 9–10
 Figure of Merit (FoM) 33, 213–214
 fine structure constant defined optical transmission 210
 flow cytometry 11
 fluorescence enhancement 13, 36–37 of proteins 35
 fluorescent sphere (FS) 36
 focused ion beam (FIB) 30
 folic acid (FA) 57, 109, 153, 158, 163–164
 folic acid receptor (FR) 164
 free space light wavevector 210

g

- gate-tunable carrier densities 210
 giant magnetoimpedance (GMI)-based biosensor 111
 gold (Au) 209
 nanoshells 173
 nanospheres 24
 gold nanoparticles (AuNPs/GNPs) 29, 36, 224
 graphene-encapsulated 215
 -green fluorescent protein-based sequences 165
 graphene (GRP) 111, 210
 plasmons wavevector 210
 grapheme-based plasmonic sensors 211
 graphene oxide (GO) 18, 59, 108–109, 224
 graphene oxide sheet (GOS) 211–212
 bovine serum albumin (BSA) 211

h

- Hepcidin-25 94
 hexagonal boron nitride (HBN)
 nanosheets 225
 high contrast digital resolution sensing 12
 histamine nanoMIPs 227
 hot-injection polyol method 106
 human C-reactive protein (CRP) 12

human serum transferrin (HTR) 229

hydrogen bonding 211

2-hydroxyethyl methacrylate (HEMA) 94, 148, 223, 225

i

- imaging surface plasmon resonance (iSPR) biosensor 142
 immunodiagnostic assays 11
 immunoglobulin A (IgA) 41–42
 imprinted plasmonic-based sensor 76
 imprinted polymeric film coated sensor surface 76
 indirect plasmonic sensors 56

k

- kanamycin 223

l

- label-free molecular fingerprinting strategy 227
 lateral flow assays 11, 17
 layer-by-layer (LBL) method 34, 106
 light scattering 172
 lithographic methods 27, 31, 40
 lithography-free fabrication 31
 lithography techniques 30, 76
 liver cancer 160
 localized surface plasmon resonance (LSPR) 90, 124, 130, 140–141, 143, 212
 absorptions and scattering 5, 179
 ADDLs 28
 -based optic sensors 212
 biosensor 147
 dark-field microscopy 25
 detection limit 31–34
 exosomes 6
 fabrication process 27
 fluorescent labeling 27
 gold nanospheres 25
 matrix-assisted laser desorption ionization mass spectroscopy 39
 metal-enhanced fluorescence 34–37
 microfluidic chip 6
 plasmonic materials 5

- localized surface plasmon resonance (LSPR)
(Contd.)
- plasmonic photothermal effect 6
 - practical issues 39–41
 - refractive index 6
 - self-assembly gold nanoislands 6
 - sensors 146
 - silver nanoparticles 25, 27
 - silver nanospheres 25
 - surface-enhanced Raman spectroscopy 37–39
 - surface plasmon polaritons (SPPs) 28
 - systems 175
 - ultraviolet (UV) applications 25
 - luminescence 80, 179
 - lung cancer 6, 8, 10, 164
- m**
- magnetic reduced graphene oxide (mRGO) 109
 - metatoplasmonic nanocomposites (MPNCs)
 - core-shell structure 103, 105–107
 - MNPs and NPs
 - biosensing applications 109–113
 - multicomponent doped hybrids 108–109
- mammography 164
 - matrix-assisted laser desorption ionization (MALDI) 39
 - 4-mercaptopbenzoic acid-modified gold SPR sensor 75
 - 4-mercaptopypyridine (4MPy) pH sensing molecules 200
 - mercury-induced deprotection 65
 - metal-enhanced fluorescence 28, 34–37
 - metallic nanoparticles (MeNPs) 28, 29, 175, 178
 - metallic nanosphere 24
 - metal nanoshells 172
 - methacrylamide (MAAM) 224
 - methacrylic acid (MAA) 92
 - N-methacryloyl-(L)-histidine methyl ester (MAH) 90
 - N-methacryloyl-(L)-leucine methyl esters 94
 - methylenebisacrylamide 145
 - microbiological methods 73
 - microcontact imprinting method 98, 146, 153, 160, 223
 - microfluidics-based biosensing 41
 - microscopic imaging 11
 - mini-emulsion polymerization method 92, 225, 227
 - MIP film-based SPR sensors 223
 - mobile phone-integrated platforms 11–12
 - molecular imprinted graphene
 - nanoplatelets/tin oxide (SnO_2) nanocomposite 213 - molecular imprinting technology 87–88
 - molecularly imprinted nanoparticles (MIP/NPs) 146
 - molecularly imprinted polymers (MIPs) 80, 87, 222
 - monolayer graphene-based terahertz planar metamaterial 214
 - multiarray nanochip 41
 - multi-walled carbon nanotubes (MWCNTs) 112, 162, 210, 215
 - mycotoxin 76
- n**
- naked-eye detection 16
 - nanohybrid materials 214
 - nanoimprint lithography 31
 - nanoMIP-POF sensor 229
 - nanoMIPs based SPR sensors 225–229
 - nanoMIP-SPR sensor enabled vancomycin 226
 - nanoparticles (NPs) 103
 - morphologies 29
 - optical properties 23 - nanosensors 23–43, 103–114, 142, 143, 146, 148, 172, 176, 209, 225
 - nano-sized sensing 90
 - nanosphere lithography (NSL) 27, 31, 33, 76, 176
 - nanosphere, scattering and absorption spectra 24
 - neurotoxic organophosphates 80
 - N-hydroxy succinimide (NHS) 91
 - nitrilotriacetic acid (NTA) 213

nonimprinted polymer (NIP) 226
Notch-4 receptor immobilized sensor 163

o

oblique-angle deposition 31
ochratoxin A (OTA) 142
ohmic loss 25, 40, 209
oleic acid (OA) 108
oleamine (OLA) 108
oligonucleotides 13, 106, 110, 179, 199
optical biosensors 1, 4, 12, 173, 225
optical sensors 8, 72, 73, 157, 225
optical waveguide spectroscopy 165, 167
ovarian cancer 9, 158, 164–165

p

paper-based lateral flow assays (LFA) 17
particle growth and aggregation 29
pathogens 28, 57, 72, 109, 111–112, 128,
152, 158, 176, 178
photo-induced enhanced Raman
spectroscopy (PIERS) 176
photonic crystal 4, 11, 12
photooxidation 40
photopolymerization method 145
pH values 16, 200
physical vapor deposition systems 31
plasmonic analytic method 88
plasmonic-based sensors 72, 73, 75, 76,
80, 82, 209
plasmonic biosensors 6, 12, 13, 173, 211
plasmonic gold nanorods 215
plasmonic nanosensors 209
plasmonic sensor
abilities 56
colorimetric sensors 125, 142
environmental applications 61
localized surface plasmon resonance
(LSPR) 124, 140–141
medical applications
aptamer transducers,
immobilization of 63
DNA detection 59
folic acid detection 57
for carbohydrate discrimination 57

influenza and norovirus DNA
monitoring 57
microfluidic chip 58
plasmonic nanoprobe 57
platelet-derived growth factors 60
streptavidin detection 59
vascular endothelial growth factor
detection 59, 62
surface plasmon resonance (SPR)
sensors 123, 140
surface plasmons 89–90
vitamin applications of
Au@Ag core-shell nanoparticles 125
colorimetric assay 132
Cys-capped AgNPs based sensing
strategy 131
fiber optic surface plasmon resonance
technique 129
folate detection 126
non-aggregation colorimetric
sensor 129
optical fiber sensor 128
plasmonic chemical sensor 133
riboflavin binding protein 126
silver nanoparticles (Ag-NPs) 126
SPR sensors 126
plasmonic sensor systems 158
plasmon-induced transparency (PIT) 214
plasmon resonance scattering (PRS) 64, 171
plastic optical fiber (POF) 152, 229
point-of-care (POC) 6, 28, 32, 41, 43, 90,
100, 172, 202, 230
polyacrylamide (PAAm) 179
polyamidoamine dendrimer 214
polycyclic aromatic hydrocarbons
(PAHs) 194
poly(diallyldimethylammonium chloride)
(PDDA) 106, 211
-capped AuNPs functionalized graphene
(G)/multi-walled CNTs 211
polyethylene glycol acrylate 223
poly(ethylene glycol) dimethacrylate
(PEGDMA) 223
poly(2-hydroxyethyl methacrylate-
methacryloylamidoglutamic acid) 225

- polynorepinephrine (PNE)-based imprinted sensor 225
- polysiloxane-diblock copolymer 106
- polyvinylpyrrolidone (PVP) 126
- portable plasmonic sensors 74
- propagating surface plasmon resonance (pSPR) 174
- prostate cancer 154, 159–160, 168
- prostate-specific antigen (PSA) 6, 98, 148, 154, 159
- protein biomarkers 8, 97, 137, 175
- proteomics
- agricultural applications 151
 - biomedical application 145
 - chromatographic methods and sensor 139
 - defined 137
 - DNA and RNA sequencing and proteins 138
 - food applications 142
 - oncology applications 152
 - two-dimensional gel electrophoresis 139
 - types of 138
 - workflow 139
- Purcell factors 210
- q**
- quantum dots (QDs) 18, 78, 104, 179
- quartz crystal microbalance (QCM) 80, 93, 162
- r**
- ractopamine (RAC) SPR sensor 224
- radiative loss 209
- Raman intensities 37, 195
- Raman scattering 7, 37, 64, 65, 181, 189–191, 199
- Raman scattering enhancement factor (EF) 215
- Raman spectroscopy 7–8, 172, 181, 189, 198, 199
- ratio metric method 194, 196–197
- reduced GO (rGO) sheets 211
- refractive index (RI) 1, 4–6, 9, 18, 25–28, 31, 39, 40, 72, 87, 89, 110, 123, 124, 140, 149, 158, 172–175, 180, 209, 213, 221, 222, 229
- resonance angle 58, 89, 123
- ricin 74, 77, 78
- s**
- sandwich assay 13, 78, 111, 112, 144, 151, 165
- scanning electron microscope 30, 76, 163
- self-assembled monolayers (SAM) 32, 80, 95, 167
- self-assembly 81, 222
- sensing manners 13
- sensing technologies 9
- sensitivity 171
- defined 56
 - direct plasmonic sensors 56
 - plasmonic sensor 56
- sensor
- bio-recognition elements 157
 - cancer cell detection 158
 - chips 173
 - defined 72
 - optical sensors 73
 - technology 171
- sensorgrams 75, 81, 223, 224, 227
- signal-to-noise (S/N) ratio 9, 32, 173, 214
- silver nanoparticles (AgNPs) 25–27, 32, 76, 126, 130, 143, 178–180, 195, 209, 215, 225
- silver nanoprisms 27, 57, 65, 179
- single-domain antibody-quantum dots conjugate 78
- single-stranded DNA (ssDNA) 211
- single-walled carbon nanotubes (SWCNTs) 210
- smart material integration 12–16
- soft interference lithography 31
- soft nanoMIPs 229
- solid-phase synthesis approach 95, 225, 226
- solution-phase sol-gel deposition 40
- spectrometer-free sensing design 213
- spectroscopic techniques 23, 34, 55, 178, 199, 209, 214
- spin-coating technique 223, 224
- Staphylococcus aureus* enterotoxin B (SEB) 76

starch-reduced gold nanoparticles 66
 streptavidin (SA) 59, 60, 106, 111, 142, 213
 strokes process 189
 succinimidyl undecanoate 214
 surface-enhanced infrared absorption (SEIRA) 1, 210
 surface-enhanced Raman scattering/spectroscopy (SERS) 7, 37, 158, 172, 176
 absolute intensity-based sensor 195
 biosensors 197
 chemosensors 193
 colloidal nanoparticles (NPs)
 dispersions 192
 direct method 192
 indirect method 193
 and plasmonics 191
 ratiometric method 196–197
 sensing applications of 192
 sensitivity and specificity 191
 signal 38
 wavenumber shift-based method 195
 surface linked metal nanostructures 30
 surface plasmon polaritons (SPPs) 28, 173–174
 characteristics of 3
 definition of 2
 excitation of 3
 light coupling techniques 4
 metal structures 2
 subwavelength property and field confinement 2
 surface plasmon resonance (SPR) 4, 72, 87, 123, 140, 143, 145, 152, 157, 171, 221
 aptasensor 146–147
 -based biomimetic sensor 145
 -based fiber optic sensor 212
 bioassay 105
 cytosensor 153
 immunosensor system 144
 medical applications
 antibody detection 96–97
 biomarker detection 97

drug detection 91–94
 hormone detection 94–95
 microorganism and virus detection 95
 nucleic acid detection 97
 nanosensor 148

t

tetraethoxysilane (TEOS) 92, 224
 theophylline 93, 98, 222
 thermal decomposition 104–109, 114
 thermal desorption 40
 thiolated organic compounds 40
 toxic polyatomic anions 194
 tracer single-domain antibody 78
 triangular nanoparticle 26, 31, 76
 1,3,5-trinitroperhydro-1,3,5-triazine (RDX) 224
 troponin I (TnI) 148, 150, 225
 two-phase mini-emulsion polymerization method 227

u

ultra-high-mobility carriers 210
 ultrasensitive 10, 12, 13, 37, 56, 80, 110, 159, 171–181, 196
 UV photo-polymerization 95
 UV polymerization 90, 94, 96, 151, 153, 154, 159

v

vancomycin 226, 227
 vascular endothelial growth factor (VEGF) 59, 62, 152, 165
 4-vinylbenzeneboronic acid 223
 vinyltrimethoxysilane (VTMOS) 92, 224
 vitamin D 128, 129
 vitamins
 bioavailability of 121
 and enzymatic methods 122
 sensitive immunoassay techniques 122

w

wavenumber shift-based method 194, 195
 whispering gallery mode (WGM) 8–9

