

## Index

### **a**

- acetic acid 144–147, 152, 257, 277
- acetonyltriphenylphosphonium bromide 257, 259
- N*-acetyl  $\alpha$ -amino nitrile products 168
- N*-acetyl iminium ion 169
- acetyl-Pictet–Spengler reaction 45, 46
- achiral disiloxane-1,3-diols 209, 210
- acid-catalyzed Povarov reactions 366
- acid-free acetalizations 14, 169
- acid-free hydroxy protection reaction 171
- acid-responsive rotaxane 85
- acrolein acetal 29, 211
- acyclic enones 277
- acyclic tetrakis-triazole 222
- O*-acylated azlactone 174, 175
- N*-acyl iminium ions 152, 153
- N*-acylisoquinoline derivatives 253, 255
- N*-acyl-isoquinolinium cation 174, 175
- N*-acyl Mannich reactions 214, 215, 217
- acyl Mannich reaction of pyridines 227
- N*-acyloxazolidinone 10, 12
- acyl-Pictet–Spengler reaction 113, 141, 188
- acyl-Strecker protocol 169
- acyl-Strecker reaction 168, 169
- acylation reactions 293, 296–298
- acylcyanation of imines 168–169
- addition reactions
- in anion-binding catalysis 37
- 1,4-addition process 272
- alcoholate 15
- alcoholate anion 15
- aldehydes 6, 14, 15, 18, 19, 57, 127, 128, 141, 142, 144, 145, 166, 168–170, 178, 183, 184, 186, 188, 271–275, 283, 313, 346, 358, 370, 373
- $\beta$ -alkenyl-substituted cyclohexenones 283
- alkoxides 169–174
- alkoxysilanediol anion binding catalysis 207–208
- 2-alkyl-chroman-4-ones 204
- alkyl formate 15
- $\alpha$ -allyl amino esters 117, 119
- $\gamma$ -allyl butenolides 175
- allylation of  $\alpha$ -sulfinyl radicals 9
- allyltributylstannane 9
- amidation of (hetero)arenes 376
- amine-tethered bistriazolium ion 240
- aminocyclopentanes 350
- $\beta$ -amino fluoride product 133
- 3-aminooxindole 237
- anion-abstraction mechanism 29
- anion-assisted catalysis 79, 80, 82, 84, 86, 87, 99, 100, 105, 355
- anion-binding 1–3, 84
- assisted polymerization reactions 296–298
  - thio(urea) catalysis 204
- anion-binding catalysis
- anion- $\pi$  catalysis
    - amidation of (hetero)arenes 376
    - definition 369
    - dinitrophenyl hydroxylamines 376

- anion-binding catalysis (*contd.*)
    - enantioselective transformations 373–375
    - epoxide ring-opening 372
    - ether cyclization sequential reactions 372
    - in enolate chemistry 370–372
      - Kemp elimination reaction 369–370
    - chalcogen bonding 328–331
    - dual photoredox and 345–351
    - halogen bonding 322–328
    - in cooperative catalysis 54–57
    - metal catalysis
      - C–C bond forming reactions 358–359
      - hydroformylation reactions 355–358
      - hydrogenation reactions 351–355
      - pnictogen and tetrel bonding 331–333
      - supramolecular approaches 359–368
  - anion-binding catalysts 3, 5
    - anion-binding motif 34
    - asymmetric 33
    - asymmetric organic synthesis 31
    - DFT methods 27
    - in addition reactions 36–44
    - in Lewis acid enhancement catalysis 57–59
    - in phase-transfer catalysis 59–62
    - in substitution reactions 44–54
    - mechanisms 34, 38
    - silanediol 29
    - supramolecular complex 34
  - anion- $\pi$  interactions 26, 27, 256, 368–372, 373, 376, 377
  - anion recognition 84
    - event 81
    - motif 34
  - anthrones 217, 218
  - anti-anti conformations boosts affinity 82
  - anti-electrostatic halogen bonds 310
  - antimony-based catalyst 314, 333
  - A<sup>3</sup> reaction 188, 189, 358
  - aromatic  $\pi$ - $\pi$ -stacking 1
  - N*-aryl imines 149
  - N*-aryl tetrahydroisoquinolines (THIQs) 348
  - aryl-triazole macrocycle 94–96
  - arylhydroxylamine 376
  - 2-aryl-2-methylpyrrolidine-derived thiourea 50
  - association complexes 80
  - association constants 87, 96, 101, 112, 222–224, 230, 318, 318, 319
  - asymmetric catalytic methods
    - electrophile
      - glycosylation reactions, HBD-halide binding 126–127
    - N*-acyliminium chloride ion pair 113–123
    - non-heteroatom stabilized carbocations 127–129
    - oxocarbenium and pyrone intermediates 123–126
    - nucleophile
      - in homogeneous catalysis 135–136
      - in phase-transfer catalysis 130–135
  - asymmetric dialkylation of bisoxindole 236
  - asymmetric Mannich-type reaction of  $\alpha$ -cyanosulfone 236
  - asymmetric reductive amination 354, 354
  - asymmetric Steglich rearrangement 290–296, 298
  - asymmetric-counterion-directed catalysis (ACDC) 34
  - aza-Diels–Alder protocol 147
  - aza-Diels–Alder reaction 147, 186, 255, 256, 263, 277
    - of *N*-phenylbenzaldimine 263
  - aza-Sakurai reaction 116–120
  - azabicyclic secondary amino acid 275
  - azetidinium ions 133, 134
  - azlactones 174, 175, 290, 291, 298
  - azodicarboxylates 273
- b**
- Baylis–Hillman adducts 361, 362
  - Baylis–Hillman reactions 211

- benzanilide 10
- benzhydryl bromide 25, 328, 329, 332, 333
- benzoquinolizidine scaffold 277
- benzoxazinones 354
- N*-benzyl aldimines 168
- $\alpha$ -benzylation of aldehydes 275
- bifunctional aminocatalyst 272, 278
- bifunctional thiourea 13
- 1,1'-bi-2-naphthol (BINOL) 203–205, 251, 292, 326, 367
- 1,1'-binaphthol-tethered biscobalt/bistriazolium complex 240
- binaphthyl-based chiral nucleophilic catalysts 292
- 1,1'-binaphthyl-based silanediol 29
- binding constants
- error determination 92
  - Hirose's rule 89–92
  - ion pairing 103
  - kinetic processes 104
  - multiple binding equilibria 99–102
  - NMR spectroscopy
    - issues 97
    - observation of 94
    - slow exchange versus fast exchange 93–94
    - software for non-linear regression fitting 95–96
    - uses 92–93
  - physical origins of 87–88
  - titration techniques and binding curves 88–89
  - UV-visible spectroscopy 97–99
- biphenylenediols 6, 112
- 1,8-biphenylenediol 6
- bis-diarylthiourea macrocycle catalysts 367
- N,N'*-bis(3-nitrophenyl)-urea 9
- bis-triazole 23, 54
- 3,5-((bis)trifluoromethyl)aniline 211
- N,N'*-bis[(3-trifluoromethyl)phenyl]urea 9
- 3,5-bis(trifluoromethyl)phenyl group 11, 40, 224
- 3,5-bis(trifluoromethyl)phenyl moiety 13, 19, 57
- bis-*N*-Tf-ethylenediamine 280
- bisamidine catalysts 217–218
- bistriazoles 24, 83, 222, 224–226, 229–231
- bistriazolium ion 223, 231, 240
- N*-Boc 3-phenyloxindole 237
- Brønsted acid 29
- additive 282
  - co-catalyst 148
  - mechanism 17
- Brønsted acid catalysis (BBA) 141–157, 182
- Brønsted acid/chiral H-bond donor co-catalysis 144, 157
- Brønsted acidity 4, 182
- bromodiaryl methanes 275, 363
- buffered mineral acid 153
- C**
- calixpyrrole macrocycles 86
- carboxylates 9, 22, 54, 85, 161, 162, 182–192, 212, 213, 221, 251–253, 256, 260, 261, 273, 274, 297, 355, 357, 369, 371
- carboxylic acids 3, 27, 54, 141, 143, 147, 153, 176–178, 182–192, 355–358, 369
- C*-carboxylactone 295
- cascade reaction of indole 313
- Castagnoli-Cushman reaction 176–179
- catalytic iso-Pictet–Spengler reaction 144
- catechol 5
- cationic triazoliums 232
- chalcogen bonding (ChB)
  - in anion-binding catalysis 328–331
  - history of 310–314
- chalogenated anion receptors 319
- charge-transfer 25, 308, 309, 311
- charge-transfer complexes 309
- C–H hydrogen-bonding 21, 22

- chiral co-catalysts 141  
 $\alpha$ -chiral malonate derivatives 13  
 chiral triazolium ion 234, 237  
 chloride ion 61, 113–123, 153, 210, 215,  
 222, 224, 226, 232, 239  
*p*-chlorobenzaldehyde 14  
 $\alpha$ -chloro glycinate 117, 118  
 chlorisochroman 26, 27, 49, 230, 241,  
 256, 324, 326, 363, 364  
 circular dichroism (CD) titration 54, 226  
 Claisen rearrangements 8, 10, 11, 112  
   of 1-methoxy-3-vinyloxy-propene 10  
 1,3-C,N dipolar reagents 280  
 co-catalytic HCl 153  
 contact ion pair 33, 56, 63, 79, 277, 288,  
 348, 349, 354, 358  
 copper(I)-catalyzed cycloaddition 221  
 Corey–Chaykovsky reactions 260  
 coumarins 370  
 counterion-directed catalysis 32, 34  
 croconamides 21, 201, 216–217  
 cyanide (CN<sup>-</sup>) 162  
 cyanide anion  
   acylcyanation of imines 168–169  
   strecker reaction 163–168  
 $\alpha$ -cyano  $\alpha$ -sulfonyl carbanions 236  
 cyclic anhydrides 174–182  
 cyclic enolates 174–182  
 cyclodiphosphazane receptors 84  
 cyclodiphosphazanes 213–215  
 cyclohexanediamine-derived  
   cyclodiphosphazane catalyst 214  
 1,2-cyclohexanediamine-derived chiral  
   tetrakistriazole 224, 226  
*N*-cyclohexyl hydroxylamine 237
- d**
- deprotonated rotaxane 363  
 deprotonative rearomatization 183, 190  
*N*-deuterated Strecker product 41  
 7,7'-diamido-2,2'-diindolylmethane  
   (DIM) 357  
 diaminocyclohexane scaffold 114  
 1,2-diaminocyclohexyl-derived amino  
   thiourea 145  
 1,2-diaminocyclohexyl-derived thiourea  
   145  
 4,5-diaminoxanthene 215  
 diaminoxanthene derivatives 201, 215  
 1,3-diarylketone pro-nucleophiles 121  
 diastereoselective allylation reactions  
   112  
 dibenzo-24-crown-8 240, 363  
 1,3-dicarbonyl pro-nucleophiles 121  
 dicationic benzodiselenazole-based  
   system 329  
 dicationic bis-stibonium catalyst 315  
 dicyanopyrazine (DPZ) 350  
 Diels–Alder reactions 6, 11, 147, 211,  
 255, 256, 263, 281, 362, 374  
   of cyclopentadiene 12  
 dienamine activation 276–278  
 dienamine intermediates 276  
 dienamines 276  
 difluoroacetic acid (DFA) 145  
 dihydro- $\beta$ -carboline 277  
 2,3-dihydrofuran 366  
 3,4-dihydroisoquinoline 39, 164, 277  
 dihydropyran (DHP) 16, 18, 171, 216  
*N,N*-diisopropylethylamine (DIPEA) 19,  
 357  
 1,2-diketones 350  
 3,5-dimethoxyphenyl group 291  
 4-(*N,N*-dimethylamino)pyridine (DMAP)  
   24, 54–56, 284–287, 288–296, 298  
*N,N'*-dimethyl derivative 10  
 dimethyl sulfoxide (DMSO) 19, 202–204,  
 211, 215, 221, 319, 321  
 di(1-naphthyl)silanediol 202, 207  
 4,5-dinitro-1,8-biphenylenediol 6  
 dinitrophenyl hydroxylamines 376  
 1,4-dioxane 309  
 dipole-dipole interactions 1  
 3,6-dipropyl-4,5-dinitro-1,8-  
   biphenylenediol 6  
 disiloxane-1,3-diols 201, 202, 208, 209  
 $\alpha,\alpha$ -disubstituted butyrolactones 297  
 2,6-di-*tert*-butyl phenol (2,6-DTBP) 175,  
 176  
 ditopic aromatic amide macrocycles 367

- DMAP-binaptyl-based bifunctional catalys 291, 295
- DMAP-thiourea cocatalyzed ring opening polymerization 298
- double acetal 15
- double hydrogen-bonding 3, 5, 11, 16, 17
- D*-*tert*-leucine 164
- dual amino/H-bond donor catalysis
- dienamine activation 276–278
  - enamine activation 272–276
  - iminium ion activation 278–283
  - vinyllogous iminium ion activation 283–284
- dual photoredox 345–351
- e**
- 4 $\pi$ -electrocyclization 155, 156
- electron donor-acceptor (EDA) mechanism 346, 350
- electron-deficient metal ions 1
- electron-deficient olefins 146
- electron-rich silane 117
- electrospray ionization mass spectrometry (ESI-MS) 19, 20, 100, 101
- electrostatic potential surfaces 309, 310
- electrostatics 309–311
- elementary equilibrium reactions 87, 96
- enamine activation 241, 272–276, 283, 364
- enamine-iminium ion pair complex 147
- enantioselective anion-binding catalysis 348
- enantioselective iso-Pictet–Spengler reaction 143, 144
- enantioselective thiourea-catalyzed tail-to-head cyclizations 129
- enatioenriched *C*-carboxylactones 295
- enolates 162, 169–182, 192, 234, 236, 370
- enolizable enals 276
- epoxide hydrolase 1, 2
- equilibrium binding constants 87–88
- ethane disulfonic acid (EDSA) 370
- etrahydropyran (THP) 16, 17, 170, 171, 189, 216, 217
- etraphenylsilanediol 204
- explicit double hydrogen-bonding 3, 5, 11
- f**
- Favorskii rearrangement 172
- fluoride-only receptors 5
- formate dehydrogenase 1
- Friedel–Crafts adduct 230
- Friedel–Crafts reaction 211, 367
- of indoles 367
- g**
- Gibbs free energies 1
- glycosyl chloride electrophiles 126
- glycosyltransferase-catalyzed glycosylation 50
- guanidine-catalyzed asymmetric Strecker reaction 34
- h**
- halide-only hosts 5
- haloalcohol dehalogenase 1
- halogen bonding
- history of 307–310
  - in anion-binding catalysis 322–328
- halogen-binding based catalysts 25–26
- halogen-bonding-interactions 25
- halotriazoliums 319
- Hammett analysis 40, 129, 167
- Hantzsch ester 3, 34, 264, 332
- harmicine 113
- HBD-halide interactions 112, 126
- H-bond donor-based receptors 161
- H-bond-donor-mediated benzoate abstraction 146
- H-bonding anion-binding co-catalyst 349
- hemiketal anion 15
- high binding affinity 81, 365
- high-throughput screening (HTS) 12, 36, 38
- <sup>1</sup>H NMR chemical shifts 112
- $\sigma$ -hole 25, 62, 309–311

- homo- and heterodialkylation of  
     bisoxindoles 235  
 host-guest chemistry 79, 80, 86  
 hydrochloric acid 152, 154, 352  
 hydrocyanation of ketimines 165  
 hydroformylated products 355  
 hydroformylation reactions 355–358  
 hydrogen bond donor catalysts 201, 210,  
     211, 215, 216  
 “hydrogen bond formation to an anion”  
     4  
 hydrogen bonding (HB) 298, 315, 322,  
     323, 346, 348, 350, 352, 354  
 hydrogen-bonding catalysis  
     quaternary ammonium salts 251–257  
     quaternary phosphonium salts  
         257–260, 261  
     tertiary sulfonium salts 260–264  
 hydrogen bonding phase-transfer catalysis  
     (HBPTC) 130–134  
 hydrogen chloride 4  
 hydrogenation reactions 332, 351–355  
*O*-hydroxycinnamaldehydes 282, 283  
 6-hydroxy-2H-pyran-3(6H)-one 278, 279  
 hydroxypyrene 374
- i**
- imines 39, 41, 147, 149, 162, 163, 166,  
     168–169, 176, 179, 183, 237, 239,  
     255, 256, 259, 263, 264, 273, 278,  
     346, 350, 367  
 iminium hydrochloric acid salts 352  
 iminium ion activation 278–283  
 iminium-based catalysis 33  
 (*S*)-indoline-2-carboxylic acid methyl  
     ester 153  
 intramolecular hemiacetalization  
     processes 283  
 iodomethylpiperidinium 308  
 iodoperfluoroalkanes 317, 319  
 ion-pair complex 81  
 ion-pairing catalysis 32, 249, 346, 347  
 ionic photoredox catalysts 348  
 iso-Pictet–Spengler reaction 143, 144,  
     183  
 isochromanes 354, 355  
 isolated alcohol molecules 6  
 isoquinolines 29, 46, 120, 174, 175, 204,  
     227, 353  
 isothermal titration calorimetry (ITC)  
     92, 319
- j**
- Jørgensen–Hayashi-type catalysts 276
- k**
- katapinate 5  
 katapinosis 5  
 Kemp elimination reaction 369–370  
 ketene silyl acetal 226, 227, 230, 253,  
     256, 324, 326, 330, 332, 363  
 1,2-ketoketimines 350  
 Knoevenagel condensation 370  
 Koenigs–Knorr-type glycosylation 324,  
     325
- l**
- Lewis acid co-catalysts 155–156  
 Lewis acid enhancement catalysis 36,  
     57–59  
 Lewis base (LB) 6, 8–9, 21, 36, 51, 63,  
     117, 153, 176, 284, 307, 308, 315,  
     317  
 Lewis-acid catalysis 14, 33, 141, 161, 315  
 Lewis-acidic boron center 319  
 L-proline 271–274  
 L-proline-catalyzed aldol reaction 271,  
     272  
 L-proline-catalyzed reaction 274  
 L-*tert*-leucine *ent*-**4** 168
- m**
- MacMillan imidazolidinone 281  
 macrobicyclic diamines 5  
 macrocycles 85, 86, 103, 345, 359, 363,  
     365–368  
 macrocyclic bis-thiourea catalyst 126  
 maleimides 217, 240, 375  
 malonates 13, 205  
 malonic acid half thioester 371

- Mannich reaction 29, 31, 45–47,  
120–122, 214, 215, 217, 226–228,  
259, 274, 281
- Mannich-type reactions 178, 236,  
253–256, 261–263
- Mannich/aza-Michael reaction 277
- Maruoka's axially chiral dicarboxylic  
acids 182
- mechanically interlocked molecules  
(MIMs)  
molecular knots 360–363  
rotaxanes 363–364
- meso anhydrides 134
- meta-phenylene derivative 224
- metal-organic pentafoil knot 360
- 1-methoxy-3-vinyloxy-propene 10
- 2-methoxypropene (MOP) 16, 171
- methyl *t*-butyl ether (MTBE) 226, 230,  
348
- Michael addition 13, 20, 21, 41–45, 214,  
313, 346, 360, 362, 375
- Michael donors 279–280, 283–284
- Michael–Henry cascade approach 375
- Michaelis–Menten kinetics 3, 39
- mineral acid co-catalysts 152–155
- molecular electrostatic potential (MEP)  
25
- molecular knots 360–363
- molecular motor-based photoresponsive  
364
- molecular recognition 79, 82, 112, 201,  
215
- monodentate receptors 317
- Monte Carlo simulations 8
- Mukaiyama aldol reactions 58
- multidentate halogen bond donors 316
- n**
- N*-acyliminium chloride ion pair  
(hetero)aromatic nucleophiles  
115–116  
aza-Sakurai reaction 116–120  
Mannich reaction and variants  
120–121  
Petasis-type reactions 121–123
- Pictet–Spengler reaction and variants  
113–115
- Nagorny's phosphoramides 87
- naphthalenediimides 26, 27, 368–369,  
377
- Nazarov cyclization of unactivated  
dienones 155
- N*-chlorosuccinimide (NCS) 180, 181
- NDI-amine catalysts 374
- N*-heterocyclic carbenes (NHC) 346
- O*-nitrobenzenesulfonic acid (2-NBSA)  
149
- 5-nitro-1,2-benzisoxazole 26, 28
- nitro-olefins 3, 13, 371  
activation 3
- nitroso-aldol reaction 274
- nitrosobenzene 273
- non-covalent anion-binding catalysis  
347
- non-covalent interactions (NCIs) 1, 22,  
26, 29, 32, 34, 40, 41, 44, 57, 59, 63,  
81, 161, 162, 188, 307, 309, 315,  
350–351
- non-covalent organocatalysis 1, 32
- N*-phenylselenenyl succinimide (NPSS)  
153
- O**
- O*-carboxyanhydrides 296
- N*-octyl-*N'*-phenyl(thio)ureas 9
- Old Yellow Enzyme (OYE) 3
- oligotriazole-anion complexes 229
- onium salts 249, 264
- “only intermolecular proton donor” 9
- organic-based Lewis acid catalysis 33
- organocatalysis 1, 3, 13, 21, 29, 32, 213,  
307, 313, 319, 321–324, 328, 330,  
333, 346, 347, 359
- organophotocatalyst 350
- orthoester heterolysis 15
- ortho-hydroxybenzoxonitrile 26
- ortho-quinone methide 192
- oxa-Michael/Michael reaction 278
- oxa-Pictet–Spengler reaction 153, 189,  
190

- oxazolyl-benzyl-carbonates 295  
 oxidopyrilium 1,3-dipolar reagent 277  
 oxidopyrilium ylides 276, 277  
 oxocarbenium cation 80, 81  
 oxocarbenium chloride-thiourea complex 123  
 oxocarbenium ion 15, 24, 30, 49, 58, 80, 123, 124, 170, 171, 189–191, 207, 354  
 oxopyrilium photocatalysts 346–347  
 oxy-allyl cation 172, 173  
 oxyanion hole 2, 17, 169  
 oxygen-based anions  
   alkoxides and enolates 169–174  
   carboxylates 182–192  
   cyclic anhydrides 176  
   cyclic enolates 174  
   homophthalic anhydride 178  
    $\alpha,\beta$ -unsaturated imine 178
- p**  
 palladium-catalyzed asymmetric allylic substitutions 358  
 partial protonation 1, 171  
 Petasis products 121  
 Petasis-type reactions 121–123  
 phase-transfer catalysis 59  
   acyl-transfer catalysis with  
     hydrogen-bonded fluoride 134–135  
   HBPTC 130–134  
   hydrogen-bonded fluoride 130  
 phase-transfer catalysts (PTC) 59–62, 130, 133, 237  
 phenol-based catalysts 6  
 $N,N''$ -[1,4-phenylenebis(methylene)]bis[ $N'$ -butyl]urea 9  
 phenyl glycidyl ether 6, 8  
 phosphoric triamide 211, 213  
 photocatalytic organic synthesis 346  
 photoredox catalysis 121, 346–348, 350  
 photoredox catalyst (PC) 346–348  
 Pictet–Spengler reactions 45, 54, 113, 114, 115, 141, 182, 188, 216  
 pnictogen and tetrel bonding  
   history of 314–315  
   in anion-binding catalysis 331–333  
 polar fluttering 310  
 polar solvents 348  
 Povarov reaction 148–150, 184–187, 366–367  
 Povarov transformation 366  
 proline-catalyzed enantioselective cross-aldol reaction 273  
 prolinol-type catalysts 279, 280  
 propargyl carboxylic acids 356  
 protio-Pictet–Spengler reaction 141–143  
*p*-Toluenesulfonic acid (PTSA) 149  
 $\alpha$ -pyranosyl chlorides 366  
 4-(pyrrolidino)pyridine (PPY) 55, 287, 288, 297  
 pyridinium-based catalyst 27, 325  
 pyrones 123–125, 148, 149  
 pyrrole-based anion binding catalysts 201, 217
- q**  
 quaternary ammonium salts  
   hydrogen-bonding ability of 249–251  
   hydrogen-bonding catalysis of 251–257  
 quaternary phosphonium salts 257–260, 261  
 quinidine-derived thiourea 274  
 quinolines 226, 227, 353
- r**  
 Rauhut–Currier type reaction 313  
 reaction-progress kinetic analysis 150  
 receptor-anion complex 83, 88, 90, 92–94, 101–103  
 redox-active anion receptor 208  
 Reissert-type reaction 23, 54, 174  
 Reissert-type substitution of isoquinoline 330, 331  
 resin-bound thiourea-derivative 164  
 ring-opening polymerization (ROP) 296, 298  
 Ritter reaction  
   bromodiphenylmethane 361



- of bromodiarylmethanes 363
  - of bromodiphenylmethane 368
  - rotaxanes 345, 359, 360, 363–364
- S**
- salicylic aldehydes 370
  - Schreiner thiourea 171, 273, 278, 281
  - secondary bonding
    - anion recognition 316–322
  - selenium-containing ChB donors 328
  - serine protease 2, 3, 169
  - serpentine 94
  - silanediols 29
    - alkoxysilanediol 207–208
    - anion-binding catalysis 203–207
    - in anion binding and catalysis
      - 202–203
    - non-covalent forces 202
    - Si–OH bonds 202
  - silica gel chromatography 203
  - siloxanes 208–210
  - silyl ketene acetal 23, 24, 27–29, 46, 49, 54, 123, 124, 180, 181, 204, 207–209, 214, 217, 296, 298, 348, 364–365
  - small molecule catalysts 3
  - solvation enthalpy 4
  - squaramides 11, 20–22, 29, 58–59, 111, 117, 119, 129, 130, 135, 136, 153–156, 175, 176, 180, 181, 211, 212, 213, 227, 228, 276, 277
  - Strecker reactions 11, 12, 34, 36, 38–42, 45, 163–169
  - styrene oxides 54, 182, 183
  - 2-substituted indolyethylamines (isotryptamines) 183
  - substitution reactions
    - anion-binding catalysis 44–54
  - sulfonic acid co-catalysts 148–151
  - N*-sulfonyl 2-methyl-2-phenylaziridine 235
  - N*-sulfonyl imine 230
  - N*-sulfonyl meso aziridine 239
  - sulfur-based catalyst 313
  - supramolecular anion 5, 62, 84–86, 104, 345, 359, 377
  - supramolecular approaches
    - macrocycles 365–368
    - MIMs 359–364
    - molecular motors 364–365
    - structure of 360
  - supramolecular chemistry
    - anion-assisted catalysis 80–84
    - definition 79
    - history of 84–86
    - thiourea dimer 79
  - syn-anti* conformation 82, 131
  - syn*-trinitroiodobenzene 308
  - synzymes 3
- t**
- Takemoto catalyst 145
  - Takemoto group 13, 42, 44, 121–122
  - Tamura cycloaddition 85, 177–178, 180
  - tellurium-based catalysts 313
  - tertiary sulfonium salts 249–264
  - tert*-butyldimethylsilyl triflate (TBSOTf) 59, 227
  - $\alpha$ -tertiary silyl ketene acetals 180
  - tetraalkylammonium salts 250–251, 255–257
  - tetrabutyl-ammonium hydroxide (TBAOH) 26
  - tetrabutylammonium bromide (TBAB) 23, 230, 324
  - tetrabutylammonium fluoride (TBAF) 60, 130–131
  - tetrabutylammonium halides 111, 249, 319
  - 1,1,3,3-tetraferrocenyldisiloxane-1,3-diol 208–209
  - tetrahalomethanes (CX<sub>4</sub>) 308
  - tetrahydro- $\beta$ -carboline alkaloid core 113
  - tetrahydro- $\gamma$ -carboline products 144
  - tetrahydrofuran (THF) 224, 292, 319, 325, 331, 372
  - tetrahydroisoquinolines 120, 348, 354
  - tetrahydroquinolines 149–150, 354, 366

- tetrakis[3,5-bis(trifluoromethyl)phenyl]borate 251
- tetrakis-triazoles 222, 226–227, 229
- 1,1,3,3-tetramethylguanidine (TMG) 370
- 1,1,3,3-tetraphenyl-1,3-disiloxane-1,3-diol 208
- thiophenol 23
- thiophosphoramidate 29, 210–213
- thiophosphoramidate-based catalysts 29
- thiophosphoric triamide 211
- thiophosphotriamide 349
- thiosquaramide 11, 21–22
- thiourea 18
- analogue 9
- based catalysts 10–22
- carboxylic acid derivatives 188
- thiourea-catalyzed asymmetric [5+2] pyrilium-alkene cycloaddition 146
- thiourea-*p*-nitrobenzenesulfonic acid (4-NBSA) 150–151
- thiourea–benzoic acid complex 142
- thiourea–pyridine-based nucleophilic dual-catalysis
- acylation reactions 296
- anion-binding assisted polymerization reactions 296–298
- asymmetric Steglich rearrangement 290–296
- kinetic resolution and desymmetrization of amines 284–291
- (thio)urea and squaramide hydrogen bond donor (HBD) catalysts
- asymmetric catalytic methods 113–123
- history and background 111–113
- $\alpha$ -tosyloxy ketones 172
- trialkyl silyl triflate (TESOTf) 58
- 1,2,3-triazol-based catalysts 22, 24
- triazole-based anion catalysis 23
- triazole-based anion-binding molecular catalysts
- bistriazoles 224
- meta-phenylene derivative 224
- N(3)-protonated triazolium ion 230
- switchable chiral anion-binding catalyst 229
- TBAOTf 228
- tetrakis-triazoles 227
- triazole-based catalysts 22–24, 54
- 1,2,3-triazolium bromide 232
- triazolium ions
- dual functional catalysts 240–241
- organic molecular catalysts with anion-binding ability 231–240
- 1,2,3-triazolium ions 221–242
- triazolium-based donors 313
- triazolophane 22, 222
- triazolophane macrocycles 86
- 2,2,2-trichloroethoxycarbonyl chloride (TrocCl) 46, 120, 226–227, 253, 288
- 2,2,2-trichloroethyl chloroformate (TrocCl) 226, 253, 288
- trifluoroacetyl-triphenylphosphonium barfate 259
- 3,4,5-trifluorobenzoate derivative 147
- 3-(trifluoromethyl)phenyl 11
- triisopropylsilyl (TIPS) 115
- tris-phosphonium triflate 259
- 2,3,4-trisubstituted tetrahydroquinolines 150
- tri-(2,4,6-trimethoxyphenyl)-phosphine (TTMPP) 126
- trityl chloride 4
- 1,2,3-trizoles 221–222
- tryptamine 45, 141, 182–183, 186–187
- tryptophols 189
- turnover frequencies (TOFs) 3, 6, 8–9, 13–14, 16, 18, 20–21, 24, 26–27, 48, 62–63, 169, 171, 356
- U**
- umpolung addition 175–176
- $\alpha,\beta$ -unsaturated aldehydes 6, 34, 145, 272, 375
- $\alpha,\beta$ -unsaturated carboxylic acids 355
- $\alpha,\beta$ -unsaturated iminium ion 272, 278–283

urea-catalyzed Koenigs–Knorr  
glycosylation reactions 126  
UV-Vis spectroscopy 92, 97–99,  
101–102, 308, 315

**V**

van der Waals 1, 22  
vinyl bis-sulfone 364  
vinylogous iminium ion activation  
283–284  
visible light photoredox 348  
visible-light photocatalysis 346

**X**

xanthene-diamine scaffold 215–216

**Y**

yohimbine 113, 115

**Z**

ZhaoPhos 352–354  
ZhaoPhos-Iridium system 354  
zwitterionic oxidopyrylium 146  
zwitterionic-type iminium salt catalyst  
256–258





