

Index

a

- acetonitrile (AN) 100
- activated carbon 49–51, 246, 289
- active layer 243
- adsorption membrane 252–253
- Ag nanoparticle decorated RGO (Ag-RGO) 164
- Al electrodeposition
 - air and water stable ILs for 274
 - CILs and uses 273–274
 - DESs for 274–276
 - organic-based electrolytes for 274
- alloy anode materials 13–14
- alloy elements
 - in Al 300–301
- alloying-type anode material, 330, 338
- aluminum batteries
 - classification 276–283
 - development 269
 - graphite-based 281, 283
 - metal oxide/sulphide-based 276–279, 280
 - polymer-based 279, 281, 283
 - primary 270
 - rechargeable 270–276
- aluminum-air (Al-air) batteries
 - air cathodes
 - electrocatalysts 305–309
 - integrated cathode 304
 - oxygen reduction reaction 304–305
 - structure of 303–304
 - alloy elements 300–301
- anodes
 - heat treatment 302
 - microalloying 301–302
 - processing of 302
 - surface coating 302
- cathode material of 299
- electrode polarization 300
- electrolytes
 - aqueous 309
 - corrosion inhibitors 309
 - polymer electrolytes 310
- rechargeable 312–315
- recycle of 312
- self-corrosion 300
- structure design 310–312
- aluminium–graphite dual-anion-cation 348
- anode film-forming additive 22–23
- anode materials 64–66
 - alloy 13, 14
 - alloyed 138–140
 - vs. cathode 88
 - conversion 14–17
 - conversion-type 140–142
 - insertion 134–138
 - intercalation 11–13
 - lithium metal 17–19
 - titanium-based oxide 137–138
- aqueous electrolytes 67, 142, 144, 201, 209, 215, 217–222, 231, 234, 236, 240–242, 270, 309, 313, 318, 327, 335, 338, 341–342
- aqueous systems 241, 270

- aqueous zinc-ion batteries (AZIBs)
 - aqueous electrolytes
 - concentration of zinc salt 218–219
 - electrolyte additives 219–222
 - types of Zn salts 217–218
 - cathode materials
 - inorganic 212
 - manganese-based materials 204–208
 - PBA 210–212
 - vanadium-based materials 208–210
 - challenges and perspectives 222–223
 - characteristics of 201
 - fundamentals 202, 203
 - organic and aqueous electrolyte 202
 - Zn anode
 - alloy 214–215
 - dendrite growth and hydrogen evolution 213
 - structural optimization of 216
 - surface modification of 215–216
 - atomic layer deposition (ALD) method 63, 166, 171, 215
- b**
- battery separators 31, 37
 - inorganic composite 36–37
 - polyolefin 34–36, 37
- B-doped onion-like carbon (B-OLC)
 - microspheres 162, 163
- bifunctional air electrode (BAE)
 - 234–236, 240–247, 253–254
 - carbonation 236
- 1-butylpyridinium chloride (BPC) 271
- c**
- calcium-ion batteries (CIBs) 344
- carbon anodes 7, 19, 112–113, 135–136, 144
- carbon based conducting additives 249–250
- carbon based materials 11, 13, 49–54, 134, 164, 193, 243, 246
- carbon fibre paper (CFP) 175, 337
- carbon materials 134, 156
 - novel 51–54
 - with special structure 54
- carbon materials modified Na anode 174–177
- carbon nanofiber (CNF) film 51, 63–65, 90, 92, 98, 169, 329
- carbon nanotubes (CNTs) 15, 51, 54, 56, 90, 156, 157, 216, 244, 277, 307
- carbon paper 97–98, 162, 283–284, 304
- carbonate based electrolyte 67, 100, 112, 114, 147, 179, 183
- carbonate solvents 20–21, 65, 99, 100, 112, 179, 339
- cathode electrolyte interphase (CEI) 19, 23, 98
- cathode film-forming additive 22–23
- cathode materials 127
 - vs. anode 88
 - carbon based materials 49–54
 - hexacyanoferrates 132–133
 - layer-structured 4–7
 - layered sodium transition-metal oxides 128–130
 - noble metals-based materials 54, 56–57
 - non-noble metals-based materials 57–64
 - organic compounds 133
 - polyanionic compounds 130–132
 - spinel structured 7–8
- cathodic active material 230, 242
- cation-anion dual-ion battery
 - anode materials
 - alloying-type materials 330–335
 - conversion-type materials 336–337
 - intercalation-type materials 335–336
 - metallic materials 328–330
 - cathode materials
 - graphite 320–324
 - MOFs 326, 327
 - organic materials 324–326
 - electrolyte
 - aqueous electrolyte 342–343
 - ionic liquid electrolyte 339–341

- organic electrolyte 338–339
 - charge/discharge process 15, 48, 61, 64, 91, 94, 202, 317–318, 328, 331, 335, 341
 - charging/discharging cycles 126
 - chemical vapour deposition (CVD) 286–287
 - chemical/mechanical instability 236
 - Chevrel phase compounds 212
 - chloroaluminate ionic liquids (CILs) 271–274, 281, 283, 291–292
 - CNT/Ru cathode 164
 - coated on N-doped carbon fibers (Co-ECNCFs) 167–168
 - cobalt nitride (Co₄N) 63–65, 244
 - columnar effect 209
 - constant-current constant-voltage (CCCV) 291
 - consumer electronics 229, 317
 - conversion anode materials 10, 14–17, 134, 140
 - conversion cathodes 276–277, 279, 280, 292
 - Coulombic efficiency (CE) 15, 17, 56, 59, 65, 75, 89, 99, 103, 105–106, 108, 111–113, 137, 164, 171–172, 185, 210, 216, 218, 223, 277, 323, 325
 - Cu(TCNQ) MOF 327
 - CuS-based cathode 191–192
- d**
- deep eutectic solvents (DESs) 241, 274, 276, 281, 292
 - defect-free graphite lattice 321
 - degree of graphitization 12
 - deintercalation reactions 141, 271
 - delithiation 14–15
 - density functional theory (DFT) 95, 137, 162, 212, 321–322, 332, 348
 - 3DGF 287
 - diamond-like carbon (DLC) 156
 - diethyl carbonate (DEC) 2, 21
 - dimethyl carbonate (DMC) 2, 21, 100, 179, 338, 342–343
 - 1,2-dimethyl-3-propylimidazolium chloride (DMPriCl) 271
 - dimethyl sulfoxide (DMSO) 67, 103–104, 112, 114, 115, 177, 178, 183–185, 241
 - and ACN based electrolyte 183
 - 1,3-dioxolane (DOL) 88, 98, 177
 - 1,3-dioxolane/dimethoxyethane (DOL/DME) 88, 98–99, 103–105, 113–115
 - dipropyl sulfone (DPS) 103
 - doping 16, 25, 27, 95, 130, 131, 133, 136–138, 146–147, 159, 162, 168, 193, 223, 243, 306–308, 326, 350
 - double layered configuration 247
 - 3D printing reduced graphene oxide (rGO) 159
 - 3DP-SP cathode electrode 159, 160
 - dual functional composites 168–169
 - dual-graphite battery 318
 - dual-ion battery (DIB)
 - cation-anion 317–342
 - history of 318–320
 - multi-ion strategy 342–350
- e**
- electric vehicles (EVs) 1, 38, 125, 153, 201, 300, 312, 315, 317
 - electrically rechargeable zinc-air battery 232–235
 - electrocatalysts, Al-air batteries
 - carbon-based catalysts 307–308
 - precious metals and alloys 305–306
 - single atom catalysts 308–309
 - transition metal oxides 306–307
 - electrochemical cycle 127, 141
 - electrochemical energy storage systems (EESS) 229, 253
 - electrochemical methods 51, 101
 - electrochemical reaction 3, 7, 34, 48–49, 113, 129, 133, 136, 138, 142, 155, 179, 201, 206, 236, 240, 242–243, 276, 299, 313, 346, 350

- electrolyte 19–31
 liquid 19–23
 organic 67–69
 quasi-solid-state 67–72
 solid 23–31, 32
 solid-state 72–73, 74
 electrolyte additives 18, 22, 108, 109,
 111, 171–172, 182–183, 219–222,
 240, 339–340
 electrolyte wettability 36, 147–149
 electromobility 229, 233
 EMImCl 272, 276, 279, 283–284, 292,
 313–314
 environmental transmission electron
 microscope (ETEM), 168
 Eos Energy Storage 234
 ether based electrolyte 22, 88, 105,
 112–114, 179–183
 ether electrolyte 87–89, 98–99, 105, 108,
 111–113, 143
 ethyl isopropyl sulfone (EiPS) 103
 ethyl methyl sulfone (EMS) 103, 339
 ethylene carbonate (EC) 2, 21–22, 23, 36,
 99–100, 143–144, 179, 241, 338
 ethyl-methyl carbonate (EMC) 21, 99,
 330, 338–339
 ex-situ characterization techniques 135
- f**
- Faraday constant 128
 fast ionic conductor 23, 27, 29
 flooding, air electrode 236
 fluorinated natural graphite (FNG) 272
 fluoroethylene carbonate (FEC) 22–23,
 65, 143–145, 171–172, 340
- g**
- garnet 28–30, 106
 gas diffusion layer (GDL) 156, 164, 176,
 243–246, 303–304
 gel polymer electrolytes (GPEs) 25,
 69–70, 75, 145, 241, 310
 glass fiber separator 147, 170
 glassy inorganic solid electrolyte 29–32
 gold coated gas diffusion layer (Au-GDL)
 cathode 164–165
 graphene 136–137
 based cathode 287–289
 Graphene Nanoribbons on Highly Porous
 3D Graphene (GNHPG) 286
 graphene nanosheets (GNS) 156, 159,
 164
 graphene oxide (GO) film 249, 289
 graphite 1, 134–135
 based aluminum batteries 281, 283
 flakes-based cathodes 290, 291
 graphite carbon paper (GCP) 283
 graphite intercalation compounds (GICs)
 134, 285, 288, 292
 graphitic cathodes 283–291
 carbon paper 283–284
 graphene-based cathode 287–289
 graphite flakes-based cathodes
 290–291
 graphitic foam 286–287
 pyrolytic graphite 284–285
 graphitic foam 284, 286–287, 292
 graphitizable carbon 13, 136
 Gurley value 31
- h**
- hard carbon 11–13, 134–136, 144
 hard soft acid base (HSAB) theory 187
 3H3C 289, 292
 heteroatoms/defects doped carbon 159
 hexacyanoferrates 128, 132–133
 high zinc dissolution 234–235
 high-resolution transmission electron
 microscopy (HRTEM) 56, 61–62,
 135, 287, 342
 high-valence metal ions 130
 highest electron occupied orbit (HOMO)
 23
 hybrid solid-state (HSS) 177–178
 hydraulically rechargeable zinc-air
 batteries 233
 hydrofluoroether (HFE) 101, 114
 hydrogen evolution reaction (HER) 144,
 214, 235, 240, 250, 270, 287
 hydrothermal method 51, 63

i

inorganic additives 249–250
 inorganic composite separator 36–37
 inorganic solid electrolytes 23, 25,
 29–31, 114, 145–147
 intercalation anode materials 10–13
 intercalation cathodes 87, 276–279, 286,
 292, 326
 intercalation reaction 133, 135, 144, 271,
 320, 322
 ionic conducting glass 29
 ionic conductivity 19, 21, 24–30, 33,
 37–38, 67–69, 72, 76, 97–98, 100,
 103, 105–106, 114, 131, 143–148,
 178, 186, 201, 217, 219, 236–237,
 240–241, 309–310, 339
 ionic liquids (ILs) 105
 based electrolyte 185–189
 room-temperature 105, 241
 isopropyl methyl sulfone (IPMS) 101,
 103

j

Jahn–Teller distortion 6, 8

k

Kevlar fiber 106
 Kish graphite 291–292

l

layer-structured cathode materials 4–7
 layered sodium transition-metal oxides
 128–130
 Li anodes 98, 109–112
 $\text{Li}_4\text{Ti}_5\text{O}_{12}$ 11, 12, 336
 Li–O₂ batteries 47, 48, 49, 53, 57–62, 64,
 65, 67, 68, 72, 75, 76, 153, 178, 179
 Li–O₂ batteries to Li–air batteries 76
 Li–S battery configurations 116
 Li–S cell 88, 95, 99, 101, 102, 104, 105,
 107, 111–113, 115
 $\text{Li}_{14}\text{Zn}(\text{GeO}_4)_4$ 27
 Li₂S cathodes 87, 97–98
 Li₃N 25–26
 LiBF₄ 2, 19, 20, 346–348

LiBOB 19, 20, 23
 LiCoO₂ 2–5, 7, 87, 317
 LiFePO₄ 4, 9, 87, 131
 LiMnO₂ 4, 6, 7
 LiNiO₂ 4–7
 LiODFB 19, 20, 23
 LiPF₆ 2, 19, 20, 25, 66, 100, 112, 324,
 330, 339, 340
 liquid electrolyte
 functional additives 22–23
 lithium salt 19–20
 organic solvent 20–22
 liquid electrolytes (LES) 35, 67, 99, 111,
 143, 310, 338
 lithiated graphite 12
 lithiation process 15, 93
 lithium–air batteries 47, 231
 lithium bis(trifluoromethylsulfonyl)amide
 (LiTFSA) 67, 69
 lithium ion batteries (LIBs) 153, 201, 317
 anode materials for, 9–18
 cathode materials for 4–9
 characteristics of 3–4
 history of 1
 structure of 1–2
 working mechanism of 2–3
 lithium iron phosphate (LiFePO₄) 4, 9,
 87, 131
 lithium metal anode 17–19, 65, 67, 68
 lithium salt 1, 2, 19–22, 25, 30, 324, 342
 lithium–sulfur (Li–S) batteries 87
 lithium super ionic conductor (LISICON)
 27, 28, 106
 lithium trifluoromethylsulfonimide
 (LiTFSI) 19, 20, 67, 68, 88, 99,
 101–105, 111–115, 218, 219, 318,
 340–342
 loss of water 236
 lowest space orbit (LUMO) 22, 23

m

manganese-based materials 38, 204–208
 mechanically rechargeable zinc–air
 battery 233
 melting–diffusion method 90, 91, 97, 103

- metal-air batteries 186, 229–232, 252, 307
 - metal alloys/composites/hybrids 177–178
 - metallic Ca anode-based DIBs 330
 - metal-organic frameworks (MOFs) 326
 - metal oxides 10, 14, 16, 19, 60–62, 93, 95, 128–130, 132, 140, 141, 148, 154, 156, 164–166, 187, 193, 244, 250, 253, 276–279, 305–307, 320, 326, 327, 336–337
 - metal oxide/sulfide 276–279
 - metal phosphides 142
 - metal selenides 141–142
 - metal sulfides 93, 95, 141, 244, 276, 335
 - microalloying 301–302
 - microporous carbon paper (MCP) 90
 - mixed-metal oxides 307
 - modified polyolefin separator 147–148
 - molecular layer deposition (MLD) 171
 - δ -MnO₂ 205, 206
 - γ -MnO₂ 205, 207
 - m-RuO₂-B-rGO cathodes 165, 166
 - multi-ion battery
 - quadruple-ion battery 348–350
 - triple-ion battery
 - dual-anion-cation battery 346–348
 - dual-cation-anion battery 343–346
- n**
- Na metal anode 169, 170–177, 183, 193
 - N and S co-doped CNTs (NSCNTs) 175
 - N and S dual-doped graphene (N–S–G) 162
 - Na–O₂ batteries
 - anode materials
 - carbon materials modified Na anode 174–177
 - metal alloys/composites/hybrids 177–178
 - Na metal anode modification 170–174
 - cathode materials
 - carbon materials 156–163
 - dual functional composites 168–169
 - noble metals and their oxides 164–165
 - non-noble metals 165–168
 - chemical composition of 154
 - Coulomb efficiency and poor cycle life of 154
 - discharge products 154
 - electrolytes
 - carbonate based electrolyte 179
 - DMSO and ACN based electrolyte 183–185
 - ether based electrolyte 179–183
 - ionic liquid based electrolyte 185–189
 - energy densities of 153
 - fundamental principles 154
 - mechanism 189–192
 - Nantenergy 234
 - NASICON 27–28, 29, 131, 132, 146, 174, 177, 209, 336
 - NASICON-type Na_{3.25}Zr₂Si_{2.25}P_{0.75}O₁₂ (NZSPO) 177, 178
 - N atoms (N-G) 162, 325
 - N-doped CNTs (NCNTs) 72, 93, 162
 - N-doped CNTs on carbon paper (NCNT-CP) 162
 - N-doped graphene nanosheets (N-GNSs) 159
 - Ni 1, 2, 6, 8, 14, 16, 17, 59, 60, 95, 129, 130, 140, 159, 161, 162, 165, 167, 212, 244, 246, 251, 271, 305, 306, 307, 334
 - nickel/ruthenium (Ni/Ru) 59
 - nitrile 98, 100–101
 - noble metal catalysts 244
 - noble metals-based materials 54–57
 - non-noble metals-based materials 57–64
 - nonaqueous systems 270–272, 273
- o**
- olivine materials
 - spinel structured 7–8
 - structured cathode materials 9

- ordered mesoporous carbon (OMC) 56, 90, 157, 158
- organic compounds 94, 128, 133, 148, 212, 240
- organic electrolytes 8, 11, 27, 36, 38, 67, 69, 106, 133, 143–145, 147, 154, 174, 178, 185, 201, 217, 310, 324, 330, 331, 338–339, 341
- organic solvent 2, 19–22, 25, 67, 76, 143, 144, 171, 174, 193, 241, 274, 302, 338, 339
- ORR/OER 49, 168, 183, 236
- oxide glassy electrolyte 30
- oxygen evolution reaction (OER) 48, 49, 57, 59, 61–63, 154–157, 159, 164, 165, 167–169, 183, 191–193, 235, 236, 240, 242–244, 246, 247, 253, 313
- oxygen reduction reaction (ORR) 48, 154, 155, 236, 253, 303–305
- p**
- passivating oxide film 270
- passivation of zinc electrode 235
- perovskite solid electrolyte 26–27
- physical-blocking method 90
- poly(ethylene oxide) (PEO) 75, 95, 106, 113, 114, 145, 170, 241, 310
- polyacrylonitrile (PAN) 25, 92, 93, 145, 148, 241
- polyaniline (PANI) 15, 93, 205, 206, 272
- polyanionic compounds 130–132
- polycyclic aromatic hydrocarbon (PAH) 324
- polyethylene (PE) 2, 12, 147, 170, 251
- polymer electrolytes 25, 106, 145, 154, 174, 241, 310
- polymer/solid-state electrolytes 98, 105–108, 114
- polymeric additives 250
- polyolefin separator 34–36, 37, 147–148
- polypropylene (PP) 2, 147, 170, 251
- polysulfide stockroom 90
- polytriphenylamine (PTPA) 325
- polyvinylidene difluoride (PVDF) 25, 36, 37, 69, 95, 106, 148, 149, 170, 171, 241
- polyvinylpyrrolidone (PVP) 95, 97, 98, 145
- porous carbon nanofiber papers 92
- porous carbon sphere (PCS) 56, 157
- potassium bis(trifluoromethylsulfonyl) imide (KTFSI) 172, 174
- potassium-ion batteries (KIBs) 201
- primary aluminum batteries 270
- primary zinc-air batteries 232, 243, 249, 251, 252
- propylene carbonate (PC) 2, 36, 37, 143, 179, 241, 338
- Prussian blue analogues (PBA) 211, 212
- Pt@GNSs 164, 169
- pyrolytic graphite 284–285
- pyrolyzed polyacrylonitrile sulfur (SPAN) 92–94, 113, 114
- pyrophosphate 132
- q**
- quadruple-ion battery 348–350
- quasi-solid electrolytes 241
- quasi-solid-state electrolyte 67–72
- r**
- rechargeable Al-air batteries 312–315
- rechargeable aluminum batteries 270–272, 273, 276–283
- renewable energy sources 229
- rocking chair battery 1, 126
- “rocking-chair” mechanism 317
- rocking-chair reactions 97
- room-temperature ionic liquids (RTILs) 105, 241, 318
- s**
- S cathodes 89
- chemical adsorption and catalysis 93–95
- physical blocking 90–92
- physical confinement 90, 91
- polymeric organosulfur 92–93

- secondary zinc-air batteries
 - electrolyte system
 - additives 239–240
 - alkaline aqueous electrolyte 240–242
 - industrial approximations 234
 - limitations 234–236
 - rechargeability of 233–234
 - separators 31–37, 47, 73, 75, 103, 114, 147–149, 170, 252, 254, 341
 - shuttle effect 89–90, 92, 93, 99, 108, 114
 - silicon anodes 111, 113, 334
 - single layered electrode 247, 248
 - single/binary transition metal
 - oxides/hydroxides 244
 - sodium bis(fluorosulfonyl)
 - imide 143
 - sodium bis(trifluoromethanesulfonyl)
 - imide 143
 - sodium cobalt oxide 129
 - sodium fluorosulfonyl (trifluoromethanesulfonyl)imide 143
 - sodium hexafluorophosphate 143
 - sodium ion batteries (SIBs) 49, 125–126, 153, 201, 343
 - sodium manganese oxide 129, 327
 - sodium perchlorate 143
 - sodium titanate 137–138
 - sodium-ion batteries (SIBs) 201
 - anode materials for 133–142
 - cathode materials for 127–133
 - composition of 126–127
 - electrolytes for 142–147
 - history of 125–126
 - working mechanism of 126–127
 - soft carbon 11–13, 135–136, 289
 - solely S atoms (S–G) 162
 - solid electrolyte 23
 - garnet 28–30
 - glassy inorganic 29–31, 32
 - LISICON 27, 28
 - NASICON 27–29
 - perovskite 26–27
 - polymer 25, 26
 - solid electrolyte interface (SEI) layer 17–19, 154, 215
 - solid polymer electrolytes (SPEs) 145, 174, 241
 - solid-state cell configurations 106–107
 - solid-state electrolyte (SSE) 72, 74, 18, 177
 - inorganic 146–147
 - solid polymer electrolytes 145
 - solvation energy 127, 187
 - spinel structured cathode materials 7–8
 - stainless steel (SS) networks 159
 - structured zinc electrode 247, 249
 - sulfones 101–105
 - sulfoxides 101–105
 - super ionic conductor 23, 27, 131
 - synchrotron radiation powder X-ray diffraction (SR-PXD) 189
 - synergistic effect 29, 59, 61, 129, 130, 162, 167, 169, 187, 308, 338
- t**
- tetra methylene sulfone (TMS) 103, 104
 - tetraethylene glycol dimethyl ether (TEGDME)-based electrolyte 98, 179
 - tetramethylammonium chloride (TMACl) 271
 - three electrode configuration 247, 248
 - tin oxide (SnO₂) 15
 - titanium dioxide 137
 - titanium sulfide 1
 - titanium-based oxide 137–138
 - Todorokite-MnO₂ 206
 - traditional rechargeable batteries 229, 242
 - transition metals 58, 61, 244
 - carbides 62–64
 - elements 15, 17, 128–130, 133, 140, 324
 - nitrides 62–64, 244
 - oxides 10, 14, 60, 63, 93, 128–130, 140, 154, 156, 165, 193, 244, 305, 306–307
 - sulfides 62–64, 244

- transition-metal dichalcogenides (TMDs) 168
- triple-ion battery
 dual-anion-cation battery 346–348
 dual-cation-anion battery 343
- V**
- vanadium ion 208
- vanadium-based materials 208–210
- van der Waals forces 93, 142
- vapor-grown carbon fiber (VGCF) 106
- vertically aligned CNTs (VACNTs) 159, 287, 308
- vinyl carbonate (VC) 21–23, 144, 339, 340
- X**
- X-ray absorption near edge structure spectroscopy (XANES) 74, 95
- X-ray absorption spectra (XAS) technique 189, 190
- X-ray absorption spectroscopy 101
- X-ray diffraction (XRD) 64, 75, 111, 130, 135, 139, 167, 189, 284, 285, 289, 290, 292, 318, 331, 333, 334
- X-ray photoelectron spectroscopy (XPS) 75, 108, 161, 162, 177, 183, 286, 292
- Z**
- zero strain material 12
- zinc alloy anode 214–215
- zinc anode 202, 233–236, 240, 247–252, 254
- zinc corrosion 235, 250
- zinc paste 247, 249, 251
- zinc-air battery
 bifunctional air electrode
 binder 244–245
 catalysts 243–244
 collector materials 246–247
 conductive agents 246
 mechanism for 242–243
 electrode structure 247
 electrolyte system
 secondary zinc-air batteries 239–242
 zinc dissolution mechanisms 237
 membranes 252–253
 primary 232
 secondary 232
 zinc anode
 active material 249
 additives 249–250
 binders 251
 configuration 247–249
 continuous process 251
 current collector 251
 discontinuous processes 251
 gelling agent 251
- ZincNyx Energy Solutions 234
- Zinium 234
- ZrO₂ solid electrolyte 47

