

## Index

### a

a-Au/CeO<sub>x</sub>-RGO catalyst 190  
 acid media, HER mechanism in 89–93  
 activation overpotential 129  
 adenosine triphosphate (ATP) 342  
 Ag nanoparticles, loading of 553  
 Ag<sup>+</sup> solution 521  
 Ag<sub>2</sub>O and Ag<sub>2</sub>O–Au photocatalyst 362  
 Ag/bSi sample fabrication 363  
 alkaline media, HER mechanism in 93  
 alkaline water electrolyzers (AWEs) 133  
   Ni-based alloys 145  
   vs. PEMWE 139–141  
   zero 138–139  
 alloying 99  
 alloys nanoparticles, loading of 555  
 α-Ni(OH)<sub>2</sub> nanocatalysts 55  
 Ammonia Economy 339  
 ammonia synthesis process 183  
   energy efficiency for 184  
 ammonia-sensitive electrode method 187  
 ammonium ions 375  
 anion exchange membrane based  
   electrolyzer 151  
 anion exchange membrane water  
   electrolyzer (AEMWE) 87  
 anodization 321  
 anodized α-Fe<sub>2</sub>O<sub>3</sub> nanotube arrays 309  
 apparent quantum yield (AQY) 526  
 artificial intelligence (AI) 66  
 asbestos diaphragm (gas separator), in AWEs  
   134  
 Au base catalyst 188  
 Au-CO binding energy 283  
 Au/C<sub>3</sub>N<sub>4</sub> catalyst 199, 201  
 Au-PTFE/TS fabrication procedure 372

Au/TS fabrication procedure 372  
 AWEs. *See* alkaline water electrolyzers  
   (AWEs)

### b

Bi<sub>2</sub>MoO<sub>6</sub>/MoO<sub>3</sub> heterojunction photoanode  
   324, 325  
 Bi nanosheet synthesis 165  
 bifunctional mechanism 94  
 bimetallic alloy 555  
 biogenic-abiogenic process 205  
 bipolar configuration, AWE 134  
 bipolar/separator plates, in PEMWEs 138  
 bismuth molybdate (Bi<sub>2</sub>MoO<sub>6</sub>), for PEC  
   oxygen evolution 322  
 bismuth tungstate (Bi<sub>2</sub>WO<sub>6</sub>), for PEC oxygen  
   evolution 319  
 bismuth vanadate (BiVO<sub>4</sub>), for PEC oxygen  
   evolution 312  
 bismuth-based ternary oxide photoanode,  
   for PEC oxygen evolution 312  
 bispyridylpyridazine linker 45  
 black phosphorus (BP) 102, 427  
 black phosphorus-based catalysts 366–368  
 black silicon (bSi) 362  
 boron-doped diamond (BDD) electrodes  
   170–171  
 boron phosphide (BP) 437  
 Butler-Volmer equation 130

### c

carbon 357  
 carbon dioxide (CO<sub>2</sub>) 541  
   artificial photocatalytic conversion 541  
   photocatalytic activities 544  
   construction of heterojunctions 557

- carbon dioxide (CO<sub>2</sub>) (*contd.*)  
 defect engineering 545  
 loading of metal co-catalyst 550  
 principle and mechanism  
 adsorption configurations 544  
 kinetics 543  
 thermodynamics 542
- carbon nanotubes (CNTs) 357  
 for CO<sub>2</sub>RR 167
- carbon nitride (C<sub>3</sub>N<sub>4</sub>) catalysts 197
- carbon-based catalysts 58
- catalytic performance evaluating parameters  
 overpotential 96–97  
 turnover frequency 97–98
- cations vacancies 547
- charge transfer resistance, bismuth vanadate  
 315, 319
- charge-transfer overpotential 129
- chlorine evolution reaction (CIER) 147
- [Co(2,6-bis(bis-2-pyridyl)methoxy-  
 methane)-pyridine)(OH<sub>2</sub>)]<sup>2+</sup> 47
- Co@N-CNT-8 catalyst, for ZABs 10
- CO<sub>2</sub> emissions 275
- Co<sub>9</sub>S<sub>8</sub>/NSG<sub>g-C<sub>3</sub>N<sub>4</sub></sub> 17
- Co-CTF electrocatalysts 178
- Co-N-CNTs catalyst 12, 13
- Co-N-CNT/Ng air cathode catalyst, for ZABs  
 10
- Co<sub>9</sub>S<sub>8</sub> nanoparticles-embedded  
 N/S-codoped carbon nanofibers  
 61
- cobalt oxides 512
- COF-300 reduction 179
- concentration overpotential 129
- conduction band (CB) 211
- conduction band-bottom (CBB) 391
- conduction band minimum (CBM) 246,  
 345, 416
- conductivity method 375
- conductometric detector 374
- conjugated porous polymer 438
- conventional catalysts, electrolytes 370
- conventional photoelectrodes 263
- CoPc-PDQ-COF electrocatalyst 176
- copper rubeanate MOF (CR-MOF)  
 electrocatalyst 172
- Copper-Neo-cuproine complex  
 [Cu(DMP)<sub>2</sub>]<sup>+</sup> 399
- CoSe<sub>2</sub>/MoSe<sub>2</sub> heterostructures 116
- Coulombic force 215
- counter electrode (CE) 208
- covalent organic frameworks (COFs), for  
 electrocatalytic CO<sub>2</sub>RR 176
- covalent triazine framework (CTF)  
 derivatives 178
- crystalline frameworks-derived catalysts  
 61
- Cu<sub>2</sub>(CuTCPP) nanosheets 172, 174
- CuO photocathode 360
- CuO-Cu<sub>2</sub>O hetero-junction PEC cathodes  
 282
- current collectors, in PEMWE 138
- current-voltage characteristics of the  
 semiconductor/liquid junction under  
 illumination 233
- cyclic voltammetry 244
- d**
- dark current-voltage characteristics 231
- defect engineering 545  
 anions vacancies 545–547  
 cations vacancies 547–550
- diamond electrodes, for CO<sub>2</sub>RR 170–171
- diffusion of N<sub>2</sub> gas 370
- diffusion overpotential 129
- 5,5-Dimethyl-1-pyrroline-*N*-oxide (DMPO)  
 395
- dinuclear μ-oxo-bridged ruthenium complex  
 cis,cis-[(bpy)<sub>2</sub>(H<sub>2</sub>O)  
 Ru(μ-O)Ru(H<sub>2</sub>O)(bpy)<sub>2</sub>]<sup>4+</sup> 45
- dinuclear ruthenium complexes 45
- direct Z-scheme 453
- dissociative pathway 350
- doping 493
- DPD-POD method 397
- Dye Sensitized Solar Cells (DSSCs) 251
- e**
- earth-abundant first-row transition  
 metal-based OER catalysts 46
- egg-carbon microspheres electrocatalyst 25
- electric conductivity 249
- electric double-layer 124
- electrocatalytic N<sub>2</sub> reduction reaction  
 efficiency evaluation parameters 188  
 Faraday efficiency 189  
 metal-free catalysts 197  
 monatomic catalysts 197–202  
 non-noble metal catalyst 191  
 Mo base catalyst 194–197  
 Ni Co and Fe base catalyst 197

- turnover frequencies 188
  - yield 188
  - association mechanism 186
  - dissociation mechanism 186
  - fundamentals of 184
  - noble metal catalysts 188
    - Au base catalyst 188–190
    - Pd base catalyst 191
    - Pt base catalyst 191
    - Ru base catalyst 190–191
  - product detection and efficiency
    - evaluation 186–188
  - electrocatalytic oxygen evolution reaction
    - 35, 36
    - electrode substrates 37–38
    - electrolytes 38
    - long-term stability 41
    - mass activity 41
    - onset potential 38
    - overpotential 38
    - pH-dependence 39–40
    - rate determining step, Tafel analysis of 38–39
    - turnover frequency 41
  - electrocatalytic water-splitting 123
    - electric double-layer 124–125
    - electrode kinetics 129–133
    - elementary representation of 124
    - industrial systems 133–145
    - overpotential 129
    - standard electrode potential 125–129
  - electrochemical carbon dioxide reduction
    - reaction (CO<sub>2</sub>RR)
    - CO<sub>2</sub> conversion
      - to C1 products 160
  - electrochemical carbon dioxide reduction
    - reaction (CO<sub>2</sub>RR) 159
    - carbon materials 165–171
    - CO<sub>2</sub> conversion, to multicarbon products 161–162
    - on deposited Sn catalysts 165–166
    - metallic materials for 163–165
    - organic framework materials 171–178
    - principles 160
    - selectivity and efficiency 172
    - transition metallic materials 163–165
  - electrochemical cathodic exfoliation method 165
  - electrochemical desorption 90
  - electrochemical N<sub>2</sub> reduction 344, 345
  - electrochemical specific area (ECSA) 97
  - electrochemical water splitting process 87
    - H<sub>2</sub> production 88
  - electrode potentials, of reference electrodes 128
  - electrolytes 370
  - electron paramagnetic resonance (EPR)
    - method 394
  - electron pool 524
  - electron transfer 231
  - electron-hole pair separation 374
  - electronic properties of semiconductors 211
  - electrophoretic deposition (EPD) method 326
  - energy conversion efficiency 234, 235
  - environmental pollution 206
  - environmental purification 405
  - equilibrium electrode potential 127
  - equilibrium potential 125, 127
  - ethylenediaminetetraacetic acid disodium salt (EDTA-2Na) 436
  - exchange current density 130
  - exploiting PEC reactors 292
- f**
- facet-controlled catalysts 3
  - facet-controlled semiconductor materials 507
  - Faradaic efficiency (FE) 278, 349
  - Faraday constant 209
  - Fe/Co bimetallic MOF 61
  - Fe-N/CNT catalyst 168
  - Fe-N/C-700, ORR activity of 10
  - Fe/N/S-CNTs catalyst 10
  - NCNT heterostructures 117, 118
  - feed gas 340
  - Fermi Dirac distribution 223
  - Fermi Dirac equilibrium distribution
    - function 222
  - Fermi Dirac statistics 213
  - Fermi energy (E<sub>F</sub>) 213
  - ferredoxin 342
  - Fischer–Tropsch reaction 485
  - fixed bed photoreactor 290
  - fluorescence emission intensity 401
  - fluorimetric methods 375, 401
  - fossil fuel(s) 205
  - fossil fuel energy consumption 415
  - Fourier Transform Infrared spectroscopy 376
  - functionalized Ti<sub>3</sub>AlC<sub>2</sub> support material 7

**g**

- g-C<sub>3</sub>N<sub>4</sub>/carbon nanotubes-based OER catalyst 58
- Gibbs free energies 160, 521
- GNP/bSi/Cr photoelectrochemical cell 363
- graphene quantum dots (GQDs) 168, 170, 427
- graphite hollow spheres (HGS) 7

**h**

- Haber–Bosch process 183, 184, 340, 341, 342, 377
- heat transfer 289
- hematite photoanode ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>), for PEC oxygen evolution 308
- HER. *See* hydrogen evolution reaction (HER)
- heteroatom doping 109
- heterogeneous iron-based catalyst 340
- heterogeneous OER catalysts (oxy)hydroxides and double hydroxides 54
  - carbon-based materials 58
  - crystalline framework and derivatives 59
  - metal chalcogenides 55
  - metal oxides 48
  - metal pnictides 57
- heterogeneous photocatalysis
  - hydrogen evolution and current status 416
  - thermodynamics 420, 422
- heterojunction 532, 534
  - construction of 557
  - II-typical 558
  - Z-scheme 559
- hierarchical composite nanostructures 509
- H<sub>2</sub>O<sub>2</sub> detection 397
  - DMP method 398
  - DPD-POD method 397
- hot-electrons 361
- hydrogen 485
- hydrogen binding energy (HBE) 91, 93
- hydrogen bonding 415
- hydrogen evolution reaction (HER) 88, 124, 159, 183, 207, 277
  - in acid media 89
  - in alkaline media 93
  - in acid media 90
  - in alkaline media 93
  - catalysts in seawater 151–152
  - description 89

- electrocatalysts for 145
- exchange current density 98
- kinetics of 90
  - on Ni(OH)<sub>2</sub>/Pt-islands/Pt(111) 94
- hydrogen oxidization reaction (HOR) 98
- hydrogen underpotential deposition (HUPD) region 95
- Hydrogenation (H<sup>+</sup>/e<sup>-</sup>) pathway 342
- hydrothermal synthesis method 109

**i**

- indophenol blue method 374
- industrial electrocatalytic water-splitting systems 133
  - alkaline water electrolyzers 133–135
  - PEMWE 135–138
- industrial hydrogen production 123
- inorganic photocatalysis systems 391
- inorganic salts 436
- integrated PEC systems 261
- interaction of two metal-oxo entities (I2M) mechanism 44
- interconnected 3D-Pt-nanometer assembly catalysts 3
- ion chromatography method 186, 187, 374
- ion-selective electrode method 374
- ISA-Co/HNCS synthesis 21, 22

**l**

- La<sub>1-x</sub>Sr<sub>x</sub>Fe<sub>1-y</sub>Co<sub>y</sub>O<sub>3</sub> series oxides 51
- light transmission 288
- light utilization 280, 281
- light-absorbing photoelectrodes 345
- lignocellulosic biomass 439
- Linear Sweeping Voltammetry (LSV) 244
- linear-sweep-voltammetry (LSV) curves 357
- localized surface plasmon resonance (LSPR) 361
- lowest unoccupied molecular orbital (LUMO) 284

**m**

- M-NC SACs electrocatalyst 21, 23
- machine learning (ML) 48, 65
- machine learning-aided future catalysis research 66
- Mars–van Krevelen (MvK) mechanism 350, 351
- mass-transport resistance 129
- Maxwell-Boltzmann 222

- membrane electrode assembly 136  
 mesoporous carbon, for CO<sub>2</sub>RR 168  
 mesoporous Co<sub>3</sub>O<sub>4</sub>/N-doped rGO  
     nanosheets 12  
 mesoporous N-doped carbon  
     frameworks(MNC-D) 168  
 metal chalcogenide-carbon hybrid catalysts  
     61  
 metal chalcogenides, for OER 55  
 metal doping 432–433, 494  
 metal-free ORR electrocatalysts 23–25  
 metallic materials, for CO<sub>2</sub>RR 163  
 metallophthalocyanine based COFs 176  
 metalloporphyrin -tetrathiafulvalene based  
     COFs 176  
 metal-N<sub>x</sub> configuration 21  
 metal oxide  
     metal oxide heterojunction 501–505  
     nanoarrays 12  
     non-metal oxide heterojunction 505–506  
     semiconductors 416  
 metal-organic frameworks (MOFs) 172,  
     430  
 metal pnictides, for OER 57  
 microbial electrolyzers (MEs) 144  
 MnO<sub>2</sub>-NCNT composite 12  
 molar Gibbs free energy 235  
 molecular OER catalysts 44  
     all-inorganic polyoxometalates 48  
     earth-abundant transition metal-based  
         molecular catalysts 46–47  
     Ru- and Ir-based molecular catalysts  
         45–46  
     stabilization strategies 47–48  
 monatomic catalysts, for NRR 197  
 monolith photoreactor 290  
 monolith reactor 462  
 MoS<sub>2</sub> basal plane, HER activity 111  
 MoS<sub>2</sub>/CoSe<sub>2</sub> catalysts 113  
 MoS<sub>2</sub>/CoSe<sub>2</sub> heterostructure 115  
 MoS<sub>2</sub>, HER activity of 92  
 MoS<sub>2</sub> nanosheets 109  
 MoS<sub>2</sub>/RGO heterostructure 113–114  
 MoS<sub>2</sub>/BCCF catalyst 197  
 MSZIF-T electrocatalysts 11
- n**
- nanocomposite solar-energy material 359  
 nanocube-covered copper (CuCube) surface  
     163  
 nanoporous Ag catalyst 163  
 nanoporous Ni/Pt NPs catalyst 5  
 NBT method 395  
 NC<sub>x</sub> catalyst 12  
 N-doped carbon nanofiber (N-CNF) aerogels  
     25  
 N-doped graphene 101, 102  
 N-doped graphene quantum dots on  
     CuO-derived Cu nanorods  
     (NGQ/Cu-nr) composite catalyst  
     170  
 N-doped mesoporous carbon 168  
 N-doped NiO nanosheets 197  
 Nernst equation 39, 40, 127, 209  
 Nessler's reagent 373  
 NH<sub>3</sub> formation 365  
 NH<sub>3</sub> photosynthesis, two-electrode cell 366  
 NH<sub>4</sub><sup>+</sup> detection 187  
 Ni<sub>2</sub>P/graphene/NF electrocatalyst 113  
 Ni/Co-doped MoSe<sub>2</sub> nanosheets 111  
 NiCo<sub>2</sub>O<sub>4</sub> nanosheet 15  
 NiCo<sub>2</sub>S<sub>4</sub>/N-CNT nanocomposite 18  
 NiCoO<sub>2</sub>/graphene complex 15  
 Ni-CTF electrocatalysts 178  
 Ni<sub>3</sub>N nanoparticulate catalysts 60  
 NiO/Ni-CNT electrocatalyst 117  
 NiO/Ni-CNT heterostructure 115  
 nitrogen doped carbon nanotubes (NCNTs)  
     168  
 nitrogen reduction reaction  
     ammonia  
         colorimetric method 373–374  
         conductivity method 375  
         fluorometric method 375  
         in situ Fourier Transform Infrared  
             spectroscopy 376  
         ion chromatography method 374  
         ion-selective electrode method 374  
         nuclear magnetic resonance 376  
         titrimetric method 376  
     atmospheric air 341  
     catalysts 353  
     catalysts in  
         black phosphorus-based catalysts  
             366–368  
         diamond, role of 367  
         disadvantage 352  
         plasmon-induced ammonia synthesis  
             360  
         semiconductors 352  
     conventional catalysts  
         diffusion of N<sub>2</sub> gas 370

- nitrogen reduction reaction (*contd.*)  
 electrolytes 370  
 N<sub>2</sub> adsorption and activation 371  
 prototypes 370, 371  
 food production 339–340  
 formulas 377  
 fundamentals of 344  
 H<sub>2</sub> evolution reaction and selectivity 348  
 holy grail to practical systems 377, 378  
 mechanisms 350  
 semiconductors 347  
 storage and transport of 341  
 sustainable energy sources 342  
 N, N-dimethylformamide 277  
 non-metal doping 433  
 normal doping 497  
 normal hydrogen electrode (NHE) 207, 351  
 N<sub>2</sub> reduction potential 345  
 n-type semiconductor 215  
 nuclear magnetic resonance 376  
 nudged elastic band (NEB) 162
- O**
- <sup>1</sup>O<sub>2</sub> detection 393–394  
 OER. *See* oxygen evolution reaction (OER)  
 OH detection 398  
 one-dimensional (1D) nanostructures 507  
 one-step photoexcitation 416  
 open circuit potential (*V*<sub>oc</sub>) 245  
 optical absorption window 280  
 optical fiber photoreactor 291  
 optical fibre honeycomb 462  
 optical properties of semiconductors 218  
 ordered hierarchical nanostructured carbon (OHNC) 6  
 organic co-catalysts 444  
 organic compounds 437  
 organic dyes modified semiconductor 446  
 organic framework materials, for CO<sub>2</sub>RR 171  
   covalent organic frameworks 176–178  
   metal-organic frameworks 172–175  
 organic salts 436  
 organic synthesis 405  
 overall water splitting  
   catalytic redox reactions 524  
   evaluation  
     H<sub>2</sub> and O<sub>2</sub> 524  
     quantum yield calculation 526  
     turnover number calculation 525–526  
 photocatalysts 522  
 heterojunctions 532–535  
 polymers 535–538  
 single semiconductor 526–530  
 Z-scheme system 530–532  
 photo-generated electron 523  
 potential requirement 523  
 overpotential 96  
 electrocatalytic water-splitting 129  
 oxide photoelectrodes 263  
 oxygen  
   detection 394–396  
   electron activation 389  
   energy activation 389  
   reduction reactions 391  
 oxygen evolution reaction (OER) 124, 207  
   catalysts in seawater 151–152  
   electrocatalysts for 145–146  
   heterogeneous catalysts 48  
   mechanisms 41  
   molecular OER catalysts 44  
   in photosystem II 36  
   practical catalytic electrodes, challenges for 62  
   gas bubble formation on electrode surface 62–65  
   industrially viable fabrication techniques 62  
   catalyst discovery, conventional approach for 65–67  
 oxygen reduction reaction (ORR)  
   electrocatalysts  
     atomically dispersed metal, in carbon materials 17–23  
     metal-free 23–25  
   Pt-based  
     facet-controlled catalysts 2–3  
     multimetallic nanocrystals 3–9  
     transition-metal-based materials 10–19  
   Pt-based 2  
 oxygen vacancies (OVs) in semiconductor 358
- P**
- PCHER 416  
 Pd nanoparticles, loading of 551  
 Pd/C catalyst 191, 193  
 Pd/Cu-Pt nanorings electrocatalyst 108  
 PEC N<sub>2</sub> fixation 359  
 perfluorinated FN-CTF-400 178  
 perovskite oxides, for OER electrocatalysis 51  
 petroleum 205

- pH-dependant HER activity, of Pt electrode 95
- pH-dependent kinetic model 349
- photo-assisted electrolysis cell 210
- photocatalytic hydrogen evolution reaction (PCHER) 416
- one-step photoexcitation 425
    - band structure 425–427
    - doping/vacancies/defects 431–436
    - facet engineering 427–429
    - Hole scavenger 436–440
    - microstructure and surface area 429–431
  - operation parameters 456–457
    - backward/side reactions 457
    - corrosion resistance 458–459
    - design of reactor 460
    - light intensity 459–460
    - mass transfer 457–458
    - solution pH 460
    - temperature 459
  - two-step photoexcitation 440–442
    - surface sensitization 442–449
    - type I, II, III heterojunctions 449–450
    - Z-scheme heterojunctions 450–456
- photocatalytic oxygen reduction 389
- applications 402
  - environmental applications 404–405
  - H<sub>2</sub>O<sub>2</sub> synthesis 405–409
  - synthetic applications 403–404
- photocatalytic water splitting 301, 486
- history 486
  - mechanism 489
  - sacrificial electron donors and acceptors 491
- photocathode materials, in PEC systems 302
- photocathodes and dark-anodes 279
- photocurrents 244
- photoelectrocatalyst 242
- photoelectrocatalytic water splitting
- integrated 261
  - nonbiased system
    - photoelectrodes and photoelectrochemical cells 244–245
    - thermodynamics of 242–244
  - photoelectrodes
    - functionalization layers and cocatalysts 255–258
    - parameters 252–255
    - semiconductor materials 250–252
    - testing and operation conditions 258–260
    - semiconducting materials 246–250
    - techno-economic assessment 264
    - unbiased 245–246
- photoelectrochemical (PEC) arrangement 343
- photoelectrochemical (PEC) cell systems 208
- band bending 303
  - components 302
- photoelectrochemical nitrogen reduction reaction 339
- photoelectrochemical N<sub>2</sub> reduction 344
- photoelectrochemical oxygen evolution
- visible light active photoanode for 305
  - working principles 302
- photoelectrochemical process 341
- photoelectrochemical (PEC) reduction of CO<sub>2</sub>
- electrolyte type 277–278
  - Faradaic efficiency 278
  - mechanism 276
- photoelectrode
- photoanodes and dark-cathodes 285
  - photoanodes and photocathodes 286
  - photocathodes and dark-anodes 279
  - photovoltaic cell tandem and wireless monolithic devices 286
- pH value 277
- product evolution rate and catalytic current density 278
- quantum yield 279
- reaction temperature and pressure 278
- reactor configuration
- classification of 289
  - evolution of 290
  - heat transfer 289
  - light source 288
  - utilization of CO<sub>2</sub> 289
- turnover frequency 278
- turnover number 278
- photoelectrochemical (PEC) water splitting 301
- concept of 206
  - current-voltage characteristics of the semiconductor/liquid junction under illumination 233–233
  - dark current-voltage characteristics 231
  - electrolyte solution 208
  - electronic properties of semiconductors 211–217

- photoelectrochemical (PEC) water splitting  
(*contd.*)
- energy conversion efficiency 234–235
  - Nernst equation 209
  - optical properties of semiconductors 218–222
  - photo-assisted electrolysis cell 210
  - photoelectrolysis cell 210
  - photovoltaic electrolysis cell 210–211
  - quasi Fermi level splitting 222–224
  - quasi thermal equilibrium 222–224
  - solar-to-hydrogen conversion efficiency 207
- photoelectrodes and photoelectrochemical cells 244
- photoelectrolysis cell 210
- photosystem II 36
- photovoltaic cell tandem 286
- photovoltaic electrolysis cell 210
- photovoltaic power potential 343
- physical adsorption-based immobilization 47
- plasmon-induced ammonia photosynthesis system 364
- plasmon-induced ammonia synthesis 360
- plasmon-induced charge separation phenomena 361
- plasmon-induced chemical reactions 361
- plasmon-induced  $\text{NH}_3$  synthesis 365
- plasmonic metal modified semiconductor 445
- platinum group metal (PGM)-based electrocatalysts 87, 98
- alloys 99–101
  - heterostructured electrocatalysts 101–106
  - single atom electrocatalysts 106–108
- platinum group metals (PGMs)-free electrocatalysts 108
- heterostructured electrocatalysts 112–117
  - transition metal carbides 111–112
  - transition metal nitrides 111–112
  - transition metal phosphorous 111–112
  - 2D transition metal dichalcogenides 108–111
- poly(tetrafluoroethylene) porous framework (PTFE) 372
- polyelectrolyte-surfactant complexes 431
- polymer electrolyte membrane (PEM) electrolyzers 38
- polyoxometalates (POMs) 48
- polyvinylchloride (PVC) membrane 375
- porous carbon electrodes 59
- porous  $\text{Fe}_2\text{O}_3$  nanorods, for NRR 197
- porous nanostructure applications 5
- Pourbaix diagram 40, 247
- of manganese 40
- Pourbaix diagram, for aqueous chlorine chemistry 147
- proton exchange membrane water electrolyzer (PEMWE) 87, 93, 135
- vs. AWEs 139–141
  - bipolar/separator plates 138
  - current collectors 137–138
  - membrane electrode assembly 136–137
  - Pt-based electrodes 145
  - $\text{RuO}_2/\text{IrO}_2$  based electrodes 145
- proton-exchange membrane fuel cells (PEMFCs), ORR electrocatalysts for 1
- Pt encapsulation 7
- Pt modified reduced graphene oxide (Pt-RGO) 285
- Pt nanoparticles, loading of 550
- Pt-based ORR electrocatalysts 2
- facet-controlled catalysts 2–3
  - multimetallic nanocrystals
  - Pt alloys 3–6
  - supported-enhanced catalysts 6–9
- Pt-Ni bimetallic NPs 5
- Pt/C electrocatalyst 101
- Pt/e-TAC catalyst formation 7, 8
- PtNi nanocrystals 99
- PtRu/BP heterostructured electrocatalysts 102
- p-type doping 216, 217
- p-type semiconductor 243
- 2,7-[bis(2-pyridylmethyl)aminomethyl]-1,8-naphthyridine ligand (BPMAN)-based dinuclear copper(II) complex 46
- q**
- quantum dots (QDs) 444
- quantum dots modified semiconductor 448
- quantum yield (QY) 279
- quantum yield efficiency 526
- r**
- reactive oxygen species (ROS)
- detection 393–396
  - formation 389–392



- reduced graphene oxide (RGO) 538  
 reduced graphene oxide (RGO)-BiVO<sub>4</sub>  
   photoanodes 312  
 reference electrode (RE) 208  
 roll-to-roll fabrication technique  
   62, 63  
 Ru base catalyst 190  
 [Ru<sub>2</sub><sup>II</sup>(bpp)(trpy)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>]<sup>3+</sup> 45  
 Ru@C<sub>2</sub>N heterostructured electrocatalyst  
   104  
 Ru@C<sub>2</sub>N structure 105  
 Ru@Pt heterostructured electrocatalyst  
   104  
 RuPt/C catalyst 194
- S**
- salicylate Method 374  
 Schottky junction 442  
 screen-printing techniques 62  
 seawater water-splitting, electrocatalytic  
   147  
   challenges 147–151  
   demographic analysis 147  
   prospects for 153  
 semiconductor  
   band structure 522  
   doping 215  
   light absorber  
     organic co-catalysts 444–445  
     quantum dots modified 444  
     Schottky junction 442–444  
   reaction sites  
     organic dyes modified semiconductor  
       446–447  
     plasmonic metal modified  
       semiconductor 445–446  
     quantum dots modified semiconductor  
       448  
 semiconductor photocatalysts  
   advancements  
     cocatalyst loading 510–513  
     doping 493–499  
     heterostructures 499–506  
     morphology control 507–510  
   history 492  
 S-GNS/NiCo<sub>2</sub>S<sub>4</sub> catalysts 17  
 shuttle redox mediator 451  
 single atom catalysts (SACs), PGM-based  
   106  
 single semiconductor 526  
 single-atom Fe-N-C catalyst 21  
 single-crystal semiconducting TiO<sub>2</sub>  
   206  
 single-site cobalt porphyrin complexes 47  
 single-site cyclometalated iridium  
   complexes 46  
 singlet oxygen sensor green 390  
 slurry reactor 461  
 Sn modified N-doped carbon nanofiber, for  
   CO<sub>2</sub> electroreduction 167  
 Sn-doped hematite photoanodes 311  
 solar energy 486  
 solar energy conversion 207  
 solar energy storage methods 343  
 solar harvesting technology 206  
 solar radiation 206  
 solar spectra 346  
 solar-to-Ammonia (STA) efficiency  
   352  
 solar-to-chemical energy conversion 35  
 solar-to-hydrogen (STH) 487, 537  
 solar-to-hydrogen (STH) conversion  
   efficiency 308, 343  
 solid msdiator 453  
 solid oxide electrolyzers (SOEs) 141  
 solvothermal exfoliation strategy 430  
 Spectrophotometric method 373  
 spinel oxides, for OER electrocatalysis 53  
 spray pyrolysis 62  
 spray pyrolysis techniques 309  
 stabilization strategies, for molecular OER  
   catalysts 47  
 standard electrode potential 125, 128  
 standard hydrogen electrode (SHE) 127  
 standard potentials, for CO<sub>2</sub> conversion  
   160  
 strontium titanate (SrTiO<sub>3</sub>) 428  
 structure-controlled synthesis of  
   semiconductors 280  
 superaerophobic electrodes 65  
 supported-enhanced catalysts 6  
 surface oxygen vacancies 361  
 surface oxygen vacancies (Vo) 545  
 surface plasmon resonance (SPR) 445  
 Surface Plasmon Resonance effect (SPR)  
   271  
 surface plasmonic resonance (SPR) 280  
 surface sensitization 442  
   semiconductors  
     light absorber 442–445, 448–449  
     reaction sites 445–448  
 sustainable energy sources 342

**t**

- TA method 401
- Tafel plot 132
- Tafel-analysis, of rate determining step 38
- tantalum nitride ( $\text{Ta}_3\text{N}_5$ ), for PEC oxygen evolution 324
- tantalum oxynitride (TaON), for PEC oxygen evolution 324
- techno-economic assessment 264
- tetrahexahedral gold nanorods 189
- 3D anionic metal-catecholate framework  $[\text{Fe}_6(\text{OH}_2)_4(\text{CoPc})_3]^{6-}$  173
- thermodynamics, of  $\text{CO}_2$  reduction 542
- titrimetric method 376
- TMD-based heterostructured electrocatalysts 113
- transition metal nitride (TMN)-based catalysts 351
- transition metal oxides/sulfide catalysts 12
- transparent conducting oxides (TCO) 262
- tungsten oxide photoanode, for PEC oxygen evolution 305
- turnover frequency (TOF) 97–98
- turnover number (TON) 525–526
- two-dimensional N and S double-doped porous carbon nanosheets (N/S-2DPCs) 23
- type-II structure heterojunction photocathodes 281

**u**

- unbiased PEC solar water splitting cells 245
- unipolar configuration, AWE 133

**v**

- vacancies/defects 435
- valence band (VB) 211
- valence band maximum (VBM) 246, 416

- vertically aligned N-doped carbon nanotubes (VA-NCNTs), for metal-free ORR catalysts 23
- visible light active photoanode, for PEC oxygen evolution
  - bismuth molybdate 322–324
  - bismuth tungstate 319–322
  - bismuth vanadate 312–319
  - hematite photoanode 308–311
  - tantalum oxynitride and nitride 324–328
  - tungsten oxide photoanode 305
- Volmer-Heyrovsky mechanism 89, 91
- Volmer–Tafel mechanism 90

**w**

- $\text{WS}_2$  heterostructure 114, 116
- water electrolysis 123
- water electrolyzer 87, 88
- water nucleophilic attack (WNA) mechanism 42
- water splitting 209
- wireless monolithic devices 286
- working electrode (WE) 208

**x**

- X-ray photoelectron spectroscopy (XPS) 497

**z**

- Z-scheme configuration 345
- Z-scheme heterojunctions 450
- Z-scheme system 530
- zeolitic imidazolate framework (ZIF-8) 173
- zero-gap AWEs 139
- zinc-air batteries (ZABs), ORR electrocatalysts for 1
- Zn-based MOF catalyst, for  $\text{CO}_2$ RR 173
- ZnTe/ZnO/Zn cathode 283