

Index

a

Air Gap Membrane Distillation (AGMD)
144, 147, 151, 152, 154–157, 160, 222
amine-based absorbents 292–293
amine-modified ionic liquid 257
amino acid salts (AAS) 294
2-((2-aminoethyl)amino)ethanol (AEEA)
293
ammonia 35, 188, 193, 198, 199, 251, 263,
292, 293–294, 320
apple juice 30, 221–222, 231–232, 236
OMD 231–232
Arrhenius-type equation 263
axial pressure drop 71

b

beer and wine dealcoholisation 237–239
benzoic acid ($C_7H_6O_2$) 196
benzylamine (BZA) 293
best available technologies (BAT) 14
boundary layer thickness 58
breakthrough pressure (BTP) 23, 26–28,
30, 49–51, 53, 65, 71
bulk liquid membranes (BLM) 30–33

c

C20A/polycaprolactone (PCL)
nanocomposite 203
carbon capture and storage (CCS)
techniques 247
carbon capture applications 321, 322, 340
carbon dioxide 188, 193, 247–269, 281–295,
320
carbon molecular sieves (CMS) 125, 255,
266
Cassie–Baxter equation 48

Cellulose Acetate (CA) 12, 175, 207, 259
ceramic membranes 106, 161, 205, 206, 288
ceramic porous membranes (CMs) 285
chemical vapour deposition (CVD) 252
classical membrane separation processes
17, 18
CO₂ selective membranes
gas separation membranes 258–261
ionic liquid 259
NADESs 261
plasticization 257
polymeric membranes 255
Cobetter Filtration Equipment Pvt. Ltd.
310, 317, 329, 332
coke 186, 193, 263
combined cycle gas turbine (CCGT) power
station 250
commercial membranes 128, 159, 240,
288–289, 295
composite membranes 12, 28–30, 54, 126,
202, 208, 210, 265, 282–284, 293, 295,
324–327, 339
computational fluid dynamic (CFD) 73,
79, 81
concentration polarization 9–11, 36, 37,
128, 145, 147, 148, 160, 168, 174, 208,
210, 340
contact angle 23, 27, 29, 30, 35, 36, 46–49,
51, 52, 161, 170, 235
conventional ceramic membranes 205
conventional membrane separation
processes 35, 337
comparative analysis of 4, 6
electrodialysis (ED) 4–5
microfiltration (MF) 2
nanofiltration (NF) 3

- pervaporation (PV) 5, 8
 - reverse osmosis (RO) 3–4
 - ultrafiltration (UF) 2–3
 - conventional treatment techniques 185
 - covalent organic framework (COF) 253
- d**
- Desalination Systems, Inc. (DSI) 12
 - diafiltration 11
 - dialysis experiments 11
 - 4-diethylamino-2-butanol (DEAB) 293
 - 2-(diethylamino) ethanol (DEEA) 293
 - 1-diethylamino-2-propanol (IDEA2P) 293
 - Direct Contact Membrane Distillation (DCMD) 144–147, 150–153, 156, 160, 222–226
 - direct immersion membrane immersion (DCMD) 221–222
 - Donnan exclusion model 3
 - dry phase inversion method 128
 - dynamic modeling 71–72, 92
- e**
- electrodialysis (ED) 4–5, 102, 220
 - electrospun nanofibrous membrane 209
 - emulsion liquid membrane (ELM) 30, 31, 33–34, 199, 261
 - energy conservation equation 82
 - energy cost 186, 222, 306
 - Enhanced Oil Recovery (EOR) 263, 330
 - environmental pollution 187, 190
 - EUROWATER 312, 313, 321, 329, 331
 - Euwa H. H. Eumann GmbH (Euwa) 320, 324, 330, 332
- f**
- facilitators 257, 258
 - feed phase 17, 18, 26, 32, 33, 37, 45, 197, 200
 - feed-side and strip-side heat transfer 153, 154
 - feed-side mass transfer coefficient 148
 - fibres reinforced polymer (FRP) 111
 - film thickness 58
 - FilmTec 12
 - flow cell 64, 73, 74
 - fluid phase membrane contactor 306
 - fluorinated ethylene propylene (FEP) membrane 101
 - food industry
 - membrane distillation (MD)
 - apple juice 221–222
 - milk concentration 222–223
 - muscadine grape pomace
 - concentration 224–225
 - operating parameters effect 225–226
 - orange juice 222
 - recovery of phenols, olive mill
 - wastewater 225
 - saline dairy waste water treatment
 - 223–224
 - sucrose solution concentration 225
 - osmotic distillation and membrane distillation 239
 - osmotic membrane distillation (OMD)
 - apple juice 231–232
 - beer and wine dealcoholisation 237–239
 - cranberry and noni juices 235, 237
 - fruit juices 227–229
 - grape juice 232–233
 - kiwi and pineapple juices 236
 - orange juice 235
 - pomegranate juice 233–235
 - tea extracts 236
 - water flux 228, 231
 - food processing industries 186, 187, 196
 - food processing market 315–318
 - forward osmosis (FO) 207, 208
 - advantage and disadvantage 172
 - draw solute for 171
 - membranes 170–171
 - osmotic pressures calculation 167–170
 - principles of 167
 - reverse solute flux in 170
 - fossil fuel-based power generation 250
 - fossil fuels 247, 248, 250, 281, 321
 - fouling 10, 208
 - membrane 10–11, 30, 99, 158, 161, 170, 176, 208, 210, 223, 293, 340
 - resistant 14, 37
 - fractional free volume (FFV) 264, 265
- g**
- gas separation market 318–321
 - gas-liquid systems
 - phase equilibrium 61
 - resistance in series model 61–62
 - gel liquid membrane (GLM) 33
 - Graetz number 66, 76, 78
 - grape juice 228, 232–233
 - Greenhouse Gas (GHG) emissions 188, 320

h

- Happel's free surface model 73
- heavy metals 188, 189, 200–204, 209, 306, 310, 313, 339
- Henry's constant 80
- Henry's law 58, 61, 79, 80
- hierarchical fibrous composite (HFC) membranes 235
- height of transfer unit (HTU) 72, 73
- hollow fiber membranes (HFMs) 127
 - contactor 195
 - liquid-liquid contactor 54–55
- hollow fiber modules 56, 66, 71–73, 104, 106–111, 194, 196
- household water effluent 186
- Hydro-Elektrik GmbH 312, 331, 332
- hydrogen (H₂) selective membranes
 - Ag-doped alumina 252
 - fabricate membrane 251
 - gas separation performance of 255, 256
 - hydrophilic silica membranes 252
 - metallic membranes 250
 - MOF membranes 253
 - PBO-co-PPI membranes 255
- hydrogen fuel 247–249, 269, 339
- hydrogen sulphide 188
- hydrophilic silica membranes 252
- hydrophobic membranes 27, 30, 37, 54, 60, 127, 158, 240
- hydrophobic microporous membrane 227

i

- inorganic contaminants 200–202
- inorganic fillers 29, 125–126
- Integrated Environmental Control Model (IECM) 289
- Integrated Gasification Combined Cycle (IGCC) plants 262, 263
- integrated membrane systems (IMSs) 186
- integrated separation systems 34–35
- interfacial polymerization 201, 265
- Intergovernmental Panel on Climate Change (IPCC) 247
- International Energy Agency 247, 250
- ion-exchange nanoporous membrane 204
- ionic liquid (IL) 79, 198, 199, 209, 257, 259–261, 294, 340

j

- JU.CLA.S Srl 310, 312, 321, 329, 331

k

- Kelvin technique 52
- KH TEC GmbH 312, 320, 331, 332
- kiwi and pineapple juices 236
- Knudsen diffusion 45, 68, 69, 83, 120, 150, 151, 165, 198
- Kværner ASA 310, 312, 315, 321, 330, 331

l

- Lenntech B.V. 312, 321, 322, 324, 325, 330, 332
- liquid entry pressure (LEP) 46–48, 49–51, 143
- liquid membrane contactors 29
 - bulk liquid membranes (BLM) 31–32
 - emulsion liquid membrane (ELM) 33–34
 - supported or immobilized liquid membrane (SLM) contactors 32–34
- liquid membranes (LMs) 20, 30, 31, 117, 196, 257, 261, 285, 339
- liquid-liquid contactor
 - hollow fiber membrane 54, 55
 - hydrophobic and hydrophilic membranes 53–54
 - resistance in series model 55–56
 - approach 56
 - mass transfer coefficient 59–60
 - phase equilibrium 58–59
 - two film theory 56–58
- liquid-liquid extraction approach 196
- Los Alamos National Laboratory (LANL) 264
- low-carbon energy-intensive resources 247

m

- markets 340
 - advantages 306
 - application
 - carbon capture 321
 - food processing market 315–318
 - gas separation 318–321
 - water and wastewater treatment market 313–315, 317, 318
- Cobetter Filtration Equipment Pvt. Ltd. 310, 329
- EUROWATER 329

- EUROWATER and TNO company 312, 316
 - Euwa H. H. Eumann GmbH (Euwa) 330
 - fluid phase membrane contactor 308
 - future direction 331–332
 - Hydro-Elektrik GmbH 331
 - 3M Company 328
 - in module manufacturer companies 310, 313
 - in water and wastewater treatment 305
 - JU.CLA.S Srl 329
 - KH TEC GmbH 331
 - Kværner ASA 330
 - Lenntech B.V. 330
 - multiple-phase-interface-based membrane contactor 308
 - polymeric materials 321–322
 - PTI Pacific Pty. Ltd. 330
 - Pure Water Group 330
 - regions 325–328
 - Romfil GmbH Technology 331
 - solid-fluid phase membrane contactor 308
 - TNO Company 330
 - value chain of membrane contactor 310
 - Veolia Environnement SA 329
 - water and wastewater treatment, and food and beverage processing industries
 - carbon capture market share 310
 - challenges 311
 - companies 309
 - drivers 311
 - growth estimation 310
 - opportunities 311
 - restraints 311
 - mass transfer coefficient (MTC) 57–60, 62, 65–69, 71, 76, 80, 84, 106, 110, 111, 116, 144, 145, 147–152, 163–165, 198, 283, 340
 - mass transfer inside fibers 77–78
 - mass transfer phenomena 38, 338
 - mass transfer resistance analysis 63–64
 - Matrimid[®] based membranes 254
 - Maxwell model 265
 - 3M Company 310, 321, 322, 324, 325, 328, 331
 - membrane contactors 259
 - advantages and disadvantages of 18–19
 - vs. classical membrane separation processes 17–18
 - concentration 3–37
 - diverse applications of 20, 21
 - feed phase 17
 - fouling 37
 - history and background of 20–21
 - markets 337
 - modes of operation 185
 - module housing 111–116
 - pressure polarization 36
 - receiving phase 17
 - recognized technology 22
 - solid and liquid membrane contactors 28, 29
 - temperature 35–37
 - transport theory 45–92
 - types of 22–26, 30
 - integrated separation systems 34–35
 - liquid membrane contactors 30–31
 - solid porous medium 21, 26–27
 - membrane contactor technology
 - sustainable technology 337
 - wastewater treatment 185
 - membrane distillation (MD) 81, 126–128, 339
 - advantages 158–161
 - AGMD 154–156
 - configurations 144–145
 - disadvantages 160
 - food industry 239
 - apple juice 221–222
 - milk concentration 222–223
 - muscadine grape pomace 224–225
 - operating parameters effect 225–226
 - orange juice 222
 - recovery of phenols, olive mill wastewater 225
 - saline dairy waste water treatment 223–224
 - sucrose solution concentration 225
 - future prospects of 161
 - overall driving force 145–147
 - overall mass transfer coefficient 147
 - principles of 143
 - VMD 157
- membrane extraction contactor 209, 210
 - membrane fabrication processes 128
 - membrane fouling 10–11, 30, 99, 158, 161, 170, 176, 208, 210, 223, 293, 340
 - membrane heat transfer 153–154
 - membrane mass transfer 58, 76, 150–151
 - membrane materials
 - inorganic fillers 125–126

- membrane materials (*contd.*)
 - morphology 116–118
 - operating factors in 121–123
 - polymer materials 118, 120, 125
 - membrane module design
 - characteristics of 100
 - hollow fiber modules 106–111
 - plate-and-frame modules 100–103
 - spiral wound module 103–104
 - tubular modules 104–106
 - membrane modules flow configuration 116
 - membrane pervaporation process 5, 9
 - membrane pores 3, 10, 13, 17, 26–28, 33, 35, 45, 49, 50, 53, 54, 60, 61, 63, 68–69, 74, 78, 81, 83, 127, 143, 150, 157, 162, 166, 167, 198, 231, 235
 - membrane separation processes 1, 2–9, 12–14, 17, 18, 35, 61, 159, 186, 191, 192, 194, 232, 305, 337
 - membrane synthesis
 - methods for 130
 - solvent types 128
 - Membrane Technology and Research (MTR) 264
 - membrane wetting 30, 35, 37, 51, 55, 62, 76, 79–81, 160, 167, 233, 235, 293, 339
 - membrane-based solvent extraction 52, 111
 - metal-organic framework (MOF)
 - membranes 253, 259, 268, 285
 - metallic membranes 250, 251, 254, 262
 - miceller-enhanced ultrafiltration (MEUF)
 - membrane 204–205
 - microfiltration (MF) 2, 17, 105, 158, 191, 206, 220, 224, 329
 - microporous membranes 27, 52, 68, 116, 227, 305
 - milk concentration 222
 - Mixed Matrix Membranes (MMMs) 37, 52, 125, 161, 285
 - mode of operation 68, 116, 143–176, 338
 - model solution algorithm 83–84
 - modes of operation
 - forward osmosis (FO) 167–172
 - membrane distillation (MD)
 - advantages 158–161
 - AGMD 154–156
 - component of 157
 - configurations 144–145
 - disadvantages 160
 - future prospects of 161
 - overall driving force 145–147
 - overall mass transfer coefficient 147
 - principles of 143
 - vapor pressure polarization coefficient 152–154
 - VMD 157
 - osmotic membrane distillation (OMD)
 - disadvantages 166–167
 - membranes 166
 - overall mass transfer 163–165
 - principles of 161–162
 - stripping solutions 165–166
 - PRO 172–175
 - molecular weight cut-off (MWCO) 8–9
 - morpholine 292
 - Morphysorb[®] 292
 - m-phenylenediamine (MPD) 265
 - multiple-phase-interface-based membrane
 - contactor 306
 - municipal wastewater 186, 193
 - muscadine grape pomace concentration 224–225
- n**
- nanofiltration (NF) 3, 117, 159, 191, 206–207, 220
 - natural deep eutectic solvents (NADES) 261
 - NaX zeolite membranes 254
 - niobium-titanium-nickel alloy 251
 - nitrobenzene 189
 - non-dispersive solvent extraction mode 20
- o**
- olive mill wastewater 225
 - OMD-DCMD service 225
 - orange juice 222, 235, 236
 - OMD 235–236
 - organic contaminants 193–200
 - osmotic distillation
 - food industry 239
 - osmotic membrane distillation (OMD)
 - 126–128, 199, 339
 - disadvantages 166–167
 - food industry
 - apple juice 231–232
 - beer and wine dealcoholisation 237–239
 - cranberry and noni juices 235, 237
 - fruit juices 227–229

- grape juice 232–233
 - kiwi and pineapple Juices 236
 - orange juice 235
 - pomegranate juice 233–235
 - tea extracts 236
 - water flux 228, 231
 - membranes 166
 - overall mass transfer 163–165
 - principles of 161–162
 - stripping solutions for 165–166
 - osmotic phenomena 4, 11
 - overall driving force 145–147
 - overall mass transfer
 - osmotic membrane distillation (OMD)
 - mass transfer across feed boundary layer 163
 - mass transfer across membrane 164
 - mass transfer across stripper boundary layer 163–164
 - mass transfer coefficient across membrane 164–165
 - mass transfer coefficient for feed & stripper side 164, 165
 - overall mass transfer coefficient
 - membrane distillation (MD)
 - feed-side mass transfer 148–150
 - membrane mass transfer 150–151
 - strip-side mass transfer 151–152
 - oxy-fuel combustion 248
- p**
- palladium-silver (Pd-Ag) alloy 251
 - partial oxidation pathway 249
 - partition or distribution coefficient 53
 - Peclet number 84
 - permporometry technique 52
 - pervaporation (PV) 5–9, 61, 102, 109, 220, 227
 - petroleum hydrocarbons 188
 - pharmaceutical industries manufacture 187
 - phase equilibria 338
 - phase equilibrium 55, 58–59, 61, 62
 - phenols 187–188, 222, 225, 232, 233, 235
 - plate-and-frame modules 100–103
 - PolyActive™ membranes 288
 - Poiseuille flow 68, 150, 151
 - Polyactive® membrane 292
 - polybenzimidazole (PBI) 207, 254, 255, 257, 264, 266, 267
 - membranes 254
 - polycyclic aromatic hydrocarbons 187, 189, 193
 - polyether imide (PEI) 257, 265
 - polyethylene (PE) 63, 127, 128, 206, 255–257, 282, 324
 - polyethylene oxide (PEO) 255, 257
 - polymer materials 47, 118, 120, 124–125, 322, 323
 - polymer of intrinsic microporosity (PIM) 266, 282, 283
 - polymer-based adsorption membranes 202–204
 - polymeric inclusion membranes (PIM) 33, 266
 - polymeric materials markets 125, 202, 255, 256, 263–266, 321, 324, 339
 - polymeric membrane wetting 37
 - polymeric membranes (PMs) 27–29, 33, 120, 125, 130, 192, 205–207, 254, 255, 257, 265, 285
 - polypropylene (PP) 27, 127, 158, 194, 196, 198, 203, 206, 222, 255, 282, 322
 - polytetrafluoroethylene (PTFE) 27, 33, 50, 51, 127, 128, 158, 223, 224, 228, 232–235, 261, 282, 293, 322, 329
 - polyvinylidene fluoride (PVDF) 30, 50, 51, 127, 128, 158, 166, 171, 198, 221, 228, 231, 233, 234, 235, 259, 261, 265, 282, 324
 - pomegranate juice 233–235
 - post-combustion carbon capture 248, 262, 285, 292, 321
 - post-combustion carbon dioxide (CO₂)
 - capture 281, 339
 - absorbents for
 - amines 292–293
 - ammonia 293–294
 - ionic liquids (ILs) 294–295
 - salt solutions 294
 - commercial membranes 288–289
 - cost of 289–292
 - experimental membrane materials 285–288
 - membrane module 284–285
 - membrane types 282–284
 - potassium pyrophosphate (K₄P₂O₇) 222
 - potassium sorbate 221
 - pre-combustion carbon capture
 - definition of 248

- pre-combustion carbon dioxide capture
 - advantages and limitations of 262–263
 - CO₂ selective membranes 255–261
 - gasification processes 248
 - H₂-selective membranes 250–256
 - IGCC plants 263
 - need for 250
 - partial oxidation pathway 249
 - RD&D projects 263
 - schematic diagram of 249
 - steam methane reforming pathway 249
 - pre-combustion CO₂ capture process 281
 - Preferentially Sorption Capillary Flow (PSCF) 45
 - pressure driven size-based membrane processes 4, 5
 - pressure retarded osmosis (PRO)
 - benefit of 176
 - vs. FO and RO 172
 - illustration of 172
 - membranes for 175–176
 - pressure swing adsorption (PSA) 268
 - pressure-driven membrane processes 206
 - primary amines 292, 293
 - Proteus™ membrane 264
 - PTI Pacific Pty. Ltd. 310, 312, 321, 324, 330, 331
 - Pure Water Group 310, 322, 330
 - p-xylene diamine 254, 266
 - pyrolysis process 186
- r**
- Raoult's law 58, 146, 154
 - reactive diffusion in liquid-side boundary layer 62–63
 - receiving phase 17, 18, 20, 26, 30, 32, 33, 38, 45, 53, 56, 62, 63, 71, 92, 198, 338
 - research, design, and development (RD&D) projects 263
 - resistance-in-series (RIS) model 56, 58, 59, 63, 84–85, 88–92
 - reverse osmosis (RO) 3–4, 17, 34, 61, 99, 102, 117, 159, 186, 192, 207, 220
 - Reynold number 65
 - Romfil GmbH Technology 331
- s**
- saline dairy waste water treatment 223–224
 - salt solutions 4, 192, 294
 - scanning electron microscopy (SEM)
 - technique 52, 283
 - Schmidt number 65, 148, 153
 - secondary amines 292, 294
 - semipermeable phase separators 20, 30
 - Sherwood Number 65, 66, 69, 148, 153, 164
 - silicon carbide ceramic membrane 205
 - sodium carbonate-based process 294
 - solid membrane contactors 29
 - solid porous medium
 - breakthrough pressure 26
 - dispersion-free separation technique 21
 - symmetric porous membranes 27–28
 - solid porous membrane
 - composite membranes 28–30
 - solid-fluid phase membrane contactor 306
 - Solution-Diffusion (SD) model 45
 - solvent extraction 20, 34, 52, 111
 - spiral wound module 103–105, 175
 - steam methane reforming pathway 249
 - sterically hindered amine 292
 - strip-side mass transfer 151–152
 - sulfonated poly ether ether ketone (SPEEK) 204
 - sulfonated polybenzimidazole (SPBI) 257
 - supported liquid membrane (SLM) 30–33, 35, 257, 259–261, 269, 339
 - supported or immobilized liquid membrane (SLM) contactors 32–33
 - sustainable development goals (SDG) 13
 - Sweeping Gas Membrane Distillation (SGMD) 144, 147, 151, 156, 161
 - swollen polymeric membranes (SPM) 33
 - symmetric porous membranes 27–28, 65
- t**
- tea extracts concentration 236
 - textile industry 186
 - thermodynamic balance 46
 - thermoplastic polyurethane (TPU) 259
 - Thin Film Composite (TFC) membrane 175, 176, 207, 208, 221
 - TNO Company 312, 320–322, 324, 325, 330, 332

- total organic carbon (TOC) 4, 196, 224
- traditional membrane separation processes 305, 337
- transmembrane flux (TMF) 10, 36, 99, 144, 228, 339, 340
- transmembrane pressure 143, 227
- transmission electron microscopy 52
- transport theory 338
- axial pressure drop 71
 - CFD 73
 - correlations for mass transfer coefficients
 - flow in shell side 66
 - flow in tube side 66
 - heat transfer coefficients 69–70
 - mass transfer in membrane pores 68–69
 - diffusional mass 45
 - dynamic modeling 71–72
 - gas-liquid systems 60–62
 - heat transfer modeling 45
 - heat transport
 - in cold and hot channels 82
 - governing equation inside membrane 82, 83
 - interfacial transfer area 70–71
 - liquid-liquid contactor 52–60
 - mass transfer in shell side 75–76
 - mass transfer inside fibers 77–78
 - mass transfer resistance analysis 63–64
 - membrane characterization models
 - contact angle 46–48
 - electron microscopy 52
 - LEP 49–51
 - permporometry technique 52
 - membrane pores 78
 - membrane wetting 79–81
 - model solution algorithm 83–84
 - reactive diffusion in liquid-side boundary layer 62–63
 - transfer units and module design length 72–73
 - trimesoylchloride (TMC) 265
 - tris-(2-aminoethyl)amine (TAEA) 266
 - tubular modules 104–106
 - two film theory 56–58
- U**
- ultrafiltration (UF) 2–3, 10–12, 17, 30, 99, 102, 105–106, 109, 130, 158–160, 191–192, 196, 201, 204–206, 220, 222, 224, 235, 329
- V**
- vacuum membrane distillation (VMD) 144, 147, 150–151, 157–158, 160, 225
- vapor pressure polarization coefficient
- DCMD 152–153
 - feed-side and strip-side heat transfer 153, 154
 - membrane heat transfer 153–154
- venomous pollutants 186
- Veolia Environnement SA 312, 315, 317, 321, 329, 331
- W**
- wastewater effluents 186–187, 191, 193, 339
- wastewater treatment 338
- anthropogenic activities 186
 - environmental risks of 189–190
 - inorganic contaminants, removal of 200–202
 - ion-exchange nanoporous membrane 204
 - membrane materials for
 - ceramic membranes 205–206
 - forward osmosis (FO) 207–208
 - fouling 208–209
 - MF and UF 206
 - nanofiltration (NF) 206–207
 - polymeric membranes 205
 - reverse osmosis (RO) 207
 - membrane technology 190–193
 - miceller-enhanced ultrafiltration (MEUF)
 - membrane 204–205
 - organic contaminants, removal of 193–200
 - polymer-based adsorption membranes 202–204
 - toxic substances in
 - ammonia 188
 - carbon dioxide 188
 - heavy metals 188
 - hydrogen sulphide 188

- wastewater treatment (*contd.*)
 - nitrobenzene 189
 - petroleum hydrocarbons 188
 - phenols 187–188
 - polycyclic aromatic hydrocarbons 189
 - wastewater treatment plants (WWTP) 186, 188
 - water and wastewater treatment market 313–315, 317, 318
 - water gas shift (WGS) reactions 248–249, 267
 - water pollution 185–186
- Z**
- zeolitic imidazolate framework (ZIF) membranes 125, 171, 254
 - Zn(BDC)(TED)_{0.5} membranes 253