

## Index

### **a**

active energy efficient design strategies  
251–255

Advanced Metering Infrastructure (AMI)  
358, 367, 368

Advanced Reactor Demonstration  
Program 131

Advanced Smart Metering (AMI) 367,  
368

American Petroleum Institute (API) 400

American Society for Heating,  
Refrigeration and  
Air-Conditioning Engineers  
(ASHARE) 243, 256, 260

Artificial Intelligence (AI) 8, 350–353,  
360

Atomic Simulation Environment (ASE)  
90

atomic-scale models 88

Automated Meter Reading (AMR)  
systems 367

average emission factor 180

### **b**

battery chemistries 180, 197

battery electric vehicles (BEVs) 178, 188  
cost competitiveness of 198  
cost premium of 197–199  
re-charging convenience 178–179  
Well-to-Wheels (WTW) carbon  
emissions 179

battery energy storage systems 212–213

battery supply chains 180

BEV/ICEV cost ratio 197

Big data 8, 352, 353

biochemical conversion, biomass 61

biofuels 17, 24, 60, 61, 84, 159, 181, 188,  
189

biomass  
biochemical conversion 61  
direct combustion 60  
renewable technologies 60–61  
thermochemical conversion 60

bitcoin 382, 383

blockchain engagement stage and  
application fields 382

blockchain network 351

blockchain technology(ies) 382  
between niche innovation and  
socio-technical system 390–392  
consensus-building process 384  
defining 383–384  
energy blockchain case examples  
386–387  
energy innovation 387–388  
in energy systems 385–386  
niche innovation 390–392  
potential development venues 392  
regime barriers 390–391  
transition studies 390

boiling water reactor (BWR) 103–104,  
112, 126

Boundary Dam Project 156, 165

Building Energy Modeling (BEM) 251,  
252, 254, 255, 258

building energy retrofit 255

- building energy retrofit (*contd.*)
  - classifications 256–259
  - Energy Efficiency Measures, number and type of 257–258
  - modelling and design approach 258–259
  - post-retrofit Measurement and Verification 256–257
  - pre-retrofit Measurement and Verification 256–257
- Building Information Modelling (BIM) 258, 259
- buildings, energy and environmental footprint of 247–248, 261
- C**
- Canadian Nuclear Laboratories' (CNL) 136
- Canadian Nuclear Research Initiative (CNRI) 136
- Canadian Nuclear Safety Commission (CNSC) 136, 140
- carbon capture and storage (CCS) 7, 47
  - future emission scenarios 160–167
  - geological storage, potentials for 158
  - objective of 156
  - public awareness and knowledge 170–171
- carbon capture and utilization 158–160, 165, 170, 208
- carbon dioxide (CO<sub>2</sub>) emissions 41
- cell voltage vs. current density
  - for PEMFC 84–85
  - for SOFC 84–85
- cell voltage, defined 82
- centralised and decentralised
  - techno-economic dimensions of an electricity system 303
- centralised energy systems 290, 293, 294, 326, 329, 391
- China
  - achieving carbon neutrality by 2060 17
  - and GHG emissions 18
  - energy market 17
  - energy revolution targets 18–19
  - energy transitions 23
  - 14th five year plan 18
  - GHG emission reduction measures 20–23
    - in renewable installations 19–20
- chlorofluorocarbons (CFCs) 3
- Clean Development Mechanism (CDM) 166
- clean hydrogen 45, 155, 156, 159
- climate change 400
  - energy transition 3–4
- Climate Change Act 23, 24
- CO<sub>2</sub> sequestration 154, 155
- coarse-grained molecular dynamics (CG-MD) 89, 90
- Code of Accounts (CoA) 111, 112
- Coefficient of Performance (CoP) of heat pump 211
- common pool resources (CPR)
  - appropriate regulations 337–338
  - capacity development 336
  - nested, multi-level governance of 333–334
  - policy coherence 335
  - roles and responsibilities 334–335
  - stakeholder participation 338–339
  - transparent and open data 336–337
- compound annual growth rate (CAGR) 269–270, 275, 284
- comprehensive/level 3 energy audit 243
- concentrated solar power (CSP) 55
- concentrating PV (CPV) systems 54
- constraint generation algorithm (CGA) 218, 220
- Contracts for Difference (CfD) 134
- corona-pandemic 13
- COVID-19 pandemic 45
  - energy transition 7
  - renewable energy 52
- crypto currencies 382, 387, 392
- crystalline PV cells 53

**d**

- dam/storage hydropower projects 59
  - data analytics 8, 352, 353
  - decarbonization 41, 42
    - development and trends 47–48
    - electric mobility 44–45
    - energy efficiency 46
    - energy storage 46
    - energy transition 7
    - fossil fuel sector 46–47
    - hydrogen and fuel cells 45–46
    - renewable energy 43
  - decarbonization of fossil fuels 153
    - carbon capture and storage (CCS) 156–157
    - challenges 164–167
    - emission reduction measure 168
    - historical developments 154–155
    - hydrogen economy 155–156
    - public perceptions 169–171
  - decarbonization of transport 181
    - Avoid and Shift strategies 183
    - Improve strategy 183
    - CO<sub>2</sub> emissions from transportation and passenger vehicles 181–182
    - mitigation measures 182
    - pathways for passenger vehicles 183–190
  - decarbonization pathways for passenger vehicles 183–190
  - decarbonization 47–48
  - decentralisation 349
    - costs and benefits of 303–310
    - technological dimensions of 301–303
  - decentralisation of electricity systems 300–301
  - decentralisation of governance 338
    - defined 335
  - decentralised electricity system 328
    - affordability 329–331
    - security 328–329
    - sustainability 331, 332
  - decentralised energy 331–332
  - decentralised generation (DG) 290
    - advantages 293–295
    - classification 290–292
    - cost effectiveness 293
    - developments and trends 295–296
    - disadvantages of 295
    - energy transition 7
    - enhanced energy access 293–294
    - environment friendliness 294
    - peak shaving 294
    - reliability 294
    - security 294
    - supply resilience 294
    - technologies 292–293
  - decentralised governance system 339
    - phase one 339–340
    - phase three 341
    - phase two 340–341
  - deep reinforcement learning method 210
  - Demand Side Management (DSM)
    - programs 359, 367, 369–371, 375
  - DESERTEC Industrial Initiative (Dii) 15
  - detailed/comprehensive energy audit 243
  - digitalization 349
    - energy transition 8
    - prospects and challenges 352–354
  - digitization 385
    - and blockchain technology 385–386
  - direct combustion, biomass 60
  - direct current fast chargers 179
  - discounted cash flow (DCF) calculations 122
  - dissipative particle dynamics (DPD) 89
  - distributed generation (DG) 6–8, 210, 218, 225, 289–296, 349, 357–360, 363, 366
  - distributionally robust optimization (DRO) 217, 219
  - district level DG systems 290
- e**
- economically viable decentralisation, of
    - infrastructure dimensions 317, 318

- Efficient World Scenario (EWS) 248
- electric mobility, decarbonization 44–45
- electric vehicles (EVs) 360, 401, 403
  - and decarbonization pathways for
    - passenger vehicles 183–190, 199
  - environmental attributes 179–180
  - policy in Norway 195–196
  - re-charging convenience 179
  - technology 45, 178
- electrical grids, challenges for 357
- electricity market 15, 140, 295, 300, 303, 308–309, 319–320, 357–358, 360, 385
  - transformation of 381–382
- electricity sector 13, 17, 24, 25, 38, 300, 337, 338
- electrochemistry 77–78
- electro-osmotic drag force 86
- electrolysis 45, 73–77, 96, 127–129
- energy blockchain case examples 386–388
- energy conservation and management (ECM) 46, 241, 247–261
- energy consumption 13, 267, 269
  - compound annual growth rate 269–270
  - decomposition analysis of 272–274
  - energy consumption elasticity 270
  - energy intensity 270–271
  - Italian industry sector 274–282
  - Linear Correlation Index (LCI) 271
  - weather adjusting coefficient 271–272
- energy consumption elasticity (ECE) 269–271
- energy density, of fuels 74, 75, 94, 95, 178, 181, 197
- energy efficiency (EE) 8, 46, 241, 267
  - classification of 243, 244
  - design strategies 250–255
    - active 251
    - Building Energy Modeling (BEM) 251–255
    - passive 251
  - in Italian industrial sector 283
    - potential in buildings 248–250
    - scope of 245
- Energy Efficiency Measures (EEMs) 8, 137, 241, 242, 244, 245, 250, 255, 257, 258, 279, 283, 284
  - number and type of 257–258
- energy governance, defined 21, 22, 325, 326, 328, 329
- energy hub systems 212, 213
- Energy Information Administration (EIA) 4, 62, 120, 241, 243
- Energy Internet (EI) concept 21, 210, 270
- energy resources 1
  - and transformations 1
  - primary and secondary resources 1
- energy sector 5–9, 20, 41–48, 229, 269, 289–296, 301, 338, 341, 349–354, 381–388, 391–393
- Energy Storage (ES) 15, 26, 45, 46, 67–69, 119, 178, 210, 212–213, 215, 216, 292, 295, 357, 360, 362, 363, 366, 367, 371, 385, 402
  - renewable technologies 68
- energy transition(s)
  - 21st century 6–8
  - in China vs. Germany
    - mobility sector 32–33
    - policy instruments and implementation 33–37
    - strategies and boundary conditions 30–32
- climate change 3–4
- four dimensions
  - decarbonization 7
  - decentralized generation 7–8
  - digitalization 8
  - energy demand 8
  - global energy 4
  - resources and conversions 1–3
  - stages 3
- energy transition index (ETI) 16
- energy transition mechanism (ETM) 48
- enhanced oil recovery 154–156, 170

environmental, social and governance  
(ESG) principles 401  
EU Alternative Fuel Infrastructure  
Directive 179  
European Blockchain Observatory and  
Forum 387  
European Union Emissions Trading  
Scheme (EU ETS) 30, 166  
extreme weather conditions 4

## **f**

Federal Climate Change Act 23  
Federal Nuclear Science and Technology  
Work Plan 136  
firm-load DG system 292  
flexibility options, grid level of 319  
costs and benefits 306–307  
floating photovoltaic (FPV) systems 67  
fossil fuel sectors 46–47, 153–172  
fossil fuels 41, 73, 399, 401  
decarbonization of 154–157  
raw material resources of 74  
fuel cell(s) 45–46, 73–97  
in aerospace applications 94–95  
in aircraft applications 95  
for backup power system 91  
in maritime applications 93–94  
modeling approaches 87–89  
softwares 89–90  
portable power 90–91  
stationary power 92–93  
system requirements 78  
for transportation 91–92  
transport process and operation 85–87  
charge and water transport 86  
electrochemical kinetics 85  
heat and mass transfer 85  
heat generation 87  
types of 79–83  
unit cell of 79, 81  
Fuel Cell Electric Vehicles (FCEVs) 178  
advantages 181  
internal structure 91, 92  
fuel cell-powered air vehicles 78

## **g**

gas interchangeability 218, 219  
gas quality issues 217–219  
Generic Design Assessment (GDA) 134  
geothermal energy, renewable  
technologies 61–62  
German electricity system,  
decentralisation effects of 310  
grid expansion 314–316  
key findings 316–317  
system cost 310–314  
Germany  
GHG emission reduction  
climate action and 23–24  
in building sector 27  
system requirements 24–27  
new emission trading scheme 29–30  
primary energy consumption shares  
24  
private charging infrastructure 29  
in transport sector 28  
wind turbines 16  
GHG emission reduction, in Germany  
building sector 27  
climate action and 23–24  
system requirements 24–27  
Gibbs' energy 78, 82  
global electricity generation 7, 52, 207,  
208  
global energy  
landscape 69  
share of fuels 41  
transition 4–6  
global greenhouse gas (GHG) emissions  
7, 13, 15–17, 20–27, 29–32, 37, 38,  
41, 44, 45, 47, 137, 179–181, 247,  
248, 359  
global primary energy consumption 13,  
14  
global warming potential (GWP) 3  
greenhouse effect 54, 400  
greenhouse gas (GHG) emissions 7, 41,  
247, 359

greenhouse gases 3, 4, 41, 51, 93, 97, 178

GROMACS (Groningen Machine for Chemical Simulation) 90

## **h**

high-temperature steam electrolysis (HTSE) 129

hydro fluorocarbons (HFCs) 3, 18, 32

hydrogen 45, 73, 74

advantages of 76

concerns 76

disadvantages of 76–77

production of 74–75

storage of 75–76

transportation of 76

hydrogen economy 45, 73, 74, 97, 155–156, 164–166, 169, 170

hydropower

energy 44

renewable technologies 58

## **i**

illustrative fleet turnover model 190–191

Index Decomposition Analysis (IDA)

163, 164, 268, 269, 272–274

Indoor Environmental Quality (IEQ) of

buildings 251, 255, 260

initial/preliminary energy audit 243

Integrated Assessment Models 182, 337

Integrated Design Process (IDP) 258

integrated energy systems (IES)

conversion technology

battery energy storage systems

212–213

combined heat and power 211

energy hub systems 213

gas storage 212

heat pump and gas furnace 211

power to gas technology 211–212

modelling of 214–215

optimisation techniques 215–217

distributionally robust optimization 217

robust optimisation 215–216

stochastic optimisation 215

supply quality issues 217–219

gas quality issues 218–219

voltage issues 217–218

volt-pressure optimization

day-ahead constraints 220–222

economic performance 227–228

gas quality management 228–229

objective function of two-stage VPO 222–223

real-time constraints 222

research gap 219–220

Intergovernmental Panel on Climate

Change (IPCC) 5, 41, 42, 48, 137, 160, 181–183, 207, 247

intermediate temperature solid oxide fuel cell (ITSOFC) 83

intermittent-load DG system 292

Internal Combustion Engine Vehicles

(ICEVs) 178, 179, 181, 183, 188, 189, 197, 198

Internal Rate of Return (IRR) 118

International Energy Agency (IEA) 7,

17, 64, 160, 180, 245, 248, 250, 350, 359

International Green Construction Code

(IgCC) 260

International Performance Measurement

and Verification Protocol (IPMVP) 256, 257

Internet of Things (IoT) 8, 351, 352, 399, 402

investment-grade audit 243

Italian industry sector 274

## **l**

LAMMPS (large scale atomic/molecular massively parallel simulator) 90

lanthanum-strontium-cobaltite (LSC) 96

Lattice Boltzmann method (LBM) 87,

88, 90

levelised cost of electricity (LCOE)

analysis 65, 69, 104, 105, 116, 118–120, 131, 304

- Linear Correlation Index (LCI) 269, 271, 284
- linearized DistFlow equation 220
- load-following, defined 123–125
- Logarithmic Mean Divisia Index (LMDI) 268, 269, 273, 274, 276, 277, 279, 281, 283, 284
- low-temperature alkaline water electrolysis 129
- m**
- Machine Learning (ML) 8, 350–352, 357, 360, 362
- marginal emissions factor 180
- marine energy 62
- market growth, renewable technologies 63–64
- Modern Western energy systems 327
- multi-level governance system 341
- multi-time scale SO-based VVO 217–219, 223, 225
- n**
- Nationally Determined Contribution (NDC) 18, 32, 48
- negawatt 8, 241
- nested governance 333
- Net Present Value (NPV) 105, 118, 122
- Net Zero Emissions 5, 7, 47, 48, 153, 163, 207
- new energy vehicles (NEVs) 22
- New Policies Scenario 163
- NIST smart grid conceptual reference model 362, 364
- nodal price system 309
- non-renewable based DG technologies 292
- non-ZEVs ban 192
- Norway's electric vehicle policy 195
- Nuclear Cooperation Agreement (NCAs) 135
- nuclear power, historic cost of 104–108
- Nuclear Regulatory Commission (NRC) 132
- NuScale's method 110
- o**
- off-grid DG systems 8, 290
- Office for Nuclear Regulation (ONR) 134, 140
- off-lattice pseudo-particle models 88, 89
- off-shore CCS storage 165
- operational flexibility 59, 124, 351
- optimisation level 301, 303, 307–310, 319, 320
- Overnight Capital Cost (OCC) 106  
of Global Nuclear Reactor 108
- oxidation-reduction reactions 77
- oxy-fuel combustion capture 157
- p**
- 2015 Paris Accord 400
- Paris Agreement 5, 8, 16, 23, 32, 48, 137, 153, 163, 164, 166, 171, 181, 182, 207, 247
- partial factor energy efficiency (PFEE) 267
- partial oxy-combustion capture process 158
- passenger vehicles, vehicles of 177
- passive energy efficient design strategies 250, 251
- Peer-to-Peer Electronic Cash 383
- photovoltaic (PV) cells 5, 41, 43, 52, 207, 251, 290, 299, 326, 381  
crystalline PV cells 53  
solar PV 52
- plug-in-hybrid electric vehicles (PHEV) 28, 29, 178, 188
- policy coherence 334, 335
- polymer electrolyte fuel cells (PEFC) 81, 83, 94
- polymer membrane fuel cells (PEMFC) 78, 79, 81–86, 91, 93–96
- portable fuel cells 90, 91
- post-combustion carbon capture 156, 157
- post-retrofit Measurement and Verification 256–257
- power density, renewable technologies 67

- power plants grid level 317
    - costs and benefits 304
  - power plants regional distribution 317–319
    - costs and benefits 305–306
  - pre-combustion carbon capture 156, 157
  - pre-retrofit Measurement and Verification 256–257
  - pressurised water reactor (PWR) 103, 104, 109, 116, 120, 126
  - private blockchain systems 388
  - proton exchange membrane fuel cell (PEMFC) 45, 81, 83
    - infrastructure availability 95
    - low temperature operation 96
    - output voltage of 82–83
    - vs. SOFC 85
  - public blockchain systems 388
  - pumped storage projects 59
- r**
- Real Options Analysis (ROA) 122
  - redox reactions 75, 77
  - renewable energy 5, 7, 51
    - hydropower 44
    - solar energy 43–44
    - wind power 44
  - Renewable Energy Act 25, 33, 37, 38
  - Renewable Energy Act (EEG) in Germany 33, 37, 38
  - renewable energy resources 1, 43, 75, 359, 360, 363, 366, 370, 371, 375
    - and green technologies, integration of 370
  - renewable energy share 13, 14
  - renewable energy sources (RES) 13, 51, 76, 97, 123, 163, 209, 299, 309, 313
    - electronics-based 210
  - renewable technologies
    - biomass 60–61
    - economics 65
    - energy storage 67–68
    - geothermal energy 61–62
    - hydropower 58–59
    - market growth 63–64
    - power density 67
    - solar energy 52–54
    - technological advancements 65–67
    - wind power 57–58
  - renewables based DG systems 292, 295
  - robotics and automated technologies 351
  - robust optimisation 215–217
  - run-of-river hydropower projects 59
- S**
- Saudi Building Code (SBC) 1001 255, 260
  - scenario-based SO method 215
  - scrappage policy 192–194
  - seawater desalination 130–131, 137
  - sector-specific knowledge 391
  - semi-empirical fuel cell models 88
  - small modular reactors (SMRs) 104, 112
    - capital cost 110–111
    - co-siting economies 114–115
    - Code of Accounts (CoA) 111–112
    - construction time 113–114
    - economic competitiveness 113–123
    - hydrogen production 127–129
    - industrial heat 125–126
    - vs. large reactors 109
    - learning rates 115–118
    - levelised cost of electricity 118–120
    - load-following 123–125
    - overnight capital cost 120–123
    - seawater desalination 130–131
    - size 113
  - smart grid (SG) 357
    - business opportunities and economic development 360
    - composition and architecture 362–365
    - description 361
    - goals and requirements 361–362
    - modernization 358–360
    - smart metering role in 369–370
    - technologies 365
      - AMI 367
      - customer-side systems 367
      - distribution grid management 367



- EV charging infrastructure 367
  - ICT integration 366
  - RE and DG integration 366
  - transmission enhancement
    - applications 366–367
    - wide-area monitoring and control 365, 366
  - vs. traditional grid 362
  - smart metering 367–369
    - block diagram 369
    - role in smart grid 369–370
  - solar cells 37, 43, 52, 54, 65, 94, 351
  - solar cooking 57
  - solar cooling 57
  - solar crop drying 56
  - solar distillation 57
  - solar energy
    - photovoltaic (PV) cells 43–44
    - renewable technologies 52–54
    - solar PV 52–53
    - solar thermal energy 54–57
  - solar photovoltaic (PV) 5, 41, 43–44, 52, 196, 326
  - solar pond 56
  - solar space heating 56
  - solar thermal energy 54–55, 57, 126, 292
  - solar thermal power generation 55
  - solar water heating 56, 292
  - solid oxide fuel cells (SOFC) 45, 78, 83, 95
    - commercialization of 96
    - operating temperature of 96
    - vs. PEMFC 85
  - specific energy, of fuels 74
  - standard hydrogen electrode (SHE) 82
  - stationary fuel cells 92
  - steam reforming 75, 127–128, 154, 155
  - stochastic optimisation 215
  - sulphur-iodine thermochemical cycle 129
  - sustainable building standards and certification systems 260–261
  - Sustainable Development (SD) Index 268
  - Sustainable Development Goal 7 (SDG 7) 51
  - Sustainable Development Goals (SDGs) 247
  - Sustainable Development Scenario 163, 167, 180, 183
  - sustainable energy transition 6, 8, 22–23, 51, 69, 241–245, 349–350, 352
  - synthetic fuels 26, 46, 155–156, 158–159, 163
- t**
- technological dimensions of
    - decentralisation
    - flexibility options, grid level of 302–303
    - optimisation level 303
    - power plants grid level 302
    - power plants regional distribution 302
  - thermocatalytic cracking 75
  - thermochemical conversion, biomass 60
  - thermochemical water splitting 75
  - thermodynamics 77–78
  - thermolysis 75
  - thin-film PV 43, 53
  - three-phase contact 81
  - total factor energy efficiency (TFEE) 267
  - triple phase area 81
- u**
- UK Guarantees Schemes 134
  - uncertainty sets, of robust optimisation 215–216
  - United Nation Environment Program (UNEP) 243, 248
  - United Nations Framework Convention on Climate Change (UNFCCC) 5
  - urban level DG systems 290
  - US National Aeronautics and Space Administration (NASA) 4
- v**
- vehicle fleet turnover dynamics 190
    - decarbonization targets, implications for 191–194
    - illustrative 190–191

- vehicle sales policies vs. ZEV fleet share  
193, 194
- Visual Molecular Dynamics (VMD)  
software 90
- volt-pressure optimization (VPO)
  - day-ahead constraints 220–222
  - economic performance 227
  - gas quality management 228–229
  - objective function of two-stage VPO  
222–223
  - real-time constraints 222
- Volt-VAR optimization (VVO) studies  
217, 223–227
- voltage issues 217–218, 230
  
- W**
- walkthrough audit 243
- weather adjusting coefficient (WAC)  
269, 271–272
- Weighted Average Capital Cost (WACC)  
118
  
- Western Nuclear Industry trends
  - Canada 135–137
  - United Kingdom 132–135
  - United States 131–132
- Weymouth gas flow equation 220
- wind energy 31, 44, 52, 74, 215, 311–312,  
316
- wind power
  - renewable energy 44
  - renewable technologies 57–58
- window-wall (W-W) ratio 254
- Wobbe index (WI) 218, 219, 228
- worldwide battery recycling capacity  
180
- worldwide government regulations 359
  
- Z**
- Zero Emission Vehicles (ZEVs) 28–29,  
183–184, 188–194, 196, 199