

Index

a

- α,β -unsaturated γ -lactams 227
 - via a one-pot Ugi 4-MCR 226
- Achmatowicz rearrangement, of furfuryl alcohols 360, 361
- 3-acyl/alkylspiro[4.5]trienones 47
- Agroclybe aegerita* (AaeUPO) 166
- AIST's Spectral Database for Organic Compounds 457
- α -Lactams (aziridinones) 219
- aldohexoses spectra 483
- 2-alkylamino substituted heterocycles 324
- alkylidene-furan-3-(2*H*)-ones
 - multicomponent synthesis 136–137
- 3-allylbenzofurans 137
- α,β -epoxydiazomethyl ketones 462
- alpidem 379
- Amberlist 15-catalyzed synthesis, of functionalized pyrrole 323–325
- a 3-MC 1,3-dipolar cycloaddition reaction 229
- 3-amido-2*H*-pyran-2-one derivatives 485
- 2-aminocyclopropane-1,1-dicarboxylates 31
- 4-aminoethylpyridines, intramolecular spirocyclization of 48
- 5-amino-2*H*-tetrazole, UV-induced photochemistry of 420
- 2-amino-4-(2-oxo-2*H*-chromen-4-yl)-6-arylpyridine-3-carbonitrile derivatives 238
- (-)-amphidinolide E synthesis 62, 63
- amphiphilic porphyrin-cardanol derivatives 288
- anacardic acid 277
- anthocyanidin 502
- α -Pyrone photochemical reaction pathways 402
- aromatic heterocycles 178–181
- aromatic pyrazolones, mechanochemical *in situ* generation of 349
- artemisin synthesis 387, 389
- 3-arylquinazolin-4-one, one-pot microwave-promoted synthesis of 322
- 4-arylselanyl-substituted pyrazole synthesis 304
- asymmetric borylative intramolecular cyclization 118
- asymmetric [3+2] cycloaddition, of 2-nitrobenzofurans 33
- asymmetric dearomative [3+2] cyclization of indoles 31
- asymmetric photochemical reactions, in crystals 9–11
- asymmetric synthesis, of (-)forveoglin A 4, 5
- atroposelective synthesis, of fused pyridine derivatives 96, 97

- auxin mimic-based herbicide synthesis
 377, 378
 aza- β -lactams 222
 aza-Heck cyclization 135
 aza-o-xylylenes, photoinduced
 intramolecular cycloaddition of
 41
 aziridines 216
 2-(trimethylsilyl)aryl triflate derivatives
 218
- b**
- Bacillus megaterium* 177
 Baeyer-Villiger monooxygenases
 (BVMOs) 184
 Baldwin rearrangement 218
 ball milling synthesis, of benzimidazoles
 346, 347
 β -anomers 484
 Bayer-Villiger monooxygenase (BVMO) 7
 β -D-arabinopyranose 483
 β -D-fructopyranose 484
 β -D-glucopyranose 483
 benzazirine
 electrocyclic ring-expansion of
 434
 tunneling ring-open vs. ring-expansion
 of 441
 benzene-fused pyrrole derivatives 344
 benzimidazole 306, 320
 benzimidazole-fused 1,4-diazepine-5-ones
 249
 1,2-benzisoxazoles, photochemistry of
 436
 benzoazoles, asymmetric [3+2]
 cycloaddition of 32
 1,4-benzodiazepine-3,5-diones 250
 benzo[*d*]imidazo[2,1-*b*]
 [1,3,4]thiadiazoles 233
 benzo-1,4-dioxane 491
 1,5-benzodizepines 106
 benzofurans 471
 preparation 356
 benzofuro[2,3-*b*]indoline derivatives 31
 benzofuroindolines synthesis 31
 benzo-fused tetrahydroindolizine
 derivatives 32
 benzo[*h*]pyrazolo[3,4-*b*]quinoline-
 5,6(10*H*)-diones, *L*-proline
 catalyzed four-component
 synthesis of 108
 benzopyran 494
 benzothiazole synthesis 319
 benzothiazole-2-thiol synthesis 307
 benzoxanthenes, organocatalytic
 synthesis of 103
 benzoxazines 281–283
 benzoxazole synthesis 319
 2-benzoyl-2-halo-2*H*-azirine-3-
 carboxylates 406
 thermolysis of 405
 2-benzyl 2-methoxy, and 2-(chloromethyl)
 475
 1-benzyl-2-methyl-5-phenyl-1*H*-
 pyrrole-3-carboxylic acid
 synthesis 375
 3-benzyl-1,2,4-trioxolane 476
 Betti reaction 312
 bicatalytic enantioselective synthesis, of
 1,4-DHPs 96
 bicyclic-fused ketone
 cis-bicyclo[3.2.0]hept-2-en-6-one
 185
 Biginelli reaction 101, 102
 bio-based
 epoxy foams 280
 feedstock 277
 γ -valerolactone preparation 318
 media, for organic synthesis 302
 2-methyltetrahydrofuran preparation
 323
 solvents 301
 bis(benzoxaboroles) 358
 2,2'-bis-1,3-dioxolane 475
 bis- γ -lactams, Ugi 4-MCR 227
 1,1-bis(methylthio)-2-nitroethylene 232
 bisphenol A (BPA) 279
 β -lactams (azetidiones) 222
 β -lactam synthesis
 intermediate, flow preparation of 374

- by irradiation of crystalline chiral ammonium salts 11
 - using absolute asymmetric synthesis with homochiral crystals 10
 - β -L-lyxopyranose 483
 - Boc-protected hydrazine, glyoxylic acid 222
 - borasiloxanes 363
 - BOROX catalyst 216
 - Buchwald-Hartwig coupling, in eucalyptol 329
- C**
- Caldariomyces fumago* (CfuCPO) 166
 - Candida antarctica* lipase type B (CAL-B) 187
 - caprolactam 249
 - carbapenam synthetase (CarA) 169
 - carboxyl functional cardanol (CFC) 280
 - carboxymethyl synthases (CMPSs) 171
 - cardanol 277
 - cardanol-based amphiphilic heterocycles 284–285
 - cardanol-based 1,3-dioxolan-4-one (DOX) 284
 - cardanol-based epoxides 280
 - cardanol-based lactones 284
 - cardanol-derived porphyrins (Pps)
 - corrosion protection 289
 - Fe₃O₄ and phthalocyanines 292–293
 - Langmuir-Blodgett films 288–289
 - OLEDs devices 289–290
 - photodynamic therapy 290
 - photo-ignition process 291
 - sensitizer 290–291
 - superparamagnetic fluorescent nanosystems 289–290
 - syntheses of 286–288
 - vesicular nanosystems 292
 - cardanol-fulleropyrrolidine hybrids 286
 - cascade oxa-Michael-Henry reaction, of salicylaldehyde derivatives 360
 - Cashew Nut Shell Liquid (CNSL)
 - anacardic acid 277
 - Fe₃O₄ and phthalocyanines 292–293
 - 2-methylcardol 277
 - natural 277
 - technical 278
 - three-, five-, six- and seven-membered ring heterocycles
 - benzoxazines 281–283
 - fulleropyrrolidines 285–286
 - oxiranes (epoxides) 278–281
 - triazoles and pyrimidine hybrids 286
 - catch-react-release methodology 385
 - cathepsin L 218
 - chiral
 - BINOL-derived phosphoric acid catalysts 93
 - cyclic isothiourea catalyzed 2-substituted 1,5-benzothiazepines synthesis 107
 - fluorinated oxindoles 132, 133
 - γ -amino acid derivatives, flow sequential synthesis of 379
 - intramolecular borylative cyclization 119
 - N-heterocyclic carbene catalyzed synthesis 97
 - oxindoles synthesis 119, 120
 - phosphoric acid catalyzed enantioselective dihydropyridine synthesis 94
 - phosphoric acid catalyzed Povarov reaction 99
 - 2-pyridones 98
 - pyrrolidines 135
 - spiro pyrazolone-tetrahydroquinolines 108
 - tetrahydrofuran synthesis 138
 - tetrahydroindoles 134
 - thiourea-catalyzed Hantzsch reaction 96
 - thiourea-Bronsted acid catalyzed Povarov reactions 100
 - thiourea-promoted Povarov reaction 100

- chitosan-catalyzed Guareschi-Thorpe pyridine synthesis 92
- 3-chlorocoumarin 496
- 5-chloro-2*H*-pyran-2-one 485
- (2*R*,4*S*)-2-(4-chlorophenyl)-4-hydroxy 479
- (2*S*,4*S*)-2-(4-chlorophenyl)-4-hydroxy 479
- chromene 494–505
- chromenium 494
- chromones 499
- cis*-disubstituted chiral indolines 118
- cis*-3-methoxy-5-methyl-1,2,4-trioxolane 476
- cocamidopropyl betaine (CAPB) 234
- continuous flow systems 372
- copper catalyzed heterocycle synthesis 118
- 5- and 6-membered *N*- and *N,N*-heterocycles 120–126
- 5- and 6-membered *N,O*-heterocycles 126–127
- fused heterocyclic compounds 118–120
- intramolecular borylative cyclization, of vinylarenes 118
- synthetic procedures, for nitrogen-based fused heterocycles 121
- corrosion protection 289
- COSY (COrelated Spectroscopy) 454
- coumarins 496
- CR of *Candida parapsilosis* (CP-CR) 188
- crown ether synthesis 71
- crystalline inclusion complexes 12–13
- Cu/Al₂O₃-catalyzed mechanosynthesis of triazoles 350
- CuCl-mediated spirocyclization, of *N*-benzyl trichloroacetamides 49
- CuI/Zn(OAc)₂-catalyzed mechanosynthesis, of chromeno[3,4-*b*]pyridines 351
- cutaneous leishmaniasis (CL) 290
- 2-cyanophenol, conformational isomerization tunneling 437
- cyclic tetrapeptides, templated synthesis of 71
- [4+2] cycloaddition 36
- of aza-*o*-quinone methides 40
- of 3-nitroindoles, with ethynyl benzoxazinones 38
- [3+2] cycloaddition, of *N*-alkyl azomethine ylides to nitroarenes 35
- cyclodextrins
- inclusion complexes 13
- mechanochemical epoxidation of 356
- 1,4-cyclohexadiene fused sultams 44
- cyclohexanone monooxygenase (CHMO) 185
- 2-cyclohexyloxetan-3-one 222
- cyclopenta[*b*]benzofurans 90, 91
- Cyrene 327
- cytosine 418
- imino–oxo isomers identification of 418
- photoreactivity of 415
- tautomer phototransformation of 417
- d**
- dearomative annulation
- of lactones to indoles and benzofurans 43
- of pyridazine ring to indoles 39
- dearomative arylation/annulation, of pyrrolidine ring to 4-substituted 1-naphthol 44
- dearomative [3+2] cycloaddition reactions
- of 2-nitrobenzofurans 33
- of 1,2-diaza-1,3-dienes 39
- dearomative cycloadditions of 1,2-diaza-1,3-dienes 39
- dearomative spirocyclizations 45–51
- dearomatization 27
- Debus-Radziszewski synthesis of imidazole 314
- dehaloperoxidases (DHP) 176
- deuterated trifluoroacetic acid 488
- diaryl-2*H*-azirines preparation 373

- diarylprolinol silyl ether organocatalyst 218
- diarylprolinol TMS ether-catalyzed enantioselective dihydropyridine synthesis 95
- 1,5-diarylpyrroles, organocatalytic atroposelective synthesis of 88
- 1,2-diaza-1,3-dienes, formal dearomative cycloadditions of 39
- diazapines, divergent synthesis of 104
- diazepam 390
- 1,4-diazepin-5-ones via Ugi 3- or 4-MCR 250
- dibenzo[*af*]quinolizines, organocatalytic enantioselective synthesis of 100–101
- dibenzofuran 471
- dibenzoxanthene synthesis 310
- 2,3-dichloro derivative 491
- (2*S*,3*S*)-2,3-dichlorooxolane 466
- Diels-Alder reactions 36, 37
- diethyl acetylene dicarboxylate 224
- difluorinated pyrazolones 348
- 1,6-difunctionalized pyridines 124
- diglycidyl ether of bisphenol-A (DGEBA) 279
- dihydroazepinone, photocyclization of 13
- dihydrobenzofurans synthesis 135, 136
- dihydrofurans, manganese (III)-promoted synthesis of 356
- 1,4-dihydro-5-hydroxy-2-methyl-*N*,4-diphenylquinoline-3-carboxamide derivatives 241
- 3,5-dihydroisochromene[3,4-*c*]pyrazoles one-pot synthesis 140
- 1,2-dihydrooxazines synthesis 141
- dihydropyridazine-3-carboxylic acid derivatives 386
- dihydropyridines, organocatalytic synthesis 91
- dihydropyrimidinone (DHPM) 244
- dihydropyrimidinone synthesis 317
- 2,3-dihydropyrroles 342–344
- dihydroxyacetone phosphate (DHAP) 194
- diisononyl phthalate (DINP) 281
- dimethyl 4-(chloromethyl)-4-phenyl-2*H*oxete-2,3 dicarboxylate 464
- 2,3-dimethylfuran synthesis 304
- 3,5-dimethylisoxazole, photochemistry of 424
- 4,6-dinitrobenzofuroxan 37
- 1,4-dioxane 491
- dioxanes 489
- 1,3-dioxanes 490
- 1,6-dioxaspiro[4.4]non-3-enes 48
- 1,2-dioxetanedione 464
- 1,3-dioxetanes 464
- dioxirane 454
- 1,3-dioxolane 474
- 1,2-dioxolanes 473
- 2,3-diphenylquinoxaline synthesis 312
- di(2-ethylhexyl)phthalate (DEHP) 281
- 1,3-dipolar cycloaddition 28, 228, 230, 357
- 1,4-disubstituted benzenes, dearomative domino double spirocyclization of 50, 51
- 3,3-disubstituted oxetanes 222
- 2D-NOESY experiments 221
- dodecylbenzene-sulfonate sodium (SDBS) 285
- dodecylbenzenesulphonic acid 235
- double [3+2] cycloaddition of *N*-alkyl azomethine ylides
- to nitroarenes 35
- to nitropyridines 34
- dynamically mixed tubular (DMT) reactors 386
- e**
- ϵ -Lactams 252
- electrochemical annulation, of saturated *O*- and *S*-heterocycles 44
- enamine organocatalysis 86
- enantiopure compounds 2
- enantioselective synthesis
- dihydropyridine synthesis 95

- enantioselective synthesis (*contd.*)
 Hantzsch dihydropyridine synthesis
 93, 94
 of piperidines 98, 99
 of spirocyclic indolizidine compound
 2
 of spiro pyrazolone-
 tetrahydroquinolines 110
 of 2-substituted 1,5-benzothiazepines
 107
 5-*endo-dig*-carbocyclization 226
 enzyme catalyzed enantioselective
 Baeyer-Villiger reaction, for
 lactone synthesis 8, 9
 epichlorohydrin 373
 epixipeptidomimetics 218
 epoxy- α -acyloxycarboxamides 218
 7-ethyltryptophol 377
 Eucalyptol 328
 excited state intramolecular proton
 transfer (ESIPT) 5
- f**
- FAD-dependent monooxygenases
 162–164
 Fe(II)-2-phenylazo-(1,10-phenanthroline)
 complex 243
 Fischer indole synthesis 376, 377
 flavan-3-ol 501
 flavanones 500
 flavin adenine dinucleotide (E-FADred)
 unit 7
 flavone (2-phenylchromone) 501
 flavonols 502
 flow chemistry 371
 cyclic peptoids synthesis 381
 flow multi-step synthesis 379, of GABA_A
 agonists with imidazopyridine
 scaffold.
 flow sequential synthesis, of chiral
 γ -amino acid derivatives 379
 flow synthesis
 of 2-aminopyrimidine derivatives 385,
 386
 of benzoxazinone herbicide 389
 of diazepam 390
 of dihydropyridinone derivative 384,
 385
 of olanzapine 390
 of pyranonaphthoquinone derivatives
 387, 388
 of quinoxaline derivatives 385, 386
 of thioquinazolinone derivatives 387,
 388
 3-fluoroalkyl indolines synthesis 119
 (-)-flustramine B, enantioselective
 organocatalytic synthesis of 88,
 89
 flustramine precursor formation 89
 formal [4+2] cycloaddition of
 3-nitroindoles 38, 39
 fossil-based products 277
 Friedel-Crafts adducts 227
 Friedländer quinoline synthesis 316
 fulleropyrrolidines 285–286
 functionalized benzimidazole, in
 2-MeTHF 325
 functionalized chromene synthesis
 317
 functionalized tetrahydrofurans,
 organocatalytic synthesis of 90
 functional superparamagnetic fluorescent
 nanosystems 289
 furan-2(5H)-imines 231
 fused-aziridines 373
 fused pyran derivatives, organocatalytic
 synthesis of 102
- g**
- galactose oxidases (GOase) 174
 γ -valerolactone (GVL) 317–318
 benzothiazole synthesis in 319
 benzoxazole synthesis in 319
 five-membered heterocycles synthesis
 in 318–320
 physical properties 318
 ring-closure formylation of
 o-phenylenediamine in 319
 six-membered heterocycles in
 320–322

- Glaser–Hay coupling macrocyclisation 65, 66
- glucopyranoses 484
- glucose dehydrogenase replacement 8
- glucose-triazole-hydrogenated cardanol conjugate 285
- glycerol
- benzimidazole synthesis in 306
 - benzothiazole-2-thiol synthesis in 307
 - dibenzoxanthene synthesis in 310
 - 2,3-diphenylquinoxaline synthesis in 312
 - five-membered heterocycles synthesis in 303
 - hexahydroquinoline-5-one synthesis in 309
 - octahydroacridines synthesis in 309
 - 2-phenylbenzimidazole synthesis in 306
 - 2-phenylbenzothiazole synthesis in 307
 - 2-phenylbenzoxazole synthesis in 307
 - 2-phenyl-2*H*-chromene synthesis in 309
 - 2-phenyl-3-methylquinoxaline reaction with 303
 - physical properties 303
 - seven-membered heterocycles synthesis in 312
 - six-membered heterocycles synthesis in 308
 - tetrahydropyrano[2,3-*c*]pyrazole synthesis in 305
- glycidol synthesis 373
- glycidoxypropyltrimethoxysilane (GPTMS) 283
- GVL. *see* γ -valerolactone (GVL)
- h**
- halohydrin dehalogenases (HHDH) 160, 161–162
- Hantzsch pyrrole synthesis 341, 342, 375
- Hantzsch reaction 308
- 2*H*-azirines 405
- 2*H*-benzoxetes 464
- 2*H*-chromenes 359
- heavy-atom tunneling cyclization, of triplet nitrene 442, 443
- heavy-atom tunneling ring-expansion, of benzazirine derivatives 439, 440
- Heck–Sonogashira strategy, for indolines synthesis 131
- heme-dependent monooxygenases 164–166
- Herbaspirillum huttiense* (HhMO) 162
- heterocycles annulation
- [3+2] cycloaddition 28–36
 - [4+2] cycloaddition 36–41
- heterocyclic compounds
- chromene and xanthene 494–505
- heterocyclic macrocycle synthesis
- high dilution/slow addition methods 61–65
 - phase separation 65–66
 - ring expansion methods 71–75
 - solid supported methods 65
- heterocyclizations
- in glycerol 302–313
 - in γ -valerolactone 317–322
 - in lactic acid 313–317
 - in 2-methyltetrahydrofuran 322–327
 - in miscellaneous unconventional bio-based media 327–330
- hexahydroquinoline-5-one synthesis 309
- high-axial-ratio nanostructures (HARNs) 285
- high dilution ring closing metathesis 63, 64
- 3-(1*H*-imidazol-2-yl)-2-(1*H*-indole-3-carbonyl)acrylonitrile 230
- 2*H*-3-phenyloxete 463
- 4*H*-pyran-fused derivatives 311
- 2*H*-pyran-2-one 485
- 4*H*-pyran-4-one 487
- Huisgen 1,3-dipolar cycloaddition reaction 65, 350
- hydrochloric acid-catalyzed Biginelli reaction, solvent effects on 329, 330

- hydrogen-transfer palladium-catalyzed synthesis, of 2-methylimidazole 320
- 3-hydroxy-1*H*-pyrrol-2(5*H*)-one 315
- 2-(hydroxymethyl)oxane 477
- 4-hydroxyoxane 479
- i**
- I₂-mediated oxidative annulation, of *ortho*-enynes substituted anilines 352
- imidazo[1,2-*a*]pyridines 349
- imidazole-core diamine (IDA) 283
- imidazole synthesis, via Debus-Radziszewski reaction 315
- imidazolidine-2,4-diones (hydantoins) 232
- imidazolidines 232
- imidazopyridines 378
- iminium organocatalysis 86
- imino-ketene 438, 439
- 2-imino-4-(trifluoromethyl)thiazolidin-4-ol derivatives 234
- indole-3-carboxamide, intramolecular radical cyclization of 42
- indoles
- asymmetric dearomative [3+2] cyclization of 31
 - in Cyrene vs. DMF 327
 - heterocyclic core construction 345
 - intramolecular dearomative cyclization of 43
- indolines synthesis, catalytic cycle for 132
- indolyl radical, electronic structure of 415
- intermolecular [3+2] cycloadditions, chiral tetrahydrofurans synthesis 138
- intramolecular C-H arylation, in GVL 318
- intramolecular dearomative [3+2] cycloaddition
- of azomethine ylides with dinitroarenes 36
 - of nitrile *N*-oxides 36
- intramolecular Pd-catalyzed dearomatization of substituted indoles 40
- intramolecular phenol dearomatization 48
- intramolecular [2+2] photocycloaddition 3
- of dihydropyridinone derivative 4
- intramolecular vibrational energy redistribution (IVR) 429
- iodine-catalyzed pyrrole synthesis 342, 343
- iodo-functionalized quinolines 352
- 3-iodo-2*H*-pyran-2-one 485
- ionic liquid 1-butyl-3-methylimidazolium tetrafluoroborate ([bmim]BF₄) 224
- ionic liquid [Hbim]BF₄ 225
- IR-induced conformational isomerizations 429
- IR-induced processes 429–435
- isobenzofuran 471
- isochromene 494, 502
- isoflavones 502
- isoquinoline-*N*-oxides, photoredox-catalyzed reactions of 33
- isoquinolines, Rh-catalyzed synthesis of 321
- isoxazole 422–423
- pulsed pyrolysis of 426–427
 - pyrolysate of 425
 - pyrolysis of 427
- isoxazole derivatives, photochemical study of 421
- isoxazoles, flash vacuum pyrolysis (FVP) 425
- isoxazolidines, solvent-free synthesis of 357

- 2-isoxazoline *N*-oxides 127
isoxazolines
 solvent-free synthesis of 357
 synthesis 141
- j**
- Julia–Kocienski olefination 61
- k**
- Kemp acid derivatives 2, 3
Kita–Trost macrolactonisation 61
- l**
- laboratory instrumentation, in
 mechanochemistry research
 340
- laccase-like multicopper oxidase (LMCO)
 gene 183
- laccase/TEMPO-catalyzed aromatization
 192
- lactic acid
 annulation of oxazole ring 315
 five-membered heterocycle synthesis
 313–315
 physical properties 313
 six-membered heterocycles synthesis
 315–317
- Lactobacillus brevis* (LB-ADH)
 188
- lactones 9, 184–190
- L-lyxopyranose 484
- Lowest Unoccupied Molecular Orbital
 (LUMO) 290
- L-proline catalyzed four-component
 synthesis, of
 benzo[*h*]pyrazolo[3,4-*b*]quinoline-
 5,6(10*H*)-diones 108
- m**
- macrocycles 59, 60
- macrocyclic peptide mimetics,
 solid supported synthesis of
 65, 66
- macrocyclisation reactions 59
 conformation on
 importance of 67–69
 structural features to bias 69–71
 templated macrocyclisation 71
 of linear peptides 69
- macrolactonisation reactions, driven by
 supramolecular interactions 70
- maleic hydrazide
 infrared spectrum of 407
 IR spectrum of 409
 relative energies of 408
- Manganese(III) acetate-mediated radical
 mechanosynthesis, of pyrrole
 derivatives 344
- matrix-isolated 5-aminotetrazole 419
- matrix-isolated kojic acid 432
- matrix-isolated 2-thiocytosine 432
- matrix isolation infrared spectroscopy
 407
 structural characterization 403–412
- matrix isolation IR spectroscopy, of
 oxazole 407
- matrix isolation method 401
- m*-chloroperbenzoic acid (*m*CPBA) 279
- 4-MC-Ugi/dehydrofluorination reaction
 219
- mechanochemical reactions 340
 AlCl₃-promoted synthesis of
 polysubstituted 1,4-
 dihydropyridines 351
- Biginelli reaction 354
- of boronate ester 3-D cages 362
- feature of 339
- cyclodehydration, of 1,3-propanediones
 360
- dihydropyridine synthesis 352
- epoxidation, of cyclodextrins 356
- of indoles 344–345
- of isoxazoles 358–359
- of *meso*-substituted porphyrins 355
- of *N,O,S*-containing heterobicyclic
 scaffold 361

- mechanochemical reactions (*contd.*)
 of pyrazolidinones 348
 of pyrazolines 347
 setting up and analysis of 340
 of thiophenes and 2-acetylthiazoles 357
- mechanochemistry 339
 laboratory instrumentation 340
- mechanosynthesis
 of boronic esters 357, 358
 of flavones 360
 manganese(III) acetate-mediated radical, of pyrrole derivatives 344
 of O-, S- and other heterocycles 355–363
 of 4-oxo-tetrahydroindoles 346
 of spiroimidazolines 349
 of substituted pyrroles 341
- medium-sized ring heterocycles 60
 palladium-catalysed annulation reactions 75
 regiodivergent construction of SnAP reagents 76
- 5-membered benzofused heterocycles 34
- memory of chirality effect 14–15
- metal-free click synthesis, of triazole derivative 328
- metal-free dearomatization, of substituted furans 40
- 6-Methoxyindole 431, 432
- 5-methoxyindole, infrared spectrum of 410, 411
- 6-methoxyindole, infrared spectrum of 411, 412
- 2-methylcardol 277
- 3-methyleneindolines 133, 134
- 3-methylflavones 503
- 2-methylimidazole, hydrogen-transfer palladium-catalyzed synthesis of 320
- 3-methyloxane 477, 480
- 2-methyloxetane 460
- 2-methyloxirane 457
- (2*R*,3*R*)-3-methyl-2-phenyloxiranes 457
- 2-methyltetrahydrofuran (2-MeTHF)
 physical properties 323
- Michael addition cascade reaction 221
- microfibrillated cellulose (MFC) 281
- microwave-assisted ring-closing metathesis, in glycerol 303
- microwave-assisted Ugi 3-MC diastereoselective reaction 253
- monofluorinated α -lactam pseudopeptide derivatives 219
- monosaccharides 468
- multicomponent microwave-promoted synthesis, of 3-phenylquinazolin-4-one 321
- multicomponent reactions (MCRs)
 definition 215
 1,6-difunctionalized pyridines through 120
- multicomponent synthesis
 of functionalized pyrrole in lactic acid 314
 of penta-substituted pyridine in methanol and eucalyptol 329
 of tetrahydropyrano[2,3-*c*]pyrazole in glycerol 305
- multicomponent Ugi reaction 380
- multiconfigurational complete active space self-consistent field (CASSCF) methods 428
- multifunctionalized
 1-arylaziridine-2-carboxylates 217
- multiple cycle nitrogen-heterocycles construction 136
- n**
- (-)-nakadomarin A synthesis 64
- N*-alkyl-2-(2-oxoazepan-1-yl)-2-arylacetamide derivatives 252
- naphtho[2,3-*b*]furan-4,9-diones 231
- N*-arylsulfonyl amides, photoredox-catalyzed cyclization of 44
- natural bond orbital (NBO) analysis 415
- Natural CNSL 277

- Nayak's group 228
- N*-benzyl azomethine ylide reaction with nitrobenzene derivatives 35
- NC-514 280
- N*-cyclohexyl-3-(aryl)-3-oxo-2-(3-oxo-2-azaspiro[4,5]decan-2-yl)propanamide derivatives 226
- Neber reaction, of activated oximes 373
- N*-heterocyclic carbene catalysis 86
- diazepines divergent synthesis 104
- nickel-catalyzed synthesis
- of 1-amino-3-phenylisoquinoline 325
- of 3-phenylisoquinolin-1(2*H*)-one 326
- N*-iminoquinolinium ylides, Pd-catalyzed dearomative [4+3] cycloaddition of 41
- ninhydrin condensation 361
- N*-iodosuccinimide (NIS) 348
- nitrile imines 419
- nitrile ylide 424
- nitroarenes 35
- 2-nitrobenzofurans reactions, with amino ester-derived imines 30
- 3-nitrochromane fused pyrrolidine 228
- 3-nitroindoles reactions
- with amino ester-derived imines 30
- with *N*-alkyl azomethine ylides 31
- 2-nitroindoles reactions, with *N*-alkyl azomethine ylides 31
- 3-nitroindole, thiourea-catalyzed dearomatizing [4+2] cycloaddition of 38
- nitromethane 225
- nitropyridines 34
- n*-member oxygen-heterocycles construction 140
- N,O*-heterocycles construction 141
- non-CF₃-substituted *o*-iodoacrylanilides 132
- non-covalent organocatalysis 86
- normal-sized ring cyclisation vs. macrocyclisation 60
- nuclear magnetic resonance (NMR) 453
- nuclear Overhauser effect (NOE) 454
- O**
- O*-carboxyanhydrides (OCA) 284
- octahydroacridines synthesis 309
- of imine reductases (IREDS) 197
- O*-heterocycles
- FAD-dependent monooxygenases 162–164
- five-membered ring heterocycles 181–193
- heme-dependent monooxygenases 164–166
- HHDH 161
- peroxygenases 166–169
- six-membered ring heterocycles 203
- oleic acid (OA) 289
- O*-methyl siphonazole 383
- one-pot Hantzsch reaction-dehydrogenation 96
- one-pot 3-MCR of
- 3-methyl-1-phenyl-5-pyrazolone/4-hydroxycoumarin 242
- one-pot Ugi, *pseudo*-Knoevenagel reaction 217
- o*-phenylenediamine, ring-closure formylation of 319
- organic light emitting diodes (OLEDs) 289
- organocatalysis 85
- organocatalytic atroposelective synthesis, of 1,5-diarylpyrroles 88
- organocatalytic aza Rauhut–Currier reaction, pyridine synthesis 91
- organocatalytic enantioselective intramolecular aza-Michael reaction 98
- organocatalytic synthesis
- of five-membered heterocycles
- furan and benzofuran derivatives 89–90
- pyrroles and pyrrolidines 87–89
- of polyheterocyclic, bridged and spiro compounds 107–110
- of seven-membered heterocycles
- diazepines and fused diazepines 104–106

- organocatalytic synthesis (*contd.*)
- thiazepines and fused thiazepines 106–107
 - of six-membered heterocycles
 - fused pyridine derivatives 98–101
 - pyran and fused pyrans 101–104
 - pyridines, dihydropyridines and piperidines 90–98
 - of six-membered heterocycles, pyrimidines 101
 - 1,2,4-oxadiazole derivatives 384
 - oxa-Diels-Alder reaction, of
 - α,β -unsaturated ketones 360
 - oxane 477, 480
 - 1,4-Oxathiane 246
 - oxazole 383
 - oxazoline-containing products 383
 - oxazolo[5,4-*b*]quinoline-fused spirooxindole derivatives 241
 - oxetane-containing peptides 70
 - oxidation states, of palladium 127
 - oxidative dearomatisation ring expansion (ODRE) strategy 77
 - oxidative dearomatizing spirocyclization of substituted phenols 45
 - oxindole-based β -lactams 220
 - oxiranes (epoxides) 278–281, 454
 - oxirene 454
 - oxolane 477
 - ozonides 475
- p**
- Paal-Knorr synthesis of pyrrole 375, 376
 - palladium-catalyzed asymmetric dearomative formal [3+2] cycloaddition, of epoxybutenes 29
 - palladium(II)-catalyzed synthesis, of 2-aryloxybenzofurans 324
 - parallel mechanosynthesis, of oxazines 359
 - Passerini 3-MCR 218, 222
 - Paternò-Büchi reaction 11
 - 2,6-PDCA-catalyzed multicomponent reaction 106
 - Pd-catalyzed alkene carboetherification reactions 140
 - Pd-catalyzed dearomative [4+3] cycloaddition of *N*-iminoquinolinium ylides 41
 - Pd-catalyzed heterocycle synthesis 127–128
 - nitrogen heterocycles 128–135
 - oxygen-heterocycles 135–140
 - Pd-catalyzed, N,O-heterocycles 140
 - Pd-catalyzed stereoselective annulation, of tetrahydrofuran ring 29
 - Pd(II) *meso*-tetra[4-(2-(3-*n*-pentadecylphenoxy)ethoxy)]phenylporphyrin (PdPp) 290
 - peloruside A synthesis 63
 - Penicillium simplicissimum* (PsVAO) 183
 - pentaerythritol 362
 - pericyclic ring expansion reactions 72, 73
 - peroxygenases 166–169
 - Petasis borono-Mannich reaction 309
 - phase separation 65–66
 - phenacyl bromide 234
 - 2-phenylbenzimidazole synthesis 306
 - 2-phenylbenzofuran synthesis 328
 - 2-phenylbenzothiazole synthesis 307
 - 2-phenyl-3,1-benzoxazin-4-one synthesis 327
 - 2-phenylbenzoxazole synthesis 307
 - 2-phenyl-2*H*-chromene synthesis 309
 - 2-phenylimidazo[1,2-*a*]pyridine synthesis 305, 306
 - 3-phenylquinazolin-4-one 321
 - 2-phenylquinazolin-4(3*H*)-one synthesis 326
 - 3-phosphinomethyl 3,3-disubstituted oxindoles 134
 - photochemical reactions 1
 - photo-Claisen rearrangement 11
 - photocyclization, of dihydroazepinone 13
 - photodynamic therapy (PDT) 290
 - photoinduced dissociation association (PIDA) 415

- photoinduced intramolecular
 cycloaddition, of aza-o-xyllylenes
 41
- photoredox-catalyzed cyclization of
N-arylsulfonyl amides 44
- phthalide synthesis 319
- phthalocyanines (Pcs). *see*
 cardanol-derived porphyrins (Pps)
- piperidines 238
 enantioselective synthesis of 98, 99
 organocatalytic synthesis 91
 spiroindanones 228
- polycyclic spiroindolines synthesis 49,
 50
- polyfunctionalized piperidine derivatives
 240
- polysubstituted 2-amino-4*H*-
 pyran-3-carbonitrile
 derivatives 241
- polyvinylchloride (PVC) 281
- porphyrins 68, 354
- prexasertib 380
- proline-catalyzed Hantzsch synthesis, of
 unsymmetrical fused
 dihydropyridines 93
- pseudo*-Knoevenagel condensation 217
- pyran-based scaffolds 241
- pyran derivatives, organocatalytic
 synthesis of 103
- pyrano[4,3-*b*]pyrans 359
- pyrano[2,3-*c*]pyrazole ring system 304,
 305
- pyranoses 480
- pyrazine
 infrared spectrum of 404
 stretching vibrations 405
 symmetry point groups 404
- pyrazoles, divergent synthesis of 104
- pyrazolines 347
- pyrazolo-[3,4-*b*]-quinoline derivatives
 241
- pyrazoloisocoumarin derivative 305
- pyridazine
 infrared spectrum of 404
 stretching vibrations 405
- symmetry point groups 404
- pyridine-core triamine (PYTA) 283
- pyridine-fused coumarins 351
- pyridines 5
 direct dearomative [4+2] cycloaddition
 of 40, 41
 electrophilic activation and
 dearomatization of 49
 organocatalytic synthesis 91
 photochemically promoted cobalt
 catalyzed [2+2+2] cycloaddition
 6
- pyridinium 1,4-zwitterionic thiolates 41,
 42
- pyrido[2,3-*a*]carbazole derivatives 376
- pyridocoumarin derivative, in 2-MeTHF
 326
- 2-pyridones, enantioselective synthesis of
 97
- pyridones, photochemical transformation
 of 14
- pyridothiazepines synthesis 41
- pyrimidine
 infrared spectrum of 404
 stretching vibrations 405
 symmetry point groups 404
- pyrimidine ring closure, in eucalyptol
 329
- pyrrole-3-carboxylic acids 375
- pyrroles
 from chalcones, acylsilanes and
 primary amines 87
 sila-Stetter/Paal-Knorr sequence 87,
 88
- pyrrolidine moiety, construction of 3
- pyrrolidines
 by aza-Heck cyclization 134
 enantioselective synthesis of 105
- pyrrolidin-2-one 378
- pyrrolidinone derivatives 226
- pyrrolo-1,4-benzodiazepine-2,5-diones
 105
- pyrrolo[3,4-*b*]indoles 42
- pyrroloindolines synthesis 31
- pyrylium structure 488

q

- Quadrapure-sulphonic acid resin 380
- quantum mechanical tunneling (QMT)
 - 401–403, 435
- quercetin 502
- quinazoline 245
- quinazolinones synthesis 353
- quinolines 240
- quinolones 12
- quinoxalines, solid-state synthesis of 353

r

- rabbit muscle aldolase (RAMA) 194
- racemic 3,2'-pyrrolinylspirooxindoles
 - 345
- reaction telescoping 372
- reductive carbonylation reactions
 - mechanistic proposal 128, 131
 - substituted indoles through 128, 131
- rhamnulose 1-phosphate aldolase (RhuA)
 - 194
- Rh-catalyzed synthesis of isoquinolines
 - 321
- Rhodococcus ruber* (RR-ADH) 188
- ring expansion methods 71–75
- 2*R*,3*S* 457
- Ru-catalyzed synthesis of *N*-aryl
 - spiro lactams 46
- rufinamide, continuous flow synthesis of
 - 381, 382

s

- secondary amine covalent organocatalysts
 - 86
- seeding crystallization 10
- seven-membered ring heterocycles
 - 249–253, 390–391
- side chain insertion ring expansion
 - reactions 73, 74
- side chain of cardanol glycidyl ether
 - (SCEGE) 279
- silica-sulfuric acid heterogeneous catalyst
 - 223
- single-walled carbon nanotubes
 - (SWCNTs) 285
- siphonazoles 383
- six-membered heterocycles synthesis
 - in glycerol 308–312
 - lactic acid 315–317
- solid-state mechanochemical milling
 - 339
- solvent-free approach, for porphyrins
 - synthesis 354
- 4-spiro- β -lactam-3-carbonitriles 45
- spiro-cyclic fragments 227
- spirocyclic indolizidine compound 2
- spirocyclic oxindole derivatives,
 - organocatalytic synthesis of 110
- spirocyclization
 - with tetrahydrofuran ring formation
 - 45
 - of tyramine derivatives 48
- spiro-cyclohexadienone isoxazoline
 - derivatives 47, 48
- spiroepoxy oxindole derivatives 218
- spiroindeno[1,2-*b*]quinoxaline-
 - 11,30-pyrrolizines 228
- spiroindole-thiazolidinone derivatives
 - 235
- spiroindolines synthesis 50
- spiroisoxazolines, transition-metal-free
 - synthesis 47
- spiro lactams 46
- spirooxazolidinones 127
- spirooxazolines 45
- spirooxindole-pyrazolines 232
- spirooxindole pyrrolidines 229
- spirooxindoles, iodine-catalyzed
 - ball-milling synthesis of 346
- spiro pyrazolone-tetrahydroquinolines,
 - enantioselective synthesis of
 - 110
- Steglich and Mukaiyama–Corey–Nicolaou
 - esterifications 61
- Streptococcus mutans* (*SmNOX*) 176
- StyABs 162
- styrene monooxygenases (STO) 162
- 2-Styrylchromones 500
- 2-substituted 1,5-benzothiazepines,
 - enantioselective synthesis of 107

- substituted indoles, intramolecular
Pd-catalyzed dearomatization of
40
- Successive Ring Expansion (SuRE) of
cyclic β -ketoesters and lactams
73, 75
- t**
- TADDOL cocrystals
photocyclization in 12
X-ray structures 13
- TADDOL compound 4
- tandem aza-Michael addition/cyclization
346
- technical CNSL 278
- 2,3,4,6-tetraarylpyridines 238
- tetracyclic quinones 108
- 2,3,4,5-tetrahydro-1,5-benzothiazepines,
enantioselective synthesis of
107
- tetrahydrocarbazole synthesis 376
- tetrahydrofuran ring, stereoselective
annulation of 29
- tetrahydro-1*H*-pyridazino[3,4-*b*]indoles
39
- tetrahydroindolizines, Waser's
diastereoselective synthesis of 32
- tetrahydropyran (THP) 477
- tetrahydropyran derivative,
three-component synthesis of
317
- tetrahydropyrano[2,3-*c*]pyrazole ring
system 304
- tetrahydropyrrolo[3,4-*b*]indolines 30
- 1,2,3,4-tetrahydroquinoline ring system
98
- tetrahydroquinolines, solvent-free
synthesis of 352, 353
- 1,2,4,5-tetraoxanes 492
- tetrasubstituted pyridines synthesis
125
- tetrazole, photochemistry of 418, 419
- Thales Nano H-cube[®] system 377
- thermal reactivity, of heterocyclic
compound 424–429
- thermolysis of 2-benzoyl-2-chloro-2*H*-
azirine-3-carboxylate 407
- Thermothelomyces thermophilia*
(TiLMCO) 183
- 1,3,4-thiadiazine 248
- thiazo[2,3- α]isoquinolin-4-ium
derivatives 235
- thiazole synthesis 308
- thiazolidine 2,4-dione 251
- thiophene 231
- thiopyran heterocyclic units 242
- thiosemicarbazide 234
- thiotropolone, bidirectional
tautomerization of 435
- thiourea-catalyzed dearomatizing [4+2]
cycloaddition of 3-nitroindole 38
- three-component pyran ring annulation
321
- three-component reaction
of 1,3-cyclohexandiones, formaldehyde,
and β -naphthol 310
of dimedone, benzaldehyde, and
malononitrile 311
of dimedone, formaldehyde, and
4-hydroxy-6-methyl-2-pyrone
310
of dimedone, formaldehyde, and
styrene 310
of sesamol, *p*-methylstyrene, and
formaldehyde 316
- three-membered ring heterocycles
216–219, 372–374
- O-heterocycles
FAD-dependent monooxygenases
162–164
heme-dependent monooxygenases
164–166
HHDH 161–162
peroxygenases 166–169
- three-membered rings, dioxirane
derivatives 458
- trans*-configuration 457
- triazoles 380
- 1,2,3-triazoles 286
- triazoles and pyrimidine hybrids 286

- triazoles, Cu/Al₂O₃-catalyzed
 mechanosynthesis of 350
- 1,2,3-triazoles synthesis 350
- tricyclic 4-spiropyrano[2,3-*c*]pyrazoles
 235
- triglycidyl cardanol resin (TGC) 280
- 1,2,4-trioxanes 492
- 1,3,5-trioxanes 492
- 1,2,4-trioxolanes 475–477
- 2,4,6-trisubstituted pyrimidine
 derivatives 244
- tunneling 435–444
- tunneling-driven reactions 402
- tunneling ring-open, vs. ring-
 expansion of benzazirine
 441
- turn-inducing elements 70
- u**
- Ugi-4-component intermediate 217
- Ugi 4-MC 221
- Ugi 3-MCR 220
- ultrasound-assisted synthesis, of
 functionalized pyrrole 314
- ultrasound-promoted Biginelli reaction
 317
- unidimensional NMR 453
- UV-induced photoisomerization, of
 pyrazine 405
- v**
- vanillyl-alcohol oxidase (VAO) 183
- 2-vinylaziridine, diastereo- and
 enantioselective cycloaddition of
 29
- visible light supported cobalt catalyzed
 [2+2+2] cycloaddition 5
- pyridine compound synthesis 6
- w**
- Wentzel-Kramers-Brillouin (WKB)
 approximation 438
- Wolff-Staudinger cascade reaction 374
- x**
- xanthene 494, 503
- y**
- Yamaguchi lactonisation 63
- Yamaguchi macrolactonisation 61, 62
- z**
- (*Z/E*)-2-aryl-4-chloro-3-styryl-2*H*-
 chromenes 503
- zeolites, inclusions in 14
- ZnBr₂-promoted intramolecular
 hydroamination, of
 2-alkynylanilines 345
- zolpidem 379

