

Index

a

- ABX₃ 487
 perovskites 486, 492
 structured perovskite 433, 437
 advanced energy conversion technologies 815
 Ag₂ZnSn(S_{1-x}Se_x)₄ 280
 Ag/TNTAs-3600 electrode 419
 Al 412–416
 TiO₂ 415
 TiO₂ NCAs 415
 TiO₂ photoanode 415
 Al/Cu₂O and Al/Cu₂O/NiS composites 413
 Al/Cu₂O/NiS hybrid membranes 412–413
 aligned-transfer methods 228
 alkaline water splitting 12, 24
 alkyl/phenyl based amines 487
 all-inorganic perovskite based heterostructure solar cell 437–439
 all-inorganic CsPbI₂Br 450
 all-inorganic lead halide nanocrystals 437
 all-perovskite (perovskite-perovskite) based tandem solar cells 507
 all-perovskite tandem devices 508
 all-Si QD solar cells 458
 all-solid-state structured PSCs 494
 alloys and intermetallics
 simple oxides 174
 AlphaGo 815
 aluminium-doped zinc oxide (AZO) 521
 aluminum (Al) nanoparticles (NPs) 415
 Al:ZnO/TiO₂ bi-layers 346
 amorphous FeOOH (a-FeOOH) 390
 amorphous Si 431, 563
 anodised TiO₂ nanotube arrays 467
 anodised well-ordered TiO₂ nanotube array 467
 anti-solvent assisted crystallisation 494
 apparent quantum yield (APY/AQY) 200, 204, 321, 333–334
 applied biased photoconversion efficiency (ABPE) 372, 378
 array nanowire solar cells 539–540
 artificial photosynthesis 193, 211, 275, 325–326, 361, 665, 696, 708
 atomic-layer-deposited (ALD) 377–378, 380, 513, 678
 Au₁₃@Ni₁₂P₅ core-shell clusters 632
 AuCu bimetallic systems 144
 AuCu bimetallic nanoparticles 144
 Auruvillius-type oxides 294
 axial p-n Junction 533, 541–542

b

- BaBi₂Ta₂O₉ 293, 294
 band engineering strategy 365
 band-gap energies 193, 219, 242, 281, 312–314, 350, 352, 355, 400–402, 406, 409, 510, 568, 708, 793
 BaTaO₂N (BTON) 350, 351
 BaTiO₃ nanotube arrays 326, 595

- BCC PdCu
 lattice structure 162
- B/C₃N₄ catalyst 781
- 1,4-benzene diammonium lead iodide
 (BDAPbI₄) 452
- Bi 421–425
- Bi@R-TiO₂ 328, 330
- Bi nanoclusters on BiOCl nanosheets
 (Bi/BiOCl) 422, 699
- Bi³⁺ 571
- γ(L)-Bi₂MoO₆ 390–392
- Bi₂MoO₆/MoO₃ heterostructure 390
- Bi₂MoO₆/MoO₃-1 391
- Bi₂MoO₆/MoO₃-10 391
- Bi₂MoO₆/MoO₃-5 391
- γ-Bi₂O₃ 302
- Bi₃O₄Br photocatalyst 780
- Bi₄V₂O₁₁/CeO₂
 crystalline 164
 oxygen evolution reaction 185
- Bi-based catalysts 763
- Bi-rGO photogenerated carriers, 422
- Bi-rGO/BiVO₄ 421, 422
- Bi-rGO/BiVO₄ composite 421
- Bi/BiOCl photocathode 423
- Bi/BiOCl/75/2 h photocathode material
 423, 424
- BiOCl nanosheets (Bi/BiOCl) 422, 423,
 699
- biological cocatalysts 355
- 5,15-bis(2,5-bis((2-ethylhexyl)thio)-
 -3,6-dithienyl-2-yl-2,5-dihydro-
 pyrrolo[3,4-c]pyrrole-1,4-dione-
 5'-yl-ethynyl)-10,20-bis
 (5-(2-ethylhexyl)thienyl)porphyrin
 zinc(II) (DPPZnP-TSEH) 518
- bismuth MOF 792, 793
- bismuth oxybromide (BiOBr) 220
- bismuth trioxide with oxygen vacancy
 (Bi₂O_{3-x}) 333, 334, 338
- BiVO₄ photoanode 347, 390, 421, 422
- black phosphorus silicene, 53
- body-centered cubic (BCC) 162
- β₁₂-boron monolayer supported
 bifunctional single-atom catalyst
 739
- bottom-up approach 815
- Bovine serum albumin (BSA) 646
- BP@g-C₃N₄ catalyst 330
- BP@g-C₃N₄ composites 330, 331
- Brewer–Engel theory 174
- brookite TiO₂ quasi nanocubes (BTN)
 660
- bulk g-C₃N₄ 327, 684
- butylammonium (BA) 453, 454, 488
- n*-butylammonium bromide (BABr) 453
- BVC–A 185
- C**
- CaBi₂Ta₂O₉ 293
- cadmium sulfide (CdS) 408
 nanoparticles/MoS nanosheets 199,
 317, 319, 372, 408
 NPs/CeO NRs 408
- cadmium telluride (CdTe) 352, 431, 440,
 482, 483, 515
- carbides 110, 113, 286, 626
- carbon dioxide emission 696, 787
- carbon dioxide reduction reaction (CRR)
 26, 34
- carbon fiber cloth (CFC) 42, 80, 103
- carbon nanotubes (CNTs) 16, 22, 24, 31,
 32, 36, 71–73, 83, 96, 106, 181–183,
 501, 621, 631, 740
- carbon-based fossil fuels 695
- carbon-based materials 96, 106, 501,
 659, 676, 677–679, 684, 802
- carbon-energy cycle 24, 45
- carbon monoxide dehydrogenase 355
- carboxydothemushydrogenofomans
 355
- catalytic decomposition of methane
 (CDM) 181, 182
- catalyzed growth 534–535
- cathodoluminescence (CL) 536, 542, 570
- cationic poly(allylamine hydrochloride
 369
- Cd_{1-x}Zn_xS nanocrystals 393

- CdS/CdSe quantum dot solar cells 588
 CdS/CeO 317–319, 406–409
 CdS/MoS₂ heterostructure 252, 372
 CdS/MoS₂ photocathode 372
 CdS:N-MoS₂ 277, 278
 CdS-ZnS core-shell structure 199
 Ce³⁺ 8, 571
 Ce-based photocatalysts 317–321
 Ce-based photoelectrocatalysts 404–409
 Ce-doped nanocrystal anatase TiO₂ 404
 Ce-doped NiFe-LDH/CNT
 oxygen evolution reaction 183–185
 Ce-doping and CeO metal-based catalysts
 hydrogen evolution reaction 180–183
 Co-W/CeO₂ 182
 CoP doped with Ce 181–182
 Ni/CeO₂-CNT 182–183
 oxygen evolution reaction
 Bi₄V₂O₁₁/CeO₂ 185–187
 Ce-doped NiFe-LDH/CNT 183
 CeO₂/CoSe₂ 183–185
 Ce-TiO₂ photoelectrode 404
 CeO₂ nanorods 406, 408
 CeO₂ nanosheet 319
 CeO/CoSe
 oxygen evolution reaction 183–185
 CeO₂/FeS₂ 319–321
 CeO₂ nanowires 317
 Ceria (CeO₂) 183–185
 cesium (Cs)-based all-inorganic
 perovskites 437
 cetyl trimethyl ammonium bromid
 (CTAB) 597, 598
 chalcogenide sulfide 588
 chalcogenide/oxide semiconductor-based
 heterostructures 212–215
 chalcogenides 11, 16, 22, 53, 85, 91, 155,
 198, 200, 286, 345, 364, 437, 462,
 463, 588, 705–707, 782
 charge extraction materials 494
 chemical bath deposition (CBD) method
 390, 423, 440, 442–443, 458, 597
 chemical fuels 45, 193, 243, 294, 295,
 361, 802
 chemical vapor deposition (CVD)
 technique 151, 228, 229, 234, 235,
 302, 380, 534
 chromaticity diagram (CIE) 562, 563
 c-KNbO₃ (cubic KNbO₃) 289, 290
 close-circuit wired devices 816
 clusters for energy conversion
 challenge and opportunity 650–651
 CO₂ reduction reaction 644–648
 electrochemical energy conversion
 613–651
 electrochemical water splitting
 hydrogen evolution reaction
 620–632
 oxygen evolution reaction 632–644
 NRR
 electron deficient copper 648–650
 CoFe₂O₄ nanoclusters/rGO 648
 photochemical energy conversion
 655–689
 c-NaNbO₃ 289, 298
 c-NaNbO₃ (cubic NaNbO₃) 289
 CN superlattices 140
 coal 481
 cobalt meso-tetraphenylporphyrin
 (CoTPP) 145, 802, 803
 cobalt oxide single-molecule (Co₁O_x)
 638
 cobalt phosphide (CoP) 207
 cobalt phthalocyanine (CoPc) catalyst
 795
 on hematite/FTO surface 795
 cobalt-based oxides 637
 CO₂ capture and separation 798
 co-catalysts 366
 CO₂ emission 24, 38, 44, 246, 319, 325,
 676, 773
 CoMnCH nanosheet arrays 88
 complex oxides 309–317, 399–404
 Co@N-CS/N-HCP 101, 102
 Co-N₅ catalyst 757
 conduction band (CB) 196, 239, 286,
 317, 320, 344, 363, 440, 450, 489,
 492, 659, 773, 793

- conduction band minimum (CBM) 355, 451
 conductive carbon paste 501
 conductive polymers 353, 354
 π -conjugated covalent organic framework 806, 807
 CoO_x nanosheet/nanotube structures 83
 Co₃O₄ nanotube arrays 352
 CoOx-ZIF 736, 737
 cooperative photoactivation cycle of Cu/TiO₂ 777
 Co₁-phosphide/PCN photocatalytic effect 778
 Co porphyrin (CoTPP) 145, 779, 798, 802, 803
 Co-porphyrin molecular catalyst 798
 CO reduction
 2D/2D heterostructures 243, 245
 mixed-dimensional heterostructures 253–257
 photocatalytic of 254
 CO₂ reduction catalyst 682, 802
 CO₂ reduction reaction (CRR) 363, 365, 380, 708–709, 712–713, 778, 809
 superlattices, EC 143
 CO₂ reduction reaction, single atom catalysts (SACs) for 802, 808
 2D or 3D porous materials
 covalent organic frameworks 806–807
 metal organic framework (MOF) 803–804
 nitrogen-doped carbon material 802–803
 CO₂ reduction reaction (CRR) 24, 103–105, 148, 207, 295, 331–335, 351, 378–379, 644–648, 708, 804
 Co@SiO₂ 331
 CO-to-CO electrochemical conversion
 Co single atoms 753–757
 Cu-based single atom catalysts 757
 Fe single atoms 749–753, 754
 Fe-N 749, 750
 Fe/NC-750 750
 Ni single atom catalysts 740, 743
 A-Ni-NG 746
 A-Ni-NSG 740–742
 Ni-N-C 745
 Ni-CNT-CC 747
 Ni-decorated porous carbon membrane catalyst 748, 749
 Ni-N-MEGO 745
 nitrogen reduction reaction 765–766
 nonprecious metal single atom 760
 reaction pathways 739–740
 Co–W/CeO
 hydrogen evolution reaction 182
 CoP doped with Ce
 hydrogen evolution reaction 181–182
 CoP nanosheets/carbon nanotubes (CoP NS/CNTs) 73
 CoPc@Fe-N-C 764
 copper indium gallium selenide (Cu(In_xGa_{1-x})Se₂, CIGS) 431
 copper indium gallium selenium (CIGS) 515
 copper sulfide (Cu_{2-x}S) nanoparticles (NPs) 583
 copper(II) phthalocyanine 644
 copper-based supported catalysts 646
 copper/ porous N-doped carbon 765
 CoSe₂ decorated Si heterostructure 347
 CoTPP/g-C₃N₄ photoelectrode 803
 covalent organic frameworks (COFs) 207, 644, 804, 806
 crystalline (c-Si) solar cells 482
 crystalline Au/CeO_x-rGO heterostructures 112
 crystalline porous chalcogenide semiconductors 275
 crystalline silicon bulk solar cells 431
 Cs_{0.17}FA_{0.83}PbI_{1.8}Br_{1.2} 517
 Cs_{0.1}Rb_{0.05}FA_{0.75}MA_{0.15}Pb_{1.8}Br_{1.2} 518
 Cs_{0.25}FA_{0.75}PbI₃ or CsPbI₃, perovskite solar cell 435
 C₆H₅CH₂CH₃NH₃I 488
 C₁₋₈S nanoplatelets 599
 Cs–Rb–FA–MA quadruple-cation perovskite 506

- CsPbI₃ 435, 438, 449–451, 486, 500
 γ -CsPbI₃ 450, 451
 CsPbI₃ (Br) 518
 CsPbI₃/Cs_{0.25}FA_{0.75}PbI₃ heterostructure 435
 CsPbI₃/PbSe nanocrystal heterostructures 438
 CsPbI₃ perovskites 449, 450
 Cu 416–421
 Cu metal-based plasmonic DSSCs 591
 Cu NWs@TiO₂ core-shell nanostructures 591
 Cu NWs@TiO₂-doped TiO₂ photoanodes 592
 Cu_{1.8}S cathodes 599
 Cu₂O 346
 Cu₂O NCs 413, 414
 Cu₂O photocathode 346, 354, 373, 379
 Cu₂O/graphene (0D/2D) heterostructure 379
 Cu₂O/graphene nanowires photocathode 374
 Cu₃ (BTC)₂/Cu₂O photoelectrode 805
 Cu-based sandwich heterostructure 35
 Cu-CuO NPs 417
 Cu-CuO/TNTA 416–418
 electrode 416, 417
 Cu-deficient Cu_{1.8}S 597
 Cu-N₄ based catalyst 759
 Cu-NP-decorated Co₃O₄ nanotube photocathode 354
 Cu/Ni(OH)₂ nanosheets 108, 109
 Cu/TiO₂ photocatalysts 776
 Cu/TNTAs-3600 electrode 419
 Cu/TNTAs-4800 418, 419
 Cu/TNTAs-6400 418, 419
 Cu_{1.8}S nanoplatelets 597, 598, 599
 Cu_{1.8}S thin films 598
 Cu@CoS_x/CF 640
 cubic NaNbO₃ phase 299, 300, 304
 cubic perovskite crystal structure 433, 485
 cubic zinc-blende (ZB) 393
 CuIn_{1-x}Ga_xSe₂ (CIGS) 482, 515
 CuInS₂/graphene (0D/2D) heterostructure 379
 CUMSSs-ZIF-67 736
 cysteine (CYS) 441
- d**
- 0D (CH₃NH₃)PbI₃ perovskite quantum dots 437
 0D CsPbI₃ 450
 0D CsPbI₃ QD films 450
 0D Cs₄Pb(IBr) phase 451
 1D FAI-PbI₂-2-(1H-pyrazol-1-yl)pyridine (PZPY) 451
 1D FAI-PbI₂-PZPY hybrid perovskite 451
 1D lead halide hybrid perovskite materials 451
 1D nanowires 346, 488
 1D PbI₂-bipyridine (BPy(II)) perovskites 452
 1D TiO₂ nanofibers (NFs) 465
 1D vertically aligned TiO₂ nanotubes 459
 1D/2D heterostructures 373–374
 1D–3D hybrid perovskites 451
 2D-based electrocatalysts
 design of 53
 2D-based heterostructures 2, 55, 82, 90, 91
 electrochemical energy conversion 54, 55
 2D binary/ternary compounds
 OWS 91–93
 2D chalcogenides 462
 2D-free heterostructure nanomaterials 345, 432
 2D g-C₃N₄ 287, 367
 2D g-C₃N₄ materials 287
 2D heterostructures 68, 73–76, 80, 85, 115–118, 226, 228, 229, 231, 232, 233, 236, 239, 249, 257, 365, 373, 374, 468, 470
 2D hydrogenated-silicene/
 halogenated-silicene superlattices 281

- 2D-material heterostructures
 - photoelectrocatalytic redox reactions
 - CO₂ reduction reaction 378–379
 - water splitting 369–372
- 2D-materials based heterostructures 54
 - PEC device configuration 362–363
 - roles in photoelectrochemical systems 365–367
- 2D-materials free heterostructures 193, 358
 - challenge and opportunities 358–359
 - CO₂ reduction reaction 351–352
 - PC CO₂ reduction reaction 207–218
 - chalcogenide/oxide semiconductor-based heterostructures 212–217
 - other heterostructures 218
 - TiO₂ based semiconductor heterostructures 212
 - PC N₂ reduction reaction
 - chalcogenide/oxide semiconductor-based heterostructures 218–221
 - PC water splitting 198–207
 - metal chalcogenide/phosphide semiconductor-semiconductor heterostructure 198–200
 - non-noble metals and semiconductor heterostructures 204
 - oxide (TiO₂) semiconductor-semiconductor heterostructure 200–204
 - PEC system for N₂ reduction reaction (NRR) 355–357
 - PEC water splitting 343–345
- 2D-materials free perovskite heterostructure solar cells 432–433
- 2D metal oxides 365
- 2D MoS₂ nanosheets 470
- 2D MoS₂/2D graphene heterostructured photoanodes 470
- 2D multilayer Ag-δ- Bi₂O₃ nanosheets 302
- 2D nanosheets 92, 102, 103, 129, 215, 472, 488
 - morphology 464
- 2D natural superlattice structure 281
- 2D Ni-Mo-S/NG heterostructure cathode 471
- 2D oxygenated g-C₃N₄ semiconductors materials 286
- 2D reduced graphene oxide (RGO) 463
 - nanosheets 470
- 2D Ruddlesden–Popper perovskite layer 453
- 2D TMDs 372
- 2D transition metal chalcogenides 462
- 2D transition metal phosphides (TMPs) 91
- 2D ultrathin nanosheets 90
- 2D-0D heterostructured DSSCs 462–464
- 2D-0D heterostructured perovskite solar cells 450–451
- 2D-0D heterostructured quantum dot solar cells 456–458
- 2D-0D heterostructures 68, 69, 71
 - CRR 105–106
 - EC-OER 80–82
 - N₂ reduction reaction 111–113
 - OWS 95–96
- 2D-1D heterostructured DSSCs 464–468
- 2D-1D heterostructured perovskite solar cells 451–452
- 2D-1D heterostructured quantum dot solar cells 458–459
- 2D-1D heterostructured RGO-TiO₂ nanotube photoanode 467
- 2D-1D heterostructures 71, 73
 - CRR 106–107
 - EC-OER 82–85
 - N₂ reduction reaction 113–115
 - OWS 96–98
- 2D-2D heterostructured DSSCs 468–471
- 2D-2D heterostructured perovskite solar cells 453–455
- 2D-2D heterostructured quantum dot solar cells 459–460
- 2D-2D heterostructures 374

- defect/phase engineering and alloying 366
 - fabrication 226–236
 - N₂ reduction reaction 115, 117
 - for photocatalytic redox reactions 236–249
 - 2D-2D (Van der Waals) heterostructures 73–76
 - CRR 107–109
 - EC-OER 85–87
 - OWS 98–100
 - 2D-3D heterostructured DSSCs 471–473
 - 2D-3D heterostructured quantum dot solar cells 460–461
 - 2D-3D heterostructures 76–80
 - EC-OER 87–90
 - OWS 100–103
 - 3D CsPbI₂Br 450
 - 3D CsPbI_{3-x}Br_x perovskite phase 451
 - 3D CsPbI₃ perovskites 450
 - 3D EMW models 585
 - 3D MAPbI₃ perovskite 455
 - 3D nanoporous Au substrate 79
 - 3D nanoporous amorphous 166
 - 3D–2D–0D multiple heterostructured PSCs 455
 - dangling bonds 111, 164, 226, 544, 751
 - dark-field microscopy (DFM) 581
 - defective graphene (DG) 98, 630
 - density function theory (DFT) 279, 451, 661
 - calculations 780
 - dichroic filter 507
 - dicyandiamide (DCA) 15
 - dielectric barrier discharge (DBD) plasma etching 736
 - direct band gap semiconductor 225, 413, 543, 679
 - distorted [PbX₄N₂]²⁻ octahedra 451
 - dodecanethiol 631
 - doped Cu NWs@TiO₂ 592
 - doping 535–536
 - doping ions
 - Bi³⁺ 571
 - Ce³⁺ 571
 - Dy³⁺ 571
 - Er³⁺ 559–561
 - Eu³⁺ 569
 - Ho³⁺ 561
 - Pr³⁺ 563
 - Sm³⁺ 569–571
 - Tm³⁺ 561–563
 - Yb³⁺ 563–564
 - down-conversion phosphors 569–575
 - dry etching 533
 - dual-metal catalysis 738
 - Dy³⁺ 560, 571, 573, 574
 - dye-sensitized mesoporous TiO₂ layer 462, 590
 - dye-sensitized p-NiO photocathode 355
 - dye-sensitized solar cells (DSSCs) 431, 443–446, 455, 461–473, 482, 515, 588–604
 - 2D-0D heterostructured DSSCs 462–464
 - 2D-1D heterostructured DSSCs 464–468
 - 2D-2D heterostructured DSSCs 468–471
 - 2D-3D heterostructured DSSCs 471–473
 - metal nitrides 601–603
 - metal sulfides 597–601
 - non-noble metal based plasmonic nanoparticles 590–597
 - power conversion efficiency 581
 - dye-sensitized TiO₂ mesoporous network 590
 - dye-sensitized undoped TiO₂ structure 592
- e**
- EC CO₂ reduction reaction (CRR) 103
 - 2D-0D heterostructures 105–106
 - 2D-1D heterostructures 106–107
 - 2D-2D (Van der Waals) heterostructures 107–109
 - EC hydrogen evolution reaction (HER) 68
 - 2D-0D heterostructures 68–71

- EC hydrogen evolution reaction (HER) (*contd.*)
- 2D-1D heterostructures 71–73
 - 2D-2D (Van der Waals) heterostructures 73–76
 - 2D-3D heterostructures 76–80
 - superlattices 129, 130, 133
- EC N₂ reduction reaction (NRR) 109
- 2D-0D heterostructures 110–113
 - 2D-1D heterostructures 113–115
 - 2D-2D heterostructures 115–117
- e-Co bimetal sites (NCAG/Fe-Co) 738
- EC overall water splitting (OWS) 90, 91
- 2D binary/ternary compounds 91–93
 - 2D-0D heterostructures 95–96
 - 2D-1D heterostructures 96–98
 - 2D-2D (Van der Waals) heterostructures 98–100
 - 2D-3D heterostructures 100–103
 - heteroatom-doped 2D materials 93–95
- EC oxygen evolution reaction (EC-OER)
- 2D-0D heterostructures 80–82
 - 2D-1D heterostructures 82–85
 - 2D-2D (Van der Waals) heterostructures 85–87
 - 2D-3D heterostructures 87–90
- EC water splitting 54
- EC CO₂ reduction reaction (CRR) 103–105
- EC hydrogen evolution reaction 68–80, 129–132, 133
- EC N₂ reduction reaction 109–117
- EC overall water splitting 90–105
- EC oxygen evolution reaction 80–90
- electrochemical energy conversion 117–118
- hydrogen evolution reaction
- hetero-phases 152–155
 - multi-phases 155–156
 - single phases 151–152
- overall water splitting 137–143
- OWS
- hetero-phases 158–160
 - single-phases 157–158
- oxygen evolution reaction 132–137
- PPES
- hydrogen evolution reaction 150–151
- electric-driven imine-confinement strategy 736
- electrocatalysis 15, 17, 24, 31, 35, 39, 41–45, 53, 54, 71, 73, 80, 83, 89, 116, 148, 158, 166, 174, 180, 181, 187, 188, 261, 282, 285, 312, 314, 600, 626, 650, 651, 736, 738, 759, 789, 815
- electrocatalysts 5, 157
- 2D-based electrocatalysts, design of 53
 - HER 5, 6, 13, 17, 19, 22, 25, 26, 34, 43, 45, 71, 82, 91, 94, 96, 99, 101, 103, 111, 140, 162, 183, 355, 613, 620, 636, 640, 753
- electrochemical CO₂ reduction reaction 24
- metal/heteroatom-doped porous carbon-based heterostructures 29–31
 - metal/metal oxide based heterostructures 25–27
 - metal non-oxide-based heterostructures 32
 - metal oxide based heterostructures 28
 - metal oxide/porous carbon-based heterostructures 31
 - multicomponent metal-based heterostructures 32–38
- electrochemical (EC) energy conversion
- 2D-based heterostructures 55–67
 - clusters for 613–619
 - superlattices for EC water splitting, 129–143
- electrochemical nitrogen reduction reaction (ENRR) 160, 185
- PPES
- amorphous phases phases 164–166
 - crystalline phases 160–164

- metal/heteroatom-doped porous
 - carbon-based heterostructures 39–41
- metal non-oxide-based heterostructures 41–43
- metal oxide-based heterostructures 38–39
- electrochemical rare-earth nanomaterials 172
- electrochemical water splitting 5
 - HER 620–632
 - hydrogen evolution reaction 631
 - metal chalcogenide-based heterostructures 11–14
 - metal hydroxide-based heterostructures 9–10
 - metal oxide-based heterostructures 5–9
 - metal pnictide-based heterostructures 10–11
 - metal/carbon-based heterostructures 15
 - mixed-phase metallic heterostructures 16–17
 - multicomponent metal-based heterostructures 17–24
 - oxygen evolution reaction 632–644
- electrodeposited a-MoS_x cocatalysts 346
- electron beam induced current (EBIC) 542, 543
- electron deficient copper 648–650
- electron paramagnetic resonance (EPR) analysis 245–246, 681
- electron spin resonance (ESR) 258, 682, 683
- electron transport layer (ETL) 461, 494, 495, 501, 504, 582, 583
- electron transport layer (ETL)/metal electrode (PC₆₁BM/Al) interface 582–583
- electron transport materials (ETMs) 434, 494
- electron-rich organic linker 792, 809
- electrophoretic deposition 231, 234, 467–469
- electrostatic layer-by-layer (eLBL) technique 135
 - assembly 233–234
- energy conversion
 - benefits 2
 - catalytic technologies 1
 - types 1
- energy-intensive Haber–Bosch process 394
- energy-related electrocatalytic reactions, SAC for 721
- CO₂ reduction reaction (CRR) 739–740
- hydrogen evolution reaction (HER) 726–727
 - Co₁-PCN 729
 - Co-NG 726, 729
 - Co-NG-MW 726
 - graphdiyne 724
 - MCM@MoS₂-Ni 724, 725
 - Mo₁N₁C₂ 730–731
 - nickel-based catalysts 722
 - NiSA-MoS₂/CC catalyst 725, 726
 - nitrogen doping 724
 - SA Co-D 1T MoS₂ 730
 - SANi-I catalyst 731
- oxygen evolution reaction (OER) 732
 - Co single atoms 735–737
 - Co-C₃N₄/CNT complexes 735
 - CoOx-ZIF 736, 737
 - CUMSs-ZIF-67 736
 - Fe single-atom catalysts 737
 - Fe-Co bimetal sites (NCAG/Fe-Co) 738
 - Fe-N₄ SAs/NPC 739
 - HCM@Ni-N 734
 - mechanism 731, 734
 - N and S co-decorated hierarchical carbon layers (S, N-Fe/N/C-CNT) 737
 - RuO₂ and IrO₂ 731
 - S|NiN_x-PC/EG 735
 - S|NiN_x PC/EG 734
 - tungsten doped Ni(OH)₂ nanosheet 738

- energy-related electrocatalytic reactions, SAC for (*contd.*)
- zeolitic imidazolate frameworks-67 (ZIF-67) 736
- energy transfer upconversion (ETU) 567
- environment pollution 481
- eosin Y dye 416, 417
- Eosin Y/Cu-CuO/TNTA electrodes 416
- Er³⁺ 559–561
- Er³⁺ in active-core/inert-shell (Er³⁺:NaGdF) nanocrystals 561
- Er³⁺/Ho³⁺ co-doped NaGdF₄NCs 561
- etching techniques 533
- ethylene glycol based electrolyte (LANT-eg) 297
- Eu³⁺ 569
- excited-state absorption (ESA) 561, 567
- external quantum efficiency (EQE) 286, 450, 510, 514, 518, 519, 537, 538, 541, 547, 559, 560, 584, 596
- spectrum 450, 537
- f**
- face-centered cubic (fcc) phase 73, 153, 162
- FA_{0.8}Cs_{0.2}Pb(I_{0.7}Br_{0.3})₃ 507
- FA_{0.75}Cs_{0.25}Sn_{0.5}Pb_{0.5}I₃ 518, 520
- FA_{0.6}MA_{0.4}Sn_{0.6}Pb_{0.4}I₃ 507
- FAPbI₃ 435, 486, 491, 500, 507, 508, 509
- Faradaic efficiency (FE) 25, 33, 35, 40, 106, 107, 113, 115, 117, 162, 165, 166, 171, 185–187, 294, 354, 355, 379, 390, 648, 740, 741, 753
- F-doped TiO₂ 568
- Fe-CO catalysts
- hydrogen evolution reaction 178, 179
- Fe doped SrTiO₃ 301
- Fe-MM alloys 178
- FeMoS chalcogels 685
- FeMoS-FeS-SnS chalcogels 685–686
- FeNi-GO LDHs 86
- FeNiO_x cocatalyst 351
- Fe porphyrin (FeP) grafted electrode (FeP-GaP) 798
- Fe₂TiO₅-TiO₂/Co_{ox} nanoarchitecture 349
- FeS₂-FeP-CeO₂ nanoternary hybrid 319
- flexible substrates 494, 501, 816
- fluoride-based UC
- NaGdF₄ 566
 - NaYF₄ 564
 - LaF₃ 564
- fluorine doped tin oxide (FTO) 392, 703
- glasses 352
- glass substrate 461
- formamidinium 433, 434, 484, 494
- fossil fuel energy shortage 431
- fossil fuels based energy sources 481
- Fourier transform infrared spectroscopy 42, 244
- free-standing wireless devices 816
- free-standing CeO₂ nanorods 406
- fuel cells
- 2D/2D heterostructures 237–248
 - mixed-dimensional heterostructures 260
- functionalized multiwall carbon nanotubes (f-MWCNTs) 621
- g**
- gallium arsenide (GaAs) 482
- nanowire-on-Si tandem cells 546
- gallium phosphide (100) semiconductor 798
- (GaN/ZnO) superlattice nanowires 279
- β-Ga₂O₃ phase 291
- gas chromatography (GC) 180, 194, 424, 797, 798
- g-CN 248, 249, 365, 739
- g-C₃N₄ nanosheets 242, 258, 287, 327
- g-C₃N₄/Bi₂S₃ photoanode 424
- g-C₃N₄/Bi₂S₃/BiNPs composite photoelectrodes 424
- g-C₃N₄/Bi₂S₃/BiNPs photoanode 424
- g-C₃N₄/Bi₂S₃/BiNPs ternary composite photoanode 424
- Gd₂O₃ 574
- Gibbs free energy 130, 150, 152, 193, 225, 289, 366, 723, 738, 751, 756

- global warming 1, 378, 394, 481, 787
 GO/MWCNT-CP cathodes 107
 gold nanoparticles (GNPs) 581
 Goldschmidt tolerance factor 486, 509
 gradient film-based DSSCs 464
 gradient-based TiO_{2-x} dielectric 411
 grain boundaries (GBs) 508
 gram-scale stable 1T MoS_2 277
 graphene 364, 366, 678, 782
 2-dimensional (2D) materials 225
 graphene oxide (GO) 68, 106, 229
 TiO_2 heterostructured nanoparticles 463
 graphene-like 2D semiconductors 463
 graphitic carbon nitride ($\text{g-C}_3\text{N}_4$) 220, 230, 364, 675, 782, 802
 “green” energy 431
 greenhouse effect 325, 687, 773
 greenhouse gases 1, 143, 394, 481, 575, 659, 695, 696
 Grotte-like hydride transfer pathway 111
- h**
- Haber–Bosch (HB) process 38, 44, 109, 218, 246, 300, 319, 336, 394
 Hamaker constant 232
 hard substrates 816
 heavy n-type/p-type doping 546
 HER system
 phase based electrocatalytic materials 148–149
 heteroatom-doped 2D materials
 OWS 93–95
 heteroatom-doped porous carbon 29–31, 39–41
 heterogeneous N_2 fixation 38
 heterointerface effects 74
 heterojunctions 25
 types of 197
 heterojunctions of tandem solar cells
 perovskite-chalcogenide tandem solar cells 515–518
 perovskite-OPV bulk-heterojunction solar cells 518–519
 perovskite-perovskite 507–512
 perovskite-Si based tandem solar cells 513–515
 heterostructure nanomaterials 196, 198, 221, 432, 439, 443
 heterostructured CdS/CeO_x nanowires 317
 heterostructured perovskite solar cells
 2D–0D 450–451
 2D–1D heterostructured perovskite solar cells 451–453
 2D–2D heterostructured perovskite solar cells 453–455
 3D–2D–0D 455
 hetero-structured nanomaterials 5
 heterostructures
 electrocatalysis systems 44
 hexagonal boron nitride (h-BN) 53, 226
 graphene heterostructure 226
 hexagonal wurtzite (WZ) 393
 hexanedithiol (HDT) 442
 hierarchical 1D ZnO nanowire-2D nanosheet architectures 465
 hierarchical 2D-1D ZnO heterostructure 465
 high-pressure homogenization 229
 high-quality monolithic-multijunction solar cells 545
 high-resolution transmission electron microscopy (HRTEM) 70, 230, 242, 252, 253, 258, 332, 373, 375, 406, 451, 627
 $\text{H}_{1-x}\text{La}_x\text{Ca}_{2-x}\text{Nb}_3\text{O}_{10}$ 314
 niobate layer 314
 $\text{H}_2\text{La}_{2/3}\text{Ta}_2\text{O}_7$ 293
 2H- $\text{MoS}_2/\text{TiO}_2$ NAs 390
 $\text{H}_3\text{NH}_3\text{PbBr}_3/\text{graphene}$ (0D/2D) heterostructure 379
 Ho^{3+} 561, 565, 566
 hole transport layer (HTL) 501, 504, 514–515
 hole transport materials (HTMs) 434, 494, 595
 hollow Mo-CoP nanoarrays 94
 homogeneous catalysts 776

- horizontal nanowire solar cells 538, 541, 545
- horizontal tube furnace 78
- host materials
- Gd₂O₃ 574
 - LaVO₄ 573
 - SrAl₂O₄ 573
 - TiO₂ 572
 - Y₂O₃ 574
 - Y₃Al₅O₁₂ 572–573
 - YVO₄ 573
 - ZnO 574–575
- hot electrons 193, 199, 210, 218, 325, 327, 328, 332, 333, 336, 338, 352, 395, 414, 416, 418, 419, 773
- H₂SrTa₂O₇ 293
- 2H-/1T'-MoS₂/graphene photocatalysts 287
- humanity 361
- 2H-WS₂/g-C₃N₄ photocatalysts 287
- hybrid nanowire solar cells 532, 545
- hydrocarbon fuels 325, 331, 676, 696, 708, 709
- hydrogel film electrode based on NG-CNT 84
- hydrogen evolution reaction (HER) 5, 129, 155, 178, 225, 364, 788
- ALD50Pt/NGNs catalyst 621
 - Au clusters 632
 - Ce-doping and CeO metal-based catalysts 180
 - Co-W/CeO₂ 182
 - CoP doped with Ce 181–182
 - Ni/CeO₂-CNT 182–183
- CO-RE 177
- EC water splitting
- hetero-phases 152–155
 - multi-phases 155–156
 - PPES 150–151
 - single phases 151–152
- electrocatalysts for 5, 6, 13, 17, 19, 22, 25, 26, 34, 43, 45, 71, 82, 91, 94, 96, 99, 101, 103, 111, 140, 162, 183, 355, 613, 620, 636, 640, 753
- Fe-RE 178–179
- FeS₂-rGO catalyst 626
- Mo₂C 74, 75, 113, 114, 626, 628, 731
- [Mo₃S₁₃]²⁻ clusters 629–631
 - [Mo₃S₁₃]²⁻/defective graphene composite 630
- MoS₂-supported Pt clusters 623
- NGNs 621, 622
- NiFe cluster 620
- NiMo ratio 621
- Ni-RE 174–176
- (Pd₆(SC₁₂H₂₆)₁₂) 631
- Pt clusters 622
- Ru catalysts 623
- RuCoP catalysts 623
- synergistic effect 623
- ternary alloy with RE 179–180
- WC clusters/NPs 626
- hydrogen evolving platinum cathode 347
- hydrogenated indium oxide (H-InO_x) 521
- hydroiodic acid (HI) 499
- hydrophobic polymer 207, 226
- hydrothermal synthesis 252, 253, 458, 472, 626, 789
- hydroxide clusters 674–675
- hydroxide nanosheets 85, 135, 138
- i**
- ICF-5InCuS-Na 275
- IEF-5 MOF 792, 793
- incident photo-to-electron conversion efficiency (IPCE) 594
- incident photon conversion efficiency (IPCE) 420
- incident photon to current efficiency (IPCE) 374, 421, 588
- indium-doped tin oxide (ITO) layers 506
- indium-doped Zinc Oxide (IZO) 521
- indium tin oxide (ITO) 521
- indium zinc oxide (IZO) 513, 521
- inductively coupled plasma and/or reactive ion etching 533
- In₂O_{3-x}/In₂S₃ heterostructure 375

- inorganic perovskite 437, 438, 486, 491, 500
- InP nanowire array solar cell 532
- InP nanowires 374, 536, 544, 545, 547
- in situ photoelectroreduced Bi/BiOCl nanosheets 423
- in situ synthetic strategy
of nitrogen-enriched molecular carbon precursor 776
- intensity-modulated photocurrent spectroscopy (IMVS) 459
- interdigitated back contact (IBC) c-Si solar cells 506
- interface modulation 29, 35, 36, 142
- interfacial interactions 10, 11, 16, 76, 99, 110
- intertwined TiN nanofibers 601
- Ir@d-TiC 764
- IrO₂ cocatalyst 404
- iron disulfide (FeS₂) 352
- iron oxide (hematite, α -Fe₂O₃) 348
- iron porphyrin (Fe-PP) 134
- iron sulfide clusters 626
- ITO dielectric nanocones 517
- k**
- K₄Ce₂Ta₁₀O_{~30} 311–313
- Kelvin probe atomic force microscopy 241
- K₂La_{2/3}Ta₂O₇ 293
- kesterite material thin-film 515
- KTaO₃ 293
- Kubo gap 660
- l**
- lactate stabilized cupric sulfate 413
- LaF₃ 564
- Langmuir-Blodgett (LB) assembly 231–233
- Langmuir-Blodgett (LB) deposition 231
- Lanthanide-Titanium Oxo Clusters (LTOCs) 703
- lanthanide-doped NaGdF₄ nanorods 566
- laser molecular beam epitaxy (LMBE) technique 132
- La_{2/3}Ta₂O₃ 293
- lateral heterostructures 234–236
- LaTiO₂N 350
- LaVO₄ 570, 571, 573
- LaVO₄:Dy³⁺ nanocrystals 571, 573
- layer-by-layer assembly 231
electrostatic layer-by-layer assembly 233–234
flocculation 231–232
Langmuir-Blodgett assembly 232–233
- layered 2D perovskite structures 487
- layered double hydroxides (LDHs) 53, 76, 85, 132, 366
- layered perovskite Ala₄Ti₄O₁₅ (A = Ca, Sr and Ba) 311
- layered superlattice 134, 137, 140
- lead halide perovskite 218, 433, 434, 483, 492
- Lewis acid-based adduct 492, 494
- liquid phase assembly 229–231
- liquid-based techniques 229
- liquid-phase-exfoliated MoS₂ nanosheets 372
- Ln₂Ti₂O₇ 309, 399, 401
- localized surface plasmon resonance (LSPR) 246, 326, 414–416, 425, 426, 581, 583, 589–598, 601–603
- low dimensional perovskites 488
- low-cost non-noble clusters 688
- low-dimensional (LD) perovskite materials 487
- Lu₂O₃ 566–567
- m**
- machine learning 815, 816
- MA_{0.5}FA_{0.5}Pb_{0.75}Sn_{0.25}I₃ 518, 520
- magnetron sputtering (MS) deposition method 412
- malonic acid (MA) 442
- MAPbI_{3-n}X_n 435

- MAPbI₃ 207, 218, 434, 435, 449,
452–455, 483–486, 488–492, 497,
499, 500, 502, 507, 508, 516–520,
581
- MAPbX₃ 433, 489, 490
- mechanical-exfoliation method 228
- mercaptoalkanoic acid (MAA) 441
- mercaptopropionic acid (MPA) 441
- mesoporous TiO₂ photoanodes 462
- metal atom clusters 655
- metal carbonate hydroxides (MCH) 87
- metal chalcogenide-based
heterostructures 11–14
- metal chalcogenide/phosphide
semiconductor-semiconductor
heterostructure 198–200
- metal cocatalysts 204, 208, 215, 353–354,
366, 660, 774, 775, 778
- metal hydroxides 103, 659, 688
-based heterostructures 9–10
- metal nitrides 93, 95, 101, 113, 198, 328,
585–586, 590, 601–603
- metal nitrogen-carbon (M-N-C)-based
heterostructures 115
- metal non-oxide-based heterostructures
31–32, 41–43
- metal non-oxide-based multicomponent
heterostructures
transition metal non-oxide/non-metal
heterointerfaces 22–24
- metal organic surfaces (MOS 1) 790, 791
- metal oxide-based heterostructures 5–9,
25–28, 38–39
- metal oxide-based multicomponent
heterostructures
transition metal oxide/metal
oxide/metal heterointerfaces
34–35
- transition metal oxide/metal
oxide/metal non-oxide
heterointerfaces 37–38
- transition metal oxide/metal
oxide/non-metal heterointerfaces
36–37
- transition metal oxide/metal/non-metal
heterointerfaces 35–36
- transition metal/metal oxide
heterointerfaces 17–20
- transition metal/metal oxide/non-metal
heterointerfaces 20–21
- metal oxide/porous carbon-based
heterostructures 31
- metal oxides 5, 8, 31, 35, 36, 41, 42, 44,
71, 73, 87, 95, 198, 212, 213, 232,
286, 317, 327, 328, 333, 379, 408,
432, 437, 468, 546, 659, 669, 682,
688, 696, 782, 793–795
- metal pnictide-based heterostructures
10–11
- metal sulfides 42, 198, 583–585,
588–589, 590, 597–601, 659, 669,
671, 688
- metal-free molecule cocatalysts 354
- metal-free single atom photocatalysts
781
- metal-metal oxide interfaces 20, 35
- metal-organic frameworks (MOFs) 10,
71, 89, 101, 207, 218, 330, 354, 494,
634, 636, 642, 659, 676–679, 681,
688, 779, 791–793, 804–807, 809
- metal/carbon-based heterostructures 15
- metal/heteroatom-doped porous
carbon-based heterostructures
29–31, 39–41
- metal/metal oxide based heterostructures
25–27
- metallic Bi 328, 699
- metalorganic vapor phase epitaxy
(MOVPE) 533, 535
- methoxybenzoic acid (MBA) 441
- methylammonium (MA) lead triiodide
434, 484
- methylammonium lead halides (MAPbI₃,
MAPbBr₃) 483
- methylammonium lead iodide (MAPbI₃)
perovskite 452, 581
- microwires (MWs) 347

- mixed metal oxide/metallic non-oxide
 multicomponent heterostructures
 24
 mixed-dimensional heterostructures
 CO₂ reduction 253–257
 fuel cells 260
 N₂ reduction 257–259
 water splitting 249–253
 mixed-phase metallic heterostructures
 16–17
 MWCNT 16, 106
 Mo₂C/C nanosheets 114
 Mo₃S₄ nanosheets 374
 Mo-doped CoOOH (Mo-CoOOH) arrays
 93
 Mo-mixed-sulfoselenide particles 13
 Mo-W-P heterostructure 80
 Mo/C₃N₄ single-atom catalysts 780
 modified porphyrin dye molecules 462
 MOF-525-Co photocatalyst 779
 MOF-525-Zn photocatalyst 779
 moisture instability 497
 molecular-networked LD perovskite 488
 molecular beam epitaxy (MBE) 132,
 533, 534
 molecular catalyst immobilization
 on -Fe₂O₃ surface 795–796
 on mesoporous TiO₂ surface 796–797
 phosphide semiconductors 798
 molecular monolayer doping 533
 molybdenum phosphide nanoparticles
 32
 molybdenum/porous N-doped carbon
 765–766
 monoclinic bismuth vanadate (BiVO₄)
 390
 monocrystalline Si based 1 generation PV
 481–482
 monodisperse clusters 621
 MoO₆ octahedra-coordinated γ
 (L)-Bi₂MoO₆ 391
 MoS₂ nanosheets 42, 82, 130, 151, 162,
 240, 245, 249, 252, 372, 390, 470,
 724, 730
 [Mo₃S₁₃]²⁻ clusters 629–631
 MoS₂-decorated vertically aligned Si
 nanowire arrays 374
 MoS₂-RGO cathode 471
 MoS₂-sensitized solar cells 463
 MoS₂/C₃N₄ heterostructure 116
 MoS₂/g-C₃N₄ interface 375
 MoS₂/C/ZnTe/ZnO amorphous
 nanomaterials 346
 MoS₂/C/ZnTe/ZnO amorphous
 photocathode 346
 MoS₂/graphene superlattice 130
 MoS₂/Mo/Mo_xSi/n⁺p-Si structure 378
 MoS_x/NCNT heterostructure 72
 MoS₂/NiCo-LDH heterostructure 76, 77
 MoS₂/Pt heterostructure 70
 MoS₂/S-doped g-C₃N₄ heterostructure
 film 374
 MoS₂/S-doped g-C₃N₄ photoanodes 374
 MoS₂@TiO₂ nanocavity arrays 328
 MoS_x/TiO₂/Sb₂Se₃ heterostructure
 photocathode 346
 MoS_x/TiO₂/Sb₂Se₃ photocathode 346
 Mott-Schottky-type nano hybrids 8
 multi-dimensional TiO₂ aggregates/RGO
 composites 472
 multi-phase perovskite catalytic materials
 289
 multi-shaped Cu₂O
 nanoparticles/MnO–MnO₂
 nanorods heterojunction 346
 multi-walled carbon nanotubes
 (MWCNT) 106
 multicomponent catalysts 22, 37
 multicomponent metal-based
 heterostructures 17–24, 32–38
 multifarious hybrid nanomaterials 358
 M_{0.33}WO₃ photocatalysts 334
 MXene 53
 based heterostructures 113
 based materials 117
 MXene/FeOOH 116, 117
n
 β -NaGdF₄ 566
 β -NaYF₄ 564–566

- β -NaYF₄:Er³⁺ 564
- β -NaYF₄:Yb³⁺ 564
- NaNbO₃ 285, 289, 298–300, 304, 306, 347
- NaNbO₃/CuInS₂/In₂S₃ 347
- NaNbO₃/In₂S₃/CuInS₂ 347
- nanocavity arrays (NCAs) 415
- nanoclusters (NCs) 699, 705
- nanoimprint lithography (NIL) 533
- nanolithography 533
- nanomaterials
 - classification of 196
- nanoparticles heterogeneous catalysts 788
- nanoscale MoS₂ 366
- nanostructured core-shell Si-Ta₃N₅ photoanodes 350
- nanostructured CuS 588
- nanowire based III-V solar cells 531, 532, 544, 545, 553
- nanowire design for optimal light absorption
 - array nanowire solar cells 539–540
 - single nanowire solar cells 536–539
- nanowire p-n junction design and characterization
 - axial p-n junction 541–542
 - radial p-n junction 542–544
- nanowire synthesis
 - catalyzed growth 534–535
 - doping 535–536
 - non-catalyzed growth techniques 535
 - top-down method 533
- narrow band-gap photoactive semiconductors 456
- NaYF₄ core-shell 564
- NC-Cu SA system 765
- N-doped carbon-based catalysts 107
- N-doped graphene (NG)
 - cathode 471
 - loaded CdS photocatalyst 775
- N-doped graphene nanosheets (NGNs) 621
- Nd₂Sn₂O₇//Fe₂O₃ 400–404
- negatively charged CdS quantum dots 369
- NH₂CSNH₂ 230
- NiAl-LDH/MoS₂ (NAM) 140
- Ni nanoparticles (NiNPs) 595
- Ni single atom-based catalyst 29
- Ni₃FeN/rGO 95
- Ni₃FeN/rGO catalysts 96
- Ni_xFe_{2-x}P synthesis 92
- Ni-based metal organic framework (Ni-MOF) 10, 724
- Ni-CO-P hollow nanobricks (HNBs) 92
- Ni-decorated CdS nanorods 204
- Ni-decorated porous carbon membrane catalyst (NiSA/PCFM) 748, 749
- Ni-doped MoS₂ (Ni-Mo-S) nanosheet 471
- Ni-Fe dual metal sites (Ni/Fe-N-C) 763
- Ni-Mo-S/NG heterostructure cathode 471
- Ni/CeO₂-CNT
 - hydrogen evolution reaction 182
- Ni-Al LDH/GO materials 139
- Ni-CO catalysts
 - hydrogen evolution reaction 177
- Ni-Nb-Y powder catalysts 180
- Ni-RE catalysts
 - hydrogen evolution reaction 174–176
- nickel foam (NF) 87, 88, 103, 104, 262, 634, 641, 731
- NiCoP nanostructures 103, 104
- NiFe cluster 620, 644
- NiFe LDH nanosheets 10, 97, 141, 183
 - DG heterostructure 99
- NiFe-LDH/MoS₂ (NFM) superlattices 140
- NiFe-mixed hydroxides (NiFe(OH_x)) 9
- NiFe-mixed layered double hydroxides (NiFe LDHs) 9
- NiFeV-LDHs nanosheets grown on nickel foam (Ni_{0.75}Fe_{0.125}V-LDHs/NF) 95
- NiMn LDH nanosheets (NiMnNS) 134
- NiNPs@I⁻/I₃⁻ (NiNP-DSSCs) 595
- niobates 314–317
- Ni-RE alloys 175, 176
- nitride-based nanomaterials 350–351

- nitrogen doped porous carbon 29, 155
- nitrogen reduction reaction (NRR) 44, 363, 394, 765–766
- nitrogen-doped $\text{Ln}_2\text{Ti}_2\text{O}_7$ nanosheets 309
- NNPE for water splitting
- Al 412–416
 - Bi 421–425
 - challenge and opportunity 426
 - Cu 416–421
 - Ti 411–412
 - WO_{3-x} 425–426
- Noble metal-carbon catalysts 111
- non-catalyzed growth techniques 535
- non-epitaxial carrier selective contacts for nanowire solar cells 546–547
- non-noble metal based cocatalyst 352, 353
- non-noble metal based plasmonic nanoparticles 587–588, 590–597
- non-noble metal plasmonic nanoparticles 581–583
- non-noble metals and semiconductor heterostructures 204
- non-noble plasmonic enhancement (NNPE)
- challenge and opportunity 337–338, 603–604
 - CO_2 reduction reaction (CRR) 331–335
 - N_2 reduction reaction (NRR) 335–337
 - PC HER on non-noble metal oxides 327–328
 - PC HER on non-noble metals 326
 - PC HER on other non-noble metal compounds 328
 - PC oxygen evolution reaction (OER) 328–330
 - perovskite solar cells 581–586
 - quantum dot solar cells 587–589
 - TiO_2 heterostructures 415
- non-noble-metal-based cocatalyst 352, 353
- non-precious transition metal catalysts 787
- non-radiative energy transfer (NRET) 457
- non-resonant (Al) plasmonic nanoparticles 587
- nontoxic semiconductor iron disulfide (FeS_2) 352
- normal hydrogen electrode (NHE) 210, 239, 288, 295, 313, 345, 351, 400, 798
- N_2 reduction 247
- 2D/2D heterostructures 246–247
 - mixed-dimensional heterostructures 257–259
- N_2 reduction reaction (NRR) 38, 44, 109, 218, 335, 363, 394, 780
- CoFe_2O_4 nanoclusters/rGO 648
 - electron deficient copper 648–650
 - photochemical energy conversion
 - CdS:nitrogenase MoFe protein 686–687
 - FeMoS chalcogels 685
 - FeMoS–FeS–SnS chalcogels 685–686
 - simple oxides 171–174
- n-type semiconducting material 501
- n-type semiconductors 347, 369
- n-type/p-type semiconductor photocatalysts 343
- O**
- oil and natural gas 481
- o- KNbO_3 (orthorhombic KNbO_3) 289
 - o- NaNbO_3 (orthorhombic NaNbO_3) 289, 299
- one-dimensional (1D) nanostructures 531
- one-pot hydrothermal reaction 107
- optical interference effects 521
- optical lithography 533
- ordered nanowire arrays 533
- organic bulk-heterojunction (BHJ) subcell 518
- organic dye sensitized solar cells 431
- organic molecules 353, 354, 696
- organic perovskites 53, 437, 450

- organic photovoltaic (OPV) solar cells
 - 482
 - organic poly(3-hexylthiophene-2,5-diyl) (P3HT) 515
 - organic Spiro-OMeTAD 514
 - organic-inorganic lead halides perovskite
 - 483
 - organic-inorganic metal-halide perovskites 513
 - organic-inorganic perovskite based heterostructure solar cell
 - 433–437
 - orthorhombic NaNbO_3 phase 289, 299, 300
 - orthorhombic phase CoSe_2 151
 - overall water splitting (OWS)
 - EC water splitting
 - hetero-phases 158–160
 - single-phases 157–158
 - superlattices 137, 142, 143
 - oxalic acid (OA) 442, 802
 - oxide-based nanomaterials 347–349
 - oxide-based UC
 - Lu_2O_3 566–567
 - TiO_2 566
 - Y_2O_3 567–568
 - ZnO 567
 - oxide or sulfide semiconductor nanomaterials 350
 - oxide (TiO_2)
 - semiconductor-semiconductor heterostructure 200–204
 - oxy(nitride) heterostructure-based photoanode 351
 - oxy(nitride) semiconductor materials
 - 350
 - oxyfluoride-based UC
 - $\text{TiO}_2\text{-}_x\text{F}_x$ 568
 - yttrium oxyfluoride 568
 - oxygen evolution reaction (OER) 5, 129, 344
 - Ce-doping and CeO metal-based catalysts
 - $\text{Bi}_4\text{V}_2\text{O}_{11}/\text{CeO}_2$ 185–187
 - Ce-doped NiFe-LDH/CNT 183
 - $\text{CeO}_2/\text{CoSe}_2$ 183–185
 - $\text{Co}_{27}/\text{Fe}_2\text{O}_3$ composite 637
 - Co_nO_y deposits 638
 - $\text{CoO}/\text{hi-Mn}_3\text{O}_4$ composite 639
 - $\text{Cu}@/\text{CoS}/\text{CF}$ composite 640
 - $\text{Cu}@/\text{CoS}/\text{CF}$ 640
 - Fe-NiCu hydr(oxy)oxide 636
 - in KOH, NiOOH 642
 - kinetic pathway 632
 - metal clusters 632
 - Ni-based compounds 634
 - Nife-based materials 636
 - β -Ni(OH) $_2$ /Ni-MOF 634
 - Ni_4 (PET) $_8$ and Ni_6 (PET) $_{12}$ clusters 634
 - PCN- $\text{Fe}_2\text{Co-Fe}_2\text{Ni}$ 641
 - $\text{RuO}_x\text{-nc}@/\text{Co}_3\text{O}_4$ -250 catalyst 639
 - Si wafer 633
 - superlattices 132, 134, 135
 - oxygen reduction reaction (ORR) 183, 248, 633
 - oxygen-containing molybdenum carbides (O-MoC) 355
 - oxygen-evolving rutile TiO_2 photoanode 347
- p**
- Pb-Sn binary alloy perovskites 435
 - $[\text{PbX}_6]^{4-}$ octahedra 451
 - PC CO_2 reduction reaction (CRR) 207, 211, 212, 294, 311
 - chalcogenide/oxide
 - semiconductor-based heterostructures 212–217
 - metal clusters
 - carbon-based materials 678–679
 - MOFs 678
 - TiO_2 materials 677
 - metal oxide clusters
 - carbon-based materials 684
 - MOF materials 679–682
 - TiO_2 materials 682–684
 - on multi-phases 297–300
 - on non-noble metal oxides 333–335
 - on non-noble metals 331–333

- other heterostructures 218
- on single phases 295–297
- TiO₂ based semiconductor heterostructures 212
- PC hydrogen evolution reaction (HER) 275, 286
 - on CdS/CeO₂ 317–319
 - on hetero-phases 288–289
 - on H_{1-x}La_xCa_{2-x}Nb₃O₁₀ 314–317
 - on K₄Ce₂Ta₁₀O_{~30} 311–313
 - on multi-phases 289–290
 - on non-noble metal oxides 327–328
 - on non-noble metals 326
 - on other non-noble metal compounds 328
 - on single phases 286–288
- PC N₂ reduction reaction (NRR) 300
 - on CeO₂/FeS₂ 319
 - chalcogenide/oxide semiconductor-based heterostructures 218–221
 - on hetero-phases 302–303
 - on non-noble metal oxides 336–337
 - on non-noble metals 336
 - on single phases 300–302
- PC overall water splitting (OWS) 279
 - on hetero-phases 291–292
 - on multi-phases 292–294
- PC oxygen evolution reaction (OER) 328–331
- PC water splitting
 - metal chalcogenide/phosphide semiconductor-semiconductor heterostructure 198–200
 - non-noble metals and semiconductor heterostructures 204
 - overall water splitting (OWS) 279–282
 - PC hydrogen evolution reaction (HER) 275–279
- PC water splitting oxide (TiO₂) semiconductor-semiconductor heterostructure 200, 203, 204
- PC₆₁BM 583
- PdCu nanoparticles 162
- PDDA 232, 233, 354
- PDMS 227, 228
- P⁺-doped nanocrystalline hydrogenated Si (nc-Si:H) 521
- PEA-based 2D perovskite materials 488
- PEC device configuration 362
- PEC overall water splitting (OWS) on single phases 390–392
- perfluorinated cobalt phthalocyanine (CoFPC) catalyst 795
- TiO₂ nanoporous film 302
- periodic honeycomb-like shape TiO₂ nanoporous film 302
- perovskite based NaNbO₃ 347
- perovskite based tandem solar cells challenges of 497–501 design and benefit of tandem device 501–505 four-terminal (4T) design 506–507 heterojunctions of tandem solar cells 507–519 interfacial charge recombination and current loss 520–521 material structure and properties 484–489 theoretical limit vs. actual power output 520 transparent conductive layer 521–522 tunable optical absorption and band gap 489–492 working principle and synthesis of 492–497
- perovskite photocatalysts 298, 304
- perovskite solar cells 431, 432
 - metal nitrides 585–586
 - metal sulfides 583–585
 - non-noble metal plasmonic nanoparticles 581–583
- perovskite type BTON 350
- perovskite-chalcogenide tandem solar cells 515–518
- perovskite-CIGS tandem solar cells 517
- perovskite-Cu₂Zn(S,Se)₄ 2T monolithic tandem solar cell 515
- perovskite-OPV bulk-heterojunction solar cells 518–519

- perovskite-perovskite 437, 492, 506, 507–512, 521, 522
- perovskite-Si based tandem solar cells 513–515
- perovskites 17, 53, 232, 309–311, 363, 379, 432–435, 437, 438, 446, 449–453, 485–488, 492, 497, 500, 501, 504, 505, 508, 509, 510, 513, 518, 523, 532
- phase based electrocatalytic materials 149
- phase-based photocatalytic materials for CO₂ reduction 299
- 1,10-phenanthroline doped Zn-based ZIF (ZIF-A-LD) 761
- phenyl-C₆₁-butyric acid methylester (PCBM) 434, 494, 521
- phosphide protected FeS₂-FeP-CeO₂NS ternary nanohybrid catalyst 319
- phosphorene 73, 82, 115, 231
- phosphorene quantum dot (PQD) 82
- photo-electrolysis 361, 797
- photo-inactive (yellow or white) δ -phase 486
- photoabsorbers 365, 366
- photoanodes 346, 347, 349, 350, 358, 374, 392, 407, 415, 424, 443, 444, 461, 462, 464, 465, 467, 469–473, 567, 573, 589, 590, 592–596, 599–602, 792, 795
- photocatalysis 116, 148, 193, 196, 199, 200, 221, 236, 249, 261, 276, 282, 285, 288, 291, 294, 298, 304, 331, 358, 361, 590, 660, 671, 675, 682, 688, 696, 773, 774, 787, 815
- photocatalytic carbon dioxide reduction (PC-CRR) 148, 294, 295, 297–300, 304
- photocatalytic N₂ fixation 218, 246, 320, 325, 337
- photocatalytic reactions 218, 773
 - CO₂ reduction reaction (CRR) 778–780
 - N₂ reduction reaction (NRR) 780–781
- photocatalytic redox reactions
 - CO₂ reduction 243–246
 - fuel cells 236, 248–249
 - mixed-dimensional heterostructures for 249–260
 - N₂ reduction 246–248
 - water splitting 239–243
- photocatalytic water splitting 325
 - graphitic carbon nitrides 675–676
 - hydroxide clusters 674–675
 - metal clusters
 - Cu clusters 660–661
 - Ni, Co, Mo 661–664
 - metal oxide clusters
 - Co₃O₄ clusters 669
 - CuCo₂O₄ 669
 - Cu₂O₆ clusters 665–667
 - Mo, Ni, Co 667
 - pure metal oxide clusters 664–665
 - metal sulfide clusters
 - pure metal sulfide clusters 669–671
 - reaction
 - overall water splitting without sacrificial reagents 777
 - summary of 655–656
- photocathodes 311, 345–347, 351, 353, 355, 358, 374, 376, 378, 791
- photochemical (PC) 193–196, 198, 204, 215, 218, 221, 275, 303, 310, 321, 343, 374, 655, 685, 688, 773, 782, 787, 806, 809
- photochemical energy conversion
 - challenge and opportunity 282, 687–689
 - CO₂ reduction reaction 676–684
 - NRR
 - CdS:nitrogenase MoFe protein 686–687
 - FeMoS chalcogels 685–686
 - FeMoS-FeS-SnS chalcogels 685–686
 - PC water splitting 659–676
- photoelectrochemical (PEC)
 - reaction 787
 - water splitting 343, 361, 389, 399, 411, 695, 787, 788

- photoelectrochemical (PEC) energy
 conversion 343
 2D-material heterostructures 369–372
 2D-materials
 band energetics at the interface
 367–369
 co-catalysts 366
 electron acceptors/transporters
 366–367
 photoabsorbers and sensitizers 365
 protective layers 367
 challenge and opportunity 712–714
 CO reduction reaction
 metal oxide clusters 709–712
 structure and working principle of
 709
 CO₂ reduction reaction 351
 catalysts for 712–713
 metal oxide clusters 709–712
 photocatalytic redox reaction 708
 reaction formula and potential of
 708
 structure and working principle of
 709
 hydrogen production technology 696
 material requirements for
 photoelectrocatalysis 363–365
 for N₂ reduction reaction (NRR)
 355–357
 photodegradation cell 696
 water splitting 343–345
 applied bias voltage 698
 configuration for 698
 metal chalcogenides clusters
 705–707
 metal clusters 699–702
 metal oxide clusters 702–705
 photoanode and photocathode 699
 solar energy utilization 697
 photoelectrochemical (PEC) water
 splitting, SAC for 788, 799
 challenge 793
 challenges and opportunity 807–809
 on 2D or 3D porous materials 791–793
 metal organic framework (MOFs)
 791
 metal oxides/phosphides 793–798
 on coordination polymer 790–791
 on nitrogen-doped carbon material
 789
 Silmeso TiO₂ molecular catalyst
 photocathode 797
 by single cobalt catalyst 791
 sulfur-doped carbon material 790
 photoexcitation process, in semiconductor
 particle 773–774
 photoluminescence (PL)
 analysis 584
 spectra 418, 536, 661
 photon-driven near-infrared (NIR) band
 583
 photovoltage spectroscopy (IMVS) 459
 photovoltaic (PV)/solar cells 481
 photovoltaic charging system 431, 432
 plasmon resonance Rayleigh scattering
 (PRRS) spectroscopy 581
 plasmonic aluminum (Al) nanoparticle
 587
 plasmonic Cu nanowires@TiO₂ (Cu
 NWs@TiO₂) core-shell
 nanostructures 591
 plasmonic Cu/ZnO catalysts 332
 plasmonic enhancement strategy 581
 plasmonic hexagonal tungsten bronze
 M_{0.33}WO₃ 333
 plasmonic phenomenon 587
 plasmonic Ti/TiO_{2-x} heterostructure 411
 plasmonic Z-scheme W₁₈O₄₉/g-C₃N₄
 heterostructure photocatalyst
 327
 plasmonic/dielectric core/shell
 nanostructures 585
 PMMA 226, 227, 243, 244
 pollution-free H₂O 90, 326
 poly diallyl dimethylammonium chloride
 (PDDA) 232
 poly(2-trimethylammonium)ethyl
 methacrylate (PMAEMA) 354

- poly(3,4-ethylenedioxythiophene)-poly(styrenesulfonate)dryer-dispersible pellets (PEDOT:PSS) 434, 521, 533, 584
- poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) (PEDOT:PSS) 434, 521, 533, 584
- poly(3-hexylthiophene-2,5-diyl) (P3HT) 434, 494
- poly-dispersed spherical aluminum nanoparticles (AlNPs) 581
- poly-vinyl alcohol (PVA) 226, 227
- poly[bis(4-phenyl)(2,5,6-trimethylphenyl)amine (PTAA) 434, 455, 494, 502
- polycrystalline cadmium telluride (CdTe) 352, 431, 482, 483, 515
- polyelectrolyte 233, 234
- polyethyleneimine (PEIE) 521
- polyethylenimine (PEI) 232, 233, 628
- polyhedral coordination cages (PCCs) 631
- polymer layer coating 533
- polymerization-pyrolysis-evaporation strategy 739
- polymethyl methacrylate (PMMA) 226, 227, 243, 244
- polymorphic phase engineered structure (PPES) 147
- challenge and opportunity 303–304
- EC water splitting
- hydrogen evolution reaction 150–151
- electrochemical N reduction reaction
- amorphous phases 164–166
- crystalline phases 160–164
- for PC water splitting 285–294
- nitrogen reduction reaction 394–396
- PC CO₂ reduction reaction (CRR) 294–300
- PC N₂ reduction reaction (NRR) 300–303
- photoelectrochemical (PEC) water splitting 389
- polymorphism 147, 166, 289, 292
- polypyrrole 352
- polystyrene (PS) 434, 459
- porous g-C₃N₄ 244, 366
- porous Nd₂Sn₂O₇ nanofibers 401
- porous plasmonic CuFe bimetallic photocatalysts 336
- positively charged graphene nanosheets 369
- power conversion efficiency (PCE) 432, 449, 481, 531, 567, 571, 573, 581
- PPES for PC water splitting
- PC hydrogen evolution reaction (HER) 286–290
- PC overall water splitting (OWS) 290–294
- Pr³⁺ 563
- Pr³⁺ and/or Yb³⁺ doped transparent oxyfluoride glass ceramics (GCs) 563
- Pr³⁺/Yb³⁺-codoped NaY(WO₄)₂ crystals 563
- pre-synthesised Cu NWs 591
- pre-synthesized QDs sensitization by molecular linkers 441–442
- pristine g-C₃N₄ 107, 243, 244, 247, 249, 253, 258, 259, 287, 375
- projected partial density of states (PDOS) 162, 794
- PSC based PV technology 494
- p-Si nanowire arrays 352
- Pt cathode 470, 599, 601, 603
- Pt clusters 622, 623, 631, 633
- Pt/f-MWCNTs composite electrocatalyst 621
- Pt-RE alloys 176
- p-type CuCrO₂ 346
- p-type MoS₂ and n-type N-doped graphene 286
- p-type semiconducting material 501
- p-type semiconductors 197, 347, 369, 376, 494
- pyridine molecules
- poly-diallyldimethylammonium (PDDA) 354
- pyridineon 352

q

- QD-based heterojunction solar cells 439
- quantum dot (QD)-based solar cells
 - 2D-0D heterostructured quantum dot solar cells 456–458
 - 2D-1D heterostructured quantum dot solar cells 458–459
 - 2D-2D heterostructured quantum dot solar cells 459–460
 - 2D-3D heterostructured quantum dot solar cells 460–461
- quantum dot sensitized solar cells (QDSSCs) 439–441, 588, 597
- quantum dot solar cell 431
 - metal sulfides 588–589
 - non-noble metal based plasmonic nanoparticles 587–588
- quantum dots sensitized solar cell (QDSC) 439–441
- quantum efficiency
 - of Co-NG/CdS and Ni-NG/CdS catalyst 775

r

- radial p-n junction 457, 533, 542–544
- radiative energy transfer (RET) 457
- Raman spectroscopy 536, 584, 731
- randomly oriented mesoporous TiO₂ nanoparticulate system 467
- rare-earth nanomaterials 310, 400
 - Ce-doping and CeO metal-based catalysts
 - hydrogen evolution reaction 180–183
 - down-conversion phosphors 569–575
 - challenge and opportunity 409, 575–576
 - hydrogen evolution reaction
 - CO-RE 177
 - Fe-RE 178–179
 - Ni-RE 174–176
 - ternary alloy with RE 179–180
 - Ln₂Ti₂O₇ 399
 - Nd₂Sn₂O₇//Fe₂O₃ 400
 - simple oxides
 - alloys and intermetallics 174–180
 - N₂ reduction reaction 171–174
 - up-conversion phosphors 559–568
- Re-Bpy-sp2c-COF/FTO photocathode 806
- reactive ion etching 235, 533
- reduced graphene oxide (rGO) 68, 134, 194, 229, 369, 372, 463, 501, 648
- renewable clean energy 325
- renewable fuels 361
- resonant (Ag) plasmonic nanoparticles 587–588, 590–597
- reverse gas flow 234
- reversible hydrogen electrode (RHE) 10, 75, 129, 155, 171, 311, 344, 347, 350, 369, 390, 401, 621, 740
- RGO-TiO₂ heterostructures 463
- RGO-TiO₂ nanotube arrays 467
- Rh_{0.5}Cr_{1.5}O₃ cocatalyst 291
- ring-opening reaction 230
- Ruddlesden-Popper phases (RPP) 292, 453
 - perovskite material 453
- rutile square-shaped TiO₂ nanotube arrays 297

s

- SANi-I catalyst 731
- Scanning Tunneling Microscope (STM) 625, 629, 697
- Schottky junction 195, 196, 252, 367, 368, 439, 440, 666
- Schottky junction systems 367
- seed-assisted hydrothermal synthesis 458
- selective-area epitaxy (SAE) 534, 535, 539
- selenium (Se) based solar cell 481
- self-embedded Cu_{2-x}S NPs 583
- self-powered parallel electron lithography 533
- self-supported Co-NxP-GC/FEG electrode 789
- semiconducting quantum dots (QDs) 277

- III-V semiconductor based nanowire solar cells
 - hybrid nanowire solar cells 545
 - nanowire design for optimal light absorption 536–540
 - nanowire p-n junction design and characterization 541–544
 - nanowire synthesis 532–536
 - non-epitaxial carrier selective contacts for nanowire solar cells 546–547
 - performance comparison and future perspectives 547–553
 - surface passivation 544–545
 - tandem junctions 545–546
- semiconductor/Zn-Co-MOF
 - heterostructure (ZnO@ZIF-8/67-NAs) 792
- sensitizers 365, 440, 443, 445, 461, 563, 564, 576, 589, 677, 678, 789, 804, 809
- shear mixing 229
- Shockley-Queisser limit 449, 453, 482, 489, 504, 520, 522, 531, 537, 545
- Si nanowire/N₂-plasma-treated graphene quantum sheets (N-GQSs)
 - heterostructure 373
- Si nanowire/N-GQSs photocathode 373
- Si/N₂-doped graphene (Si/NG)
 - hetero-photocathode 376
- silicides 286
- silicon (Si) quantum dots 457
- silicon (Si) solar cell 513
- siliconmeso TiO₂/molecular catalyst photocathode 797
- simple oxides
 - alloys and intermetallics 174–180
 - N₂ reduction reaction 171–173
- single atom catalysts 41, 655, 721, 727, 732, 743, 754, 780, 782, 788, 799, 808
- single atom photocatalysts
 - challenges and opportunities 782–783
- single atom photocatalysts 775
- single atoms (SAs), for photocatalytic reactions
 - for CO₂ reduction reaction 778
- single atoms (SAs), for photocatalytic reactions
 - N₂ reduction reaction (NRR) 780–781
- single nanowire solar cells 536–539
- single TiO₂ crystal 343
- single-crystalline perovskites 434
- SiO₂ nanoshell 585, 586
- Sm³⁺ 569–571
- Sm₂Ti₂O₇ 399, 401
- Sn-CF1000 761, 762
- S,N co-doped porous graphene sheets (SNGS) 81, 82
- Sn-Pb perovskites 510
 - layer 510
- solar cell devices 431, 434, 438, 600
- solar energy conversion 204, 207, 212, 221, 350, 351, 358, 431, 439, 599, 600, 655, 696
- solar-driven overall water splitting, on Co₁-phosphide/PCN photocatalyst 778
- solar-driven redox reactions 380
- solid-state and liquid junction (colloidal) quantum dot solar cells 456
- solvothermal synthesis 69
- Spiro-OMeTAD 483, 501
 - layer 494
- SrAl₂O₄ 573–574
- SrBi₂Ta₂O₉ 293, 294
- stable CsPbI₃ PSC 450
- stacked Cu₁₋₈S nanoplatelet-based cathodes 597
- Strain engineering 78
- striped-pattern (SP) superlattices 132
- successive ionic layer adsorption and reaction (SILAR) method 440, 443, 444, 459
- sulfide-based nanomaterials 349–350
- sulfur self-assembled monolayers (SAMs) 533
- superlattices 129, 132–135, 137, 138, 140, 142, 145, 234, 235, 275, 277, 279, 280, 281, 282, 393, 595
 - based catalysts 279

- catalysts for EC 130–131
 - superlattices, EC
 - challenge and opportunity 145
 - CO₂ reduction reaction 143–145
 - water splitting
 - EC hydrogen evolution reaction 129–132, 133
 - overall water splitting 137–143
 - oxygen evolution reaction 132–137
 - supersonic cluster beam deposition (SCBD) method 703
 - supertetrahedral chalcogenido T4 clusters 277, 279
 - surface passivation 196, 374, 537, 541, 544–545
 - surface plasmon resonance (SPR) 73, 246, 325, 326, 332, 411, 581, 585, 699
 - of Cu nanoparticles 588
 - effect 395
 - surface recombination velocity (SRV) 544
- t**
- Ta₃N₅ 210, 347, 350–351, 369
 - Ta₃N₅-nanorods/BaTaO₂N 351
 - tandem junctions 532, 545–546
 - tantalates 311–313
 - TaON@Ni photocatalyst 333
 - Tauc method 793
 - ternary alloy with RE
 - hydrogen evolution reaction 179–180
 - ternary oxide BiVO₄ 349
 - 4-*tert*-butylpyridine (4-TBP) 514
 - tetraalkylammonium 354
 - tetrabutyl titanate 591
 - tetragonal bipyramidal TiO₂ nanosheets 469
 - thin alumina (Al₂O₃) 413
 - thioacetic acid (TAA) 442
 - thioglycolic acid (TGA) 441
 - thiolactic acid (TLA) 442
 - thiomolybdate [Mo₃S₁₃]²⁻ cluster catalyst 630
 - third-generation solar cells 431–432, 439, 482
 - Ti 113, 162, 220, 243, 302, 309, 326, 406, 411–412, 681, 699, 703, 776
 - Ti/TiO_{2-x} 411
 - time-resolved photoluminescence (TRPL) spectroscopy 457–458
 - tin (Sn) based perovskite 500
 - tin oxide (SnO₂) 501
 - TiN-based DSSCs 602
 - tin-based perovskites 518
 - TiN-decorated PSCs 585
 - TiN-NFG nanocomposites 602
 - TiN/TiO₂ composite photoanodes 602
 - TiO₂ double light-scattering layers (TiO₂-DLL) 472
 - TiO₂ nanotube arrays (TNTAs) 418
 - TiO₂-Bi/BiOCl photoelectrochemical (PEC) system 422
 - TiO₂-hollow sphere (TiO₂-HS) 472
 - TiO₂/Au/a-TiO₂ 395
 - TiO₂/CdS/CdSe photoanode 349
 - TiO₂/Ce 404
 - TiO₂/Ti₃C₂T_x heterostructure 115
 - TiO₂/ZnO nanowires 203
 - TiO_{2-x}F_x 568
 - TiO₂/CdS/CdSe/ZnS (photoanodes) 599
 - titanium dioxide (TiO₂) 292, 348, 352, 566, 572
 - based/oxide semiconductor heterostructures 205
 - based semiconductor heterostructures 212
 - 1D nanostructures 459
 - microspheres 328
 - nanorod arrays 390
 - nanosheets 472
 - NCAAs 415
 - protected InP nanopillars 352
 - t-KNbO₃ (t-KNbO₃) 289
 - 4T mechanically-stacked perovskite-CIGS tandems 518
 - 1T-MoS₂/TiO₂ NAs 390
 - 1T-MoS₂/O-g-C₃N₄ composite 286
 - Tm³⁺ 561, 563

- tolerance factor 433, 486, 500, 509
- total primary energy supply 1
- 2T perovskite tandem solar cells 505
- 2T perovskite-Si tandem solar cells 513
- 1T phase MoS_2 151, 277, 288–289
- transient absorption spectroscopy (TAS)
techniques 292, 298, 328
- transition metals (TM) 174
based catalysts 16
carbon-based heterostructures 89, 101
metal oxide heterointerfaces 17–20
metal oxide/non-metal heterointerfaces
20–21
- transition metal dichalcogenides (TMDs)
13, 53–54, 68, 73, 115, 118, 155,
364–367, 372, 376, 378, 380, 463,
468, 782–783
nanosheets 99
- transition metal diselenide (TMDSe) 13
- (bi)-transition metal disulfides (TMDSs)
13
- transition metal nitrides (TMNs) 93,
328, 601
- transition metal non-oxides 31–32
non-metal heterointerfaces 22–24
- transition metal oxide (TMO) 5, 38, 98
metal/non-metal heterointerfaces
35–36
metal oxide/metal heterointerfaces
34–35
metal oxide/metal non-oxide
heterointerfaces 37–38
metal oxide/non-metal heterointerfaces
36–37
semiconductors 346
- transition metal oxyhydroxides
(TMOOHs) 20
- transition metal phosphides (TMPs)
10–11, 22, 71, 91, 626
- transition metal-based hydroxides
(TMOHs) 9–10
- transitional metal chalcogenides (TMDs)
155
- transparent conducting oxide (TCO)
materials 440, 521
- transparent conductive layer 513,
521–522
- tri- C_3N_4 composite 287
- tri-s-triazine-based crystalline carbon
nitride (tri-s-tri- C_3N_4) 287
- triazine-based crystalline carbon nitride
(tri- C_3N_4) 287
- trilaminar Al/ Cu_2O / NiS hybrid
membrane 413
- trilayer $\text{Bi}_2\text{MoO}_6/\text{MoO}_3$ (BMO)
heterostructure 391
- 4T Si-perovskite tandem solar cell 506
- tunable optical absorption and band gap
489–492
- tungsten oxide (WO_3) 501
- turnover frequency (TOF) 9, 11, 29, 45,
73, 85, 89, 153, 181, 623, 628,
629–632, 634, 636–637, 644, 666,
726, 734, 736, 738, 740, 745–746,
752, 756, 760–763
- twisted diamond-type superlattices 277
- two-dimensional (2D) nanosheets 92,
102–103, 129, 215, 464–466, 472,
488
- two-dimensional (2D) or quasi-2D
perovskite materials 487
- two-step epitaxial growth 234
- type I systems 367–368
- type II systems 367–369
- U**
- ultrasonication 203, 229, 327, 374
- ultrathin Ag- δ - Bi_2O_3 nanosheets 302
- ultrathin BiOCl nanosheets 423
- ultrathin film (UTF) 134–136
- ultrathin g- C_3N_4 nanosheets 258, 287
- un-passivated GaAs nanowires 544
- undoped TiO_2 photoanodes 572, 592
- up-conversion phosphors 559–568
- UV-Vis diffusion reflectance spectrum
404
- V**
- valance band (VB) 196–197, 203, 210,
212, 220, 243, 246, 257–258, 292,

- 295, 313, 317, 344, 347, 363–364, 367–369, 421–422, 425, 440, 450, 455, 464, 489, 492, 659–660, 669, 671, 674–675, 682, 688, 773, 793
- valence band maximum (VBM) 391, 451, 490
- van der Waals (VdW) stacking 53
- van der Waals heterostructures 73–76, 85–87, 98–100, 107–109, 225–262
- vertical heterostructures
- chemical vapor deposition 228–229
 - layer-by-layer assembly 231–234
 - liquid phase assembly 229–231
 - liquid-based techniques 229
 - mechanical exfoliation and transfer 226–228
- vertical nanowire 537, 539–542, 547
- vertical nanowire array solar cells 539, 541
- vertically grown 1D TiO nanotube arrays 467
- vertically stacked heterostructures 74
- Volmer–Heyrovsky mechanism 722, 724
- Volmer–Tafel mechanism 153, 722, 726
- W**
- wafer-based Si single junction solar cells 531
- Wannier–Mott exciton binding energies 434
- water based electrolyte (LANT-aq) 297
- water decomposition system 698
- “water-controllable releasing” method 333
- water splitting 362
- 0D/2D heterostructures 369, 372
 - 1D/2D heterostructures 373–374
 - 2D/2D heterostructures 239–243, 374–376
 - 3D/2D heterostructures 376–378
 - mixed-dimensional heterostructures 249, 252–253
- water splitting on non-noble compounds
- WO_{3-x} 425–426
- water splitting on non-noble metals
- Al 412–416
 - Bi 421–425
 - Cu 416–421
 - Ti 411–412
- well-crystallized α -FeOOH 390
- wet etching procedures 533
- wide-bandgap semiconductor 363
- $\text{W}_{18}\text{O}_{49}$ 327, 425
- nanograss 327
 - nanowires 327
- $\text{WO}_3/\text{Bi}_2\text{S}_3$ 419–420
- $\text{WO}_3/\text{Bi}_2\text{S}_3/\text{Cu}$ 420
- $\text{WO}_3/\text{Cu}/\text{Bi}_2\text{S}_3$ heterojunction 419, 420
- $\text{WO}_3/\text{g-C}_3\text{N}_4$ nanosheets heterostructure 375
- $\text{WO}_3/\text{W}:\text{BiVO}_4$ core/shell nanowire (NW) photoanode 350
- worm-like $\text{FeS}_2/\text{TiO}_2$ nanotubes (NTs) 352
- X**
- X-ray absorption fine structure spectra (EXAFS) 672, 677, 687, 723–726, 729–730, 736, 739, 741–742, 745, 749–750, 756–757, 760, 776
- X-ray photoelectron spectroscopy (XPS) 165, 166, 184–185, 244–245, 292, 335, 406, 570, 722, 729, 734, 736, 747, 750, 752, 762, 789, 790
- Y**
- $\text{Y}_3\text{Al}_3\text{O}_{12}$ 572–573
- Yb 399–400, 563
- $\text{Yb}^{3+}/\text{Er}^{3+}$ codoped β - NaYF_4 565
- Y_2O_3 567, 574
- yttrium oxyfluoride (YOF) 568
- YVO_4 571, 573
- Z**
- zeolite imidazolate frameworks (ZIFs) 21, 218, 623, 761, 805
- zeolitic imidazolate frameworks-67 (ZIF-67) 21, 39, 101, 636, 736, 792

- zero-bandgap material 239
- ZIF-9/ Co_3O_4 biomimetic system 805
- ZIF-9/ Co_3O_4 nanowires photoelectrode 806
- zinc oxide (ZnO) 25, 200, 203, 252, 254, 317, 333, 352, 354, 365, 440–443, 458–459, 461–462, 465–466, 517, 546, 567, 574–575, 684, 705, 792
- ZnN/C catalyst 760
- ZnO@ZnSe core/shell nanosheet arrays 352
- Z-scheme structure 196
- Z scheme systems 367
- ZnSe composite electrode 352
- ZnSe nanorods (NRs) 346
- ZnTe/ZnO composite photocathode 346
- ZrN-decorated PSCs 585
- ZrN/ SiO_2 core/shell nanostructures 585

