

## Index

### a

acid leaching process 44, 228  
 Ag/AgCl/KCl reference electrode, in molten salt 134  
 air-metal technologies 7  
 Allen–Hickling coordinates 138, 139  
 alumina (Al<sub>2</sub>O<sub>3</sub>) 2, 55, 60, 79, 94, 105, 106, 125, 129, 130, 150, 160, 165, 167–169, 178, 186–192, 240, 247, 250, 251, 258  
 aluminum backside field (Al-BSF) technology 12, 13  
 amorphous Si 65, 206  
 apatite 39  
 atomic layer deposition (ALD) 14, 17, 95, 178, 207, 240, 245, 257, 262

### b

barium oxide (BaO) 51, 166, 167, 168  
 barium silicate (BaSiO<sub>3</sub>) 51, 166  
 batteries, requirements 6  
 bis(trifluoromethylsulfonyl)amide (TFSA) 62–64  
 bis(trifluoromethylsulfonyl)imide (TFSI) 62, 64, 65  
 blackening effect 190  
 black silicon (b-Si) 3, 17, 105, 175, 190–195, 203–221, 243, 251, 258  
 black silicon photocathode 17, 243  
 Bronze Age 23

### c

CaCl<sub>2</sub> electrolyte 53, 57, 85, 123, 125, 130, 133, 137, 145, 147, 152, 161, 171, 204, 205, 208, 209, 213, 219, 220, 226  
 CaCl<sub>2</sub>-LiCl electrolyte 233  
 calcium oxide (CaO) 42, 51, 53, 57–60, 139, 145, 147, 160, 161, 166, 208, 219, 260  
 calcium silicide (CaSi<sub>x</sub>) 67, 126, 136, 137, 160, 215, 231

carbon-carbide composite (C-SiC) 122, 225, 227, 228, 231, 258  
 carbon-carbide compositions (C-SiC) 122, 225, 227–229, 231, 258  
 carbon footprint 1, 16, 121, 126, 239  
 carbothermic deoxidation and purification 25  
 carbothermic reduction 24, 25, 33, 121, 257  
 Ca-Si alloy 160, 214, 233  
 chemical deoxidation of metal ores 24  
 chemical etching 9, 17, 28, 29, 175, 176, 178–180, 182–186, 190, 192, 203, 212, 243, 257  
 chemical refining, of MG-Si 44  
 chemical vapor deposition (CVD) methods 35–38, 86, 154, 178, 191, 207, 217, 218, 231, 245  
 chloride molten salts 53, 259  
 climate change 5, 6, 237, 242, 257  
 Climate neutral Europe 5  
 CO<sub>2</sub>, photoelectrochemical conversion of 237, 242  
 cobalt oxide nanoparticles (CoO NPs) 241  
 cold conversion 38  
 contacting electrode (CE) 67, 130, 133, 134, 135, 145, 147, 159, 203, 205, 227  
 corrosion 6, 24, 62, 79, 86, 94, 104, 106, 107, 109, 112, 136, 146, 150, 153, 160, 169, 184, 246–250  
 Cr<sub>90</sub>Fe<sub>10</sub> anode material 121, 169  
 crucible-free approach 44  
 crystal grain nucleation 206  
 crystalline silicon 10, 11, 53, 56, 57, 84, 191, 194, 209, 242, 261  
 crystalline silicon PV panels 11  
 cyclic voltammetry (CV) 134, 135, 137

**d**

- damage removal etching (DRE) 191–192, 194
- dangling bonds 29, 86, 95, 206, 207
- dc-voltammetry 160
- Deal–Grove model 151, 207
- debatable 171
- deoxidation 2, 23–25, 33, 121–124, 129, 171, 207, 218, 225, 232, 259
- dry thermal process 151

**e**

- effective surface recombination velocity ( $S_{\text{eff}}$ ) 78, 95
- electrical conductivity, of SiO<sub>2</sub> on p-Si (boron-doped) and n-Si (phosphorous-doped) 152
- electro-desulfidation, of molybdenum sulfide MoS<sub>2</sub> 126
- electrochemical batteries 6–9, 260
- electrochemical deoxidation 133, 259
  - of solid oxides 121
- electrochemical hydrogen generation 15, 212, 239, 261
- electrochemical impedance spectroscopy (EIS) 86, 160
- electrochemical metal extraction, from oxides in molten salt electrolyte 130
- electrochemical methods 1, 17, 177, 219, 233, 257
  - of silicon surface engineering 14
- electrochemical passivation 79, 150
- electrochemical quartz crystal microbalance (EQCM) 63, 65
- electrochemical Si refining 40
- electrochemical Si surface structuring and formation of black silicon
  - anodic and cathodic processing in molten CaCl<sub>2</sub> 203–205
  - electrodeoxidation of thin SiO<sub>2</sub> layers 207–208
  - globular structures 208–212
  - Li-ion batteries (LIBs) 216–221
  - microcolumnar and amorphous structures 205–207
  - molten salts 212–216
- electrochemical silica-silicon conversion 159, 218, 258
- electrochemical silicon 1–2, 26, 259
- electrochemical stability, of molten CaCl<sub>2</sub> electrolyte 125

- electrochemical synthesis of Si-C systems 225, 258
  - electrochemical system, characteristic of 134
  - electrochemically-produced silicon 260
  - electrochemistry 1–3, 5–17, 27, 29, 58, 78–79, 106–107, 121, 134, 149, 165–172, 178, 203, 212, 216, 231, 243, 257–259, 262
  - electrochemists 22, 79, 124
  - electrodeoxidation of thin SiO<sub>2</sub> layers 207–208
  - electrodeposition 259
    - fluorosilicic acid (H<sub>2</sub>SiF<sub>6</sub>) 49
    - molten fluorides 49–51
    - oxygen ions 53
    - photoactive silicon and p-n junction 56–60
    - purity concerns and solutions 66–68
    - of silicon from ionic liquids and organic solvents 60–66
    - substrate materials for silicon 55–56
    - of thin Si layers 49
  - electrolyte absorption 97, 109, 111, 250
    - by oxide films on silicon 150
  - electron acceptors 176
  - electron diffraction 218
  - electronic passivation 79, 95, 149–150, 190
  - electropolishing 175–176
  - electrorefining, in molten salts 40–43
  - Elkem process 44
  - energy dispersive X-ray spectroscopy (EDX) 154, 221, 227–228
  - environmentally friendly 1, 15, 53, 194
  - ethyl process 37–40
  - ethylammonium nitrate 61
  - 1-ethyl-3-methylimidazolium [EMIm] 62–64
  - European BATTERY 2030+ Roadmap 217
  - European Green Deal plan 5
- f**
- faience 21
  - Faradaic process 80, 88, 101, 251
  - ferrosilicon 33
  - FFC Cambridge process 2, 121, 122
    - cathodic reduction process 127
    - technical aspects 126
  - FFC method 126, 127, 259
  - field effect passivation 79, 149
  - flexible black silicon 17, 194, 258

- fluidized bed reactor (FBR) technology 36, 37, 39
- fluoride-based electrolytes 42, 50
- fluorosilicic acid ( $\text{H}_2\text{SiF}_6$ ) 49
- Fourier transform infrared (FTIR) 168
- fs-laser pulse 180
- g**
- glass
- history of 22, 23
  - importance of 21
- glass instrumentation 22
- glow discharge mass spectrometry (GDMS) 58
- graphite cathode 56, 166
- grazing incidence X-ray diffractometry (GI-XRD) 95, 96
- h**
- hafnium oxide (hafnia,  $\text{HfO}_2$ ) 93, 250
- hexafluorosilicate ( $\text{SiF}_6$ ) 63
- Hoopes process 40
- hydrofluoric acid (HF) 12, 14, 29, 39, 51, 81, 152, 175, 183, 203, 212, 243, 258, 259
- hydrogen generation process 15, 16, 212, 237, 239, 250, 261
- hydrogen- or oxygen-termination 30
- i**
- immunoglobulin G (IgG) 178
- inductive coupled plasma reactive ion etching (ICP-RIE) 192
- initial Coulombic efficiency (ICE) 8
- International Renewable Energy Agency (IRENA) 10, 11
- ion-sensitive field effect transistors (ISFETs) 80, 150
- ionic liquids
- advantage of 61
  - applications of 62
  - definition 60
  - electrolysis 63
  - field of 62
  - health and safety standards 61
  - history of 61
  - organic cations 62
  - Si deposition 63
  - Si electrodeposition 63
  - silicon electrodeposition 62
- Iron Age 23, 24
- IUPAC classification 204
- k**
- Kroll process 24
- l**
- lanthanides and actinides extraction 122, 126
- laser engineering 3, 14, 17, 175, 180–181, 186, 203, 213, 243, 257
- laser processing 180, 194
- Li-ion batteries (LIBs) 6–7, 216–221
- Li-ion electrolyte 6, 7, 54, 216–221, 231
- Li-Si binary system 8, 260
- light harvesting efficiency, of Si-based photoelectrochemical cells 14
- liquid metal electrodes 169, 170
- liquid Si-Cu anode 43, 139, 170
- liquid Si-Cu electrode 42
- lithium-ion batteries (LIBs) 6
- restrictions 7
  - safety issues 7
- lunar minerals 127
- m**
- macroporous silicon 176
- magnetron sputtering (MS) 95, 108, 110, 150, 188, 245
- man-made glass 21
- metal-air batteries 7
- metal-assisted chemical etching (MACE) 29, 175, 178, 182–186, 191, 192, 194, 212
- metallic grade silicon (MG-Si) 25, 147
- metallurgical-grade silicon (MG-Si) 2, 33, 40, 259
- boron and phosphorous content 33
  - chemical refining 44
  - mechanical crashing/pulverization 44
  - solidification 44
- metallurgical route 39, 40
- metal-organic compounds 248
- metal silicides (*MenSim*) 34, 231, 258
- metal wrap through (MWT) back-contact solar cell technology 12, 13
- micron and submicron globules 210
- micro-pyramid textures 28
- molten  $\text{CaCl}_2$  electrolytes
- CV curves, for Mo and p-Si/Mo electrodes 135
  - CV curves for Si electrode 134
  - electrochemical window 134
  - Si electrochemical reduction, experimental conditions of 130
  - Si- $\text{SiO}_2$  electrode in 145–147

- molten  $\text{CaCl}_2$ , in FFC process 122, 126
- molten fluorides 2, 49–55, 259
- molten oxide 167
  - $\text{BaCO}_3$  166
  - electrolysis of 168
  - ionic conductivity 167
- molten oxide electrolysis (MOE) 3, 121, 127, 165, 260
  - cathodic reduction process 127
  - primary advantages 121
- monosilane ( $\text{SiH}_4$ ) feed gas 36, 37
- Mott–Schottky characteristics 231
- Mott–Schottky plots 83, 84, 101, 102, 250
  
- n**
- nanoporous silicon 17, 243
- neutron transmutation doping (NTD) 55
- Ni-assisted chemical etching (Ni-ACE) 185
- non-direct  $\text{CO}_2$  emissions 257
- non-silicon based thin-film technologies 14
- normal hydrogen electrode (NHE) 79, 137
- n-Si photoanodes 79, 246, 248–249
- n-type photoelectrodes 246
- nuclear magnetic resonance (NMR) technique 168
  
- o**
- oxidation reaction 28, 151
- oxygen ions ( $\text{O}^{2-}$ ) 53, 68, 124, 129, 152, 159, 167, 206, 208, 219, 226, 229
  
- p**
- Paris Agreement 5
- passivated emitter and rear contact (PERC) cells 11, 12
- passivation 79, 139
  - electrochemical 79, 150
  - electronic 79, 95, 149–150, 190
  - of silicon 149
- perovskite-cells 14
- photo-electricity, cost reduction of 10, 13
- photoelectrochemical (PEC) 2
  - cathodic photocurrents 82
  - cells 2, 14, 16, 17, 77, 80, 84, 86, 88, 93, 97, 106, 109, 239, 240, 243
  - characteristics 77
  - electrolytes with redox agents 84
  - electronic properties of 77
  - experimental 80
  - light energy conversion systems 77
  - passivation 78, 79
  - p-Si at open circuit 81
  - p-Si surface 81
  - p-Si-H electrode 83
  - p-type semiconductor 84–85
  - QCN 106
  - semiconductors 78
  - Si etching 176
  - Si-oxide electrodes
    - Si- $\text{Al}_2\text{O}_3$  electrode 105–106
    - Si- $\text{HfO}_2$  electrode 93–105
    - Si- $\text{SiO}_2$  electrode 86–93
  - studies 68, 150
  - systems 244
- photo-electrodes 3, 15, 237–251, 261
- photo-generated charge carriers 230
- photo-induced positive Si surface charge 230
- photo-responsive nanostructured Si layer 57
- photovoltaic (PV)
  - capacity growth 10–11
  - devices 1
  - electricity generation 9, 261
  - module production 11
  - waste conversion 15
- physical vapor deposition (PVD) 36, 37, 86, 106, 152, 153, 178, 188, 245, 258
- plasma immersion ion implantation (PIII) etching 3, 182, 243, 258
- polycrystalline Si solar cells 15
- polysilicon 33, 35, 37
  - production 35
- porous silica, in LIBs 9, 219
- porous silicon (P-Si) 1, 175
  - production 177
- potentiodynamic method 134
- potentiostat 80, 130, 134, 136, 159
- potentiostatic polarization, of Si electrode 136
- Pourbaix diagram 28, 94
- protective film formation 79, 150, 245
- p-Si- $\text{Al}_2\text{O}_3$  photoelectrode 251
- p-type Si wafer 212
- p-type silicon 57, 175, 195, 245, 249
  
- q**
- quantum confinement 1, 176, 258
- quartz crystal microbalance (QCM) 63, 86
- quartz crystal nanobalance (QCN) 2, 106
- experiments 150, 151

- quasi-reference electrode 133  
quasi-steady-state photoconductance (QSSPC) 81, 193
- r**
- radio frequency (RF) sputtering 95, 150, 183, 231, 245  
Raman spectroscopy 52–53, 56, 65–66, 111, 250, 258  
reactive deposition epitaxy (RDE) 231  
reactive ion etching (RIE) 17, 175, 178–179, 181, 182, 187–188, 191–192, 203, 243, 257–258  
reference electrodes (graphite/platinum) 40, 79, 133  
refractory metals extraction 126  
regolith 127, 171, 259–260  
renewable energy 5, 10, 16, 239, 241, 261  
rocking chair 216  
room-temperature molten salts 2, 60
- S**
- self-healing 8, 217, 260  
semiconductors, synthesis of 3, 140  
Siemens process 11, 33, 35–37, 39–40, 43–44, 49, 57, 170, 259  
Si-Mo electrodes 133, 135, 139  
Si nanowire (Si-NW) structuring 217, 260  
Si-NiSi<sub>2</sub> NWs 221  
Si2p energy spectra 229  
Si photoanodes 246–247  
    halide reduction 247–249  
Si-SiC-C structure 229  
SiC-C composite 227  
SiC-C structure formation 229  
silica deoxidation, experimental conditions of 129  
silica films  
    diffusion masks 152  
    passivation of silicon 149  
    sol-gel process 152  
    substrate protection 149  
    thermal disintegration of 154  
silica instability 29, 146  
silica-silicate conversion 57  
silica-silicon conversion, in situ studies of 159  
silicides 28, 34, 44, 67, 126, 136–137, 140, 160, 194, 204, 207, 215, 221, 231–233, 248, 258  
silicon (Si) 1, 21  
    black 258  
    by carbothermic reduction 24, 33  
    carbide 258  
    electric conductivity 27  
    electrochemical methods of 257  
    electronegativity and the silicide formation 28  
    for energy conversion 9–17  
    for energy storage 6–9  
    fluoride ions 28  
    intrinsic ability 257  
    MACE process 29  
    protective silica layer 28  
    purification based on direct Si chlorination 34  
    room temperature 27  
    tetravalent metalloid 27  
    world production of 24, 25, 257  
silicon-based module, for outdoor applications 9  
silicon carbide 24, 125, 225–231, 258, 260  
silicon compositions  
    silicides 231–233  
    silicon carbide 225–231  
silicon conductivity 129  
silicon deposition 2, 54, 259  
silicon dioxide 1, 33, 51, 58, 165, 203, 259  
silicon electrochemistry 1–3, 5–17, 27, 203, 257  
silicon electrodeposition 49, 51, 55–56, 62, 227  
silicon films  
    on metal/glass substrates 153  
    on stainless steel 153  
    thermal disintegration of 154  
silicon-germanium (Si<sub>x</sub>Ge<sub>1-x</sub>) composition 63  
silicon monoxide 9  
    drawbacks 8  
silicon nano-micro-wires 218  
silicon oxide 2, 29, 81, 93, 97, 112, 149–155  
silicon photo-electrodes  
    disadvantage 243  
    electrolytic properties 244  
    Si photoanodes 246–249  
    Si photocathodes 249–251  
    light-induced water splitting 238  
    multi-electron processes 242  
    (phot)electrochemical water splitting 242  
    principles, and semiconductor materials 237  
    solar-fuel generators 243–246

- silicon surface 3, 14, 17, 29–30, 51, 56, 89, 103, 137, 150, 203, 227, 243, 257, 259
- silicon surface structuring
- black silicon (b-Si) 190–195
  - chemical-physical structuring
    - chemical etching 178–180
    - laser engineering 180
    - MACE 182–186
    - nanostructuring based on porous alumina template 186–190
    - plasma immersion ion implantation (PIII) etching 182
    - reactive ion etching (RIE) 181
    - stain etching method 182
    - vapor-liquid-solid method 186
  - electrochemical structuring, porous silicon 175–178
- silicon tetrabromide ( $\text{SiBr}_4$ ) 63
- silicon tetrachloride ( $\text{SiCl}_4$ ) 23, 34, 54, 63, 217
- Si-SiO<sub>2</sub> electrode 28, 86–93, 97
  - in molten  $\text{CaCl}_2$  electrolyte 145–147
- solar cell production 10, 56, 58, 60
  - from silicon wafer 12
- solar cells 2, 6, 10, 12–16, 26, 56, 78, 94, 105, 175, 190–191, 193, 195, 211, 225, 242, 251, 259
- solar constant 9
- solar energy 1, 5–6, 9, 14–15, 17, 25, 56, 94, 153, 216, 237–240, 242–243, 246, 248–249, 251, 257, 261
- solar-grade silicon (SoG-Si) 2, 11, 25, 33, 34, 39–40, 42–44, 50, 57, 66–68, 125, 170, 259
- solar-to-chemical conversion 15–17, 237, 258, 261
- solar-to-chemical reactions 238
- sol-gel process 152
- solid-state cells 2, 77, 150
- space-charge region (SCR) 77, 78, 81, 84, 101, 103
- stain etching method 29, 182
- surface recombination velocity 78, 93, 95, 190, 193
- surface states 29, 93, 207, 242
- synchrotron X-ray diffraction analysis 2, 159–162, 258
  - silica-silicon conversion 161, 162
- t**
- Tafel constants 138
- Tafel equation 138
- tetramethylammonium hydroxide (TMAH) 28, 178
- thermal oxidation 86, 151, 152, 207, 258
- thermogravimetry and differential thermal analysis (TG-DTA) 52
- thin silica film 149, 208
- three-phase interline process (3PI) 159, 258
- TiO<sub>2</sub> deoxidation
  - current variation during 122–124
  - microstructure evolution during 122–123
- “top-down” fabrication methods 186
- trichlorsilane (TCS) 34
  - Siemens process 35–37
  - Union Carbide process 37–38
- u**
- ultra-high temperature electrochemistry (UTE) 165, 167, 168
- ultrathin passivating layers 245
- underpotential deposition (UPD) 67, 136, 137, 214, 232
- Union Carbide process 33, 35, 37–39
- v**
- vapor-liquid-solid method 186
  - microfabrication 217
  - reactions 243
- voltammetric curves, for Si wafer in Mo frame 138
- voltammetry 2, 42, 50, 51, 63, 129–140, 160, 161
- w**
- WACKER version, of Siemens process 40
- x**
- x-ray photoelectron spectroscopy (XPS) 65, 161, 168, 182, 228, 229, 246, 258
- z**
- Zn-Co alloy 136
- zone refining method 43