

Index

a

- abamectin 83
- abiotic factors 102, 104, 132
- acenaphthylene 177
- acetaldehyde 265
- acetic acid 8, 12, 27, 130, 148, 193, 243, 265, 286, 288, 426, 463–465, 498, 514
- acetogenesis 14, 130, 325, 426, 430, 480, 493–496
- acetogenic 9, 430, 494–495, 500
- acetogens 8, 12, 248, 252
- acetone-butanol-ethanol (ABE) 458–459, 462–468
 - fermentation 258
- acetotrophic methanogenesis 495
- Achromobacter piechaudii* 224
- Acid blue 161 (AB-161) dye 179
- acid coagulated cottage cheese 557
- acid coagulated milk solids 557, 560
- acid-degrading yeast 118
- acidogenesis 14, 130, 286, 325, 430–431, 465, 480, 493–494, 499, 500
- acidogenesis phase 288, 426
- acidogenic bacteria 9, 232
- acidogens 8, 498
- acidolysis 208–209, 213, 216
- Acinetobacter* 27, 54, 78, 275, 351
- actinobacteria 144, 212–214, 274, 496–497, 502
- actinorhodin 254
- activated sludge model (ASM) 230
- adenosine triphosphate (ATP) 157, 160, 162, 245, 286, 448
- adsorption 75, 348
 - bioremediation 75
 - surface adsorption 190
- advanced biofuels 491–492
- advanced oxidation processes (AOPs) 233, 391
- advanced reduction processes (ARPs) 233
- aeration 52, 54, 57, 88, 158, 163–164, 210, 225, 321
- aerobic activated sludge 224–225
- aerobic and anaerobic treatment 52
- aerobic bacteria 52, 99, 129
- aerobic biodegradation 87, 129–130
- aerobic digestion 130, 221
- aerobic respiration 129
- aerobic treatment 52, 222
- Aeromonas hydrophila* 54
- Aeromonas* spp. 78
- affinity immobilization 36
- agri-food industry byproducts 174
- agri food wastes (AFW) 545
 - biochemicals
 - enzymes 525
 - foods/feeds/supplements 525–526
 - functional phytochemicals 524
 - industrial relevant biochemicals 524–525
 - biofuels 526
 - biopolymers 528
 - chemical constituents 523
 - economic implications of 521
 - green valorisation 531
 - packaging materials and bioplastics
 - copolymerization 530
 - green composites 530–531

- agri food wastes (AFW) (*contd.*)
 natural extracts 529
 polyhydroxyalkanoates (PHAs) 529
 polylactic acid (PLA) 527–528
 scope and features 527
 treatment
 biosorption potential 179–180
 biosorption processes 176–178
 conventional methods 175–176
 genetically engineered
 microorganisms 178–179
 immobilization of biosorbent
 182–183
 modification 181
 parameters 182
 recovery 182
 valorization of 522
 worldwide initiatives 522–523
- agri-waste biomass 174
- agricultural and forest biomass 462
- agricultural products 34, 226, 265, 458
- agricultural waste (AW) 7–8, 27, 33, 57,
 114, 157–158, 287, 361–365, 370,
 382–384, 392, 404, 415, 521, 526,
 544–545
- agriculture and horticulture waste 370
 antibiotic from water removal 376
 antimicrobial activity 375
 dynamic light scattering (DLS) and zeta
 potential 374
 EDX spectrum 375
 enzyme activity effect 376
 Fourier-transform infrared
 spectroscopy (FTIR) 374
 metal salt solutions, extract and storage
 372, 373
 nano additives for fuel 377
 nano fertilizer 376
 nanoparticles separation 372–373
 nanoparticles synthesis 372
 organic waste magnitude 369
 photocatalysis 375–376
 processing of 370–372
 radical scavenging activity 376–377
 SEM 374–375
 TEM 374–375
 UV spectrophotometer 373
 waste material 372
 X ray diffraction technique 375
- agro and food processing wastes 428
- Agro-Food Wastes Minimisation and
 Reduction Network 522–523
- agro-industrial activities 461, 468, 473
- agro-industrial residues 254–256, 258,
 421, 493
- agro-industrial wastes 34, 160, 177, 257,
 473, 493
- agro-waste (AW) 34, 39, 118, 178–179,
 270, 361–363, 370, 460
- air contamination 304
- Albeit 475
- alcalase alkaline protease 39
- Alcaligenes latus* 20
- Alcanivorax borkumensis* 103, 370
- alfalfa plants 59
- algae-bacteria 175–176, 230–231
- algal biorefinery 449–451
- algal culture systems
 bioenergy
 biodiesel 165
 bioethanol 165
 biomethane 165
 hydrogen production 165
 microbial fuel cells 166
 closed systems 164
 open systems
 non-stirred ponds 164
 stirred ponds 163
- AlgaSORB 174
- alginate-gelatin-calcium 36
- aliphatic amines 190
- aliphatic polyesters 19, 126, 135, 529
- alkali-catalysed transesterification 510
- alkaloids 253, 362, 370
- allophane 338
- alpechin 224
- alternative feed stocks 6
- aluminium oxide (Al₂O₃) 333
- aminated polyethylene glycol 345
- ammonia 6, 8, 11, 12, 115–116, 160, 237,
 285, 324, 427, 481, 494, 497–501
- amorphous plastics 128
- amoxicillin-clavulanate 231
- amperometric sensing 355
- amphoteric chitosan-TiO₂
 bio-nanocomposites 335
- ampicillin 231
- AMTIBIOCLAIM 174

- amylases 11, 25, 39–40, 42, 150, 242, 254, 426, 433, 524
- α -amylase 25, 40, 42, 164
- Anabaena flosquae* UTCC64 54
- anaerobic biodegradation 130, 232
- anaerobic co-digestion (AcD)
- alternative feed stocks 6–8
 - ammonia 12
 - carbon and nitrogen content 11
 - digestate/spent slurry 14
 - digester design 13–14
 - microbiological aspects 8
 - organic loading rate (OLR) 12–13
 - pH fluctuations 10–11
 - strategies for inoculum development 8–9
 - temperature 11–12
 - volatile fatty acids 12
 - zero waste to zero carbon emission technology 6
- anaerobic degradation of textile dye bath effluent 228
- anaerobic digestion (AD) 4, 241, 473
- acidogenesis phase 426
 - applications of 7
 - in biogas process 493
 - biomethane production 324
 - biorefinery approach
 - high pressure in 479–480
 - methanogenic communities 480–482
 - multi-stage process 480
 - organic wastes 476
 - pretreatment 477–479
 - research, industry, and government 482–483
 - transition to the biogas-based green economy 483–485
 - factors 427–429
 - fish processing waste 427
 - GHG emission 474
 - hydrolysis 426
 - low quality and contaminated food waste 426
 - metagenomics application 502, 503
 - methanogenesis 426
 - microbiology and physico-chemical process
 - acetogenesis 494–495
 - hydrolysis and acidogenesis 493–494
 - methanogenesis and the essential microbial consortia 495–496
 - nutrient-rich digestate 473
 - pretreatment 496
 - systems 414
 - variations in 496–497
- anaerobic effluent treatment 52
- anaerobic fermentation 232, 286, 309, 426–427, 430
- anaerobic membrane bioreactor (AnMBR) 244
- availability of nutrients 248–250
 - bio hydrogen generation rate and yield 248
 - cake layer 249
 - design of bio-hydrogen producing reactor 250
 - environmental and economic assessment 253
 - hydraulic retention time (HRT) 250
 - hydrogen partial pressure 251
 - membrane fouling and energy demands 246–248
 - schematic diagram 247
 - seed culture 251
 - solid retention time (SRT) 250
 - substrate concentration 250
 - temperature and pH 251
 - TMP development phenomenon 249
- anaerobic microorganisms 99, 104, 405
- anaerobic sludge blanket reactor 13, 236, 498
- anaerobic treatment 13, 52–53, 222, 236
- analysis of variance (ANOVA) 236, 294
- animal dung 33, 493
- animal feed 144, 159, 412–413, 424–426, 429, 432, 434, 496, 510, 561, 564
- animal wastes 6–7, 231, 287, 415, 493, 496, 498, 543, 552
- Ankistrodesmus densus* 193
- anode material 308
- anthraquinone-2,6-disulfonate 57
- anthropogenic 68–69, 96, 221, 331, 335, 350, 447, 449
- anthropogenic activities 67–68, 95
- anti-methanogen IgY antibodies 15

- antibiotics 97, 157, 231, 253–254, 376, 401, 429, 524
- antibody conjugated quantum dots 344
- antimicrobial activity 224, 375, 547, 550
- aroma compounds 256–257, 361, 549
- aromatic hydrocarbon-based pollution 350
- arsenic (As) 67–69, 73–74, 84, 158, 161, 207, 210, 351, 399
- arsRDABC* operon 74
- Artocarpus odoratissimus* fruit 179
- Ascophyllum nodosum* 193
- Asparagopsis armata* 193
- Aspergillus* sp. 78, 116, 127, 194, 213, 275, 498
- Aspergillus carbonarius* NRRL 383 254
- Aspergillus fumigatus* 78, 125
- Aspergillus multicolor* 52
- Aspergillus niger* 38, 116, 132, 144, 194, 208, 222–224, 255, 270
- Aspergillus niger* NB2 223
- Aspergillus ochraceus* 53
- assimilation 77, 99, 103–104, 125, 130, 131, 162
- autoclaving 320–321
- autotrophic microalgae 157, 165
- auxochromes 50
- AWARENET 522
- azo disalicylate 52
- azo dyes 50, 56
- and their toxic effects 51
- wastes 350
- Azolla pinnata* 59
- azo orange 52
- azo reductase 53
- b**
- Bacillus almalaya* 78
- Bacillus cereus* 23, 54, 178, 228, 498
- Bacillus cereus* BW-03 (pPW-05) 178
- Bacillus idriensis* 60
- Bacillus laterosporus* 60, 173
- Bacillus licheniformis* 22, 118, 135, 173, 351
- Bacillus megaterium* 20, 214, 529
- Bacillus mycoides* 78
- Bacillus* spp. 27, 78, 115, 130, 231
- Bacillus* sp. 127, 147, 231, 270, 275, 277
- Bacillus* sp. AQE3 231
- Bacillus subtilis* 54, 73, 116, 135, 144, 195, 257, 351, 403
- Bacillus thuringiensis* (Bt) 27, 193, 525
- Bacillus* spp. 27, 78, 115, 130, 231
- bacteria 212, 213
- decolorization and degradation of dyes 54–57
- endotoxins 253
- remediation 88–89
- bagasse fly ash (BFA) 179
- baked products 563
- B. amyloliquefaciens* 116
- basking shark 98
- batch mode reactor 291–292
- B. casei* 116
- BECCS (bioenergy with carbon capture and storage) 439
- beer yeast 226–227
- bentonite (B-nZVI) 337
- Bifurcaria bifurcata* 193
- bioeconomy 392–393, 411–418, 421–435, 439–440, 443–447, 474
- bioaccumulation 53, 69, 72, 74, 77, 78, 89, 173, 175, 192, 213, 216, 233, 393, 398, 402
- bio-accumulator 173
- bioactive compounds
- from plant residues 547–548
- bioactive products 253–254
- bioactives extraction 413
- bioasphalt 516
- bioaugmentation 87, 403
- bio-based renewable resources 423
- bio-based transport fuels 440
- biobutanol 430, 457–468
- biocatalyst 34, 35, 39, 105, 287, 308, 354
- biochar model 448
- biochemical refineries 423
- bio-CNG 491, 492
- biocolorants 415, 525
- biocompatible mesoporous silica nanoparticle 36
- bio-concentration factor (BCF) 70
- bio-conjugated nanoparticle-based sensors 344, 355
- biodegradable plastics
- dairy and milk waste 22–23
- food waste 20
- from waste materials 20

- integrated approach 27–28
- starch waste 25
- biodegradable wastes 33, 38, 130, 403
- biodegradation 3, 123, 124, 128, 136, 224, 225, 232, 236
 - enzymes involved in 133
 - microorganisms 132–133
- biodegradation mechanism
 - assimilation 103–104
 - biodeterioration 103
 - biofilm formation 102–103
 - biofragmentation 103
 - mineralization 104
- biodeterioration 103
- bio diesel 41, 283, 509–517
 - production 165, 166, 414, 460, 510, 513
- bioeconomy 412
 - biofuel and biorefineries 440–443
 - Brazil 444
 - Canada 444
 - challenging factors and impact 445–447
 - CO₂ footprint and feedstock conversion 443
 - definition of 439
 - economics of 417
 - entrepreneurship in 417–418
 - Europe union 445
 - Germany 444–445
 - in India 445
 - Malaysia 444
 - USA 444
- bioeconomy-waste production and management 414–416
- bioenergy 24
 - from waste materials 20
 - integrated approach 27–28
 - microalgae 316–317
 - starch waste 25
 - wastewater 26
- bioenergy production process
 - marine water algae
 - downstream procedures 323
 - economic issues 323–324
 - Life Cycle Assessment (LCA) 324
 - naturally occurring 322–323
 - pre-treatment 323
 - OPRs 322
 - PBRs 322
- bioethanol 165, 265, 283
 - fermentation 258
 - production 267, 271
- biofilm formation 102, 198
- biofilters 52
- bio energy production 315, 322–324, 413–414, 432, 446, 474, 484
- bio-filtration 384, 402, 403
- BIOFIX 174
- biofragmentation 103, 131
- biofuel advisory council of European union (BACE) 459
- biofuel manufacturing 258–259
- biofuels 449, 457, 491
 - classification of 315–316
 - production 414–415
- biofunctionalized nano sensor 354–355
- biofunctionalized nanomaterial-based bioremediation 343
- biofunctionalized nanomaterials
 - adsorption 348
 - biopolymers 348–351
 - bioremediation 349–350
 - covalent biofunctionalization 346
 - encapsulation 347
 - enzymes 353–354
 - future perspective 356
 - limitation 355–356
 - nanoparticle-based sensors 354–355
 - non-covalent functionalization 346–347
 - nucleic acid 352
 - protein and peptide 352–353
 - surfactants 351–352
 - synthesis and surface modification strategies 345
- biofunctionalized nanoparticle-based sensors 344–348, 354–355
- biogas 473
 - applications 475
 - energy vector 474–475
- biogas production 21, 242, 243
 - ammonia 499–500
 - environment/alkalinity 501
 - feedstock composition 500
 - microbial consortia in 498–499
 - pH 498
 - recirculation of leachate 499

- biogas production (*contd.*)
 - temperature 497
 - toxic compounds 501–502
 - trace element supplementation 500–501
 - VFA 498
- biogas technology 5
- biogeochemical cycles 96
- bio hydrogen 19, 21, 165, 310
 - consuming microorganisms 248, 252
 - generation rate and yield 248
 - producing reactor design 250
- bio-hydrogen manufacturing technologies
 - dark fermentation 245–246
 - direct biophotolysis 244–245
 - photofermentation 245
- bio-hydrogen production 243
 - advantage 297
 - batch mode reactor 291–292
 - biomass 286–287
 - biophotolysis 285
 - continuous mode reactor 292
 - dark fermentation 286
 - environmental and economic assessment 253
 - fed-batch mode reactor 292
 - future perspectives 253
 - genetic engineering approaches 295–296
 - inoculum 289–291
 - integrative process 293
 - medium and process optimization 293–294
 - metabolic flux analysis (MFA) 294
 - microbial consortia 252
 - pH 288
 - photo-fermentation 286
 - pure and mixed cultures 289–290
 - reactor design and configuration 252
 - strain development 295–297
 - substrates 291
 - system temperature 288
 - ultrasonication 295
- bioleaching 208
 - advantages of 210
 - factors affecting 209–210
 - industrial processes of 209
 - large scale 215
 - limitation of 210
 - mechanism of 208–209
 - for recovery individual metals 214–215
 - role 212
- biological oxygen demand (BOD) 158, 159, 163, 221, 222, 228, 235, 311, 400, 424
- biological wastewater treatment 156
- biomagnification and consequences 84
- biomass 286, 315
 - feedstock 440
 - producing crops 76
- biomaterials 19, 174, 175, 334, 346, 348, 348–354, 355, 356, 380, 423
- bio-medical waste 114, 398, 400
- biomethanation 4, 5, 8, 9, 11, 450–451
- biomethane 19, 165, 243, 324, 432, 433, 475, 482
- biomining 208, 209, 215
- bionanoparticle synthesis 362–365
- bio-packaging materials (BPM) 527, 529
- biopesticides 256, 429, 525
- biophotolysis 165, 244, 285, 326
- bio pigment production 257
- biopiles 88, 405
- bioplastic polymers 19
- bioplasticizers 516
- biopolymer synthesis 514–515
- biopolymeric nanomaterials 334
- biopolymeric nanoparticles 387
- biopolymers 19, 348
 - from fruits and vegetables waste 545–546
 - from grain wastage 546–547
- bio-precipitation 173
- bioreactors 51, 88, 236, 241–259, 403
 - dual-chambered bioreactor 306
 - membrane bioreactors 237, 244, 246–248, 249, 259, 401
- biorefinery 228, 414
 - definition 440–443
 - R&D phase 440, 442
 - types 443
 - valorization process in 477
- biorefining 412, 444
- biorefining conversions network (BCN) 444
- bioremediation 72
 - adsorption 75

- advantages 86
- arsenic remediation 73
- bacterial remediation 88–89
- bioaugmentation 87, 403
- biopiles 88, 405
- bioreactors 88, 403
- biosparging 87
- biostimulation 87, 404
- bioventing 87, 404
- compositing 404–405
- composting 88
- definition of 402
- disadvantages 86
- efficient Ni removal 73
- ex situ* method 85
- extracellular precipitation 75
- fungal remediation 89
- genetic circuitry 74
- inorganic and organic contaminants 402
- intracellular accumulation 74
- land farming 88, 405
- metal efflux 75
- microbe assisted 72
- microbial cell wall 72
- mycoremediation 77
- organic matter 91
- oxygen and nutrients 90
- phycoremediation 77
- phytoremediation 75–77, 89
- soil type and soil moisture 90
- temperature and pH 90–91
- volatilization 75
- bioremediation methods
 - ex-situ* method 51
 - in-situ* technology 51
- biosensor 310–311, 354, 355, 381, 387, 388, 392
- bio-solvent 516
- biosorbent Alga SORB™ 176
- biosorption 58, 173, 184, 226
 - heavy metal ions and dyes 191
 - of zinc using bacteria 192–193
- biosorption of heavy metals
 - by algae 193–194
 - fluidized bed reactors 195–197
 - fungal biomass 194
 - packed bed biofilm reactor 198
 - using yeast 194
- biosorption potential 58, 176, 179–180
- biosorption processes 176–177, 402
- biosparging 87
- biostimulation 87, 90, 404
- biosurfactants 415
 - and liquid detergents 512
 - microbiological methods 512
- biotechnology 104
 - processes 175, 431, 517
- biotic factors 102, 104, 132
- biotransformation 35, 105, 173, 224, 254, 425
- bioventing 52, 87, 404
- biowaste 365, 423, 431, 451, 473, 475, 477, 482, 484, 544, 548–550, 551
- bis-sulfonated triphenylphosphine 345
- Bjerkandera adusta* 53, 148
- blastofiltration 406
- B. laterosporus* 60, 62, 173
- B. megaterium* SRKP-5 strain 20
- B. nakamurai* 116
- boron-doped diamond (BDD) anode 433
- Botrytis cinerea* 193
- Box–Behnken design 293, 294
- breakdown cellulose
 - physical pre-treatments to 145–146
- breakdown hemicellulose
 - physical pre-treatments to 147–148
- brilliant green 52
- brown-rot fungi 272, 275
- brushing 550, 552, 561
- buffalo milk 559, 560
- butanol production 258, 458, 459, 463–467
- n-butanol production 258
- butter manufacture yields buttermilk 557
- buttermilk valorization
 - aqueous solution 558
 - encapsulating agent 561
 - in food and dairy products
 - buttermilk ice cream 560
 - cheeses 560
 - dahi 559
 - dairy based beverages 560
 - dried buttermilk 561
 - Indian traditional dairy products 560
 - market milk 559

- buttermilk valorization (*contd.*)
 probiotic drinks 561
 yoghurt 559
 MFGM 558
 phospholipids 562
 prevent colon cancer 558
B. velezensis 116
- C**
- C. acetobutylicum* 289, 294–295
 calcined rice husks 176
 calcium alginate 40–41, 183, 193, 353
 calcium alginate immobilized cellulose 41
 cancer 50, 67, 69–70, 83–85, 190, 207, 388, 399–400, 558
Candida rugopelliculosa 116
Candida tropicalis 53
Candida zeylanoides 53
Cannabis sativa 76
 carbamates 83
 carbohydrates 39, 40
 immobilizing enzymes 39–40
 -rich substrate 245, 500
 carbon and nitrogen content 11
 carbon and nitrogen supplements 57
 carbon dioxide (CO₂) emissions 265
 carbon nano materials (CNMs) 238
 carbon nanoparticles 238, 338, 350, 365, 377
 carbon sequestration 439
 in India 447–448
 carboxylated and amino-modified nanoplastics 99
 carboxylesterases 135
 carboxymethylcellulose 183, 337
 carotenes 514
 cathode material 308–309
Caulepra lentilliferra 193
C. butyricum 24–25, 289, 294–295
 cefotaxime 231
 cefpodoxime 231
 ceftazidime 231
 cellobiohydrolase 145, 277
 cellobiose lipids 351
 cellulase production 118, 144, 145, 258, 429
 cellulases 40, 150, 254, 276, 277, 433
Cellulomonas sp. 115, 270
 cellulose 334
 based biopolymer 351
 nanomaterials 363, 364
 cellulose (C₆H₁₀O₅)_n 266
 cellulose binding modules (CBM) 145
 cellulose degradation 144, 271, 497
 enzyme 145
 cellulosic sugar 23
 central composite design (CCD) 293–294
 cephalosprin 254
Ceriporiopsis subvermispota 273
Cetorhinus maximus 98
N-cetyl pyridinium bromide (CPB) 351
 cetyltrimethylammonium bromide (CTAB) 351
 charcoal 176–178, 391, 448
 cheese processing industry 557
 chemical fertilizers 14, 49, 155, 159, 451
 chemical oxygen demand (COD) 5, 11, 14, 21, 158–160, 166, 181, 202, 221, 225, 228, 232, 236–237, 250, 310, 350
 chemolithoautotrophs 209, 216
 chemolithotrophs 208, 212
 chitosan 35, 334, 350
 functionalized gold nanoparticles 344
 montmorillonite 42
 chitosan-copper oxide (CS-CuO) nanocomposites 335
 chitosan-guar gum 336
Chlorella 53, 159–160
Chlorella vulgaris 54, 156, 193
 chlorofluorocarbons (CFCs) 211
 chlorophenols 161, 353
 chlorophyta 156
 chlorotetracyclines 254
Chondrus crispus 193
Chryseobacterium indoltheticum 78
 circular bioeconomy (CBE) 412, 413
 anaerobic digestion
 acidogenesis phase 426
 factors 427–429
 fish processing waste 427–429
 hydrolysis 426
 low quality and contaminated food waste 426
 methanogenesis 426

- definition of 423
- enzymatic treatment 431–434
- microbial fermentation 429–431
- policies 416–417
- principles of 423
- circular economy concept 411, 412, 440
- citric acid 39, 181, 208, 255–256, 353, 463
- citric acid conjugated magnetic nanoparticles 353
- clarified milk fat 557
- clay–sodium polyacrylate–polyacramide 338
- clean and green technology 380
- climate change 150, 258, 265, 283, 418, 439, 448, 452, 491–492
- Clostridiaceae* 23, 289
- Clostridium acetobutylicum* 289, 464
- Clostridium butyricum* 24, 288–289
- Clostridium butyricum* CGS5 288
- Clostridium* spp. 22
- Clostridium* sp. 22, 131, 145, 270, 289, 295
- ciprofloxacin 231
- Clustered Regularly Interspaced Short Palindromic Repeats (CRISPR) 105, 297
- ¹³C MFA 294
- C/N (carbon/nitrogen) ratio 6, 11–12, 26, 116, 118, 427, 500
- coagulation 175, 332, 374
- cobalt complexed dye 199
- CO₂ biorefinery 447
- CO₂ capture method
 - photosynthesis model 449
- coconut tree sawdust (CTS) 177
- co-digestion 3–15, 21, 241, 427, 432, 493, 499–500, 502
- Codium vermilaria* 193
- coffee husks 178, 256–257
- Colletotrichum truncatum* 256
- colorants 50, 60, 190, 413
- colored dye wastewater 49
- colorimetric sensors 355
- combined heat and power (CHP) plants 474
- commercial strong waste 414
- completely stirred/mixed tank reactors (CSTR) 14, 244, 248, 250, 252, 292, 496
- complexolysis 208–209, 213, 216
- composting 4, 52, 87–88, 113–119, 241, 404–405, 422, 424–425, 446, 451, 484, 493, 526
- compressed bio-gas (CBG) 491–492
- conductometric biosensor 355
- contaminants 57–58, 60, 67, 72–73, 77, 85–91, 129–130, 132, 157, 177–178, 183, 189, 191–192, 194–195, 198, 211, 221–222, 232, 233, 235, 332–333, 336–338, 353, 356, 380, 386, 390–391, 397–407, 511
- continuous mode reactor 78, 235, 258, 292
- continuous stirred tank reactors (CSTRs) 14, 244, 248, 250, 252, 292, 496
- conventional activated sludge (CAS) 231–232
- conventional agro-food waste disposal methods 422
- conventional biofuels 316
- conventional treatment 156, 246, 310
- copolymerization 529–530
- copper 62, 67–68, 74, 149, 158, 174, 178, 183, 190, 192–193, 195, 198–199, 207–208, 213, 215, 226–227, 275, 321, 333, 336, 338, 362
- Coprinopsis atramentaria* 77
- CO₂ removal and storage 439–440
- Corio cyanobacteria* 52
- CO₂ sequestrations methods 447
 - biochar model 448
 - marine algae 449
 - photosynthetic bacterial model 448
- covalent biofunctionalization 346
- covalent bonding 36, 42, 73, 191, 200, 346
- COVID 531
- C. paraputrificum* 289
- C. pasteurianum* 289, 295
- C. pyrenoidosa* 54, 157, 160–161, 165
- Cr(VI)-contaminated wastewaters 78
- Cre/lox recombinase system 105
- cream churning (destabilization) 558
- Cryptocodium cohnii* 156
- crystal violet 52

- ¹³C stable isotopic markers 105
C. thermocellum 289, 496
C. tyrobutyricum 22, 258, 289, 294
Cucumaria frondosa 98
Cupriavidus necator 20, 515, 529
Cupriavidus sp. K KU38 25
cutinases 103, 105, 133, 135
cyanobacteria 52, 77, 86, 162, 164, 173,
226–227, 237, 244–245, 285,
315–316, 448
cyanocobalamin 57, 321
cyanogenic organisms 213–214
Cyathus stercoleris 273
Cynara scolymus agro-waste biomass
179
- d**
- dairy and milk waste
biodegradable plastics 22
bioenergy 22–23
PHB production in fermentor 22
dairy based beverages 560
dairy industry 7, 413, 557
dairy industry generated wastes 7
dark fermentation process 21, 237,
244–246, 285, 286, 289, 291–293,
297, 430, 431
dark-photo circular puzzled reactor
(DP-CBR) 236, 237
dark-photo fermentative hydrogen
production 236
DDT 83, 84
Debaryomyces polymorphus 53
decolorization and degradation of dyes
by algae 53–54
bacterial 54
carbon and nitrogen supplements 57
dye concentration 57
electron donors and redox mediators
57
by fungi 53
oxygen and agitation 57
pH of the medium 55
soluble salts 57
structure of dyes 56–57
temperature effect 55–56
by yeast 53
defined media 321
Deinococcus radiodurans 178
Delftia acidovorans 192
delignification 150, 268, 274, 275
denaturing gradient gel electrophoresis
(DGGE) 10, 481, 502
dendrimers 338, 347, 348, 388
denitrification 160, 230, 353
Desulfotomaculum nigrificans 192
dextran 37, 334
digestate/spent slurry 14
digester design 5, 13–14, 484
dihydrolipoic acid 345
2, 5-dimethylpyrazine (2,5-DMP) 257
dinophyta 156
direct action method 129
direct air capture (DAC) 439, 448
direct biophotolysis 165, 244–245, 326
direct chemical oxidation 221
Direct Electron Transfer (DET) 306, 308
disinfectants 83, 397
dissolved organic matter (DOM) 234
dissolved oxygen (DO) 24, 96, 159, 221,
278
dodecanthiol 345
domestic waste 155, 157, 159, 225, 226,
400, 473, 525
domestic wastewater 157, 159, 225, 226
DPPH (2,2-diphenyl-2-picrylhydrazyl
hydrate) assay 376
dried buttermilk 558, 561
Drimarene dyes 199
dry heat 320
dual-chambered bioreactor 306
dump leaching 209
Dunaliella bioculata 193
Durio zibethinus rind 178
dye concentration 50, 57, 202, 228
dye-contaminated waste 50
dye degraders 54, 55, 201
dye effluents 52, 62, 332
dye utilization 49
dyes
background 50
bacterial decolorization and
degradation 54
bioremediation methods 51–63
decolorization and degradation by algae
53–54
decolorization and degradation by fungi
53

- decolorization and degradation by yeast 53
 enzyme-mediated dye removal 62
 immobilization techniques 62–63
 integrated biological, physical and chemical treatment methods 60
 microbial decolorisation and degradation mechanisms 58
 microbial remediation 52–53
 phytoremediation 58–59
 rDNA technology 60–62
 toxicity 50–51
 dynamic light scattering (DLS) 343, 374
- e**
- Echindodontium taxodii* 273
 ecological risks 189
 ecologically important microbial symbionts 68
 ecologically sustainable bioremediation strategies 68
 edible coating 543–552
 eggshell (ES) 177, 392
Eichhornia crassipes biomass 229–230
 electricity generation 303, 308, 309–310, 474
 electrochemical biosensors 355
 electrochemical oxidation with graphite anode 433
 electrochemically active bacteria (EAB) 308
 electrokinetics 177, 180
 electron donors and redox mediators 57
 electronic and electrical equipment (EEEs) 207
 electrowinning 190
 Emden–Meyerhof–Parnas pathway (EMP) 494
 emerging contaminants (ECs)
 bio-filtration 402, 403
 biotechnological approaches, removal of
 bio-filtration 402
 bioremediation 402
 enzymatic treatment 401
 membrane bioreactor digestion 401
 phytoremediation 405, 406
 definition 397–398
 disinfection products 399
 enzymatic treatment of 401–402
 inorganic metals and compounds 399
 land pollution 399–400
 microfibers and microplastics 398
 PCP 398
 PFCs 399
 pharmaceutical contaminants 398
 removal of 400
 solid and liquid waste 400
 treatment of
 biotechnological 401
 chemical methods 401
 physical method 400–401
 water 397
 Emulsan Glycolipeptide 351
 enabling technology 392
 encapsulating agent 561
 encapsulation 36, 38, 42, 183, 343, 345, 347, 365, 388, 561
 endo-polygalacturonases 149
 endoglucanases 145, 277
 β -1,4-endoglucanases (EGL) 145
 energy crops 7, 317, 428, 444, 461, 463
 energy independence and security act (EISA) 459
 energy-dispersive X-ray (EDX) 374–375
Enterobacter 24, 27, 54, 78, 136, 289, 291, 295, 296, 431
Enterobacter aerogenes 24
Enterobacter cloacae IIT-BT 08 288
Enterobacteriaceae 289
Enterococcus 54
 entrapment 36–38, 42, 62, 183, 193, 347, 434
 environmental arsenic pollution 69
 environmental bioremediation technology 344
 environmental hazards 33
 environmental heavy metal contamination 67
 environmental heavy metal pollution 69, 74, 76, 78
 environmental pollution 6, 49, 72, 174, 211, 265, 331, 353, 361, 365, 379, 380, 392, 422, 430, 457, 515, 516, 543
 enzymatic hydrolysis 125, 275, 276–277, 364, 431, 433, 434, 466, 516

- enzymatic pretreatment process 432–433
- enzymatic treatment 41, 401, 402, 431–434
- enzyme immobilization methods 35
- adsorption 35–36
 - affinity immobilization 36
 - covalent bonding 36
 - entrapment 36–37
- enzymes 34, 101, 254, 353
- degradation 58
 - mediated dye removal 50, 62
- ertapenem 231
- Escherichia coli* 23, 60, 73, 104, 178, 195, 289, 335, 392, 515
- esterases 103, 127, 131, 133, 515
- ethanol 21, 38, 40, 43
- ethanol (CH₃CH₂OH) 265
 - from food waste 21
- ethyl violet 52
- eutrophication effect 84, 155, 158, 322, 414, 473
- e-waste 114, 210
- pollution caused by 211
 - production scale 211
 - treatment 212
- ex-situ* method 51, 71, 72, 85, 86, 87–88, 344, 353, 393, 402
- exo-polygalacturonases 149
- exo-polymeric substances (EPS) 238
- exo-polysaccharides (EPS) 19, 27, 75, 103, 238, 248, 257
- exoglucanases/cellobiohydrolases (CBH) 145
- expanded granular sludge beds (EGSB) 13
- extra-cellular enzymes 115
- extracellular polymeric substances (EPS) 19, 27, 75, 103, 238, 248, 257
- extracellular precipitation 75, 77
- f**
- fatty acid methyl esters (FAME) 41, 523
- fed-batch mode reactor 278, 292
- feedstock composition 7, 13, 461, 497, 500
- feedstock polysaccharides 495
- Fe₃O₄ conjugated peroxidase enzyme 354
- fermentation 222, 223, 229, 277
- anaerobic 232, 286, 309, 426–427, 430
 - dark 245, 285, 286, 293, 430
- fermentative hydrogen production 248, 251, 288–289, 293, 430–431
- ferredoxin (Fd) 244–245, 285–286, 293
- film/coating formation methods
- dipping method 552
 - extrusion 551–552
 - solvent casting 550–551
 - spraying method 552
 - spreading method 552
- filtration
- autoclaving 320
 - dry heat 320
 - pasteurization 320
- first-generation fuels 316
- fish processing waste 427
- fixed bed reactor 195, 197
- flame retardants 98–99
- flavin adenine dinucleotide (FAD) 57
- flavin adenine mononucleotide (FMN) 57
- flow reactor 235–236, 238, 278
- fluidized bed 37, 196
- fluidized bed reactors 13, 195–197
- fluorene 177
- fluorescence in situ hybridization (FISH) 10
- fluorescent carbonaceous nanoparticles (FCDs) 530
- fluorescent polystyrene microspheres 98
- Flux Balance Analysis (FBA) 294
- foaming 13, 427, 428, 524
- Food and Drug Administration (FDA) 364, 528, 544
- food nanotechnology 386
- food security 390, 393, 421, 425, 445–446
- food supply and consumer welfare (FSCW) 415
- food sustainability index 424
- food waste (FW) 118, 361, 362, 364, 365
- based adsorbents 174
 - bio-hydrogen 21
 - biodegradable plastics from 20
 - circular bioeconomy
 - anaerobic digestion 425–427
 - definition of 423
 - principles of 423

- ethanol from 21
 - food supply chain 421, 422
 - management system 424
 - pre- and post-harvesting and processing stages 421
 - production of biogas 21
 - sources 544–545
 - forest biomass feedstocks 315
 - forest residues 287, 457
 - formazan dyes 199, 200
 - fossil fuels 6, 143, 253, 258, 267, 283–284, 315, 381, 389, 413–414, 417, 423, 430, 439–440, 447, 449–450, 457, 459, 474–475, 477, 491, 526
 - Fourier-transform infrared spectroscopy (FTIR) 179, 213, 374, 398
 - fruit peel waste (FPW) 228
 - Fucus spiralis* 193
 - full factorial design 293
 - fumaric acid 255
 - functional phytochemicals 524
 - fungal biomass 181, 194, 199, 200
 - fungal remediation 89
 - fungi 213
 - brown-rot fungi 272
 - white-rot fungi 116, 272
 - fungicides 83–84, 352
 - Fusarium oxysporum* 78, 201
 - Fusarium solani* 78, 133
 - Fusarium* species 101
 - FUSIONS 521
- g**
- garlic waste 179
 - gas chromatography with flame ionization detector (GC-FID) 224
 - gaseous fuels 474–475
 - gelatin 36, 237, 335–336, 413, 415, 530, 544, 547, 549
 - gelatin-Zr(IV) phosphate nanocomposite 335
 - generally recognized as safe (GRAS) 364, 528, 544
 - 2nd generation of biofuels 316
 - 3rd generation of biofuels 316
 - genetic circuitry 74
 - genetic engineering 60, 77, 104–105, 150, 178, 253, 292, 294–296, 326–327, 353, 388, 402
 - genetically engineered microorganisms 178–179
 - ghee residue valorization
 - animal feed 564
 - in dairy and food industry
 - baked products 563
 - chocolate and confectionery 563
 - flavour enhancer 564
 - Indian traditional sweetmeat 564
 - phospholipids 564
 - value added products of 563
 - gibberellins (GAs) 254
 - global warming 4, 11, 15, 331, 389, 400, 418, 492
 - Gloeophyllum trabeum* 101, 273
 - β -glucosidase (BGL) 145–146, 270, 277, 433
 - β -(1,4)- or β -(1,3) glycosidic bonds 144–146, 267, 276
 - glucurono arabino-galactan polymer 335
 - glutamine synthetase and glutamine-2-oxoglutarate amido transferase pathway (GS/GOGAT pathway) 160
 - glutaraldehyde 36, 62, 346, 354
 - glutaraldehyde-activated agarose 39
 - glyceraldehyde-5-phosphate (G3P) 448
 - gold 176, 178, 182–183, 214, 238, 333, 344, 352, 373, 388, 392
 - GolS 178
 - Gracilibacillus* sp. 59
 - grain wastage 545–547
 - gram-negative *merP* gene (GP) 178
 - gram-negative SRB 231
 - graphene 42, 386
 - green building 381
 - Green Chemical Lubricants 513
 - green composites 530–531
 - “greener and cleaner,” 381
 - green fuel 511
 - green fuels discovery 283
 - green nanotechnology 333, 381, 382, 386, 388–389
 - green production of nanoparticles 344

- green technology
 - advantages and challenges 384–385
 - environmental technology or clean technology 381
 - 14 principles of 382, 383
 - zero waste economy 381
- green valorisation 531
- greenhouse gases 4, 6, 15, 159, 165, 231, 253, 283, 382, 389, 400, 412, 421, 423–425, 440, 457, 474, 491, 509, 521–522
- guaiacyl 267, 274, 276
- gum Arabic grafted polyacrylamide (GA-cl-PAM) hydrogel 336
- gum olibanum 335–336
- gum polysaccharides 336

- h**
- Halomonas campaniensis* LS21 20
- Halomonas variabilis* 228
- haptophyta 156
- harmful algal blooms (HABs) 237
- H₂ase 285
- health hazards 67, 69–71, 74, 406–407
- heap leaching 209
- heat desiccated milk solids 557
- heat-treated *Pseudomonas* strain DY1 201
- heavy metal ions and dyes
 - biosorption by algae 193
 - biosorption mechanism 191
 - biosorption of metal complexed dyes 200–202
 - biosorption of zinc using bacteria 192–193
 - biosorption using yeast 194
 - chemistry 191–192
 - fungal biomass 194
 - industrial application on the biosorption 195–198
 - metal complexed dyes 199–200
 - metal complexed dyes chemistry 192
 - reactive dyes 198–199
- heavy metals 67, 160, 161
 - decontamination 71–72
 - pollutants 174
- Helianthus annuus* 76
- hemicellulases 40, 429, 433
 - production 147
- hemicellulose (C₅H₈O₄)_m 266
- hemicellulose degradation 146
 - enzymes 146, 147
- herbicides 83–84, 177, 256, 355, 386
- heterotrophic microalgae 157
- hexadecyltrimethylammonium chloride (HDTMA-Cl) 351
- H₂ fueled vehicles 283
- H. glaciei* 228
- H. hydrothermalis* 20
- high cellulosic wastes 523
- high-density polyethylene (HDPE) 127, 136, 514
- high oleic vegetable oils (HOVOs) 509
- high-rate algal pond (HRAP) 26, 163, 166
- Holothuria floridana* 98
- homo acetogens 248
- homogeneous wastes 114
- horizontal bioreactor (HBR) 257–258
- human habitable ecosystems 67, 68, 73
- human health hazards 67, 70
- Humicola insolens* 101, 277
- humus 114, 332
- hybrid reactor 236–238
- hydraulic retention time (HRT) 11, 13, 26, 63, 230, 236–237, 242, 244, 246, 248, 250, 294, 480
- hydrogen 430
 - bonds 144
 - producing bioprocess 431
 - producing microbes 291
 - production 165
- hydrogenase 165, 244–245, 248, 251, 285, 288, 293, 295, 326, 448
- hydrogenase reactions 245
- hydrogenic reactor (HR) 14
- hydrogenotrophic methanogenesis 495
- hydrogenotrophs 8–9, 12, 23, 252, 481–482, 495–496, 500
- hydrolysis 276, 426, 430
 - enzymatic hydrolysis 431
 - polysaccharides hydrolysis 277
- hydrolyzing bacteria 8, 494
- 5-hydroxymethyl-furfural (HMF) 462–463
- hydrothermolysis 433, 464
- hydroxypropyl-β-cyclodextrin 351

i

- Ideonella sakaiensis* 101, 135
 IgG antibody 344
 ill effects of biomagnification 84–85
 imipenem 231
 immersed membrane bioreactors (iMBRs) 259
 immobilization of biosorbent 182–183
 immobilization techniques 62–63
 immobilization technology 50, 434
 immobilized cellulase enzyme 40
 immobilized enzymes 33–43, 62, 63, 434
 immobilized lipase EQ3 41, 43
 immobilized trypsin 39
 immobilizing enzymes
 carbohydrates 39–40
 challenges and opportunities 43
 flexibility of bioreactor design 37–38
 lipid waste 41
 liquid food wastes 38
 nanotechnology applications 41–43
 polysaccharides 40–41
 protein rich wastes 39
 reusability and recovery 38
 stabilization 37
 immuno-suppressive drugs 253
 impregnation 334
in situ leaching 209
in-situ technology 51
 Indian traditional sweetmeat 564
 indirect action method 129
 industrial effluents 22, 49, 67, 189, 201, 353
 industrial relevant biochemicals 524–525
 industrial strong waste 414
 industrial waste 114, 136, 210, 287, 427, 491, 550
 industrial wastewaters 40, 49, 57, 63, 158, 160, 177, 179, 225, 226, 310, 476
 inoculum 4, 5, 8, 9, 21, 116, 250, 271, 288, 289, 293, 295, 429, 431, 497–499
 inoculum development 8–9
 inorganic components 157, 425
 inorganic pollutants removal 58, 60, 176–177, 391
 insecticides 68, 83
 integrated biorefinery 423, 435
 Intelligent nanocoatings 388
 international renewable energy agency (IRENA) 15
 International Society of Horticultural Sciences (ISHS) 370
 intracellular accumulation 74, 193
 intrauterine growth retardation 70
 inverse fluidized bed reactors (IFBR) 13
 ionic liquids (ILs) 146, 267, 287, 363
 Irgalan dyes 200
 iron aminoantipyrine catalyst 310
 iron oxide (Fe₃O₄) nano particles 42
 iron-containing hemoglobin protein 353
 isotherms 174, 176, 177, 179, 180, 202, 226
- k**
- 3-ketothiolase 104
 kitchen waste 33, 415, 525
Klebsiella oxytoca (P2) *P. veronii*(2E) 192
Klebsiella sp. S6C 231
 K-mobilizers 119
 koji fermenters 257–258
K. ornithinolytica (1P) 192
- l**
- laccases 53, 58, 62, 130, 133, 136, 149–150, 229–230, 274, 275, 353, 401
 α -lactalbumin protein 39
 lactic acid 255
 bacteria 22
 production 431
 Lactobacillaceae 22–23, 500
Lactobacillus buchneri 116
Lactobacillus rhamnosus GG (LGG) 561
 β -lactoglobulin 39
Laetiporus thiourea 52
Laminaria hyperborea 193
 land farming 88, 405
 land pollution 399–400
 land-dwelling 51
 landfill 8, 15, 113, 158, 211, 315, 379, 390, 400, 422, 424–427, 434, 451, 493, 522, 526
 landfill leachate (LL) 8, 258, 289
 Lava DSM1034 22
 layer-by-layer electrodeposition 542

- leachate 4, 8, 88, 158, 209, 211, 214, 499
- lead contamination 70
- Leclercia* sp. S5C 231
- Lemna minor* 59
- Lichenysin 351
- life cycle assessment (LCA) 323–324, 414, 416, 424
- life cycle cost (LCC) 416
- life cycle evaluation (LCA) 324, 416
- lignin ($[C_9H_{10}O_3(OCH_3)_{0.11-3.9}]_x$) 267
- lignin degradation 148, 149, 272–275
- lignin degrading fungi 272–273
- lignin modifying enzymes 136, 148
- lignin peroxidases (LiP) 53, 62, 136, 148, 149, 275
- lignin production 148
- lignin-degrading bacteria 274
- ligno-cellulases 115
- lignocellulose and starchy residues
- biobutanol production
 - economics of 465–468
 - feasibility of 463
 - butanol production
 - cost 467
 - pretreatment 463–465
- lignocellulose saccharification 258
- lignocellulosic agricultural waste 57
- lignocellulosic and starchy wastes
- composition of 461–462
 - waste generation 460–461
- lignocellulosic biomass (LCB) 178, 317, 458
- bioethanol production 267
 - biological pretreatment techniques 272, 273
 - delignification 274
 - enzymatic hydrolysis 276–277
 - fermentation 277–279
 - fungi and bacteria 273
 - laccases 275
 - lignin degrading fungi 272–273
 - lignin peroxidases (LiP) 275
 - lignin-degrading bacteria 274
 - manganese peroxidases (MnPs) 275
 - pretreatment methods 269–270
 - processing 268–271
 - sources of 266
 - structure and composition of 266–267
 - versatile peroxidase (VP) 276
- lignocellulosic feedstocks 460–461, 466, 477, 480, 485, 491, 500
- ligno-cellulosic material 143, 324, 363, 461, 499–500, 525, 544
- lignocellulosic residues 458, 463–464
- structural composition 462
- lignocellulosic waste degradation 144, 150
- lignocellulosic waste pretreatment
- methods 478
- lipase 36–37, 40–41, 43, 103, 127–128, 131, 133, 135, 164, 242, 323, 325, 513, 515–516, 524–525
- lipid waste 39, 41
- lipid-based biofuels 227–228
- lipid-rich substrate 500
- liquid detergents 512
- liquid effluents 39, 189, 476
- liquid food wastes 38
- low-density polyethylene (LDPE) 514
- L. tayloriiphos* 193
- L. taylorii* 193
- m**
- Macrococcus caseolyticus* 238
- macroplastics 96
- magenta 52
- magnetic nanoparticle conjugated metalloenzyme 354
- magnetic nanoparticles 39, 42, 238, 344, 348, 350–353, 356
- magnetite nanoparticles 344
- malachite green 52, 179, 180, 202, 335, 336
- maltogenic amylase 42
- manganese peroxidases (MnPs) 53, 136, 148, 149, 275
- Mannan degradation 146
- marine algae 320, 439, 449
- marine biowaste
- crustacean by-products 549–550
 - fish processing by-products 549
- marine environments 85, 95, 98, 99, 156
- marine water algae
- downstream procedures 323
 - Life Cycle Assessment (LCA) 324
 - naturally occurring 322–323
 - pre-treatment 323
- market milk 559
- material homogeneity 429
- Mediated Electron Transfer (MET) 306, 308

- medium chain length
 polyhydroxyalkanoates
 (MCL-PHA) 515
- membrane bioreactors 237, 244,
 246–248, 249, 259, 401
- membrane fouling and energy demands
 246–248
- mercaptoacetic acid 345
- mercaptopropionic acid 345
- mercaptosuccinic acid 345
- mercaptoundecanoic acid 344, 345
- 11-mercaptoundecanoic acid 344
- mesoplastics 96
- mesoporous silica nanoflowers 43
- mesoporous silica nanoparticles 351
- metabolic flux analysis (MFA) 292, 294,
 295, 297
- metagenomics 502–503, 504
- metal complexed dyes (MCD) 192, 199
 biosorption of 200–202
- metal decontamination strategies 71
- metal efflux 75
- metal resistance genes 73, 74
- metal volatilization 173
- metalized dyes 190
- metallic nanoparticles 388, 390–392
- metals recovery 208
- Metarhizium anisopliae* 78
- methane 4–6, 8–15, 22–26, 99, 125, 222,
 253, 270, 293, 324, 414, 425–429,
 479–481, 495–497, 500–501,
 521
- Methanoculleus* 23, 481, 495, 500
- methanogenesis 7, 11, 14, 130, 250, 293,
 426, 430, 480, 493, 495–496, 502
- methanogenic 14, 23, 480, 481, 495–498,
 500–502
- methanogenic communities 480–482
- methanogenic reactor (MR) 14
- methanogens 4, 6–12, 248, 251–252, 289,
 480–481, 485, 495–498, 502
- methyl bacterium sp. ZP24 22
- methyl parathion 83
- methylene blue dye 178, 335, 351
- methylenomycin 254
- methylothrophic methanogenesis 495
- microalgae 226
 autotrophs 157
 and bioenergy 316–317
 bioenergy production process
 322–324
- biohydrogen production by
 photobiological process 326
- biomethane production by anaerobic
 digestion 324–325
- chlorophyta 156
- cultivation and processing of 317–318
- cultivation of
 cell cultures isolation 319
 single-cell isolation 319
- culture conditions
 aeration 321
 culture media 321
 lighting 321
 pH 321
 temperature 320
- culture methods
 batch culture 321
 continuous cultures 322
- dinophyta 156
- genetic engineering 326–327
- haptophyta 156
- harvesting cultures 322
- heterotrophic 157
- liquid oil production by thermal
 liquefaction process 325
- mixotrophic 157
- nano catalyzed transesterification
 process 325–326
- ochrophyta 156
- photoheterotrophs 157
- rhodophyta 156
- transesterification process 325
- wastewater treatment
 algal culture systems 163–164
 BOD 159
 COD 159–160
 heavy metals 160–161
 light 162–163
 nitrogen and phosphorus 160
 pH 162
 phosphorus 158
 TNTP ratio of 162
 xenobiotic compounds 161
- microalgal cell composition 158
- micro- and nanoplastics 96
 characteristics of 97
- microarray profiling 105
- Microbactan Glycolipopeptide 351
- Microbacterium* sp. OIJ1 179
- microbe-amended compost benefits

- microbial (bacterial) biosorption 179–180
 - microbial biomass 78, 175, 179, 180, 182, 324, 496
 - microbial consortia 12, 116–119, 252, 495–496, 498, 499, 504
 - microbial decolorisation and degradation mechanisms 58
 - microbial fermentation 21, 287, 429–431
 - microbial fuel cell (MFC) 166
 - of bio-energy production 303
 - components of 303
 - definition 303
 - electrode material
 - anode material 308
 - cathode material 308–309
 - energy source 304–305
 - mechanism 306–308
 - merit of 303
 - proton exchange membrane 309
 - social relevance
 - biosensor 310–311
 - electricity generation 309–310
 - wastewater treatment 310
 - theory of 305–306
 - microbial lipids 511, 513–514, 517
 - microbial oils 513, 525
 - microbial processes
 - feedstock for 515–516
 - microbial remediation method 50
 - aerobic and anaerobic treatment 52–53
 - aerobic treatment 52
 - anaerobic effluent treatment 52
 - microbial treatment 50, 58
 - microbial-derived biosorbents 180
 - microbial-mediated destruction 49
 - microbubble 225
 - aerator 224–225
 - generators 225
 - microfibers and microplastics 398
 - microorganisms 3, 526
 - in fermentation 277
 - microplastics 96
 - primary 97
 - secondary 97
 - toxicity 98–99
 - micropollutant 157, 158, 233, 235
 - microprecipitation 173
 - microwave pre-treatment 164
 - milk fat globule membrane (MFGM) 558, 559, 562, 565
 - milk fat processing
 - buttermilk valorization 558–562
 - by-products 558
 - ghee residue valorization 563–564
 - value added products 558
 - mineralization 53, 101, 104, 105, 116, 130, 131, 158, 236
 - ministry of new and renewable energy (MNRE) 450, 492
 - mixotrophic microalgae 157
 - MnO₂/cellulose nanoparticles 336
 - molecular imprinting 180
 - mono-2-ethyl hexyl phthalate (MEHP) 98
 - mono-digestion 5, 428, 502
 - monoaromatic hydrocarbons 161
 - monooxygenase enzymes 353
 - monorden 254
 - mordant 52, 192
 - moving bed biofilm reactor 238
 - Mucor* 194, 201
 - multi-layer packed-bed bioreactor 255
 - municipal solid waste (MSW) 7, 21, 38, 114, 266, 287, 379, 414, 415, 473, 491, 525, 527
 - municipal solid waste (MSW/urban waste) 7
 - municipal waste 68, 157, 207, 226, 287, 315, 398, 474
 - Mycobacterium marinum* 60
 - mycoremediation 77
 - mycorrhizae 68
 - mycotoxins 253
 - Mytilus edulis* 98
- n**
- NADH-ferredoxin oxidoreductase 245
 - NADPH-dependent acetyl Co-A reductase 104
 - nano additives for fuel 377
 - nanobiocomposites 387
 - nano-biopolymers 334–336
 - nano-bioremediation
 - soil remediation 336–338

- water disinfection and textile dye degradation 334–336
- water remediation 332–336
- nanobiotechnology
- agriculture, potable water and food processing 385–388
 - automobile, aircraft, space travel 389
 - definition of 380
 - green technology 381
 - health, medicine, drug delivery and pharmaceuticals 388–389
 - society and education 390
 - sustainable energy, building technology 389
 - in waste reduction and management 390–393
- nanocarriers 386
- nanoclays 386, 387
- nanocomposites 238, 332, 334, 335, 338, 365, 386, 387, 391, 530
- Nanocor 387
- nanoemulsions 386–388
- nanoencapsulation 347
- nanofertilizers 376, 386
- nanoherbicides 386
- nanomanufacturing 381
- nanomaterials, green synthesis of 362, 365, 391
- nanoparticle-enzyme corona 353
- nanoparticulate materials 42
- nanopesticides 386
- nano-photocatalyst 333, 335
- nanoplastics 96–99
- nanorobots 381, 388
- nano scale zero valent iron (nZVI) 337, 338, 347, 391
- nanosensors 333, 386–388
- nano-sized ZnO 333
- nanotags 391
- nanotechnology 238, 332, 397
- applications 41–43
- nano zero-valent Iron (nZVI) 337, 338, 347, 391
- naphthalene 177
- National biofuel policy 445, 492–493
- National Policy on Biofuels 2018 of India 491
- native β -cyclodextrin 336, 351
- natural extracts 529
- natural weathering effects 99
- negatively charged (anionic) metal colorants 190
- neonicotinoids 83
- New Advances in the Integrated Management of Food Processing Waste in India and Europe (NAMASTE-EU) 523
- next generation sequencing (NGS) 502
- N-fixers 119
- nickel 67, 161, 178, 182, 183, 195, 198, 207, 209, 215, 321, 391, 500
- Nicotiana tabacum* 76–77
- nicotinamide adenine di nucleotide 245, 286
- nitrate-reducing bacteria 248
- nitrogen-fixing bacteria 68
- nitrogen-sulphur compounds 115
- nitrogenase 244, 245, 285, 286, 448
- nitrogenase enzyme 245, 285, 286
- N-methylmorpholine-N-oxide (NMMO) 267
- non-biodegradable wastes 33
- non-covalent functionalization 346–347
- non-phosphorylated dry baker's yeast 179
- non-recyclable wastes 33
- non-stirred ponds 163, 164
- non-toxic poultry feed 564
- nonsteroidal anti-inflammatory drugs (NSAIDs) 401
- nonylphenol (NP) 232
- nucleic acid 75, 343, 348, 352
- nutraceuticals 387, 514
- nutritive 115, 499, 525, 558, 563
- O**
- obligate anaerobes 4, 286, 289
- ocean photosynthesis 449
- Ochratoxin A 254
- ochrophyta 156
- 1,7-octadiene 350
- oil mill waste (OMW) 222, 223
- oil-degrading bacterium 105, 225
- oleaginous bacterium 227
- oleic acid 227, 345
- oleylamine 345
- olive mill wastewater treatment 222–224
- omega-3 fatty acids 561

- one-variable-at-a time (OVAT) design 293
- open lake reactors (OPR) 322
- organic acids 20, 27, 75, 103, 146, 157, 208, 209, 213, 224, 244, 245, 248, 255–256, 286, 292, 293, 361, 422, 463, 464, 502, 513, 527
- organic fraction of municipal solid waste (OFMSW) 266, 287, 415, 525
- organic loading rate (OLR) 5, 12–13, 163, 250, 431, 480, 500
- organic matter 3, 4, 14, 38, 91, 114, 165, 166, 212, 222, 228, 233, 234, 237, 287, 297, 304, 305, 306, 307, 309, 310, 331, 424, 426, 432, 433, 451, 479, 498
- organic pesticides 87, 177
- organic pollutants 53, 58, 60, 75, 86, 89, 97, 155, 159, 176–177, 232, 333, 335, 344, 353, 391
- organic pollutants removal 53, 75, 86, 89, 97, 155, 159, 177, 232, 333, 335, 344
- organic soil amendments (OSA) 434
- organic solid wastes (OSW) 27, 241
- organic waste 19
 - bio-valorisation of 413–414
- organo chlorine pesticides 83
- organo phosphorous pesticides 83
- organophosphorus compounds 190
- Oreochromis mossambicus* fish metallothionein (MT) 178
- Oscillatoria tenuis* 54
- oxalic acids 255
- oxidoreductases 103, 275
- oxyanions arsenate 399
- oxytetracyclines 254
- ozone layer depletion 124, 411
- P**
- packaged fluid milk 557
- packed bed biofilm reactor (PBBR) 198
- packed bed reactor 195, 197–198, 327
- packed-bed bioreactors 256
- P. aeruginosa* AT18 193
- palladium nanoparticles 335
- palm oil mill effluent (POME) 295
- pasteurization 320, 434
- Pb-specific metalloprotein “PbrD,” 353
- pectin degradation 149
- pectinase enzyme 40, 42
- pectinases 40, 254
- penicillin 254
- Penicillium chrysogenum* biomass 179
- Penicillium rubens* 78
- Penicillium* 78, 133, 147, 179, 194, 201, 208, 213, 498
- Penicillium* sp. 78, 213
- Pycnoporus sanguineus* SYBC-L1 229, 230
- pentachlorophenol 83
- pepper mild mottle virus (PMMoV) 225–226
- peptide conjugated nanoparticles 352
- perfluorinated compounds (PFCs) 398, 399
- perfluoro octanoic acid 411
- peroxidase enzymes 149, 354
- personal care products (PCP) 397, 398
- Pestalotiopsis* spp. 62
- pesticides 83
 - biomagnification and consequences 84
 - bioremediation 85–86
 - health effects 83
 - ill effects of biomagnification 84–85
- petroleum biorefineries 447
- petroleum hydrocarbons 224
- petroleum tank wastewater 224
- Peyronella* *prosopidis* 53
- Phanerochaete chrysosporium* 52, 53, 116, 148, 270, 273
- PHA production 26
- pharmaceutical contaminants 398
- PHB production 26
 - in fermentor 22
- PHB synthase 104
- phenolic compounds 60, 62, 177, 224, 275, 354, 355, 415, 496, 525, 550
- Phlebia subserialis* 273
- Phormidium autumnale* UTEX1580 54
- phospholipids 510, 558–565
- phosphorus 10, 57, 87, 155, 157–160, 162, 190, 222, 324, 355, 404, 448, 514
- phosphorylated dry baker’s yeast cells 179
- photo fermentation 165, 222, 236, 237, 285, 286, 292, 293
- photo-bioreactors (PBR) 230, 322
- photo-Fenton catalysts 233, 234
- photo-fermentation 165, 236, 237, 285, 286, 292, 293

- photo-sequencing batch reactors (PSBR) 230, 231
- photobiological reactors
- algae-bacteria 230
 - anaerobic degradation of textile dye
 - bath effluent 228–229
 - anaerobic fermentation 232
 - anaerobic sludge blanket reactor 236
 - beer yeast 226–227
 - cyanobacteria 226
 - Eichhornia crassipes* biomass 229–230
 - flow reactor 235–236
 - hybrid reactor 236–237
 - lipid-based biofuels 227–228
 - membrane bioreactors 237
 - micro-algae 226
 - microbubble aerator 224–225
 - nanotechnology 238
 - oil-degrading bacterium 225
 - olive mill wastewater treatment 222–224
 - pepper mild mottle virus (PMMoV) 225–226
 - petroleum tank wastewater 224
 - photo enhanced degradation of contaminants 233
 - photo-sequencing batch reactors (PSBR) 230–231
 - photosynthetic bacteria 231–232
 - pond reactors 233–235
 - sulphonamide-resistant bacteria (SRB) 231
- photobioreactor culture system 164
- photocatalysis 332–334, 375–376, 391
- photofermentation 244, 245, 431
- photoheterotrophs 157
- photosynthetic bacteria (PSB) 166, 231–232, 244, 286, 448
- photosystem 285, 326
- Phragmites australis* 59
- phycoremediation 77
- phytodegradation 75, 89, 406
- phytoextraction 75, 77, 406
- phytofiltration 406
- phytomedicine 388
- p-hydroxyphenyl 267, 274
- phytoremediation 50, 75, 89
- advantages 60
 - phytoaccumulation 406
 - phytodegradation 406
 - phytoextraction 406
 - phytofiltration 406
 - phytostabilization 406
 - phytovolatilization 406
 - plant mechanism 60
 - of various indigenous/wild plants 59
- phytoscrubbing 406
- phytostimulation 89
- phytovolatilization 75, 406
- pineapple processing waste 426
- Plackett–Burman design 293, 294, 512
- plant cell wall polysaccharide 143, 494
- plant extracts 370, 382, 392, 547
- plant growth factors 253, 386
- plasmon coupled emission biosensor 387
- plastic biodegradation
- enzymes responsible for 101–102
 - polyethylene 100–101
 - polyethylene terephthalate 101
 - polystyrene 101
- plastic bioremediation
- biotechnology 104–105
 - microorganisms 99, 100
 - zero waste strategy 106
- plastic degradation 99, 106
- plastic degrading enzyme with source 101–102
- plastic pollution 95, 96, 106, 123
- plasticizer 98, 527, 529, 546, 547
- plastics 95
- biodegradability 125
 - biodegradation 128–136
 - definition 124–125
 - microbial degradation of 130–131
- Pleurotus ostreatus* 273
- pollutant 67, 72, 99, 106, 161, 175, 181, 182, 221, 235, 310, 347, 354, 405, 406, 513
- poly hydroxyalkanoates (PHA) 19, 127, 515, 524, 529
- poly nanofibres 42
- poly(3,4-ethylenedioxythiophene) 338
- poly(3-hydroxy butyric acid) (PHB) 104
- poly(glycidylmethacrylate-co-methacrylic acid) 41
- polyacrylamide 42, 183, 334, 336
- polyacrylamide-graphene 42
- polyaniline 334, 338
- polybrominated diphenyl ether (PBDE) 98
- polycaprolactone (PCL) 127, 529

- polychlorinated biphenyls (PCB) 84, 208, 216, 331, 398
 polycyclic aromatic hydrocarbons (PAHs) 161, 177, 337
 removal 347
 polyethylene (PE) 99, 100, 514
 glycol 42, 345
 polyethylene succinate (PES) 127
 polyethylene terephthalate (PET) 99, 101, 123, 529
 polyhydroxy-alkanoates (PHA) 19, 20, 22–24, 26, 27, 104, 126, 136, 515, 524, 527, 529
 polyhydroxy alkanolic acid (PHA) 104
 polyhydroxybutyrate (PHB) 20, 22–28, 104, 133, 387, 529
 polyhydroxy hexanoate (PHH) 529
 polyhydroxy octanoate (PHO) 529
 polylactic acid (PLA) 126–127, 133, 527–530
 polylactide (PLA) 19, 126–127
 polymer biodegradation 129
 polymerase chain reaction-denaturing gradient gel electrophoresis (PCR-DGGE) 502
 polymeric nanoparticles 338, 387, 388
 polynucleotides 19
 polyol method 348
 polypeptides 19, 348, 413
 polyphenols 224, 275, 415
 polypropylene (PP) 99, 126, 190, 198
 polypyrrole 338
 polysaccharide based matrices 347
 polysaccharide chains 144
 polysaccharide lyases (PLs) 149
 polysaccharides 19, 40–41, 58, 103, 143, 158, 191, 199, 224, 257, 267, 277, 287, 316, 334, 336, 362, 495, 546, 547
 polysaccharides hydrolysis 277
 polystyrene (PS) 98, 99, 101, 126, 350, 528
 polystyrene nanoplastics 99
 polystyrene-block-polyacrylic acid 350
 polysulfone 183
 polyurethane 126, 183, 254, 547
 polyvinyl alcohol (PVOH) 62, 128
 polyvinyl biphenyls (PCB) 208, 216, 344
 polyvinylpyrrolidone conjugated magnetic nanoparticles 350
 pond reactors 233–235, 238
 potentiometric biosensor 355
P. putida CZ1 bacterial cells 192
 precision farming 386
 premetallized dyes 192
 primary microplastics 97
 printed circuit board (PCB) 208
 probiotic drinks 561
 proteases 115, 133, 135, 242, 254, 494, 525
 protein and peptide 352
 protein conjugated nanoparticles 352
 protein nanoparticles 346, 347, 364–365
 protein rich wastes 39
Proteus 54
 proton exchange membrane 303, 309
Pseudomonas aeruginosa 73, 116, 176, 193, 214, 224, 351, 392, 512
Pseudomonas aeruginosa H19A 231
Pseudomonas aeruginosa PG4A 231
Pseudomonas delafieldii 344
Pseudomonas fluorescens 23, 133, 144, 214, 224
Pseudomonas helmanticensis 78
Pseudomonas mendocina 101
Pseudomonas oleovorans 20
Pseudomonas putida 60, 74, 105, 131, 179, 192
Pseudomonas putida I3 179
Pseudomonas sp. 78, 118, 105, 127, 215
Pseudomonas sp. AKS2 127
Puffinus tenuirostris 98
 P-solubilizers 119
 putative enzymatic biodegradation 53
 pyrene 161, 177
 pyruvate-ferredoxin oxidoreductase 245, 285
 pyruvate ferredoxin oxidoreductase enzyme 286
- q**
- quaternary ammonium salts 190
 quinone-based compounds 57

r

radical scavenging activity 376–377
Ralstonia eutropha 25, 60
Ralstonia taiwanensis (M2) 192
 raw milk 557, 558
 Reactive Black 7 53
 reactive dyes 190, 198–199
 reactive oxygen species (ROS) 71, 274, 355
 reactive red 4' dye 351
 reactive textile dyes 53
 real time monitoring of anaerobic digesters 10
 recalcitrance 150, 267, 363, 477
 recombinant DNA (rDNA) technology 50, 60–62, 224
 recombinant *Escherichia coli* strain (HMS174/pTZ18u-PHB) 23
 recombinant gram-positive *merP* gene 178
 recyclable waste 33
 recycling 3–4, 34–35, 43, 68, 113–114, 124, 158, 207, 211–212, 228, 237, 369, 380, 386, 391–393, 411–414, 426, 451
 redoxolysis 208, 213, 216
 Reduce, Reuse, Recycle, Recover and Refuse (5Rs) 33
 REFRESH 523
 Remazol Black B 53
 Remazol Blue 53
 Remazol red dye 62
 Remazol Red RB 53
 renewable energy directive (RED) 447
 renewable energy sources (RES) 265, 381, 473
 renewable fuels 445, 447, 459, 461, 463, 468, 475
 renewable identification number (RIN) 6
 residential solid waste 414
 response surface methodology (RSM) 202, 236, 294
 reverse osmosis 67, 72, 175, 190, 237, 391, 465
 Rhamnolipids 351, 415, 512
Rhizopus oryzae 52, 133
Rhizopus 52, 133, 194, 196, 199, 201, 256, 257, 403, 498

Rhodococcus erythropolis LSSE8-3 344
Rhodococcus erythropolis 224, 351
Rhodococcus jostii 224
Rhodococcus ruber 103, 131
 rhodophyta 156
Rhodotorula mucilaginosa (MTCC-1403) 257
 riboflavin 57, 257
 rock phosphate (RP) 223
 Rose Bengal dye 336
 rosin amidoxime conjugated magnetic nanoparticles 348
 RT-PCR 10

S

Saccharomyces cerevisiae 38, 53, 78, 194, 258, 271, 403, 430
Saccharomyces cerevisiae MTCC-463 38, 53, 78, 194, 258, 271, 403, 430
 SAHYOG project 451
 salt-based metal complexed dyes 190
 salt-tolerant yeast strain *Sterigmatomyces halophilus* SSA-1575 53
Sargassum filipendula 193
Sargassum muticum 193
 scanning electron microscope (SEM) 374–375
 Scenedesmus 157, 159, 161, 162, 165
Scheffersomyces stipitis 259
Schwanniomyces castellii 258
 secondary microplastics 97
 self assembled nanoemulsions 387
 sensitive sensors 344
Sesbania cannabina Pers 59
Sesbania exaltata 256
 sewage treatment sludge 266
 short chain length poly hydroxyalkanoates (SCL-PHA) 515
 short chain volatile fatty acids 248
 short-chain fatty acid (SCFA) 232
 silica 36, 41–43, 176, 183, 243, 321, 333, 350, 351, 353, 386
 silicon dioxide (SiO₂) 333, 337, 356
 silver 214, 215, 238, 333, 336, 352, 373, 388, 392
 single-cell isolation 319
 SIVEQ 523
 skim milk powder (SMP) 248, 559, 561, 564

- social life assessment (s-LCA) 416
- sodium alginate 183
- sodium tetrachloropalladate (II) 352
- soil 331
 - conservation 385
 - contamination 304
 - remediation 89, 332, 336–338, 352, 353
- solar drying process 319
- solid retention time (SRT) 230, 244, 246, 248, 250, 498
- solid state fermenter (SSF)
 - aroma compounds 256–257
 - bio pigment production 257
 - bioactive products 253–254
 - biopesticides 256
 - enzymes 254–255
 - koji fermenters 258
 - miscellaneous compounds 257
 - organic acids 255–256
- solid waste (SW) 113
 - classification of 113–114
 - composting 114–116, 117–118
 - effect of microbial consortia 116, 118–119
 - microbe-amended compost benefits 119
- solid waste management (SWM) 113, 211, 304, 531
- solid wastes 27, 33, 34, 38, 116, 130, 177, 241, 242, 390, 400, 473, 525, 527
- solid-liquid fat extraction 433, 434
- solid-state stratified bed (SSB) reactor 499
- solids not fat (SnF) 558
 - fraction 562
- soluble salts 55, 57
- solventogenesis 286
- sonication 41, 164, 221, 295, 377
- sono-electrochemical oxidation 433
- sonolysis 433
- Sophoro lipids 351
- sorbent 173, 175, 176, 182, 183, 191, 197, 338
- sorption 173, 176, 183, 191, 202, 226–227, 334, 391, 403
- Sphingomonas desiccabilis* 60
- sphingomyelin (SM) 558, 562
- Spinosaad 83
- spiral liquid flow type microbubble generator 225
- Spirogyra insignis* 193
- Sporanaerobacteracetigenes* 22
- squalene 525
- 16S rRNA 10, 105
- 16S rRNA sequencing 105
- Staphylococcus aureus* 75, 344, 498, 549
- Staphylococcus saprophyticus* 344
- starch 334
 - based polymers 127
 - rich waste 40
- starch waste
 - biodegradable plastics 25
 - bioenergy 25
- Stenotrophomonas maltophilia* 224
- Sternum hirsutum* 273
- stirred ponds 163, 164
- stoichiometric parameters 230
- strain development 295
- Streptococcaceae 22, 23
- Streptomyces* sp. 52, 144, 194, 270, 275
- streptomycin 231
- submerged fermentation 144, 254, 255, 278, 429
- substrates 291
 - carbohydrate-rich substrate 245, 500
 - lipid-rich substrate 500
- succinic acid 127, 286, 345, 463
- succinoglycan 257
- sugarcane bagasse (SB) 43, 118, 150, 177, 256, 258, 270, 361, 421, 429, 461, 463, 545
- sugar waste
 - bioenergy 24
 - PHA 23–24
- sulfadiazine (SDZ) 231
- sulfur-deficient green algae 245
- sulphate-reducing bacteria 248
- sulphonamide-resistant bacteria (SRB) 231
- sulphonated polyether ether ketone. (SPEEK) 309
- sulphuric acid hydrolysis method 461
- superparamagnetic oxides functionalized nanoparticles 353
- Surfactin 351
- surface adsorption 75, 190, 348, 354

- Surface Plasmon Resonance (SPR) 343, 372, 373
- surfactants 41, 132, 158, 177, 181, 232, 235, 343, 351, 429, 432, 512, 514
- surfactin 254, 415
- sustainable anaerobic biorefinery 476
- sustainable bio-economy 440
- sustainable biomethanation 4, 5, 8, 11
- sustainable biorefinery approaches 423
- sweet cream buttermilk (SCBM) 559–561
- sweetened fermented milk coagulum 557
- symmetric and unsymmetrical metal (Iron) complexed dyes 199
- Synechococcus* sp. PCC7942 54
- synthetic dyes 49, 50, 52, 60, 199, 332
- syntrophic acetate oxidation (SAO) 500
- syringyl 267, 274
- system temperature 288
- t**
- Taguchi design 293
- Talaromyces amestolkiae* 179
- tank leaching 209
- tannin rigid foams 177
- tannin-based biosorption 177
- tetrachloroethylene (TCE) 331, 344
- tetracyclines 174, 231, 254
- tetramethylpyrazine (TMP) 246, 249, 257
- tetraoctylammonium bromide 345
- textile dye RR198 174
- textile dye wastewater treatment 60, 61
- thermal liquefaction (HTL) 325, 526
- Thermoactionmycetes* 116
- Thermoanaerobacterium-thermosaccharolyticum* PSU-4 288
- Thermobifida cellulositytica* 105
- Thermobifida fusca* 101, 135, 147
- thermo chemical 287, 317, 413, 423, 448, 523, 526
- thermochemical refining processes 423
- Thermomonospora* sp. 270
- thermoplastic starch (TPS) 127
- thermoplastics 126, 529
- thermosetting plastics 126
- Thyonella gemmata* 98
- Tissierellaceae* 22, 23
- titania/lignin hybrid material 40
- titanium dioxide (TiO₂) 333
- Trametes versicolor* 53, 62, 136, 183, 202, 270, 273, 353
- Trametes versicolor* derived laccase 353
- trans-membrane pressure (TMP) 246, 249
- Transcription Activator like Effector Nucleases (TALENs) 105
- transesterification process 325–326
- transmission electron microscope (TEM) 374–375
- Trehalose lipids 351
- triacylglycerols 510
- trichloroethene (TCE) 331, 344
- trichlorotriazine functionalized polyethylene glycol 42
- Trichoderma reesei* 38, 144, 270
- Trichoderma thiourea* 52
- Trichoderma viride* 116, 194, 270
- Trichoderma* sp. 116, 118
- Trifolium alexandrinum* 77
- trihalomethanes (THMs) 105, 399, 480
- trioctylphosphine oxide 345
- triphenylmethane dyes 52
- triphenylphosphine 345
- Tsukamurella tyrosinosolvans* 224
- two-phase extraction method 190
- u**
- ubiquitous heavy metal contamination 68–69
- ultrasonication 295, 324, 389, 433
- unavoidable food wastes 422, 425
- undefined media 321
- underground leaching 209
- UniProt P0A0V6 178
- united nations environment programme (UNEP 2015) 460
- United Nations Human Development Report 155
- untreated effluent 189
- upflow anaerobic sludge blanket (UASB) 498
- digester 13–14
- upflow anaerobic sludge blanket reactor (UASBR) 236
- used vegetable oil (UVO) 509

- UV spectrophotometer 372, 373
 UV stabilizers 98
- V**
- valorization practices 424
 valorized cooking oil 511
 van der Waals forces 144, 238, 346
 vegetable oils 509–514, 564
 versatile peroxidases (VP) 148, 149, 276
 virgin biomass 461
 vitamins 166, 319, 321, 387, 514
 volatile fatty acids (VFA) 6, 11, 12, 241, 250, 253, 286, 288, 426, 427, 430, 481, 496–501, 523
 volatile organic compounds (VOCs) 86, 115, 324
 volatile solid (VS) 5, 13, 21, 228, 287, 425, 427, 428, 480
 volatilization 75, 88, 161, 173, 404, 406
- W**
- waste 33
 management technologies 33
 reduction and management 113, 390–393
 waste activated sludge (WAS) 232
 waste biomass 27, 174, 176, 179, 283–297, 457, 460, 461, 464, 492
 waste biorefineries 441
 waste cooking oil (WCO) 509
 biotechnological treatment 511
 chemical treatment 510–511
 microbiological treatment 511
 valorized cooking oil 511
 waste effluents 174, 293
 waste electronic and electrical equipment (WEEEs) 207
 waste generation 3, 8, 63, 113, 379–381, 384, 422, 460–461
 waste to wealth concept 33
 waste valorisation technologies 422
 waste water discharge 49
 waste water treatment plants (WWTP) 5–8, 13, 15
 wastewater
 bioenergy 26
 composition of 157–158
 PHA production 26
 PHB production 26
 wastewater decolorization 53, 54
 wastewater treatment 5, 52, 61, 155–166, 173, 176, 222–226, 232, 238, 310, 402, 501
 water 155, 386
 biota 221
 contamination 49, 304, 337, 399
 disinfection and textile dye degradation 332–336
 water pollutants 155, 156, 158, 176
 water pollution 49, 214, 331, 391, 424
 water remediation 59, 332–336, 344, 348, 354, 356, 391
 wet air oxidation (WAO) 221
 white-rot fungi 53, 62, 89, 116, 136, 272–274
 white-rot fungi *Trichoderma* 116
 wood trimmings 266
- X**
- xanthan 181, 257
 xenobiotic compounds 62, 72, 161
 X ray diffraction technique 375
 xylan degradation 146
 xylanses 40
 Xylitol 525
- Y**
- Yarrowia* sp. 78
 yoghurt 557, 559
- Z**
- Zea mays* 77
 zeolite 176, 177, 190, 325, 351, 391
 zeolite nanoparticles 351
 zero waste biobutanol 458–459
 zero waste concept 5, 446, 457
 zero waste economy 379–382, 390, 393
 zero waste management 446
 zero waste strategy 106
 zero waste to zero carbon emission technology 6
 zero-valent iron conjugated with soy protein 353
 zero-valent iron nanoparticles (nZVI) 337
 zerovalent NPs 238
 zeta potential 181, 201, 343, 374
 Zinc Finger Nucleases (ZFN) 105
 zinc oxide (ZnO) 333, 336, 387
Zymomonas mobilis 258, 277