

Index

a

- ABCO₃F 588–590
 AB₄O₆F 584–586
 absolute adsorption 864, 865
 absolute adsorption amount 865
 acetonitrile 10, 38, 41, 50, 171, 181, 301, 395, 535, 737
 achiral component 21, 300, 939
 achiral Lindqvist hexamolybdate 395
 actinide triple helices 297, 298
 acyl-transfer reaction 13
 adamantane-based terpyridine ligand 72
 adamantane 50, 692
 adsorption capacity 833–835, 865, 867, 869, 871, 873, 894, 901–903, 911, 912, 917, 918, 921–923, 925
 adsorption curves 834–835, 902, 921
 adsorption enthalpy
 determination of 863–864
 usable adsorption on 865–867
 adsorption isotherms
 activating solvent effects on 842
 BET multilayers 836–837
 effect of pore size on N₂ 838–840
 Langmuir monolayer 835–836
 Xe and Kr of 926
 adsorption, physical and chemical 834
 Ag-based TCOs 683
 Ag₂(bga)₂(pzdc)(H₂O) subunits 293
 [Ag(4,4-bipyridine)NO₃] 438
 [Ag(ddn)₂]PF₆ and [Ag(ddn)₂]AsF₆ 440
 A₂Ge₄Se₁₀ 465, 490
 aggregation-induced emission (AIE) 17, 25, 32, 42
 Ag⁺ heterometallic
 chalcogenidostannates
 [Ag₄Sn^{IV}Sn^{II}S₈]_n⁶ⁿ⁻ ribbon 231
 Ag–Sn–Q (Q = S, Se) 234, 235
 [AgSn₃Se₈]_n³ⁿ⁻ anionic chain 232
 [Bmmim]₇[AgSn₁₂Se₂₈] 234
 [CH₃NH₃]₂Ag₄Sn^{IV}2Sn^{II}S₈ 229
 [CH₃NH₃]₆Ag₁₂Sn₆S₂ 229
 [CH₃NH₃]₆Ag₁₂Sn₆S₂₁ 228
 [(Me)₂NH₂]_{0.75}[Ag_{1.25}SnSe₃] 231
 (NH₄)₄Ag₁₂Sn₇Se₂₂ 234
 SBUs 228
 [SnAg₆Se₁₀]_n¹⁰ⁿ⁻ 233
 SnSe₄ units 231
 3D-[CH₃NH₃]₆Ag₁₂Sn₆S₂₁ 228
 3D-[(Me)₂NH₂]_{0.75}[Ag_{1.25}SnSe₃] 231
 Ag(NH₃CH₂COO)(NO₃) 654
 [Ag(pyppt)(NO₂)](CHCl₃) 287
 Ag–Sn–Q (Q = S, Se) compounds 234, 235
 [AgSn₃Se₈]³⁻ 231
 [Ag₁₂Sn₇Se₂₂]⁴⁻ 231
 [AgSn₃Se₈]_n³ⁿ⁻ anionic chains 233
 α-Ag₂S semiconductor 703
 Ag₃(tpst)₂ 304
 Ag₇(tpst)₄(ClO₄)₂(NO₃)₅(DMF)₂ 304
 A–II₄–III₅–Q₁₂ type 500–501
 A–III–Sn₂–Se₆ type 501
 air- and moisture-stable coordinatively unsaturated organometallic complexes 14

- air-liquid interfacial growth method 341
 air-stable dimeric dopant, photoactivation of 709
 air-stable precursors 708
 S-alanine 941
 A₄L₄ anion cage's host-guest chemistry 41
 Al(H₂O)₆-SO₄ sublattice 659
 alkaline beryllium borates 577
 alkene-linked dipyridiniums 552
 alkoxopolyoxovanadate-based SBU 46
 alkoxo-polyoxovanadate
 [V₆O₆(OCH₃)₉-(μ₆-SO₄)(COO)₃]²⁻ 47
 2-8, alkyl-monoamines 200
 alkynylplatinum(II)-containing donor ligand 18
 alloying 686, 694, 767
 all-ruthenium analog 734
 all-trans conformation 204, 205
 Al₃₀ supramolecular compounds 121
 aluminium oxo clusters hydrolysis and condensation
 aqueous synthetic routes 120–122
 organic solutions 119
 aluminoborates (ABOs) 115
 aluminum hydroxide 120, 121
 amide-containing tridentate chelating 44
 amido-pyridine-triazole (APT) 40
 amine-based solvothermal reaction 401–402
 amino acid ligands 104, 142
 (2-(aminomethyl)pyridinium)SbI₅ 641
 3-ammonium-1-hydroxypropylidene-1,1-diphosphonic acid 375
 Anderson-type POM
 (NBu)₃[MnMo₆O₁₈(tri)₂] 379
 anion-coordination-induced emission (ACIE) 42
 anion-exchange method 965
 anionic sulfur donors 44
 anion-templating effect 36
 antenna effect 563
 anthracene-bridged benzimidazole ligands 35
 anticancer activity 10
 antiferroelectric transition 607
 antiferromagnetic coupling 779, 794, 805, 807, 809, 810, 813, 814, 818
 antiferromagnets 810
 antimony trisulfide 699
 Archimedean networks 335, 428
 Archimedean polyhedral design
 rhombicuboctahedra 408
 truncated tetrahedra 408
 argentophilic interactions 294, 295
 aromatic D–A–π interactions 13
 artificial photosynthesis 980–983
 asymmetric catalysis 8, 954, 970–973, 991
 asymmetric 1,3-dipolar addition 973
 atom-based magnetism 777
 aurophilicity-directed self-assembly 21
 auxiliary ion-dipole interactions 22
 A₃VO(O₂)₂CO₃ 590–593
 A_xRE₂Cu_{6-x}Te₆ (A = K–Cs; RE = La–Nd) 495–496
 4,4'-azanediyldibenzoate units 351
 azido-mediated systems 805–806
 azole-containing ligands 87
 azopyridine (azpy) 449, 813, 896
- b**
- Ba₃AGa₅Se₁₀Cl₂ 502–504
 Ba₃(BQ₃)(SbQ₃) (Q = S, Se) 470
 Ba₃(BS₃)_{1.5}(MS₃)_{0.5} (M = Sb, Bi) 470
 Ba₂Cr₄GeSe₁₀ 489
 Ba₅Cu₈In₂S₁₂ 513–515
 Ba₄F₄CrGa₂S₆ 493
 Ba₄F₄MnGa₂S₆ 493
 Ba₄F₄XGa₂S₆ 493–494
 Ba₄Ga₂S₈ 475
 Ba₂₃Ga₈Sb₂S₃₈ 469
 Ba₁₀Ga₂Sn₉Se₂₂ 484
 BaGeOSe₂ 480–482
 BaHgSe₂ 471–472
 [Ba(H₂O)₃](UO₂)₃[C₆H₄(PO₃)₂]₂
 (O)·5(H₂O) (BaUbbp) 374

- $\text{Ba}_4\text{In}_2\text{S}_8$ 475
 $\text{Ba}_{12}\text{In}_4\text{S}_{19}$ 466–469
 $\text{Ba}_3\text{In}_4\text{Te}_4\text{S}_7$ 482–483
 Baker–Figgis isomers 120
 Baker–Figgis–Keggin isomers 120
 $\text{BaLa}_3\text{GaSb}_2\text{S}_{10}$ 478–479
 $\text{Ba}_3\text{La}_4\text{Ga}_2\text{Sb}_2\text{S}_{15}$ 478–479
 $\text{Ba}_6\text{Li}_2\text{CdSn}_4\text{S}_{16}$ 504
 $\text{Ba–Li}_2\text{–IV–Q}_4$ 512–513
 $(\text{BA})_2(\text{MA})_2\text{Pb}_3\text{Br}_{10}$ 646
 $\text{Ba–Na}_2\text{–IV–Q}_4$ type 511–512
 band edge excitonic emission 263
 $^{133}\text{Ba}^{2+}$, $^{63}\text{Ni}^{2+}$, and $^{60}\text{Co}^{2+}$ 273
 barium titanate 610
 barrel-shaped cages
 calixarene constructed 67–68
 dimetallic clips-constructed 68–70
 BaSnO_3 thin film 678
 $\text{Ba}_7\text{Sn}_3\text{S}_{13}$ 472–473
 $\text{Ba}_8\text{Sn}_4\text{S}_{15}$ 473–474
 $\text{Ba}_{12}\text{Sn}_4\text{S}_{23}$ 472–473
 $\text{Ba}_6\text{Zn}_7\text{Ga}_2\text{S}_{16}$ 506–507
 $\text{Ba}_8\text{Zn}_4\text{Ga}_2\text{S}_{15}$ 465, 479, 480
 $[\text{Be}_2\text{BO}_3\text{F}_2]_\infty$ 577
 1,4-benzenebisphosphonic acid 374
m-benzenedicarboxylate 555
 benzenedicarboxylates (BDC) 85, 90,
 351, 941
 1,4-benzene dicarboxylates (BDC) 90,
 415, 841
 1,3-benzenedicarboxylate units 351
 1,3-benzenedicarboxylic acid 68
 1,4-benzenedicarboxylic acid 58, 68,
 310, 861, 909
 benzene-1,2-diol 741
 1,3,5-benzenetricarboxylate (btc) 56,
 347, 395, 437, 841, 954, 959
 1,3,5-benzene tricarboxylic acid
 tris[*N*-(4-pyridyl)amide] (4-btapa)
 357
 4,4',4''-benzene-1,3,5-triyl-tribenzoic acid
 (BTB) 56
 4,4',4''-benzene-1,3,5-triyl-tribenzoic acid
 (H_3btb) 348
 benzimidazole-based ligand 35
 benzodifurandione-based
 oligo(*p*-phenylenevinylene)
 (BDOPV)-based small molecules
 712
 benzoporphyrin fiber, conductivity 708
 benzoxazinones 20
 2-benzoylpyridyl (bzip) 301
 beryllium-free borates 577
 $\text{BiCd}_4\text{O}(\text{BO}_3)_3$ 586
 bidentate dithiocarbamate units 21
 bilayer-network MOFs
 binodal (3,6)-connected net 336, 337
 Co(II) and flexible tricarboxylate ligand
 330
 interdigitated and interpenetrated
 bipillared-bilayer 327
 interpenetration and interdigitation
 329
 kgd network 337
 470-MOF 331
 471-MOF 331
 μ_2 -OH bridges 329, 330
 proline derivatives and bipyridines
 331
 2D + 2D → 2D interpenetrated 327,
 328
 2D double-layered network 325
 2D ladder-like 332
 2D MOF nanosheets 340, 341
 2D structures 325
 Zn(II) displays 327, 328
 Zn-TCPP nanosheets 341
 $\text{Bi}_2(\text{mdhbqdc})(\text{ox})_2(\text{DMF})_4$ 324
 binaphthol (BINOL) 362
 binaphthyl-derived ligands 972
 binary molecular ferroelectrics 636–637
 binodal (3,6)-connected net 336, 337
 binuclear half-sandwich metal (Rh or Ir)
 molecular clips 12, 14
 biphenyl-4,4'-bis[carbonyl-*N*-(proline)]
 (BPBP) 332
 biphenyl-3,4',5'-tricarboxylate (bhtc) 415
 4,4'-bipy ligand 555, 556
 4,4'-bipyridine 346
N,N'-bipyridine-based ligands 313

- bipyridine (bpy) ligands 311
 4,4'-bis(imidazol-1-methyl)-biphenyl
 (bimb) 305
 bisdithiazole (BT) 821
 1,2-bis(4-pyridyl)ethane (bpe) 332
 1,2-bis(4-pyridyl)hydrazine (bphy) ligand
 449
 bispyridyl-based Schiff base ligand 305
 1,4-bis(pyrid-4-yl)benzene (bpb) 312
 1,4-bis[2-(4-pyridyl)ethenyl]benzene
 (BPEB) 332
 bisquaric acid 629
 9,9-bis[(*S*)-2-methylbutyl]-2,7-
 bis(4-pyridylethynyl)fluorene
 (bmbpyf) 313
 bisterpyridine aligands 11
 bithienylethene-based donor 17
 bithienylethene (BET) hexagons 17
 tris(bisurea) ligand 41
 bitopic triazole 4-(2-pyridinyl)-
 1,2,4-triazole 306
 [Bmim]₄[Sn₉Se₂₀] 219
 [Bmmim]₇[AgSn₁₂Se₂₈] 234
 [Bmmim]_{1.5}[detaH]_{0.5}[Ni(deta)₂][Sn₄Se₉]₂
 226
 [Bmmim]₆[Mn(deta)₂]₂[Sn₁₅Se₃₅] 224
 [Bmmim]₈[Ni₂(teta)₂(μ-teta)][Sn₁₈Se₄₂]
 224
 [Bmmim]₃[Ni(en)₃]₂[Sn₉Se₂₁]Cl 226
 [Bmmim]₄[Sn₉Se₁₉(Se₂)_{0.9}Se_{0.1}] 219
 Bolin's model 169
 borates synthesis
 inorganic templated borates 112–113
 NLO 111
 organic templated borates 113
 porous aluminoborates (ABOs) 115
 TMC-templated 113–115
 borogermanates 116–118
 boron imidazolate frameworks (BIFs)
 444
 Borromean rings (BR) 13, 14
 bowl-shaped molecules 715–716
 breathing action 269
 brick-like PBUs 195
 brick-wall networks 320, 323
 bridging-ligand-substitution reaction 73
 μ₆-Bridging sulfide ligand (μ₆-S) 166
 μ₂-Bridging sulfido ligand (μ₂-S) 164
 μ₃-Bridging sulfido ligand (μ₃-S) 164
 μ₄-Bridging sulfido ligand (μ₄-S) 164
 μ₅-Bridging sulfido ligand (μ₅-S) 164
 Brillouin scattering 617
 bromanilic acid (H₂ba) 632
 Bronsted acidity 973
 Brown's equal valence rule 403
 Brunauer–Emmett–Teller (BET)
 multilayers adsorption isotherms
 836–837
 theory 834, 836
 BTB-bridged cages 58
 BTC-bridged cages 58
 building unit (BU) 5, 42, 70, 82, 85, 87,
 98, 119, 137, 172–175, 178, 189,
 195, 283, 284, 286, 306, 350, 392,
 393, 396, 407, 426, 427, 438, 440,
 441, 443, 469–471, 475, 486, 488,
 491, 499, 507, 527, 528, 581, 594,
 731, 790, 858, 882, 954, 985
 1,4-butanediamine (bda) 205
 tert-butoxycarbonyl (Boc) 324
p-*tert*-butylthiacalix[4]arene (H₄TC4A)
 411
C
 Ca₂Ba(CH₃CH₂COO)₆ 657
 [Ca(CH₃)₃NCH₂COO(H₂O)₂Cl₂] 656,
 657
 [Ca(CH₃NH₂CH₂COO)₃Br₂] 656
 Ca(CH₃NH₂CH₂COO)₃Cl₂ 654, 655
 cadmium-based hybrids 208
 cadmium(II) MOFs 302
 cage-like Gd₃₈(ClO₄)₆ cluster 124, 125
 calcium zinc nitride (CaZn₂N₂) 688
 p- and n-type dopability 689
 stability and crystal structure 690
 calixarenes 47, 56, 98, 136, 137, 285, 406
 constructed barrel-shaped cages
 67–68
 macrocycles 98
 calix[4]resorcinarene 68

- camphoric acid (H_2cam) 346
 $Ca_2Pb(CH_3CH_2COO)_6$ 658, 659
 carbide conducting materials 691
 silicon carbide (SiC) 691–692
 transition metal carbides 695–697
 carbonate NLO materials 588
 carbon dioxide capture and utilization
 (CCU) technologies 986
 tetra(4-carboxybenzene) methane ligand
 455
 1,1'-bis(4-carboxybenzyl)-4,4'-
 bipyridinium 432
 carboxylate-based MOFs 418, 726, 727
 carboxylate-containing ligands 85
 carboxylate ligands 42, 56, 73, 85–88, 98,
 123, 126, 127, 131, 137, 321,
 343–347, 350, 376, 377, 412, 446,
 455, 456, 808, 977
 carboxylate linkers
 ditopic carboxylate ligands 343–347
 hexatopic or octatopic carboxylate
 351–353
 tetratopic 350–351
 tritopic 347–350
 carboxylate supported POTis 85
 2,4-bis(4-carboxyphenylamino)-6-
 bis(carboxymethyl)amino-
 1,3,5-triazine) 317
 4-(4-carboxyphenylamino)-3,5-
 dinitrobenzoic acid 431
 1,3,5-tris[4-(carboxyphenyl)oxamethyl]-
 2,4,6-trimethylbenzene (TBDC)
 438
 $(C4AS)_2Ag_3(\mu-2,2'-bpy)_2(2,2'-bpy)_2$
 285
 $Ca_2Sr(CH_3CH_2COO)_6$ 657, 658
 C4AS-trisilver block 285
 Catalan networks 335, 427
 catalytic active transition metal centers
 961
 catechol 85, 363, 364, 391, 405, 410,
 741–747
 catecholates (CATs) 412
 cationic M_2L_4 cage 35
 $[Cd(abt)_2(ClO_4)_2] \cdot H_2O$ 555
 $[Cd(bppd)(NO_3)_2(CH_3OH)_2 \cdot Cd_2(bppd)_3$
 $(NO_3)_4] \cdot (4(HCCl_3) \cdot 2H_2O)_n$ 307
 $Cd(4-btapa)_2(NO_3)_2 \cdot 6H_2O \cdot 2DMF_n$ 357
 $[Cd(3,3'-DPA)(NO_3)_2(H_2O)_2]_n$ 289
 $[Cd(envp)_2(ClO_4)_2] \cdot 11EtOH \cdot 6H_2O$ 301
 Cd_4GeS_6 520–521
 $Cd(imb)(pda)$ 304
 $[Cd_2(nbpy)_4(NO_3)_4]$, metal centers
 308
 $[Cd_2((R)-Hdmpa)_2((S)-Hdmpa)_2(dpe)_3]_n$
 306
 cds (= $CdSO_4$) Topological Network
 440–441
 $Cd_2(TCNQ)_{3,5}(H_2O)_2$ 741
 $[Cd(BCbpy)(bpdC)_{0,5}X] \cdot 7H_2O$ 319
 $Ce_4(H_2TTS)_4$ tetrahedron 44
 central pyridine unit 25
 centrosymmetric (CS) 5, 41, 117, 127,
 204, 218, 228, 230, 231, 237, 242,
 249, 250, 337, 465, 618, 641, 651
 cerium-based neutral molecular
 tetrahedron 44
 chain breakage-reunion process 186
 Δ -chain lattice 819–821
 chalcogenide coordination polymers
 189
 chalcogenidoantimonates
 crystallographic data for 238–240
 group 12(II) ions and antimony(III)
 236–245
 group 13(III) ions and antimony(III)
 Ga–Sb–S compounds 246–248
 In–Sb–Q (Q = S, Se) compounds
 248–254
 SBUs and TBUs 246
 group 14(IV) ions and antimony(III)
 Ge–SbS compounds 254–259
 Sn–Sb–S compounds 259–260
 thioantimonates 235
 chalcogenidoantimonates(III) 196, 249,
 267
 chalcogenidometalate 4, 198, 209, 212,
 218, 236–246, 254–260, 267–269,
 271, 273–276, 391, 398–403, 421
 chalcogenidometalate-based clusters 4

- chalcogenidometalate superlattices
 alkali metals or transition/lanthanide
 metal complexes 398
 amine-based solvothermal reaction
 401–402
 anion insertion 404
 hydrothermal/solvothermal conditions
 398, 399
 ionothermal approach or surfactants
 398
 ionothermal synthesis 403
 metal complexes 400–401
 mimicking zeolites 401
 mixing metals for valance–balance
 398–399
 organic quaternary ammonium or
 phosphonium cations 398
 organic superbases 400
 phase transformation 404
 postsynthetic insertion of heterometals
 404
 pyridines/imidazoles linkage 404
 reaction parameters 404
 surface-capping ligands 399
 surfactants 403
 synthetic and design approaches 398
- chalcogenidostannate
 Ag⁺ heterometallic
 chalcogenidostannates 228
 crystalline selenidostannates 222
 crystallographic data 220, 221
 ILS 219
 1D-[Bmmim]₂[Sn₃Se₇] 223
 In₈Sn₈Se₃₄-T2,2 227
 SDAs 224
 SnS₅ trigonal bipyramids 219
 3D frameworks 225
 2D-[Bmmim]₇[AgSn₁₂Se₂₈] 226
- Chan–Kim–Rees (CKR) 169
 charge-neutral mixed-valence
 cerium(III/IV) clusters 126
 charge transfer (CT) mechanism 630
 1,4-C₆H₄(CH(OH)(PO₃H₂))₂ 375
 chelate side-chain auxiliary ligands
 292
- chemical affinity quantum sieving
 (CAQS) 931, 934–937
 chemical synthetic methods 197
 chemical vs. physical adsorption 834
 chiral NH-functionalized cyclic structures
 14
- chloranilic acid 632
 chloroacetic acid 124
 [(CH₃)₄N]CdBr₃ 642, 643
 (C₄H₁₀N)CdCl₃ 641
 [CH₃NH₃]₂Ag₄Sn^{IV}2Sn^{II}S₈ 229, 230
 [CH₃NH₃]₆Ag₁₂Sn₆S₂₁ 221, 228, 229, 232
 [(CH₃)₂NH₂][Al(H₂O)₆](SO₄)₂ 659–661
 [CH₃NH₃]₅Bi₂Br₁₁ 646
 [CH₃NH₃]₅Bi₂Cl₁₁ 646
 [(CH₃)₂NH₂]₂[CoCl₄] 638
 [C₂H₅NH₃]₂[CuCl₄] 639
 [(CH₃)₂NH₂]₃[CuCl₄]Cl 638, 639
 [CH₃NH₃]₄Ga₄Sb₉S_{0.28}O_{0.72}H 274
 [CH₃NH₃]₂[H₃O]Ag₅Sn₄Se₁₂·EtOH 231
 [(CH₃)₂NH₂][M(HCOO)]₃ 651, 652
 [C₂H₅NH₃]₂[MCl₄] 640
 [CH₃NH₃][M(H₂O)₆](SO₄)₂·6H₂O 661
 [(CH₃)₂NH₂]₃Sb₂Cl₉ 643–645
 [CH₃NH₃]₂[ZnCl₄] 639
- choline-binding protein ChoX 36
 chondroitin-4-sulfate (Chs) 32
 [(CH₃)₄P][HgCl₃] 643
- C3 hydrocarbons separation
 C₃H₆ 914
 HKUST-1 MOF 913
 KAUST-7 914
 M-MOF-74 914
 open door effect 914
 SIFSIX materials 916
 UTSA performance 917
 UV-vis spectra 913
- circular dichroism (CD) spectroscopy
 36, 979
- Clausius–Clapeyron equation 863, 926
 (ClCs₆)[RE₂₁Q₃₄] 515
- cluster-surface analogy 163
Cn-alkylpyrogallol[4]arenes 406
 [C(NH₂)₃][Al(H₂O)₆](SO₄)₂ 658, 659
 [C(NH₂)₃][Al(H₂O)₆](SO₄)₂ (GASH) 658

- [C(NH₂)₃][M(H₂O)₆](XO₄)₂ 658
- CO₂-adsorption isotherms 890
- Co(II) and flexible tricarboxylate ligand 330
- cobalt-based catalytic sites 44
- CO₂ capture and separation
- functionalization of ligands 893
 - hydroxide anion 891
 - monodentated hydroxide 892
 - open metal sites 883
 - polar functional groups 885
 - pore size and function control 895
 - spectroscopic, diffraction and computational experiments 890
- cocrystals 716
- donor-acceptor (D-A) properties of 716–717
 - structural modes 717
 - 1 : 1 mixed-stack 717–719
 - P1T1 and P3T1 721
 - 1 : 1 segregated-stack 719–721
- (Co(ebic)₂·H₂O)_n 288
- [Co(1,4-bis(4-pyridyl)butadiyne)(NO₃)₂(H₂O)₂·2H₂O]_n 284
- CO₂-induced thermoresponsive behaviour 34
- [Co(en)₃]₃(en)[In₆Sb₆S₂₁]·H₂O 253
- CO₂ isotherms 899
- [Co₂(6-mna)₂]·3H₂O (CUK-2) 365
- [Co₂(nbpy₄)₃(NO₃)₄] solvents 308
- conducting layered organic-inorganic perovskites 761
- conductive materials 6, 7, 669–770
- 4-connected 2D topology 432, 433
- (3,6)-connected *kgd* layer 436, 437
- 3-connected second building units (SBUs) 47
- 5-connected three-dimensional networks 449
- (3,4)-connected three-dimensional topological network 448
- 8-connected three-dimensional topological network 451, 452
- (3,6)-connected three-dimensional topological networks 453–455
- (4,8)-connected three-dimensional topological networks 455, 456
- 12-connected three-dimensional topological networks 456, 457
- (3,4)-connected topological network 434
- 3-connected topology 431, 432
- 3,4-connected topology 433
- (3,6)-connected topology 436
- 4-connected topology network 433
- consecutive condensation reaction 26
- constructive reactivity 164, 165
- controlled hydrolysis 119, 133
- conventional MOFs 647
- cooperative behavior influence
- of crystal packing 790
 - of molecular structure 789, 790
- cooperative spin-crossover, coordination polymers 790, 791
- coordinated water 49, 121, 289, 326, 330, 338, 349, 374, 888, 929, 954
- coordination bonds 32, 38, 61, 200, 236, 283, 338, 410, 411, 419, 450, 726, 788–790, 861, 903, 953, 954
- coordination chemistry 40–42, 92, 122, 168, 276, 373, 414, 425
- coordination-driven self-assembly 9, 12, 17, 19, 20, 27, 28, 32, 34, 50, 391, 421
- coordinatively unsaturated metal sites (CUMs) 954
- [Co₃(2,4-pdc)₂(μ₃-OH)₂]·9H₂O (CUK-1) 365
- copper(II) benzenehexathiolate coordination polymer (Cu-BHT) 710
- copper ions 91, 336
- copper-pseudohalide components 38
- copper sulfides (Cu_{2-x}S) 701
- bandgap energy of 701
- copper(I) thiolates 178
- CO₂-promoted hydrogel formation 34
- CO₂-responsiveness 34
- corner-to-corner packing 47
- CO₂-triggered morphology transition 34
- coumarin 20, 90

- counter-anion 10, 17, 71, 123, 179, 932
 CPM-132 ($[(\text{TPyP-Zn})_2\text{F}_2\text{Zn}_2(\text{SiF}_6)]_n$)
 373
 Cp*Rh-based dynamic conformational
 binuclear building block 13
 $[\text{Cr}_7\text{S}_8\text{Cl}_2(\text{NH}_3)_{14.5}(\text{H}_2\text{O})_{1.5}]\text{Cl}_3 \cdot \text{H}_2\text{O}$ 218
 crystal field method 796
 crystalline conductive materials 6
 crystalline group 11–15 metal
 chalcogenides 195, 196
 crystalline metal sulfides 273
 crystalline solid solutions 722, 723
 crystallization chemistry 426–430
 crystal packing 1, 76, 147, 330–332, 339,
 501, 507, 594, 716, 721, 786–788,
 790
 crystal structure
 BaCuFSe of 681
 (BdA)Pb₂I₆ of 768
 (BdA)PbI₄ of 768
 (C₄H₉NH₃)₂-(CH₃NH₃)₂Pb₃Br₁₀ of
 767
 LaCuOSe of 681
 (MV)₂[Pb₇Br₁₈]_n of 759
 Pt₂(n-PrCS₂)₄I 751
 [Rh₂(acam)₄Br] 753
 [Rh₂(acam)₄Cl]_n·7nH₂O 753
 SrCu₂O₂ of 681
 crystal structure database (CSD) 425
 CsAg₅Te₃ 513
 CsBCO₃F 588
 (Cs₆Cl)₂Cs₅[Ga₁₅Ge₉Se₄₈] 470–471
 (Cs₆Cl)₆Cs₃[Ga₅₃Se₉₆] 486–487
 CsCu₅S₃ 527–528
 Cs₃Cu₂₀Te₁₃ 499–500
 Cs₂Ge₃M₆Te₁₄ 523–524
 CsLnCdTe₃ 486
 Cs₂[Mn₂Ga₃S₇Cl] 487–488
 CsMnInTe₃ 491–493
 CsPbCO₃F 589
 CsRE₂Ag₃Te₅ 496–497
 Cs[RE₉Cd₄Se₁₈] 498–499
 Cs₂[RE₈InS₁₄] 521–522
 Cs[RE₉Mn₄Se₁₈] 497–498
 CS space group 466, 469–472, 475, 477,
 478, 480, 482, 484–486, 491, 494,
 496, 497, 499, 507–511, 513, 516,
 523, 524, 584, 590
 C₃ symmetric trisbis(urea) ligand 42
 cubane clusters 167, 170–172, 179, 190,
 191
 cubane-like heterometallic sulfide clusters
 175
 Cu⁺-based p-type TCOs
 electrical properties of 682
 cubes, metallacages 53
 Cu-BHT film 746, 747
 cubic lattice system 670
 Cu-bipy chains 306
 [Cu(bipy)]₂[HPMo₁₂O₄₀] 306
 [Cu(4,4'-bpy)₂(H₂O)][Cu(2-pySO₃)₃]
 (NO₃)·H₂O 311
 Cu₃(btb)₂(H₂O)₃·(DMF)₉(H₂O)₂
 (MOF-14) 348
 Cu₃(BTC)₂
 HKUST-1 729
 thin film 730
 Cu-CAT-1 single crystal 742, 743
 cucurbit[6]uril-based pseudorotaxanes
 321
 [Cu(dbpyf)₂(NO₃)₂] 313
 [Cu₃(ddbbe)₄(DMF)₆(H₂O)₃(ClO₄)]
 [ClO₄]₅·10DMF·10EtOH·7H₂O
 308
 Cu⁺ 3d¹⁰ orbitals 679, 680
 [Cu(dpa)₂(SiF₆)_n] (SIFSIX-2-Cu) 372
 [Cu(dpds)₂(H₂O)·2NO₃·3H₂O]_n 300
 Cu-dsoa 376, 377
 [Cu(hfac)2(3,3'-DPA)_{1.5}(NO₃)₂]_n 289
 [CuIC(C₅H₄CN)₄]_nⁿ⁺ 430
 [Cu₄I₄(dabco)₂]_n (COZ-1; dabco =
 1,4-diazabicyclo-[2.2.2]octane)
 358
 Cu₂(imidazole)₃ 447
 [Cu₅(N₃)₁₀(bzip)₂]_n 301
 [Cu₄(N₃)₈(CH₃CN)₃(bzip)₂]_n 301
 [Cu(ptz)]_n (Hptz =
 3,5-dipropyl-1,2,4-triazole) 441
 ([Cu₆(pybz)₈(OH)₂]_n·I₅⁻·I₇⁻)_n 327

- [Cu(Pz)₃]_n and [Cu₂(Bpz)]_n 11
 Curie–Weiss law 603, 611, 630, 641, 646,
 649, 653, 654, 660, 815
 Cu-salen enantiopure ligand 941
 Cu_{1.94}S–CuS heterojunction 702–703
 CuTEI cage 65
 [Cu₃(TMA)₂(H₂O)₃]_n 414
 cyanide (CN) 732–735
 cyclobutane products 12
 cyclodextrin (CD) 946
 1,2-cyclohexanediamine 360
 cyclohexyl groups 15
 cyclopentadienyl ligands 140, 142
 cycloreversion 36
 cylinder-like molecules 713–715
- d**
 D₂ adsorption 931, 932, 934
 D-[Cu₄[N(CN)₂]₂(hmp)₄(CH₃COO)₂·
 CH₃CN]_∞ 296
 ddbbe = (*R*)-6,6'-dichloro-2,2'-diethoxy-
 1,1'-binaphthyl-4,4'-
 bis(*p*-ethynylpyridine) 308
 defects
 definition 843
 effect on adsorption 844–852
 types of 843–844
 delafossite AgCrO₂ TCOs 684
 dendronized organoplatinum(II)
 metallacyclic polymers 28
 dendronized polymers (DPs) 28
 dendronized rhomboidal organoplatinum
 (II) metallacyclic polymers 28
 density function theoretical (DFT) 36,
 41, 95, 262, 536, 554, 556, 585, 728,
 743, 808, 818, 852, 904, 908, 912,
 928, 936
 density of coordination sites (DOCS) 25,
 27
 deprotonation 364, 415, 419, 632
 Devonshire theory 606
 D-histidine 941
 2,6-di(2-naphthyl)anthracene (2,6-DNA)
 711
 dia topological network 440
 diazabicyclo[2.2.2]octane (dabco) salts
 629
 di(bromomethyl)benzene derivatives
 49
N,N'-dibenzyl-4,4'-di(4-pyridyl)butadiene
 552
 4,4'-dicarboxybiphenyl sulfone (H₂dbsf)
 297
 3,3',5,5'-tetra(3,5-dicarboxyphenyl)-4,4'-
 dimethoxy-biphenyl 352
 2,5-bis(3,5-dicarboxyphenyl)
 methylpyridium 977
 2,5-bis(3,5-dicarboxyphenyl)pyridine
 977
 6,13-dichloropentacene (DCP) 713
 dielectric constant 611, 616–617, 621,
 627, 629–631, 633–636, 638–639,
 642–646, 648–655, 657–660,
 779–780
 1,2-di(4-pyridyl)ethane 346
 7-(diethylamino)-coumarin (donor)
 decorated dipyriddy ligand 19
 9,9-diethyl-2,7-bis(4-pyridylethynyl)
 fluorene (dbpyf) 313
 diethylformamide (DEF) 187, 310, 315,
 316, 319, 348, 352, 358, 359, 419
 differential scanning calorimetry (DSC)
 611, 612, 639–641
 diffuse reflectance spectra for
 iron-ruthenium analogue 734,
 735
 1,6-dihydro-2-methyl-6-oxo-(3,4'-
 bipyridine)-5-carbonitrile 299
 1,2-dihydroxybenzene 741
 6,11-dihydroxy-5,12-naphthacenedione
 12
 2,3-dihydroquinazolinones 50
 diiridium precursor 13
 β-diketoalkane 629
 dimerization 36, 63, 179, 739, 821
 dimetallic clips constructed barrel-shaped
 cages 68, 70
 di(1*H*-naphtho[2,3-*d*]imidazol-
 1-yl)methane (L) 10
 dimethoxyphenyl substituents 25

- N,N*-dimethylaminoethyl methacrylate (DMAEMA) 34
 5,5'-dimethyl-2,2'-bipyridine 633
N,N'-dimethyl-4,4'-bipyridinium 552
N,N'-dimethylethylenediamine 890
N,N'-dimethylformamide (DMF) 231, 395, 444, 861, 989
 3,5-dimethylpyrazole 12
 dimethylpyridine-2,6-dicarboxylate 50
 1,6-bis(2,4-dinitrophenoxy)-2,4-hexadiyne 626
 dinuclear cluster 167, 171, 172
 dinuclear metal-carbene organometallic clips 12
 dinuclear metallamacrocycles 10
 dinuclear thiomolybdates and thiotungstates 175–178
 dinuclear triple-stranded europium helicate 36
N, N'-dioxide-4,4'-bipyridine ligands 431
 dip-coating methods 706, 707
 2,6-diphenylanthracene (2,6-DPA) 711
 2,2-diphenylbenzopyran (DP) 313
 diphenyldipyrrolopyridine (DP-P2P)-naphthalenediimide cocrystals 720
 bis(diphenylphosphino)ferrocene 408
 bis(diphenylphosphino)methane) PtM 535
 bis(diphenyl-phosphinomethyl) phenylphosphine 535
 diplatinum (II) acceptors 17, 18
 dipole orientation 616
 diprotonated 2,6-bis(4-pyridyl methylidene) cyclohexanone 552
 2,2'-dipyridyl 128
 4,4'-dipyridylacetylene (dpa) 372
 diquat (*N,N'*-ethylene-2,2'-bipyridinium) 552
 dirhodium precursor 13
 discrete calixarene-based coordination cages 56
 discrete chalcogenido Tn clusters 209–216
 discrete clusters-based compounds 214
 discrete metal-organic metallasupramolecular structures 3
 discrete organoplatinum(II) metallacycles 15, 16, 34
 discrete Tn (T3 to T5) chalcogenides 216
 disk-like molecules 713–715
 disk-shape ligand 54
 disodium-2,2'-disulfonate-4,4'-oxydibenzoic acid (Na₂H₂dsoa) 376
 dispersion-corrected density functional theory 928
 displacive 610, 614, 615, 627, 634
 displax (closed-cycle refrigeration) system 763
 distyrylbenzene-based CT cocrystal 719
N, N'-disubstituted-bipyridinium salts 551
 disulfido ligand 164, 167
 4,4'-disulfo-2,2'-bipyridine-*N,N'*-dioxide (dsbpdo) 376
 ditopic bridging ligand 71
 ditopic carboxylate ligands
 4,4'-bipyridine 346
 camphoric acid (H₂cam) 346
 IRMOFs 343, 344
 M-O-C metal clusters 343
 terephthalate (bdc) 343–347
 tetraanoic 345
 ditrigo structures 22
 divalent Ca(DMSO)₆²⁺ cation 186
 DMAEMA 34
 dodecahedron 3, 61–65, 73, 376, 405, 407, 512, 513
 dodecanuclear cage-like Mo-Cu(Ag)-S clusters 166
 domain motion 624–626, 662
 domain wall 621–626, 630, 649
 donor-acceptor (D-A) cocrystals 716
 properties of 716–717
 structural modes 716–717
 donor-acceptor-donor stacking 25
 donor-acceptor π⋯π stacking interactions 50

- donor-type hydrogen bonds 54
- doping mechanism 671, 672
- doping of silicon carbide (SiC) 685, 691–696, 703
- organic conductor crystals 707–708
- double chains, MOF 234, 284, 300–304, 327, 497
- doxorubicin (DOX) prodrug 573, 574
- [dpaH]₅[In₅Sb₆S₁₉]·1.45H₂O 253
- dpe = 1,2-di(4-pyridyl)ethylene) 306
- DPTTA-fullerene cocrystals 721
- DPTTA-TCNQ cocrystals 718
- drop-casting method 706, 707, 713, 719–721
- DPTTA-TCNQ cocrystals 718
- Drude-like high-reflectance band 630
- dual nets 430
- Dubinin–Radushkevich method 849, 850
- Dubinin–Radushkevich surface 376
- Dy26 cores 132
- [Dy(H₂O)₄Q[₅]](C₆H₆O₂)(NO₃)₃·7H₂O 291
- e**
- EDTA 568, 569
- EFISH technique 564
- electrical conductivity
- (MV)₂[Pb₇Br₁₈]_n 758, 760
- [Pt₂(*n*-pentylCS₂)₄I] crystals 751
- electrically conductive materials 669, 673
- electrical properties of Cu⁺-based p-type TCOs 682
- electrical resistivity
- CH₃NH₃PbI₃ 756
- CH₃NH₃SnI₃ 762, 763
- (CH₃NH₃)_{1-x}(NH₂CH=NH₂)_xSnI₃ 757
- displex (closed-cycle refrigeration) system 763
- SnI₄-doped (PEA)₂SnI₄ crystals 764
- electroluminescence (EL)
- d8-d10 heteronuclear complexes
- tetraphosphine-supported PtAg₂ acetylide cluster complexes 545, 546
- triposphine-supported Pt-M heteronuclear complexes 541–544
- d¹⁰-d¹⁰ heteronuclear complexes 548–549
- definition 532–533
- OLEDs 532–533, 548–549
- photoluminescence of d⁸/d¹⁰ heteronuclear metal complexes 533–534
- electroluminescent materials 5, 531–551
- electronic conduction mechanism 670
- 18-electron M₂L₃-typed cylinders 14
- 16-electron M₂L₂-type metallacycles 14
- electron structures
- of 2D C₄H₉NH₃PbI₄ crystals 765
- of 3D CH₃NH₃PbI₃ crystals 765
- electron-transfer photochromic compounds 557–559
- processes 564
- electron-transfer photochromism 555, 556, 564
- elemental conducting materials
- semiconductors 670–672
- structure and property 672–673
- elevatorplatform 264, 265
- embonic acid (H₄L) 44, 406
- [Emim]₂[Sn₂As₂S₄(S₂)₂Br_{2·43}Cl_{1·56}] 218
- S*-enantiomers 941
- enantiomer separation 941, 946
- enantiopure D
- and *g*-MOCs-16 cages 63
- and *g*Pd₆(RuL₃)₈ cages 62
- enantiopure ligands 50, 371, 941, 944
- enantiopure proline 396, 397
- enantiopure pyrene-functionalized C₂ symmetrical bis(tridentate) ligands 36
- enantioselective separation
- chiral MOFs
- in GC 945–949
- in HPLC 943–945
- MOFs 939–949

- enantioselective separation (*contd.*)
 naproxen 943
 SPE and solutions 940–943
 enantioselective sulfoxide adsorption 941
 energy transfer (ET) 4, 19, 20, 39, 534, 555, 556, 563
 Er60 complex 130, 131
 ethylammonium layers 639
 ethylenediamine 107, 109, 116, 182, 183, 240, 253, 306, 361, 395, 410, 749, 798, 810, 890
 $[\text{Eu}(\text{dsbpd})_3(\text{H}_2\text{O})_2]^{3-}$ 376
 europium 36, 38, 269, 410
 Eu/Tb mixed tetrahedron 39–40
- f**
- face-to-face π - π interactions 13
 $\text{Fe}(\text{bpb})_2(\text{NCS})_2$ 312
 $[\text{Fe}(1,10\text{-phenanthroline})_3]^{2+}$ controls 400
 $\text{Fe}(\text{NCS})_2 \cdot [\text{Fe}(\text{bpb})_2(\text{NCS})_2] \cdot 2.5 \text{H}_2\text{O}$ 312
 Fermi energy 677, 681, 757, 763
 ferrimagnets 809
 ferroelectric domain 625, 663
 ferroelectricity 601, 602, 605, 609, 610, 615, 617, 621–623, 627, 630, 631, 634–639, 641, 643–647, 653, 654, 662, 663
 ferroelectric phase transition 606, 611–612
 ferroelectric properties 6
 characterization of
 dielectric and dielectric switch 616–617
 domain motion 624–626
 NLO and NLO switch 617–618
 polarization switching 621–623
 pyroelectric effect 619
 classification of 614–616
 MOFs 647
 molecular 626–662
 structural phase transitions
 dielectric constant 611
 DSC 611, 612
 microscopic theory 609–611
 P-E hysteresis loop 611–614
 solid-state substances 601
 thermodynamic theory 602–609
 symmetry breaking 614
 ferromagnets 806–811
 $\text{Fe}_4[\text{Ru}(\text{CN})_6]_3 \cdot 18\text{H}_2\text{O}$ 734
 field effect transistors (FETs) 342, 681, 704, 711
 fine-tuning conformational motion 10
 fixed-bed adsorption process 896
 FJI-H14 ($[\text{Cu}(\text{BTTA})\text{H}_2\text{O}]_n \cdot 6n\text{H}_2\text{O}$) 365, 448
 FJSM-SnS 222, 271–274
 flexible bis(imidazole) ligands 293
 flexible polydentate bridging
 dithiocarbamate ligands 74
 fluorescence-resonance energy transfer (FRET) 19, 20
 4-formylimidazole 61
 Forster energy transfer efficiency (FRET) 19, 20
 Frechet-type dendrons 28
 Friedel–Crafts benzylation reaction of benzene 959
 Friedel–Crafts reaction 973
 frustrated magnets, ground states of 815–816
 functionalized linkers 893, 959–963
 organic 893
 functional substances 1, 2
 function-directed structural design 1
- g**
- gadolinium-based metal-organic octahedron 55
 gallium thioantimonates 247, 275
 GaN
 carbon doping 687
 2D structure 687
 n-type doping 686
 gas adsorption material defects 842–852
 gas adsorption theory 834
 Ga-Sb-S compounds 246–248
 GaS 2D photodetector 701

- GaS nanosheets 701, 702
 GaSnS-1 274, 275
 gas sorption isotherms, MOFs for
 with cage structures 841
 with channels 840–841
 gas uptake properties MOFs of 7
 gate-opening effect 901
 geometric frustration 814
 evaluation of 815
 magnetic 814, 815
 germanium (Ge) 671
 cubic lattice system 670
 diamond lattice structure 671
 electrically conducting behavior 671
 unit cell 671
 germinates 116–118
 GeSb₂S₇ cluster 255
 Ge-Sb-S compound 254, 255, 259, 269,
 274
 [GeSb₂S₆]_n²ⁿ⁻ 256
 Ge/Si hetero island-chain nanowires
 (hiNWs) 673, 674
 giant nested supramolecules 26
 Gibbs free energy 564, 602, 604, 833, 834
 glamorous enzyme-like reactivity 54
 Glauber model 803
 S-glutamic acids 941
 glycine-containing compounds 654
 [G3]-metallo dendrimer 28
 Goldberg MOPs 396
 Goldberg polyhedra 409–410
 Goldschmidt's Tolerance Factor concept
 755
 Gram-positive bacteria MRSA 26
 grand-canonical Monte Carlo (GCMC)
 simulations 902, 913, 923, 946
 grazing incidence X-ray diffraction
 (GI-XRD) structure 637
 group 11(I) metal ions 196
 group 12(II) Hg²⁺ ion 196
 group 12(II) ions and antimony(III)
 236–245
 group 12(II) metal chalcogenides 196
 group 13 metal ion indium(III) 212
 group III nitrides 683, 684
 group IV nitrides 685
 group V nitrides 685
 group VI nitrides 685
 guest-free supramolecular framework
 136
 guest-induced interactions 13
 guest molecules effect, on MOFs 873
 gyroidal MOFs 54
- h**
- half-sandwich iridium/rhodium 12
 halogen atoms 13, 712, 722
 halogens 740, 747–752
 hard and soft acids and bases principle
 (HSAB) 123
 hazardous metal ions 4, 283
 hazardous non-actinide isotopes 269
 [H₂[Cu(en)₂H₂O]₈[Cu(en)₂]₃
 [(α-SiW₁₁O₃₉)Ce(H₂O)(η²,m-1,1)-
 CH₃COO]₄]-22H₂O (en =
 1,2-ethylenediamine) 306
 [H₂dbco][Cu(H₂O)₆](SeO₄)₂ 662
 [H₂dbco][Cu(X₂O)₆](SeO₄)₂ 661
 [H-55dmbp][Hca] 635
 [H-55dmbp][Hia] 635
 H₂dmpa = 6,6'-dimethyl-1,1'-biphenyl-
 2,2'-dicarboxylic acid 306
 head-to-head (HH) isomers 11
 helicates 3, 35–38, 81
 heparin 32
 heptaniobate 396, 397
 herringbone networks 319–325
 herringbone packing linear-shaped
 molecule 711–713
 heteroacenes 711
 N-heterocyclic aromatic ligand 557
 N-heterocyclic linkers
 imidazolates 353
 pyridine 357–358
 heteroleptic structure 25
 heterometallic coordination cages 62
 heterometallic coordination octahedrons
 55
 heterometallic 3d-4f clusters 142–149

- heterometallic Mo-Fe-S cubane-like clusters 170
- heterometallic strategy 884
- hexacarboxylate linkers 417, 895
- hexadecahedrons 3, 65–67
- hexadentate phosphonate 375
- hexagonal metallacycles 14, 17–18, 32, 34
- 2,3,6,7,10,11-hexaiminotriphenylene-semiquinonate (HITP) 341, 342
- hexameric metallacyclic complex 15
- n*-hexane 917–920
- 1,6-hexanediamine (hda) 205
- hexatopic carboxylate linkers 351–353
- HgSb₂Q₅-I 242, 243
- HgSb₂Q₅-II 242, 243
- HgSb₂Q₅-III 242
- HgSbQ₃-I 243
- HgSbQ₃-II 243
- HgSbQ₃-III 243
- HgSbQ₃-IV 245
- HHTP linkers 741, 742
- highly oriented pyrolytic graphite (HOPG) 25
- high-nuclearity cupric-niobite clusters 393
- high-nuclearity lanthanide clusters 123
 - calixarenes 136–138
 - chalcogen elements 139
 - N-donor ligands 127–129
 - N,O-donor ligands 129–136
 - O-donor ligands 123–127
 - polychalcogen species 140
- high-power laser 617
- high sublimation temperature 691
- high temperature phase (HTP) 491, 492, 616, 641, 656
- 1,3-di(1*H*-imidazol-4-yl)benzene (imb) 303
- HKUST-1 114, 348, 374, 414, 729, 842, 858–859, 902, 913–914, 919, 921–924, 931, 941
- 2*H*-MoS₂ crystal structure 701
- homo and heteroligand poly NHC metal assemblies 50
- homochiral 21
 - auxiliary ligands 292
 - 1D-helical coordination polymer 292
- honeycomb networks 319, 320
- host-guest charge-transfer systems 47, 49
- host-guest chemistry 9, 35, 41, 50, 77, 405
- host-guest Coulombian interaction 400
- host-guest interactions 54
- H₂picd⁻ anions 288
- HP-MOFs, synthesis of 852, 853
- HPrz⁺-based compounds 558
- 2-(4*H*-pyrazol-3-yl)pyridine 68
- H₂pzdc (H₂pzdc = pyrazine-2,3-dicarboxylic acid) 293
- H₃tri (2-(hydroxymethyl)-2-(pyridin-4-yl)-1,3-propanediol) 379
- bis(1*H*-1,2,3-triazolo-[4,5-*b*],[4,5-*i*]) dibenzo[1,4]dioxin (H2-BTDD) 936
- Hund's Rule 794
- hyaluronic acid (HA) 32
- hybrid zeolitic imidazolate frameworks (HZIFs) 355, 414, 444, 956–958
- hydrocarbons separation
 - acetylene and ethylene isolation 909
 - adsorption separation 900
 - C₂H₆ and C₂H₄ mixtures 906
 - C₂H₂ binding site 911
 - chemical productions 900
 - China's energy-saving and low-carbon economy 900
 - Fe-MOF-74 902
 - frozen distillation 900
 - gate-opening effect 901
 - host-guest fittings and interactions 904–905
 - kinetic and thermodynamic processes 900
 - metalloenzymes and synthetic compounds 906

- mixed metal-organic frameworks
 (MⁿMOF) materials 909, 910
 M-MOF-74 series 902
 UTSA-100 909
 hydrodesulfurization process (HDS) 163
 hydrogenated/fluorinated SiC (H/F-SiC)
 heterobilayer 695, 696
 hydrogen-bonded frameworks (HOF) 58
 hydrogen-bonded ionic compounds 647
 hydrogen-bonding interactions 10, 35,
 36, 44, 207, 296, 299, 304, 340, 631,
 639, 889, 904, 991
 hydrogen isotopes
 chemical affinity quantum sieving
 934–937
 kinetic quantum sieving 931–934
 special quantum sieving 937–939
 1-hydroxyl-2-(3-pyridyl)ethylidene-1,1-
 diphosphonic acid 374
 2-(((2-hydroxy-3-methoxyphenyl)
 methylene)amino)-2-
 (hydroxymethyl)-1,3-propa-nediol
 135
 1,1,1-tris-(hydroxymethyl)ethane 126
 4-(2-hydroxy-1-naphthyl)-1,2-
 naphthoquinones 63
 hydroxyphenalenone 629
- i**
- ideal adsorbed solution theory (IAST)
 selectivity 884, 894–896,
 902, 908, 910, 912, 915, 928,
 932–933, 935
 III–VI semiconductors 701
 II–VI based inorganic–organic hybrid
 compounds
 crystallinity, colour and habit 207
 crystallographic data for 201–202
 crystal structures of 200, 203
 di- and mono-amine molecules 199
 mono- and di-amine molecules 208
 nanostructures 199
 optimal range of 208
 imidazolates based MOFs 353–355
 imidazole ligand 62, 354
 imidazolium-based ionic liquids 222,
 283
 2,5-bis(4'-(imidazol-1-yl)benzyl)-3,4-
 diazia-2,4-hexadiene (ImBNN)
 312
 2-(imidazol-1-yl)-terephthalic acid
 (Im-H₂BDC) 986
 iminodiacetic acid (H₂IDA) 143–144
 incipient-wetness impregnation method
 965
 inelastic neutron scattering analysis (INS)
 936
 infinite polymeric frameworks 953
 inorganic chalcogenides
 0D to MD 467–468
 mixed-dimensional (MD) framework
 CsCu₅S₃ 527
 Ln₃M_{0.5}(Ge_{0.5}/M_{0.5})S₇ 526, 527
 nanoclusters 212
 one-dimensional (1D) chain
 chalcogenides
 Ba₄Ga₂S₈ 475
 Ba₈Ga₂Sn₇Se₁₈ 483–484
 Ba₁₀Ga₂Sn₉Se₂₂ 484
 BaGeOSe₂ 480–482
 Ba₄In₂S₈ 475
 Ba₅In₄Te₄S₇ 482–483
 Ba₈Zn₄Ga₂S₁₅ 479, 480
 La₄InSbS₉ 477, 478
 Ln₄GaSbS₉ 475–477
 three-dimensional (3D) framework
 A-II₄-III₅-Q₁₂ 500–501
 A-III-Sn₂-Se₆ type 501
 A_xRE₂Cu_{6-x}Te₆ 495–496
 Ba₃AGa₅Se₁₀C₁₂ 502–503
 BaAg₂GeS₄ 517–519
 BaAg₂SnS₄ 517–519
 Ba₅Cu₈In₂S₁₂ 513–514
 Ba₆Li₂CdSn₄S₁₆ 504
 Ba-Li₂-IV-Q₂ type 512, 513
 Ba-Na₂-IV-Q₄ type 511
 Ba₆Zn₇Ga₂S₁₆ 506–507
 Cd₄GeS₆ 520–521
 CsAg₅Te₃ 513
 Cs₃Cu₂₀Te₁₃ 499–500

- inorganic chalcogenides (*contd.*)
- Cs₂Ge₃M₆Te₁₄ 523–524
 - (ClCs₆)[RE₂₁Q₃₄] 515
 - Cs[Lu₇Q₁₁] 515–516
 - CsRE₂Ag₃Te₅ 496–497
 - Cs[RE₉Cd₄Se₁₈] 498–499
 - Cs₂[RE₈InS₁₄] 521–522
 - Cs[RE₉Mn₄Se₁₈] 497–498
 - La₂CuSbS₅ 504–506
 - Lu₅GaS₉ 516–517
 - NaGaIn₂Se₅ 507–508
 - Na₂Ga₂MQ₆ 524, 525
 - Na₇IISb₅S₁₂ 522–523
 - NaIn₃Se₅ 507–508
 - Na₂In₄SSe₆ 507–508
 - Na₂ZnGe₂S₆ 510–511
 - PbGa₂MSe₆ 508–509
 - PbMnIn₂S₅ 494–495
 - RbRE₂Ag₃Te₅ 496–497
 - SnGa₄Q₇ 509–510
 - Sn₂Ga₂S₅ 525–526
 - Sr₅ZnGa₆S₁₅ 519–520
 - Yb₆Ga₄S₁₅ 516–517
- two-dimensional (2D) layer
- A₂Ge₄Se₁₀ 490
 - Ba₂Cr₄GeSe₁₀ 489
 - Ba₄F₄CrGa₂S₆ 493–494
 - Ba₄F₄MnGa₂S₆ 493–494
 - Ba₄F₄XGa₂S₆ 493
 - (Cs₆Cl)₆Cs₃[Ga₅₃Se₉₆] 486–487
 - CsLnCdTe₃ 486
 - Cs₂[Mn₂Ga₃S₇Cl] 487–488
 - CsMnInTe₃ 491–492
 - La₄FeSb₂S₁₀ 484–485
 - Ln₂Mn₃Sb₄S₁₂ 485–486
 - Na₆Zn₃III₂Q₉ 490–491
 - RECuTe₂ 491
- zero-dimensional (0D) cluster 466
- inorganic conducting materials 670, 704
- inorganic conductive materials 6, 669–704
- inorganic elemental semiconductors 670
- inorganic ligands bridged POTis 88, 89
- inorganic metal chalcogenides 196–197
- inorganic/organic crystalline conductors 6
- inorganic–organic hybrid conductive materials 6, 669
- inorganic–organic hybrid frameworks 397
- inorganic–organic hybrid metal chalcogenides
- optical and electric properties 261–263
- photocatalytic property
- ion-exchange property 269–275
 - photocatalytic hydrogen production 265–267
 - photodegradation of organic dye molecules 267–268
 - thermal expansion behavior 263–264
- inorganic–organic hybrid TMSPs
- hybrid TMSPs via synergistic effect 109
 - organic frameworks 109
 - polyoxotantalates (*POTas*) 109
 - via same lacunary 107–108
 - supramolecular POTs-templated MOFs 109
 - via synergistic effect 109
- inorganic oxide ferroelectrics 614
- inorganic templated borates 112–113
- inorganic ternary metal nitrides 690, 693
- In-Sb-Q (Q = S, Se) compounds 248–254
- [In₄Sb₉SH]_n⁴ⁿ⁻ 253
- interconvertible metallarectangles 13, 14
- interfacial electron transfer (IET) 89
- interlocked Borromean rings (6a-BRs) complexes 13, 14, 431
- interlocked quintuple-helices 299
- interlocking 1D ladders 309
- intermolecular decomposition 962
- intermolecular steric contacts 786–788
- interpenetrated microporous MOF 895
- iodo-functionalized hexamolybdates 395
- 1,3,5-tris(4'-iodophenyl)ethynylbenzene 407
- ion-exchange chalcogenidometalates 269

- ion-exchange property 269–275
 ionic-liquid assisted precursor method 213
 ionic liquids (ILs) 84, 209
 ionic or covalent bonding modes 2
 ionothermal synthesis 88, 198, 209, 276, 403
 ionothermal techniques 209
 iridium(III) complexes 532, 539, 549
 iron-molybdenum cofactor (FeMoco)
 crystallographic structure of 168
 double cubane cluster 167
 electron transfer pathway 168
 [MoFe₃S₃C] fragment of 173
 in nitrogenases 167
 single cubanes 172
 spectroscopic and structural analysis 168
 structure of 168
 irregular metallacycles 20–22
 isolated molecules 816–819
 5-(isonicotinamido) isophthalate (inaip) 365
 isonicotinic acid (HIN) 131, 132, 377, 378, 905
 isorecticular MOFs (IRMOFs) 343, 344, 346, 348, 412, 855, 861, 862
 isosteric heat of adsorption 863, 864
 isostructural chalcogenidometalate compounds 212
 isostructural two-dimensional (2-D)
 fishnet-type network compounds 739–740
- j**
 Jahn–Teller distortion 783, 784, 887
 Jahn–Teller effect 793
- k**
 kagomé dual (*kgd*) topology 436
 kagomé lattice 821
 Keggin-type [BW₁₂O₄₀]⁵⁻ anions 397
 Keggin-type [PMo₁₂O₄₀]³⁻ 306
 Keggin-type polyaluminum cations 121
 KH₂PO₄ (KDP) family 627
- kinetically closed pores 65
 kinetic quantum sieving method 931, 934
 Kolmogorov–Avrami crystal theory 623
 4K polyhedral linkers 889
- l**
 LaCuOS transparent p-type material 681
 La₂CuSb₅ 504–506
 La/Cu/S slabs 506
 ladder-like chains 294, 304–309
 La-doped BaSnO₃ 678
 La₄FeSb₂S₁₀ 484, 485
 La₄InSb₉ 477, 478
 Landau phase transition theory 606–607
 Langmuir–Blodgett (LB)-based thin film 777
 Langmuir–Freundlich methods 926
 Langmuir monolayer adsorption isotherms 835–836
 lanthanide
 heterometallic 3d-4f clusters 142–149
 high-nuclearity 123–140
 calixarenes 136–138
 chalcogen elements 139, 140
 O-donor ligands 123–127
 polychalcogen species 140
 monometallic lanthanide based
 single-molecule magnets 140–142
 SMMs 122
 lanthanide-based single-molecule magnets (Ln-SMMs) 122, 140–142
 lanthanide-germanate clusters 118
 lanthanide–organic complexes 40
 lanthanide phosphonates 375
 lanthanide single-ion magnets 794–801
 late-transition-metal palladium-oxo polyanions 82
 layer-by-layer preparation procedure of poly(L-DOPA) 941, 942, 948
 L-[Cu₄[N(CN)₂]₂(hmp)₄(CH₃COO)₂·CH₃CN]_∞ 296
 Lewis acid catalysis 954–956, 973

- Lewis acidic ionic liquid 209
 Lewis acid sites 883, 884, 991
 ligand 1,2-bis(3-pyridyl)ethyne (3,3'-DPA) 289
 ligands squaric acid 332
 ligand truncation method 849, 851
 Lindqvist-type polyanion $[\text{Nb}_6\text{O}_{19}]^{8-}$ 102
 Lindqvist-type polyoxovanadate clusters 380
 Lindqvist-type POM SBUs 380
 linear chains 183, 186, 284–287, 632
 linear dicarboxylate ligand 68, 345
 linear pyridine ligand 13, 317
 linear-shaped molecules 711–714
 liquid phase epitaxy (LPE) approach 92, 93, 948
 $\text{Li}_4\text{Sr}(\text{BO}_3)_2$ 580
 $[\text{LiTi}(\text{C}_4\text{H}_4\text{O}_6)] \cdot \text{H}_2\text{O}$ 649
 Ln- β -diketone cages 127
 $\text{Ln}_4\text{GaSbS}_9$ 475, 477
 $\text{Ln}_3\text{M}_{0.5}(\text{Ge}_{0.5}/\text{M}_{0.5})\text{S}_7$ 526, 527
 $\text{Ln}_2\text{Mn}_3\text{Sb}_4\text{S}_{12}$ 485, 486
 $\text{Ln}_{2n}\text{L}_{3n}$ 50
 local density approximation (LDA) 262
 local vibrational modes (LVMs), in C doped GaN 687
 lone electron pair (LEP) 106, 196
 long-chain hydrocarbon separation
 alkanes and olefins 918
 butane and pentane isomers 918
 cis-butene 919
 chemical and thermal stability 920
 2,3-dimethylbutane and
 2,2-dimethylbutane 920
 MOF-5 and n-hexane 917
 n-pentane and isopentane 918–919
 sieving mechanism 917
 low dimensional materials 309
 lower critical solution temperature (LCST) behavior 15, 17, 32, 34
 low-temperature ferroelectric phase (FEP) 602
 low temperature phase (LTP) 491, 616, 785
 low valent metal phosphonates 418
- m**
 macroporous MOFs sorption isotherms 839, 840
 MAF-49· H_2O 904
 MAF-4, $\text{Zn}(\text{mIM})_2$ 354
 magnetic frustration 814
 geometric 814, 815
 magnetocaloric effect (MCE) 122, 123, 125, 126, 133, 144
 magneto-structural correlations 7
 of low-dimensional magnets 791–804
 in spin-crossover compounds 779–791
 $[\text{maH}]_4[\text{In}_4\text{Sb}_9\text{SH}]$ 253
 main-group elements
 aluminium 119–122
 borates synthesis
 ABO 115–116
 inorganic templated borates 112–113
 NLO 111
 organic templated borates 113
 TMCs templated 113–115
 borogermanates 116–118
 description 111
 germinates 116–118
 manganese nitrides 690
 bonding of 690
 crystal structure of 691
 material defects, on gas adsorption 842
 maximum switching current 623
 $[\text{M}_4(\text{calix})(\mu_4\text{-Y})]$ 58
 MCMP 558–560
 mediated magnetic coupling 804–814
 azido-mediated systems 805–811
 monocarboxylate-mediated systems 811–812
 oxalate-mediated systems 812–814
 $[(\text{Me})_2\text{NH}_2]_{0.75}[\text{Ag}_{1.25}\text{SnSe}_3]$ 270
 $[(\text{Me})_2\text{NH}_2]_2[\text{Ga}_2\text{Sb}_2\text{S}_7]$ 246
 $[(\text{Me})_2\text{NH}_2]_{4/3}[(\text{Me})_3\text{NH}]_{2/3}[\text{Sn}_3\text{S}_7] \cdot 1.25\text{H}_2\text{O}$ 219
 6-mercapto-3-pyridinecarboxylate (6-mna) anions 365
 meso-helix MOFs 293
 mesoporous MOFs materials 838

- mesoporous MOFs sorption isotherms 838–839
- mesoporous MONTs (MMONTs) 70, 958
- mesoporous supramolecule 53
- metal building units 283
- metal-catecholates (M-CATs) 741, 742
- metal chalcogenides 4
- chalcogenidoantimonates 238
 - chalcogenidostannates 218–234
 - group 13(III) and 14(IV) 196
 - group 15(III) metal ion 196
 - group 11–15 metal ions 195
 - group 11(I) metal ions 196
 - hydrothermal and solvothermal methods 197
- II–VI compound semiconductors 198–209
- inorganic–organic hybrid 260–264
- in ionic liquids
- cationic $[\text{Sb}_7\text{S}_8\text{Br}_2]^{3+}$ clusters 216
 - cations and anions of 212
 - charge-balanced $[\text{AlCl}_4]^-$ anions 216
 - crystallographic data 210, 211
 - definition of 209
 - discrete chalcogenido T_n clusters 209, 212–216
 - discrete metal chalcogenides 209
 - (Emim)Br-AlCl₃ 216
 - [Emim]₂[Sn₂As₂S₄(S₂)₂Br_{2,43}Cl_{1,56}] 218
 - ionothermal synthesis 209
 - [Sn_{32.5}Ge_{27.5}Se₁₃₂]²⁴⁻ 218
- organic and inorganic components 198
- organic-inorganic hybrid architectures 198
- PBUs 195
- structural chemistry 196
- synthesis of 199
- metal-coordinate complexes 224
- metal-doped *POTis* 91
- metal-doped POVs 97–98
- metal-formate hybrid perovskites 652
- metal-formate perovskites 651, 652
- metal-imidazolate cages 54, 72
- metal-imidazolate coordination cubes 53
- metal ions spanning 39
- metallacages
- barrel-shaped cages 67–70
 - cubes 52–54
 - cubeoctahedrons 65
 - dodecahedron 61–65
 - helicates 35–38
 - hexadecahedrons 65–67
 - metallo-supramolecular cages 74
 - multiple structural cages 71–74
 - octahedron 54–61
 - tetrahedron 38–46
 - three-dimensional (3D) structures 35
 - triangular prism 47–50
 - truncated tetrahedron 46–47
- metallacycles
- dinuclear metallamacrocycles 10
 - hexagons 14–20
 - irregular 20–22
 - multi-layered metallacycles 22–28
 - polygon-based polymers 28–34
 - rectangular 12–14
 - responsive dynamic metallacycles 34–35
 - supramolecular triangles 10
 - two-dimensional (2D) structures 9
- metallasupramolecular structures 3, 20
- metal–ligand (M–L) bonds 19, 77, 100, 405, 728, 779–781, 783, 800
- metallo-dendrimers 18–19, 28
- metallo-ligand RuL₃ 62
- metallo-linkers
- BINAP 363, 364
 - BINOL 362–363
 - bipyridyl 363
 - catechol 363
 - N-heterocyclic carbenes 363
 - porphyrins 359–360
 - salen 360–362
- metallo-porphyrin MOF [Co(TCPP)Co_{1.5}](PIZA-1) 359
- metallo-salen-catalyzed reactions 971

- metallo-salen derived bipyridine ligand
 - 941
- metallo-supramolecular cages 74
- metalloviologen compounds
 - 553–557
- metal nodes
 - Friedel–Crafts benzylation reaction
 - 959
 - Lewis acid catalysis 954–955
 - oxidation reaction 956–958
 - ring-opening reaction 959
 - Suzuki–Miyaura coupling reaction
 - 958
- metal-organic coordination
 - metallacages
 - barrel-shaped cages 67–70
 - cubes 52–54
 - cuboctahedrons 65
 - dodecahedron 61–65
 - helicates 35–38
 - hexadecahedrons 65–67
 - metallo-supramolecular cages 74
 - multiple structural cages 71–74
 - octahedron 54–61
 - tetrahedron 38–46
 - three-dimensional (3D) structures
 - 35
 - triangular prism 47–50
 - truncated tetrahedron 46–47
 - metallacycles
 - dinuclear metallamacrocycles 10
 - hexagons 14–20
 - irregular 20–22
 - multi-layered 22–28
 - polygon-based polymers 28–34
 - rectangular 12–14
 - responsive dynamic metallacycles
 - 34–35
 - supramolecular triangles 10
 - two-dimensional (2D) structures 9
- metal-organic frameworks (MOFs)
 - asymmetric catalysis 970–972
 - carboxylates 725
 - CO₂ capture and separation properties
 - 868
 - crystal structure 725
 - definition 283, 411
 - design and synthesis 725
 - as electron conducting material 725
 - enzymes 969–970
 - ferroelectrics 647–662
 - functionalized linkers 959–963
 - with functional organic ligand
 - 869–871
 - gas adsorption
 - factors affecting 867–871
 - guest molecules effect 871–873
 - high-throughput methods 420
 - history of 283
 - inorganic nodes (SBUs)
 - dinuclear units 414
 - hexanuclear units 415
 - mixing SBUs 415–416
 - mononuclear units 414
 - octanuclear units 415
 - rod-shaped chains 416
 - tetrahedral unit 415
 - trinuclear units 414–415
 - materials, adsorption enthalpy of
 - 863–873
 - merged nets approach 421
 - metal complexes 968–969
 - metal nodes 954–959
 - microwave-assisted synthesis 420
 - molecular constituents used for 853, 854
 - MOPs 4207
 - one dimensional (1D) 284–309, 747–752
 - open metal sites 867, 869
 - organic linkers with carboxylates
 - 416–418
 - photocatalysis in 974–983
 - polyoxometalates 967–968
 - rate-determining factor 954
 - redox-active bridging ligand 726
 - reticulating chemistry 412, 413
 - seed-mediated approach 419–420
 - solvothermal reactions 419
 - structures of 283

- surface areas
 functionality influence 862–863
 interpenetration influence 859–861
 ligand length influence 855,
 858–859
 metal moieties effect 861–862
 tailor-made approach 420
 template-directed synthesis 419
 three-dimensional (3D) 342–380,
 726–737
 topological network 430–457
 two-dimensional (2D) 309–342,
 737–747
 with ultra-high surface area 853–855
 UTSA-100a 870–872
 metal–organic hosts 47
 metal–organic macrocycles 3, 9–77
 metal–organic nanocapsules (MONCs)
 73
 metal–organic nanotube (MONT) 70,
 364, 958
 metal–organic polyhedra (MOPs) 47, 54,
 55, 73–74, 98, 395, 396, 409, 420,
 968
 metal–organic tetrahedron 44, 46
 metal–organic zeolites 353–354
 metal oxides (MOs)
 electronic structure of 675
 energy band structure of 675
 molecular orbital diagram and band
 structure 675
 metal-oxo clusters 3, 81–149
 metal sulfides
 bonding in 697
 crystal structures of 698
 examples 697
 metal-triazolate MOFs 735–736
 metal-variable isostructural octahedral
 nanocages 54
 4',4'',4''',4''''-methanetetrayltetrabiphenyl-
 4-carboxylate (mtbc) 350
 methylamine molecules 61, 62, 208, 231
 1-methyl-3,5-bis[3-(pyrid-2-yl)-1,2,4-
 triazolyl]pyridone 128
N-methyldiethanolamine 126
 methylenebis(3,5-dimethylpyrazole)
 (H₂MDP) 322
 methylphosphonic acid (MePO₃H₂) 137
N-(methylpyrrolidinium)₃Sb₂Br₉ 640
 Mg-MOF-74 844, 849, 862, 883–884, 888,
 889, 902, 909–911
 microporous chalcogenides 196, 218
 microporous MOFs sorption isotherms
 838
 microscopic theory 609–610
 [M^{II}(HCOO)₃]-based MOFs 653
 MIL-91(Ti) 897–898
 MIL-100(Cr) 347
 MIL-101(Cr) 344–345, 954–956,
 964–968, 986
M(1,2-dap)₃ InSb₃S₇ 252
 1 : 1 mixed-stack cocrystals 717–719
 [MLi(C₄H₄O₆)]·H₂O 648
 M₈L₁₂-type supramolecular cubes 50
 M₃[(M₄Cl)₃(BTT)₈]₂ 357
 Mn₂(api)Sb₂S₅ 236–237, 264–265
 [Mn₃(HCOO)₆]₂·C₂H₅OH 650
 Mn(ImBNN)₂(NO₃)₂ 312
 Mn-linked cubic framework 393
 M_{3n}L_{2n} 71
 Mn₂S₆ octahedron single chain 485
 Mobil Thirty-Nine (MTN) 347, 358, 420,
 446–447
 Δ-MOC-16 62
 M-O-C metal clusters 343
 modified pillaring strategy 896
 MOF-5 343, 367, 412–414, 416–417,
 726–727, 838, 860, 862, 917, 921,
 933, 966
 MOF-74 345–346, 416, 459, 844,
 883–885, 890, 892
 MOF-74 (M-DOBDC) 923–924
 MOF-901 82, 435–436
 MOF [Cu(3,3'-DPA)(CH₃OH)(NO₃)₂]_n
 289
 Mo-Fe-S clusters 170, 171
 MOF-74-Zn 458
 moganite topological network 442–443
 molecular-based metal functional
 complexes 425

- molecular ferroelectrics
 binary 636–637
 organic 626–636
 organic–inorganic hybrid compounds
 638–647
- molecular magnets 7, 122, 125–126, 459,
 777–823
- molecular organometallic compounds
 12
- molecular packing modes, of organic
 molecules 708
- molecular recognition 3, 9, 35, 47, 54,
 96, 377, 425, 572–573, 663
 properties 54
- molecular simulations 927
- molecular square 9
- molybdenum blue (MB) 87, 104
- molybdenum sulfide (MoS_2) 697, 698
 crystal structures 699
 phases, structure of 700
 sliding properties 697–698
- monocarboxylates 416, 4467
 mediated systems 811–812
- monocyclopentadienyl (CP) ligand 140
- monolayer nickel bis (dithiolene) complex
 nanosheet 745
- monoliner-alkyl substituted BTBTs 712
- monometallic lanthanide based
 single-molecule magnets
 140–142
- monothiolate ligands 180
- monovacant Keggin-type polyanions,
 lanthanide complexes 306
- Monte Carlo simulation 897, 904
- Mott-Hubbard insulator, of LaVO_3 682
- Mo(W)-Cu(Ag)-S clusters
 multiple cubane-like structures
 178–182
 thiomolybdates or thiotungstates
 building units 173–175
 tri- and dinuclear thiomolybdates and
 thiotungstates 175–178
- Mo(W)-Cu-S cubane-type clusters 179
 (MQ)ZnBr₃ 566
 β -[(MQ)ZnCl₃] 565
- $[\text{MSbQ}_3]_n^{n-}$ moieties 243
- M_2S island 164
- multi-bisthiénylene hexagons
 17, 18
- multi-layered metallacycles 22–28
- multiple structural cages 71–74
- multivariate (MTV) MOFs 367, 417–418,
 971, 976, 985
- [MV][BiBr₅] 643
- (MV)₄[Bi₆Cl₂₆] 569
- (MV)₄Bi₆Cl₂₆·2H₂O 560, 562
- (MV)₂[Pb₇Br₁₈]_n 570
- n**
- Na₂BaSnS₄ 511
- N₂ adsorption 883
 of HKUST-1 842
 of MOF-14 842
 of NU-1000 843
 PCN-222 839
 pore size effect 838
 single-crystal ordered macropore
 (SOM-ZIF-8) 839
 UiO-66 838
- naked sulfide anions 178
- NaNO₂ 615
- nanostructured Si utilization 672, 673
- nanotube fabrication, [Pt(en)(bpy)I]₄
 (NO₃)₈·16H₂O 749
- naphthalene diimides (NDIs) 551
- 1,5-naphthalenedisulfonate (1,5-nds)
 376
- naphthanoimidazolium moieties 10
- narcissistic 50
 self-sorting 38
- Na₃(2,4,6-trihydroxy-1,3,5-
 benzenetrisulfonate) (β -PCMOF2)
 375
- Nature's chemical armory 14
- Na₂ZnGe₂S₆ 510, 511
- Na₆Zn₃III₂Q₉ 490, 491
- [Nb₃₁O₉₃(CO₃)]²³⁻ 396
- NbOFFIVE-1-Ni framework 899
- NbO topological network 441, 453
- NCG with benzoyl group (NBzG) 369

- NCS space group 469, 471, 475, 477, 480, 482, 484, 507, 511
- N-donor adsorption sites 898
- N-donor 1,2-di(4-pyridyl)ethane 346
- N-donor ligands participated POTis 87–89
- networked reactor system 397
- neutral amine molecules 283
- New Fuzhou model 168, 169
- $(\text{NH}_4)_4\text{Ag}_{12}\text{Sn}_7\text{Se}_{22}$ 233, 234
- $(\text{NH}_4)[\text{M}(\text{HCOO})_3]$ 653
- $(\text{NH}_4)[\text{Zn}(\text{HCOO})_3]$ 653
- $[\text{Ni}_4(\text{bpp})_2(\text{OH}-\text{bdc})_2]$ 307
- nickel bis (dithiolene) complex nanosheet 746
- $[\text{Ni}_{18}\text{Cl}_6(\text{L1})_6(\text{MNA})_6]$ 67
- nicotinamide adenine dinucleotide (NADH) model 20
- nicotinic acid (HNIC) 131
- $[\text{Ni}(\text{deta})_2]_{1.5}[\text{In}_3\text{Sb}_2\text{S}_9] \cdot \text{H}_2\text{O}$ 252
- $[\text{Ni}(\text{en})_3]_3(\text{en})[\text{In}_6\text{Sb}_6\text{S}_{21}]$ 253
- $[\text{Ni}(\text{en})_3][\text{InSbS}_4]$ 249
- Ni_3 (HITP)₂
 crystalline structure 743
 porous structure 743, 744
- $[\text{Ni}(\text{imb})(\text{pda})(\text{H}_2\text{O})]$ 303
- $\text{Ni}_6\text{L}_{12}\text{X}_4$ 61, 62
- $\text{Ni}(\text{NO}_3)_2$ 311
- $[\text{Ni}(\text{phen})_3]_2\text{Sb}_{18}\text{S}_{29}$ 235
- $[\text{Ni}(\alpha\text{-RR-hmta})](\text{ClO}_4)_2$ 294
- $[\text{Ni}(\alpha\text{-SS-hmta})](\text{ClO}_4)_2$ 294
- N*-isopropylacrylamide (NIPAAm) 32, 34
- nitrate anions 10, 35, 54, 55, 313, 318
- nitric oxide (NO) 44
- nitride conducting materials 683, 690
 cubic rocksalt-type crystals 684
 group III nitrides 684
 structure and property 686
- 4,4',4''-nitrotrisbenzoic acid 979
- nitroalkylated imidazole 400
- nitrogen alkylation 391, 395
- nitrogen containing heterocyclic compounds 735
- two-dimensional metal organic frameworks 747
- nitrogen sorption isotherms 837
- nitronyl nitroxide (PTIO) 44
- p*-nitrophenyl-acetylacetonate 90
- p*-nitrophenyl acetylacetonate ligands 89
- noble gas separation
 $[\text{Co}_3(\text{C}_4\text{O}_4)_2(\text{OH})_2] \cdot 3\text{H}_2\text{O}$ 927
 CROFOUR-1-Ni and CROFOUR-2-Ni 925
 FMOFCu 929
 HKUST-1 923
 MOF-74 (M-DOBDC) 923, 924
 SBMOF-1 924
 SCU-11 929
- noncentrosymmetric (NCS) 465
 crystal structures 5
 MoS_2 semiconductors 699
- nonlinear coefficient 617
- nonlinear optical (NLO)-active MOFs 317
- nonlinear optical (NLO) effects 111
- nonlinear optical (NLO) materials
 ABCO₃F family 588–590
 apatite-like borates 586–588
 KBBF 575–582
- nonlinear optical (NLO) phenomena 617
- non-uniform nets 427, 428
- N_2O tridentate chelating units 54
- N*-*p*-tolylsulfonyl-L-glutamate (NTsG) 369
- N*-substituted monocyclic aromatic ion-templated compounds 558–560
- NTE 264
- n*th-order phase transition 602
- nut-like hexagonal bismetallo-architecture 27
- O**
- octahedral cages 58, 63–65, 73, 345, 347, 356
- octahedral nanocages 54
- octatopic carboxylate linkers 351–353

- O-donor organic ligands 85
- olefin-functionalized bridging ligands
 - 12
- oligomeric aluminum oxo clusters 119
- 1D- α and β -[ZnTe(hdz)₂] 207, 208
- 1D azido-copper chains 301
- 1D-[Bmmim]₂[Sn₃Se₇] 222, 223
- 1D chiral chains 940
- 1D double chains 302, 303
- 1D infinite non-interpenetrated molecular ladder 305
- 1D ladder-like polyoxometalate-based MOFs 306
- 1D [M(ebic)]_n zigzag chains 288, 289
- 1D molecular-ladder MOFs 306
- 1D polymeric array 287
- 1D polymeric phosphates 119
- 1D-[Prmmim]₂[Sn₃Se₇] 222
- 1D ribbon-like structures 249
- 1D zigzag Cu(I)-MOF 289
- 1D-[ZnQ(pda)] compounds 261
- one-dimensional (1D) metal-organic frameworks 747
 - [Co(1,4-bis(4-pyridyl)butadiyne)(NO₃)₂(H₂O)₂·2H₂O]_n 284, 285
- double chains 300–304
- helical chains
 - actinide triple helices 297, 298
 - AgPF₆ 299
 - bga ligand 293
 - biopolymers 291
 - [Cd(bpea)(phen)₂] 300, 301
 - chelate side-chain auxiliary ligands 292
 - chiral or achiral building blocks 291
 - cucurbit[5]uril reaction 291
 - Cu[N(CN)₂]₂(Hhmp) 297
 - 1,6-dihydro-2-methyl-6-oxo-(3,4'-bipyridine)-5-carbonitrile 299
 - D- or L-configuration 292, 293
 - formation of 293
 - homochiral crystallization 292
 - μ_1 -(η_2 -N,O)-pzc ligands 293
 - nanotube corners 299
 - Σ -shaped ligands 294
 - three left-handed helical chains 297
 - three right-handed helical chains 297, 298
- V-shaped bridging ligand dicyanamide 292
- ladder-like chains 304–309
- linear chains 284–287
 - [Ni₄(4,4'-bpy)₄] 285
- polyoxometalates (POMs) 285
- SC-SC transformation 287
- zigzag type chain 287
- one-dimensional (1D) organic-inorganic hybrids 768
- one-pot self-assembly reactions 171, 191
- open door effect 914
- optical limiting effects 94, 163
- optical materials 5
 - definition 531
 - electroluminescence (EL) 532
 - NLO materials 575–594
- optical transverse modes 610
- opto-optical switching
 - NLO properties 563–565
 - photoswitching luminescence 560–563
- Orbach process 792, 796
- order-disorder phase transition 610
- order-disorder type 610, 614, 615, 646, 653
- organic amine molecules 283
- organic conductive materials 669, 704–724
- organic conductor crystals 707
 - doped systems 708–709
 - single-component systems 710
- organic electronics 704, 722
- organic ferroelectrics 6, 626–636, 647
- organic-inorganic hybrids 754
 - compounds 638
 - conductive material 7
 - one-dimensional 768–770
 - perovskites 754
 - three-dimensional 754–759
 - two-dimensional 759–768

- organic-ligand-free discrete T3 cluster
212
- organic light-emitting diode (OLED)
532, 704
- organic linkers with carboxylates
dicarboxylates 416
hexacarboxylate 417
multivariate 417
octacarboxylates 417
tetracarboxylates 417
tricarboxylates 417
- organic linkers with functional groups
mixing hetero-linkers 419
nitrogen-heterocyclic linkers 418–419
oxygen-containing ligands 418
- organic photocatalysis 977–980
- organic photochromic compounds 551
- organic semiconductor crystals 710
bowl-shaped molecules 715–716
cylinder-like or disk-like molecules
713–715
drop-casting method 706
growth 706
linear-shaped molecules 711–713
- organic single crystals 704, 705
packing arrangements 707
physical vapor transport (PVT)
technique 705
solution assembly process 705
- organic superbases 399
- organic templated borates 113
- organometallic capsule 14
- organoplatinum(II) acceptors 17
- oxadiazole-bridging ligands 294
- oxalate-mediated systems 812–814
- oxazolinebased bis(tridentate) ligand 39
- oxidation reaction 7, 101, 175, 554,
956–958
- oxidative kinetic resolution (OKR) 64
- oxido-centered chromium trimers 347
- oxime ligands 87
- oxo-bridged trimers 414
- oxo clusters
lanthanides 122–149
main-group elements
aluminium 119
borates synthesis 111–116
borogermanates 116–118
description 111
germinates 116–118
of transition metal 81–102
- oxothiomolybdate dimer
[Et₄N]₂[Mo₂O₂S₂(edt)₂] 177
- oxotrithiomolybdate MoOS₃²⁻ 174
- oxygen-and nitrogen-supported POVs
98–99
- oxygen-containing ligands 315, 418
- p**
- packing arrangements, in organic crystals
707–708
- [pAH]₃[In₃Sb₂S₉] 252
- paraelectric phase (PEP) 602–604, 607,
609, 610, 614, 615, 618, 621, 624,
625, 630, 633, 639–642, 644, 648,
651, 653, 654, 656, 657, 659, 661,
662
- paramagnetic Gd³⁺ 55
- Pauling's electrostatic valence rule 398,
399, 403
- Pauli Principle 794
- [Pb(bimb)_{1.5}(NO₃)₂](DMF)_n 305
- Pb₂BO₃Cl 581
- Pb₂(BO₃)(NO₃) 582
- p*-benzenedicarboxylate 555
- PbGa₂GeSe₆ 509
- PbGa₂SiSe₆ 508, 509
- PbMnIn₂S₅ 494–495
- PbO₆F₂ polyhedron 589, 590
- PbTiO₃ 624–626, 628
- Pb(Yb_{1/2}Nb_{1/2})O₃–PbTiO₃ (PYNT) crystal
636
- PCN-224 359, 419, 961
- PDMAEMA 34
- P-E hysteresis loop 611, 614, 621, 622,
624, 633–637, 641, 642, 650, 653,
654, 661, 662
- pentadecanuclear Eu(III) complex 130
- pentathienoacene (PTA) 712
- perfect reaction chemistry 1

- peripheral pyridyl groups 15
- perovskite-type transparent conducting oxides 682
- perylene-TCNQ complexes 721, 722
- perylo[1,12-b,c,d]selenophene (PES) 714
- perylo[1,12-b,c,d]thiophene (PET) 714
- PF₆⁻ anions 54, 299
- 1,10-phenanthroline 128, 374
- 1,10-phenanthroline-2,9-dicarbonyl-dehyde dioxime (H₂phendox) 136
- 1,10-phenanthroline-2,9-dicarboxylic acid (H₂phenda) 136
- phen ligand 297, 299, 300, 303, 814
- ortho*-phenylene-bridged oligoureas ligands 41
- 1,4-phenylenediacetic acid (H₂pda) 303
- o*-phenylenediamine 969
- phenylphosphonic acid (PhPO₃H₂) ligands 137
- phonon-assisted light emission 673
- phosphonates 85, 87
- phosphate/phosphite 555
- phosphite-stabilized Ti₃(μ₃-O) 86
- phosphonate (POTis) 85, 86, 88, 90, 100, 315, 316, 373–375, 418
- phosphonate linkers 373–375
- 1,3,5,7-tetrakis(4-phosphonatophenyl) adamantane 373
- phosphorescence with high quantum yields (PLQY) 546
- phosphorus-, arsenic- and antimony-containing ligands (POVs) 98
- phosphotungstic acid (PTA) 967, 968
- photocatalysis
 - CUMs and functional organic linkers
 - active guest sites and active site 984, 988–991
 - metal nodes and linkers 986–988
 - mixed linkers 984–986
 - mixed metal centres 984
 - organic photocatalysis 977–980
 - photo-degradation of pollutants 974, 976
 - photo-driven water splitting and artificial photosynthesis 980
- photochromic bithienylethene units 18
- photochromic compounds, viologen
 - NN'-dihydro-4,4'-bipyridiniums 552
 - diquat 552
 - NN'-disubstituted-bipyridinium salts 551
 - electrical applications 569–572
 - electron-accepting ability 552
 - metallo 553–557
 - molecular recognition 572–574
 - opto-optical switching 560, 562–565
- Paraquat 552
- photocatalysis 568–569
- radiation detection 565–568
- N-substituted monocyclic aromatic ion-templated compounds 558–560
- Tony blue 552
- photocyclization 36
- photodegradation of organic dye molecules 267–268
- photoluminescence of d8/d10
 - heteronuclear metal complexes
 - d⁸-d¹⁰ heteronuclear alkynyl complexes 534–537
 - d¹⁰-d¹⁰ heteronuclear alkynyl complexes 537–539
- photolysis 12, 268
- photoswitching luminescence 560, 562–563
- p*-hydroxybenzoic acid 292
- physical vapor transport (PVT) technique 705
- physical vs. chemical adsorption 833–834
- physisorption isotherms 835, 838
- Phz-H₂xa 633–635
- pillared-layer MOFs 419
- π-π interaction 949
- planar clusters 120, 350
- Platonic network 427, 428
- Platonic polyhedron
 - cubic systems 406

- dodecahedra 407
- icosahedra 407
- octahedra 406
- tetrahedra 406
- PLN-0.49PT crystal 636
- plumbichloride hybrids 758
- PM6 semiempirical molecular orbital analysis 28, 32
- PNIPAAM 32, 34
- polarization switching 621–623
- polyalcohols 127
- polyaluminum clusters 120
- polyanion-induced hierarchical self-assembly 32
- polycatenated 3D molecular ladders 308
- polycyclic supramolecules 28
- polyethylene glycol (PEG) 65, 403
- polygonal/polyhedral complexes
 - Archimedean polyhedral design
 - cuboctahedra 407–408
 - rhombicuboctahedra 408
 - truncated tetrahedra 408
 - Ga/Fe-catechol linkage 410
 - Goldberg polyhedra 409–410
 - Ln–tridentate ligand 410
 - metal–calixarene subunits 411
 - metal–carboxylate linkage 410–411
 - Pd/Pt–nitrogen linkage 410
 - Platonic polyhedron
 - cubic systems 406
 - dodecahedra 407
 - icosahedra 407
 - octahedra 406
 - tetrahedra 406
 - prismlike systems 408
 - Stellated polyhedra 410
- polygon-based polymers metallacycles 28
- polyhedral projection labeling 73
- polymeric W(Mo)–Ag–S anions 182
- polymorphism 205, 207, 692, 698
- polynuclear single-molecule magnets 792–794
- polyoxometalate (POM) 4, 7, 81, 82, 104–105, 107, 110, 287, 307, 377, 391, 419, 421, 450, 551, 963, 967, 982, 983, 988, 989
 - charge-balancing by complexes 397
 - cubic molecular cage 395
 - inorganic anions/cations inclusion 392–393
 - MOF assembly 982
 - multivariate metal mixing 393–395
 - networked reactor system 397
 - nitrogen alkylation 395
 - 1D MOF 285
 - organic anions/cations inclusions 393
 - organic ligands coordination
 - POM-based cubic molecular cage 395–396
 - POMs-based nets 396
 - POM-based nets 396
 - reaction pH control 397
 - single-crystal to single-crystal transformations 397
 - templating by clusters 397
- polyoxometalate-based inorganic-organic hybrid compounds 306
- polyoxoniobate cluster anions of $(\text{Nb}_{27}\text{O}_{76})^{16-}$ 396
- polyoxoniobates (PONbs) 102–104, 396, 397
- polyoxopalladates (POPs) 82, 105–106
- polyoxotantalates (POTas) 109–111
- polyoxothiometalates 393
- polyoxotitanates (POTis) 82
 - bandgap engineering and photo-related activities
 - heterometallic doping 91–92
 - ligand modification 89–91
 - diverse structures of
 - carboxylate supported POTis 85
 - inorganic ligands bridged 88–89
 - N-donor ligands participated 87–88
 - phosphite-stabilized 86
 - phosphonate ligands 86
 - potential application of 92–95
- polyoxotungstates (POTs) 107–109
 - inorganic–organic hybrid 107–109
 - TMSPs 107

- polyoxovanadate-based octahedrons 55
- polyoxovanadates (POVs) 56
- carboxylate derivative 101
 - chemistry of 95
 - ligands-participated
 - oxygen-and nitrogen-containing ligands 98
 - phosphorus-, arsenic- and antimony-containing ligands 100
 - silicon- and germanium-containing ligands 101
 - metal-doped 97–98
 - MOPs 396
 - organic-inorganic hybrids 101
 - organic polyhedra 47, 396
 - structure and catalytic property 101, 102
 - template-effect-determined 96, 97
- poly(ethylene glycol) (PEG)–selenidostannate composite 403
- poly(L-DOPA) thin-film 948
- POM. *see* polyoxometalate (POM)
- POM-organic frameworks (POMOFs) 377
- pore-size regulation 897
- porous coordination cages (PCCs) 58
- porous coordination polymers (PCPs) 283, 348, 456, 457, 820
- porphyrin 316, 359–360, 406, 416, 417, 419, 714, 976, 981, 985
- positive thermal expansion (PTE) 264
- post-combustion flue gases 882
- post-synthetic ligand exchange (PSE) 364
- post-synthetic modification (PSM)
 - method 358, 959, 987, 988
- potassium sodium tartrate tetrahydrate, (KNaC₄H₄O₆·4H₂O) 626, 647
- powder X-ray diffraction 56, 182, 208, 340, 743, 745, 840, 869, 891, 897, 899, 955
- primary building unit (PBU) 195, 245, 276, 443, 475, 488
- 2-propylimidazole-4,5-dicarboxylate (H₃pidc) ligand 288
- protein-sized windmill-like cluster 103
- proton transfer 163, 627, 629, 630, 632, 634, 635, 647
- Prussian blue (PB) (Fe₄[Fe(CN)₆]₃) 732
 - crystal framework for 733
 - electrical conductivity of 732
 - electronic conductivity of 732
- Prussian blue analogs (PBA)
 - crystal structures 733, 734
 - iron-ruthenium analog 734
 - Rb_xMn[Fe(CN)₆]_y·zH₂O 733, 734
- pseudo-intramolecular pathway 44
- pseudo-octahedral Cd^{II} center 25
- pseudo-pentadentate ligand 25
- pseudospin theory 610
- PTA. *see* phosphotungstic acid (PTA)
- [Pt(chxn)₂I]₂ single crystals 748
- p-tert-butylthiacalix[4]arene (H4BTC4A) 136, 147, 411
- Pt-HTT metal organic frameworks 743, 744
- [Pt₂(μ-Ph₂PNPPH₂)₂(C≡CC₆H₄R-p)₄]²⁻ 535
- PtS topological networks 442–443
- p-type Cu-doped NiO thin film fabrication 681
- p-type transparent conducting oxides (TCOs)
 - crystal structures 680
 - electronic structure 679
 - materials designed for 678
- puckered layers of 2D [Ag₃Te₅], 497
- PXRD patterns 208, 209, 271, 861, 955, 958
- pybz ligands 328
- pyrazine (Prz) compounds 556
- 2,3-pyrazinedithiolate (pdt) 731
- pyrazine spacing ligands 12
- pyrazole based ligands 11
- pyridine-2,6-dicarboxamide coordination 38, 410
- 2,4-pyridinedicarboxylate (2,4-pdc) 365
- 2-pyridine-sulfonate 311

- pyridine-2-thiolate (C_5H_4NS) 747, 749
 4-pyridinethiolate ligands 457
 3,5-bis(pyridine-2-yl)-1,2,4-triazole 128
 5-(pyridin-4-yl)isophthalate (PIP) ligand 65
 2,6-bis(4-pyridinylmethyl)-benzo[1,2-c:4 5-*c'*]dipyrrole-1,3,5,7(2*H*,6*H*)-tetrone), 290
N,N'-bis(4-pyridinylmethylene)-1,5-naphthalenediamine (nbpy4) 308
 4-pyridyl benzoate (pybz) 327
 4,4'-bis(4-pyridyl)biphenyl ligand 311
 4-pyridyl- $CH_2N(CH_2COOH)(CH_2PO_3H_2)$ 374
 pyridyl ligands 12
 tris2-[(4'-pyridylmethyl)amino]ethylamine (hsb-1) 297
N,N'-bis(4-pyridylmethyl)-pyromellitic diimide) 307
 2,4,6-tris(4-pyridyl)pyridine (pytpy) 357
 3-(2-pyridyl)-4-(4-pyridyl)-5-(3-pyridyl)-4*H*-1,2,4-triazole (pyppt) 287
 1,3,5-tris(4-pyridyl)triazine 410
 pyrocatechol 741
 pyroelectric effect 614, 619, 620
- q**
 Qc-5-Cu-sql 887
 quantum dots (QDs) 209, 262–264, 266, 399, 726
 quantum tunneling of magnetization (QTM) 792, 796–798, 801–803
 quartz topological network 441
 quasi-regular net 429
 quinhydrone (QHQ) cofactor 47
 quinone monoimine 58
 quinoxalinones 20
- r**
 racemic macrocyclic compounds 294
 radiation detection 560, 565–568
 Raman process 792, 797
 $RbCaCO_3F$ 588, 589
 reaction mechanism 226, 979
 rectangular metallacycles 12
 $RECuTe_2$ 491, 492
 recyclable enantioseparation 64
 redox-active metal 20
 redox-active molecular flask 20
 Ree's model 169
 remanent polarization 622, 637
 reorientable ferroelectric 607
 responsive dynamic metallacycles 34–35
 Reticular synthesis 425–426
 reversible gel-to-sol transition 34
 reversible photochromism 36, 88
 rhodamine 20
 rhodamine (acceptor) functionalized diplatinum (II) unit 19
 rhomboid metallacycle 17
 Rietveld method 420
 Rietveld refinements 208
 R-naproxen 942
 Rochelle salt (RS) 609, 626, 647–649
 rod-packing topology networks 457–459
 room/low temperature solution methods 197
 Ru(II)-organic building blocks (ROBBs) 28
- S**
 saturated hydrocarbons 922
 SBMOF-1 924–925
 $[Sb_7S_8Br_2](AlCl_4)_3$ 209, 211, 216, 217
 SBUs. *see* second building units (SBUs)
 Schiff bases 129, 135, 785
 Schläfli symbols 314, 317, 331, 335, 337, 350, 370, 372, 428, 436, 443, 457, 910
 Schläfli topology 309, 311, 319
 second building units (SBUs) 47, 117, 195, 196, 242, 246
 Anderson-type POM 379
 automated assembly of 420
 binuclear-Ni 372
 B_3O_7 112
 Co_3 331
 condensation of PBUs 276
 construction of multidimensional chalcogenides 212

- second building units (SBUs) (*contd.*)
- copper paddle-wheel 362
 - $\text{Cp}_3\text{Zr}_3\text{O}(\text{OH})_3$ 42
 - Cr-based trimeric 344
 - $\text{Cu}_2(\text{COO})_4$ 352
 - $\text{Cu}_3(\text{II})$ dinuclear 286
 - 1D 287
 - dicopper paddle-wheel 347, 417
 - with different geometric structures 427
 - discrete 286
 - heterometallic 228, 255
 - $\text{Hg}_2\text{Sb}_2\text{Q}_{10}$ 244
 - infinite inorganic rod-type 345
 - inorganic 392, 411, 412
 - inorganic nodes 414–416
 - isolated 457
 - kinds of 224
 - Lindqvist-type POM 380
 - mixed-metal 984, 985
 - modified 7, 954
 - $(\text{M}_2\text{SbS}_8)_n$ -1 243
 - open metal nodes 7
 - paddle-wheel 337, 456
 - pentanuclear Ge–Sb–S clusters 258
 - POM clusters as 377
 - POVs 98
 - rational design of 5, 426
 - $\text{In}_2\text{Sb}_2\text{S}_9$ 249
 - $\text{In}_2\text{Sb}_2\text{S}_{10}$ 251, 253
 - $\text{In}_2\text{Sb}_2\text{S}_{12}$ 252
 - In_2SbS_8 248
 - Sn–Q 196
 - symmetrically compatible 350
 - symmetric polyatomic 98
 - tetranuclear 256
 - trigonal 984
 - trinuclear $\text{Zn}_3(\text{COO})_6$ 367
 - $\text{Zn}_2(\text{COO})_3$ 320
 - $\text{Zn}_4\text{O}(\text{CO}_2)_6$ 352
 - $[\text{Zn}_4(\mu_4\text{-O})(\text{O}_2\text{CR})_6]$ 361
 - $\text{Zn}(\text{II})$ paddle-wheel 371
 - Zr_6 417
 - $\text{Zr}_6\text{O}_4(\text{OH})_4(\text{O}_2\text{CR})_{12}$ cluster 364
- second-harmonic generation (SHG) effect 531, 563–565, 575, 579, 581, 585, 589, 590, 651, 652, 662
- 1 : 1 segregated-stack cocrystals 719–721
- selenidostannates 209, 218, 219, 222, 224–226, 276
- self-absorption phenomenon 560
- self-assembly 5, 9, 11
- amphiphilic discrete organoplatinum 16
 - anion-binding metal–organic macrocycles 34
 - artificial multicomponent 408
 - aurophilicity-directed 21
 - bipyrazolate ligands 68
 - cartoon presentation of 19
 - of cationic tetranuclear-metal building blocks 58
 - of Cd^{II} ions 25
 - chiral luminescent europium coordination tetrahedral cages 38
 - of chiral NH-controlled supramolecular metallacycles 15
 - coordination-directed 410
 - coordination-driven 12, 17, 27, 34, 50, 391
 - of copper(I) cuboctahedral coordination cages 71
 - in crystal engineering 358, 405
 - with 120° diplatinum (II) acceptor 19
 - direct anion-adaptive 35
 - of discrete hexagonal nanobarrels 70
 - of discrete metallacycle 32
 - discrete supramolecular fractals 28
 - DNA-mimic homochiral 1D helical $\text{Cu}(\text{II})$ chain 297
 - of DOX-bearing metal–organic polyhedron 573
 - hetero-chiral 21
 - of hierarchical 31, 53, 70
 - of long-chain dicyanoalkane ligands 440
 - of metal cations and sulfide anions 163

- metal-imidazolate coordination cubes 53
- metal-imidazolate tetartoids and cubes 73
- mixed-metal 39
- $M3_nL_{2n}$ family 72
- molecular 145
- narcissistic self-sorting 38
- novel supramolecular systems 40
- of octahedral metal centers 896
- octanuclear Zn_8Lb_6 cages 50
- one-pot 27, 83, 149, 171, 191, 376
- rational coordination directed 408
- of rectangle, molecular 13
- of ring-in-ring structures 23
- of silver(I) salts 306
- of simple inorganic salts 170
- of snowflakes 27
- solvent effects in 20
- spontaneous 61
- stepwise 26, 28, 68
- stereocontrolled 36, 37
- subcomponent 52, 54, 407
- supramolecular 26, 426
- tetratopic pyridyl ligand 27
- of tetrazole ligands and CuI compounds 438
- TMSPs via 107
- with transition metals 447
- triple-anion helicate 36
- unprecedented 39
- water-soluble and ultra-stable Ti_4L_6 tetrahedron 46
- Zn^{2+} cations 414
- self-selective ligation 22
- separation processes
- alkane separation, with different carbon atoms 920–922
 - CO_2 capture 882–899
 - global energy consumption 881
 - metal-organic frameworks (MOFs) 882
 - porous organic adsorbents 882
- SHG-switching contrast 564, 565
- short-chain alkanes 921, 922
- Sierpinski triangle 28, 29
- Σ -shaped organic spacers 294
- silicon (Si)
- cubic lattice system 670
 - diamond lattice structure 671
 - doping mechanism 672
 - electrically conducting behavior 671
 - nanowire arrays 673, 674
 - unit cell 671
- silicon- and germanium-containing ligands stabilized POVs 101
- silicon carbide (SiC)
- applications 692
 - doping of 692–694
 - electronic property 692–694
 - materials designed for 694–695
 - polymorphism 692
 - polytypes 692, 693
- silver sulfide compounds 702
- silver-tin-selenide compound 231
- single-chain magnets (SCMs) 778, 791, 803–804, 806
- single-component systems 710
- single-crystal ordered macropore (SOM-ZIF-8) 839
- single-crystal X-ray diffraction (SXRD) 56, 148, 208, 415, 487, 554, 566, 614, 699, 701, 738, 860, 958
- single-ion magnet (SIM) 140, 778, 794, 796–803
- single-M(salen) linked MOFs 64
- single-molecule cell thermometer 40
- single-molecule magnetism (SMMs) 122, 140, 142, 778, 791–794, 796, 797, 802, 803
- single-molecule magnets (SMMs) 122, 140–142, 149, 395, 778, 792–794
- single-molecule trap (SMT) 885, 886
- S-naproxen 942
- $SnGa_4Q_7$ 509–510
- $Sn_2Ga_2S_5$ 525–526
- $[Sn_{32.5}Ge_{27.5}Se_{132}]^{24+}$ 218
- Sn-Sb-S compounds 259–260
- $[Sn_3Se_7]_n^{2n-}$ double-chain 223
- social self-sorting 50

- soft mode theory 609, 610
- solid solutions 722–725
 based on benzoporphyrin derivatives 724
 crystalline 722, 723
 ternary-component photovoltaics 723
 types of 722, 723
- solid-state substances 601
- solution assembly process 705
- solution-derived BLSO films 678
- solution-processing methods 706
- solution-shearing method 706
- solvothermal reactions 12, 288, 289, 315, 319, 359, 366, 415, 419
- sorption isotherms
 activation effect 841–842
 pore shape effect 840–841
- space group 5, 41, 127, 200, 204, 207, 223, 228, 229, 231, 233, 247, 249, 256, 293, 317, 319, 320, 361, 417, 420, 440, 443, 466, 469–475, 477–480, 482, 484–487, 490, 491, 493–495, 499–502, 504, 506–513, 515–517, 519–526, 528, 575, 579, 583, 584, 588–590, 606, 607, 610, 614–616, 630, 638–643, 648, 651, 653, 656, 658–662, 741, 743, 745, 855, 858
- spiderweb structure 22
- spin-crossover
 cooperativity of 781, 788–791
 ligand conformation flexibility inducing 784, 786
 magneto-structural correlations in 779–791
 metal coordination geometry inducing 781–784
 molecular structure 781–786, 788
- spin equilibrium behavior 779
- spin multiplicities 791
- spin reversal energy barrier 791, 793, 794, 797, 803
- spin transition 601, 616, 617, 778–781, 783, 784, 786–790, 803
- spontaneous polarization 6, 601–603, 608, 618, 621, 634
- 5-[(2S)-pyrrolidine-2-yl]-1H-tetrazole ((S)-HPTZ) 313
- square-grid (or rhombohedral) networks
 bipyridine 311
 bipyridine (bpy) ligands 311
 bulky elongated organic ligands 313
 $[\text{Cd}(\text{ImBNN})_2(\text{NO}_3)_2]_\infty$ 312
 $[\text{Cd}_2\text{Cl}_2(\text{DP})_3] \cdot (\text{CHCl}_3)_4 (\text{DMF})_4 \text{EtOH}$ 313
 $[\text{Cd}(\text{ImBNN})_2(\text{CF}_3\text{SO}_3)_2] \supset \text{guest}_n$ (guest=C₇H₈) 313
 $[\text{Cd}(4,4'\text{-bpy})_2](\text{NO}_3)_{2n}$ 311, 312
 dicarboxylate ligand 316
 dinuclear Cu₂(AcO)₄ moiety 314
 mixed-ligand strategy 317
 mixed rigid and flexible ligands 318, 319
 oxygen-containing ligands 315
 Schläfli topology 311
 triazine-based carboxylic ligands 316
 2D layers stack 314
- square-planar palladium(II) ions 35
 $[\text{SrBO}_3]_\infty$ 581
 $[\text{Sr}(\text{H}_2\text{O})_3](\text{UO}_2)_2[\text{C}_6\text{H}_4(\text{PO}_3)_2](\text{OH})_2(\text{H}_2\text{O}) \cdot 3(\text{H}_2\text{O}) (\text{SrUbbp})$ 374
- srs (SrSi₂) topological network 436, 437
- Sr₅ZnGa₆S₁₅ 519–520
- S₄ symmetric octahedron 54
- stable layered double perovskites 682, 683
- star lattice 821
- star-shaped pentadeca-palladate 106
- star-shaped supramolecular copolymers 34
- Stellated polyhedra 410
- stereo-chemically active lone pair (SCALP) 469, 470, 477, 495, 506
- stick-and-ball stacking model of crystals 685
- stimulated Raman scattering 617
- stimuli-responsive polymer gels 32
- string-bag units 169

- structural chemistry
 definition of 1
 issues of 2
- Structure Commission of International Zeolite Association (IZA-SC) 401
- structure-directed precise synthesis 1
- structure directing agents (SDAs) 84, 107, 116, 197, 198, 224, 225, 228, 229, 234, 235, 269, 354, 397–402, 419
- styrene oxide 959, 961, 991
- (4,4'-di(substituent)oxybiphenyl-3,3',5,5'-tetra-(phenyl-4-carboxylic acid)) 350
- sulfide conducting materials 697–704
 antimony trisulfide 699
 copper sulfides 701
 metal sulfides 697
 MoS₂ 697–701
 silver sulfide compounds 702
 structure of 699–704
 tin monosulfide 698
 tin sulfide 698
- sulfide ligands 165, 698
- sulfide S²⁻ ligand 164
- sulfido ligand 164
- 5-sulfoisophthalic acid ligand 376
- sulfonate-carboxylate ligands 376
- sulfonate linkers 343, 373–377
- bis(2-sulfonatostyryl) biphenyl 339
- sulfurated calixarenes 136
- super snowflakes complexes 26
- supertetrahedra (ST) 347
- supertetrahedral clusters 128, 196, 209, 226, 227, 398, 399, 401, 404, 502, 503, 507, 508
- supramolecular-assisted synthetic methodology 12
- supramolecular chemistry 26, 42, 405, 425, 572
- supramolecular fractal 28
- supramolecular hexagram 27
- supramolecular hydrogels 34
- supramolecular metal-organic nanoribbons (SMON) 25
- supramolecular pentagram 27
- supramolecular triangles, cancer cells
 transpotation 10, 11
- surface-capping ligands 399
- surface functionalization 569, 890
- surface modification 132, 133
- surfactants 398, 403
- Suzuki–Miyaura coupling reaction 7, 958, 962
- Suzuki reaction 954, 964
- symmetry-breaking crystal structures 6
- symmetry-breaking ferroelectrics 614–615
- synchrotron neutron 923
- synergistic sorbent separation technology (SSST) 913
- synthetic moissanite 692
- synthetic processes 1
- t**
- [TAEAH][TAEAH2]_{0.6}Ga_{2.2}Sn_{1.8}S₈·H₂O 274
- t*-butylhydroperoxide (TBHP) 991
- template-effect-determined POVs 96, 97
- templating effects 3, 35, 36, 123, 134, 405
- terephthalate (bdc) 343, 416, 726, 954, 984
- terminal Mo atom 168
- terminal sulfido ligand (term-S) 164
- ternary conductive nitrides 686
- ternary metal nitrides 690, 693
- ternary zinc nitrides
 computational screening of 688
 electronic properties of 689
- L-N*-tertbutoxycarbonyl-2-(imidazole)-1-pyrrolidine (*L*-BCIP) 323
- tert*-butyl hydroperoxide (*t*-BuOOH) 956
- tertiary building units (TBU) 195, 237, 241–243, 245–246, 249–253, 255–256, 276
- tetrabenzoporphyrin nanofiber formation 709
- tetrabutylammonium cations 377
- tetracarboxylates 334, 350, 362, 417

- 7,7,8,8-tetracyanoquinodimethane (TCNQ) 737
- tetracyanoquinodimethane (TCNQ) complexes 704, 718, 722, 729–730, 737–741
- tetrahedral phosphonate ligand 373
- tetrahedron metallacages 38–46
- tetrahydrothiophene 535
- 1,2,4,5-tetrakisphosphonomethylbenzene 373
- 3,3',5,5'-tetramethyl-4,4'-bipyrazole (H₂Bpz) 12
- N,N,N',N'-tetramethylethylenediamine 182, 410
- tetranuclear complexes 12, 71
- tetranuclear metallarectangle 13
- tetranuclear [Rh₄] pyramidal frustums 14
- tetraphenylborate 10
- tetraphenylethylene (TPE) 17, 25, 32, 50, 406
- tetrapolyoxometalate square 395
- tetrathiafulvalene (TTF) derivatives 573, 630, 710, 713, 727
- tetrathiomolybdate MoS₄²⁻ 173
- tetratopic carboxylate linkers 350–351
- tetratopic pyridyl ligand 27
- tetratopic terpyridine ligands 25
- tetrazole 137, 357, 418, 438, 736–737, 870–871
- thermal desorption spectroscopy (TDS) 933, 935–936, 938
- thermal-driven dielectric transition 616
- thermally activated delayed fluorescent (TADF) 532
- thermochromic behavior, of (MV)₂[Pb₇Br₁₈]_n 758
- thermodynamic theory
- antiferroelectric transition 607
 - Curie–Weiss Law 603
 - first-order and second-order types 602
 - first-order phase transition 603–604
 - Landau phase transition theory 606–607
 - PEP-to-FEP transition 607
 - phase transition in 602
 - second-order phase transition 604–606
- thermosensitive amphiphilic hexagonal metallacycle 17
- thiacalix[4]arenes 47
- thiacalixarene scaffold 47
- thiacalix[n]arenes 136
- thioantimonates 234–236, 247, 275
- thiocatecholate 364
- 2,5-thiophenedicarboxylic acid (H₂TDC) 47
- third-generation semiconductor materials 691
- 3d-block single-ion magnets 801–803
- 3D-[Bmim]₄[Sn₉Se₂₀] 219
- 3D-[Bmmim]₂[Ni(1,2-pda)₃] 266
- 3D-[Bmmim]₄[Sn₉Se₁₉(Se₂)_{0.9}Se_{0.1}] 219
- 3D chiral nanoporous MOFs 946
- 3D-[CH₃NH₃]₂Ag₄Sn^{IV}2Sn^{II}S₈ 228
- 3D-[CH₃NH₃]₆Ag₁₂Sn₆S₂₁ 228
- 3D drumlike metallacages 17
- 3D lattice 822, 823
- 3D-[(Me)₂NH₂]_{0.75}[Ag_{1.25}SnSe₃] 231, 270
- 3D-[(Me)₂NH₂]₂GeSb₂S₆ 269–270
- 3D metal-organic assembly 18
- 3D-(MQ)(diamine)_{0.5} 204
- 3D polyimidazolium 49
- 3D pseudopolyrotaxane isomer 323
- 3D thorium MOF 349
- 3D-α-ZnTe(bda)_{0.5} 205
- 3D-α-ZnTe(diamine)_{0.5} 204, 205
- 3D-α-ZnTe(en)_{0.5} 200, 208
- 3D-α-ZnTe(hda)_{0.5} 205
- 3D-α-ZnTe(hdz)_{0.5} 208
- 3D-β-ZnTe(en)_{0.5} 208
- 3D-ZnTe(diamine)_{0.5} 205
- three-dimensional (3D) MOFs
- carboxylate 726–731
 - ditopic 343–347
 - hexatopic/octatopic 351–353
 - tetratopic 350–351
 - tritopic 347–350
- crystal structures of 342
- cyanide (CN) 732–735

- definition 342
 metallo-linkers 358–365
 mixed N-/O-donors
 ligands with mixed N- and O-donor atoms 365–366
 mixed carboxylate linkers 367
 mixed-metal-organic framework 367–369
 mixed N-donated linkers and O-donated linkers 369–373
 N-heterocyclic linkers
 imidazoles 353–355
 pyridine 357–358
 nitrogen containing heterocyclic compounds 735–737
 phosphonate linkers 373–375
 polyoxometalate (POM) 377–380
 2,3-pyrazinedithiolate (pdt) 731–732
 sulfonate linkers 375–377
 three-dimensional networks
 8-connected three-dimensional 451, 452
 two-dimensional network
 3-connected 431–432
 3,4-connected 433
 (3,6)-connected 436
 4-connected 432–435
 6-connected 435–436
 (3,4)-connected topological network 434, 435
 three-dimensional (3-D)
 organic–inorganic hybrids
 $\text{CH}_3\text{NH}_3\text{PbI}_3$ 754–756
 $\text{CH}_3\text{NH}_3\text{SnI}_3$ 757
 plumbichloride hybrids 758
 three-dimensional (3D) polyimidazolium cages 49
 through-bond approach 726
 through-space approach 726–728
 ths(ThSi_2) topological networks 438
 $\text{Ti}_4\text{L}_6\text{-Co}_3$ cage 44
 $\text{Ti}_4\text{L}_6\text{-Ln}$ cage 44
 time-dependent density function theoretical (TDDFT) method 536, 556
 tin monosulfide (SnS) 698
 tin sulfide 698
 Ti_6P_2 cluster 90, 92
 titania nanoparticles 85–86
 titanium oxo-carboxo-alkoxides 85
 titanium tetraisopropoxide 415
 titanylphthalocyanine (TiOPc) 716
 $[\text{TiLi}(\text{C}_4\text{H}_4\text{O}_6)]\cdot\text{H}_2\text{O}$ 649
 TMC templated borates 113–115
 1T MoS_2 , crystal structure of 701
 TMTA ligands 320–321
N-p-tolylsulfonyl-L-glutamate (NTsG) 369
 (4,4) topological 2D MOFs 318
 86(= (8,4)) topological network 443
 topological network of metal organic framework
 (3,6)-connected three-dimensional 453–455
 4-connected three-dimensional
 86(= (8,4)) 443
 cds (= CdSO_4) 440–441
 6-connected three-dimensional networks 449–451
 $\text{Cu}_2(\text{imidazole})_3$ 447
 dia 440
 mooganite 442–444
 NbO 441
 PTS 442–444
 quartz 441
 zeolite 443–447
 12-connected three-dimensional 456–457
 3-connected three-dimensional network
 8²10 438
 Srs(SrSi_2) 437
 ths(ThSi_2) 438
 utp((10,3)-d) 438
 5-connected three-dimensional networks 449
 (3,4)-connected three-dimensional topological network 448–449
 (4,8)-connected three-dimensional topological networks 455–456

- 8^210 topological structures 438
 ToposPro 412
 TPE-based dipyridyl ligand 17
 TPE-derived tetraamines 50
 tpst = 2,4,6-tris[(4-pyridyl)methyl-sulfanyl]-1,3,5-triazine 304
 trans-conformation 10
 transitional metal complexes (TMCs)
 template borates 111
 transition metal carbides 691, 695–697
 transition metal nitrides 683–684
 transition metal-oxo clusters
 conventional synthesis 83
 definition 81
 hydro(solvo)thermal method 84
 inothermal and eutectic solvent
 synthesis 84
 one-pot self-assembly pathway 83
 polyoxometalates (POMs) 81, 82
 polyoxomolybdates (POMos) 104–105
 polyoxoniobates (PONbs) 102–104
 polyoxopalladates (POPs) 82,
 105–106
 polyoxotitanates (POTis) 82, 84–95
 polyoxovanadates (POVs) 95–102
 step-by-step approach 83
 strict inert condition synthesis 83
 transition-metals-substituted-POTs
 (TMSPs) 107, 109
 transparent conducting oxides (TCOs)
 673
 in amorphous crystals 677
 intrinsic energy gap 673
 n-type
 crystal structures of 677
 electronic structure 676–678
 materials designed for 675–676
 perovskite 678
 p-type
 crystal structures 680
 electronic structure 679–683
 materials designed for 678
 triangle-grid networks 309–310
 triangular metal cluster 164, 167
 triangular metallacycles 11, 450
 triangular prism 3, 47–50, 56, 324, 514,
 520, 549
 triazine-based carboxylic ligands
 316–317
 triazole-pyridine-amido (L2) chelating
 moiety 39
 1,2,3-triazoles 736
 1,2,4-triazoles 736
 tricarboxylate ligands 65
 tricarboxylate ligands 56, 58, 330, 371,
 377
 tricyclohexylmethanol (TCHM) molecule
 627
 trideca-palladate derivatives 106
 bis(tridentate) 38
 tris(tridentate) 38, 40
 bis(triethylphosphino) 408
 triglycine sulfate (TGS) 610
 trigonal bipyramidal 72, 196, 237, 324
 trigonal prismatic coordination cage 47,
 49
 triisopropylsilyl (TIPS) 65
 5-((triisopropylsilyl)ethynyl) isophthalic
 acid (TEI) 65
 trilayered polythreading 2D MOF 332
 4,4',4''-(2,4,6-trimethylbenzene-1,3,5-
 triy)tribenzoic acid (H_3 TMTA)
 319
 4,4-trimethylenedipyridine 296
 trimethylphosphine 340
 trinuclear butterfly species 178
 trinuclear $[In_2Sb_8]$ 248
 trinuclear $[M_3(\mu_2-S)_3(\mu_3-S)_4]^{4+}$ cluster
 units 176
 trinuclear silver(I) assemblies 50
 tri-nuclear zinc(II) building block 310
 trinuclear zirconocene cluster 42
 triphenylamine (TPA) 41, 816, 817
 fragment 44
 triphenyltriazine core 40
 triphenyltriazine plane 42
 triphosphine-supported Pt-M
 heteronuclear complexes
 541–544
 tris-CTAs metallacycles 32

- tritopic carboxylate linkers 347–350
 tritopic ligands 25, 65, 72, 417, 855
 2,4,6-tri(4-pyridinyl)-1,3,5-triazine (tpt)
 372
 truncated tetrahedron 46–48, 71, 99,
 360, 405
 T-shaped building blocks 304
 tunneling effect 803
 2D-[Bmmim]₇[AgSn₁₂Se₂₈] 226
 2D-[Bmmim]₃[Mn(en)₃]₂[Sn₉Se₂₁]Cl
 225
 2D-[Bmmim]₂[Ni(teta)(en)][Sn₃Se₇]₂
 226
 2D-[Bmmim]₂[Sn₃Se₇] 222
 2D-[CH₃NH₃]₂₀Ge₁₀Sb₂₈S₇₂·7H₂O 274
 2D GaN single crystals
 atomic structure 688
 electronic mobility 688
 growth on liquid metals 688
 2D-[Ga₂Sb₂S₇]_n²ⁿ⁻ network 246
 2D-[GeSb₂S₆]_n²ⁿ⁻ 255
 2D-[In₃Sb₂S₉]_n³ⁿ⁻ layers 252
 2D lattice 821, 822
 2D layered MOFs 338
 2D-[(Me)₂NH₂]_{4/3}[(Me)₃NH]_{2/3}[Sn₃S₇]
 1.25H₂O 271
 2D metal-organic assembly 18
 2D MOFs [Zn₂M(bpdc)₃(DMF)₂]₄·4DMF
 310, 311
 2D-(MQ)(monoamine) 200
 2D-MQ(monomine) 208
 2D-M₂Q₂(monomine) 208
 2D non-interpenetrated square-grid layers
 315
 2D-[Pmmim]₄[Sn₁₇Se₃₈] 219
 2D ScC_xOH direct-bandgap
 semiconductor 695
 2D-ZnSe(ba) 208
 2D Zr₃C₂T₂ 697
 2D Zr₃C₂T_z 696
 two-dimensional (2D) MOFs
 bilayer-network 325–333
 brick-wall networks 319–325
 catechol and derivatives 741–747
 definition 309
 herringbone networks 319–325
 honeycomb networks 319
 nitrogen containing heterocyclic
 compounds 747
 square-grid (or rhombohedral)
 networks 311–319
 TCNQ and derivatives 737–741
 triangle-grid networks 309
 two-dimensional (2-D) organic–inorganic
 hybrids
 A₂SnI₄ (A = organic ammonium) 764,
 765
 (BAESBT) PbI₄ single crystal 765, 766
 (C₄H₉NH₃)₂-(CH₃NH₃)₂Pb₃Br₁₀ 767
 CH₃NH₃PbI₃ 762
 conducting layered 761–762
 displex (closed-cycle refrigeration)
 system 763
 schematic representation 759–761
 two-dimensional (2D) rhombus
 star-shaped supramolecules 26
 two double chains MOFs 303
 two-over/two-under interwoven 2D
 network, [HgI₂(bpmbpt)] 291
n-type transparent conducting oxides
 (TCOs)
 crystal structures of 677
 and electronic structure 676–678
 materials designed for 675
- U**
 UCR-20GaGeS-TAEA 400
 UiO-66 crystalline structure 838
 UiO-66 samples
 defect density 849
 ultra-microporous MOFs 895, 896, 904
 ultra-stable Ti₄L₆ tetrahedron 44
 UMCM-150 415, 416
 uniform nets 427, 428
 unit cell 466, 471, 474
 germanium 671
 silicon 671
 unit construction approach 179, 191
 unit construction strategy 3, 164, 167,
 171–182, 191

- UNLPF-1 417
 UO₂(dbsf)(phen) 297
 [UO₂(dbsf)(phen)]·H₂O 297
 UO₂Np(H₂O)₂[CH₂(PO₃)(PO₃H)]₂
 (UNpC1P2-1) 374
 uranium 269, 272, 275, 374, 922
 uranium phosphonates 374
 2-ureido-4-pyrimidinone (UPy) 28
 usable adsorption 7, 864–867
 usable CH₄ capacity 865, 866
 utp((10,3)-d) topological networks 438
- V**
 Vagard's law 722
 valence band
 chemical modulation of 679, 680
 valence band maximum (VBM)
 antibonding character of 683
 valence-shell electrons 794
 vanadium-oxygen clusters 56
 vanadylphthalocyanine (VOPc) 716
 van der Waals force 834
 van der Waals interactions 198, 296, 908
 vapochromic materials 18
 vapochromic metallacycle 18
 VIII-containing POVs 100
 VMOP-α 47, 396
 V-MOP-β 396
 V-shaped bridging ligand dicyanamide
 292
- W**
 W(Mo)-Ag-S coordination polymers
 anionic 188
 cation-induced structural diversity of
 188
 cations and solvents 188
 conductivities and energy gaps of 190
 configuration of 182
 divalent Ca(DMSO)₆²⁺ cation 186
 semiconducting properties 190
 structural variations in 188
 structure-directing agent 187
 structure types of 184, 186
 synthetic routes 182
 triphenylphosphine or halide anions
 182
 wave-like chain 189
 W-Ag-S linear polymeric chain 182
 wave-like Mo-Ag-S chain 189
 white-light emission systems 40
 wide-bandgap semiconductors 692
 würtzite-type structure 200
 Wyckoff sequence 487, 504, 520, 521
- X**
¹²⁹Xe NMR spectroscopy 923
 X-ray diffraction techniques 54, 56, 148,
 182, 202, 208, 227, 408, 411, 415,
 420, 487, 554, 566, 614, 637, 699,
 701, 738, 743, 746, 840, 860, 861,
 891, 897, 923, 955, 958
- Y**
 Yb₆Ga₄S₁₅ 516
- Z**
 Zeoball [Sn₃₆Ge₂₄Se₁₃₂]²⁴⁻ 218
 zeolite sodalite-type borogermanate 118
 zeolite-type topology networks 443–447
 zeolitic imidazolate frameworks (ZIFs)
 343, 354–355, 404, 414, 418, 444,
 735, 914, 956–958
 zeolitic MOFs 377
 zero-dimensional (0D) cluster
 chalcogenides
 Ba₃(BQ₃)(SbQ₃) (Q = S, Se) 470
 Ba₃(BS₃)_{1.5}(MS₃)_{0.5} (M = Sb, Bi) 470
 Ba₂₃Ga₈Sb₂S₃₈ 469
 BaHgSe₂ 471–472
 Ba₁₂In₄S₁₉ 466
 Ba₇Sn₃S₁₃ 472–473
 Ba₈Sn₄S₁₅ 473–474
 Ba₁₂Sn₄S₂₃ 472–473
 (Cs₆Cl)₂Cs₅[Ga₁₅Ge₉Se₄₈] 470–471
 zero dimensional ionic compounds 647
 zero-field splitting (ZFS) 100, 147, 791,
 792, 796, 802
 zero/negative thermal expansion 283
 zigzag type chain 287–291

- zigzag W-Ag-S anionic chain 188
zinc azolate system 898
zinc salen complexes 14
zirconium–phenolate frameworks 416
zirconium–porphyrin frameworks 359
 $Zn_4(\mu_4-O)(O_2CR)_6$ 361
 $[Zn(HCOO)_2(4,4'-bipy)]$ 554
 $Zn(bac)_2(bpp) \cdot 1.5H_2O$ (bac = 1-benzoylacetone bpp = 1,3-bis(4-pyridyl)propane) 290
 $[Zn(bpp)Br]_2$ 566
 $[Zn(ebic)_2] \cdot EtOH_n$ 288
Zn-e-Keggin cluster 378
 $[Zn_2(H_2O)_2(malonate)_2(Prz)]_n$ 558
 $[Zn(hsb-2)(H_2O)_2 \cdot G \cdot 2H_2O]_n$ (G = naphthalene-2,7-disulfonate) 357
 $[Zn(hsb-2)(NO_3)_2 \cdot 2H_2O]_n$ 315
 $Zn(H_2tib)(UO_2)_2(EDP)(HEDP)(H_2EDP)_{0.5} \cdot 3H_2O$ 374
 $[Zn(ImBNN)]_n$ 312
 $[Zn_2I_4(tmdp)_2]_n \cdot [Zn_2I_4(tmdp)_2]_n$ 295
 Zn_8L_6 cages 50
 Zn^{2+} metal ion 979
 $Zn_2(mtba)(H_2O)_2 \cdot (DMF)_6(H_2O)_5$ (MOF-36) 350
 $Zn(NO_3)_2$ 310, 315, 438, 909
 $Zn(NO_3)_2 \cdot 6H_2O$ 208, 319, 352
 $Zn_4O(btbt)_2 \cdot (DEF)_{15}(H_2O)_3$ (MOF-177) 348
 $[Zn_2(OH)(tcpa)] \cdot 2DMF \cdot 2H_2O$ 349
 $Zn(phen)(sdc)$ (phen = 1,10-phenanthroline; H2sdc = *trans*-stilbene-4,4'-dicarboxylic acid) 290
 $[Zn(PR64)_{0.5}(m-bdc)Cl] \cdot 3H_2O$ 321
 Zn_4 -*p-tert*-butylsulfonylcalix[4]arene clusters 406
 δ -ZnTe(hda)_{0.5} 205
ZnTe and MnSe based hybrids 208
Zn-tetra-(4-carboxyphenyl)porphyrin (ZnTCPP) 316
 $Zn_2(TMTA)(H_2O)_2 \cdot NO_3 \cdot 2H_2O \cdot 0.5DMA$ (β -1) 319
 $Zn_2(TMTA)(H_2O)_2 \cdot NO_3 \cdot 6H_2O \cdot DEF$ (α -1) 319
 $Zn_8(TPC4R)_2(Ln)_4$ nanocages 68
 $[Zn_2TTFTB(H_2O)_2] \cdot H_2O \cdot 2DMF$ 727, 728
Zr-MOFs 351, 418–420, 838–839, 859, 986
 $Zr_6O_4(OH)_4$ 415
ZrSQU, structural and topological representation 850
ZTE 263, 264
zwitterionic tetrathiafulvalene (TTF)-extended dicarboxylate radical (TED) 710

