

## Index

### **a**

- A100C 551, 552, 555, 557  
 Ac-CoA 538–542  
 acetoacetate decarboxylase 214  
 acetone 72, 84, 85, 100, 216, 223, 445, 446, 460, 609  
 acetyl pyridinium ion 539  
 acetylation agent 581  
 acetylCoA 538  
 achiral bidentate diphosphine ligand 598  
 achiral catalyst manganese(III)-5,10,15,20-tetrakis(pentafluorophenyl)porphyrin chloride [Mn(TPFPP)Cl] 154  
 achiral diphosphine rhodium complex 599  
 achiral phosphine ligand 44, 597  
 achiral XB donor 418  
 acid-base organocatalysis 335  
 acid-base titrations 532  
 acrolein 357  
 acrylate esters 357  
 acrylonitrile 357  
 activated acids 552  
 activated Michael acceptor 236  
 activated olefins 133, 134  
 activation of organic functional groups 416, 418–421  
 active benzopyrylium ion species 392  
 active pharmaceutical ingredients 453, 471  
 Active Pharmaceutical Ingredients (APIs) 453, 471, 472, 478  
*N*-acyl amino acid ligands 134, 135  
*N*-acyl amino acids 134, 135, 136  
 acyl chlorides 468  
 acylguanidine 179, 181–183, 185, 189, 190, 194, 197, 198  
 acylguanidine bearing ligand 179  
 acylguanidine bearing phosphine ligands 189  
 acylguanidine unit 182, 183, 194  
 acylguanidinium-functionality 120  
*N*-acyliminium salt 390  
*N*-acyliminium species 389  
*N*-acyl Mannich reaction 389  
 2-acyl(*N*-methyl)imidazole 565, 567, 568  
*N*-acyl pyridinium intermediates 371  
 1-adamantanecarboxylic acid 220  
 ADH-catalyzed asymmetric ketone reduction 479  
 A92E mutation 566  
 agglomerates xxi  
 alanine (W96A) 565  
 alanine derivative 3,5-DNB-Ala-OEt 59  
 alcohol dehydrogenase (ADH) 479, 481  
 aldehydes  
   condensations xxv  
   reduction and tandem hydroformylation-hydrogenation 188–197  
 aldol condensation 83, 249–251, 431  
 alkali metal BARF salts 594–596  
 alkali metal fluorides 592

- alkene oligomerization xxviii
- alkene polymerization xxv
- $\alpha$ -alkenoic acids 185, 187, 194
- 3-alkenylpyridones 148
- 3-alkenylquinolones 147, 149
- N*-alkylated indole 432
- 3-alkylated indole 431, 432
- alkyl cyclopentanone-2-carboxylates 442, 443
- 2-alkynyl benzoic acid 258
- $\alpha$ -(*n*-alkyl) dibenzyl ketones 524–526
- alkyl halides 552
- $\beta$ -alkynoic acids 185, 186
- alkyl phosphites (EtO)<sub>3</sub>P 392
- alkyne hydrations 350, 358, 460, 468, 479, 481
- alkynyl-containing surface-cross-linked micelle (alkynyl-SCM) 213
- allosteric regulation
  - of catalysis 583
  - of catalysis at copper(I) sites 580–583
  - smart and autonomous mixtures 585–586
  - at zinc porphyrin stations by catalyst release 576–579
- allostery 575
- allyl  $\alpha$ -diazoacetates 172
- allyl-Sn reagents 392
- allylic substitution with allylic alcohols 20
- Alzheimer disease 537
- E*- and *Z*-amide rotamers 367
- amidopyrroles 339
- amination 155, 156, 169, 222, 468
- amino acid *L*-proline (*L*-Pro) 498
- amino-acid 59, 134, 135, 224, 262, 323, 364, 365, 490, 498, 537, 566, 599, 607
- amino-acid-derived thioureas 364
- aminoacridine moiety 562
- 2-amino-1,8-naphthyridine-based ligand 594
- aminopyridine 9–11, 13, 18, 21, 73, 214
- aminopyridine/isoquinolone system 10
- ammonium-phosphine hybrid ligand 43
- amphiphilic polymethacrylates 495
- amphiphilic synthetic hosts xxxv
- amplification of chirality
  - in three-component supramolecular helical catalysts 98–100
  - in two-component supramolecular helical catalysts 97–98
- AMTEC SPR16 31
- trans*-anethole 238
- aniline-derived ammonium salts 122
- 1-anilino-naphthalene-8-sulphonate (ANS) 83, 85
- anion-binding organocatalysis 388
- anion- $\pi$  interactions xxi, 405
- anion-binding catalysis 366, 369, 370, 371, 378, 387–396
- anion-binding catalysis principle 366
- anion-binding catalyzed enantioselective Reissert-type reaction 389–391
- anion-cation binding xxvi
- anion-template strategies 394–395
- anionic sulfonated surfactants 461
- anisaldehyde 420
- anthracene 234, 235, 522, 523
- anthraquinone 238, 278
- anti-diastereomers 237
- “anti-electrostatic” XB 417
- anti-HIV Indinavir 454
- apolar solvents 95, 231, 321, 347
- aqueous hydroformylation 507, 512, 549
- aqueous micellar catalysis 479
- aqueous organometallic catalytic processes 507
- aqueous Pd nanoparticle solutions 462
- aqueous phase hydroformylation 547–549
- (–)-arborisidine 369
- arene borylation 121
- arene C–H bonds 120
- arene C–H functionalization 120
- aromatic amides 169, 170
- aromatic terminal alkynes 350, 352, 353
- artificial enzyme 213–225, 287, 519, 567, 568, 607

- artificial metalloenzymes xxxvi, 561  
 DNA-based 562–564  
 LmrR-based 568–569  
 protein-based 564–567  
 synergistic catalysis 567–568
- artificial metalloenzymes (ArMs)  
 549–556, 558
- artificial photosynthesis 259, 260, 266,  
 267
- artificial zinc esterases 218
- aryl acetals 370
- $\beta$ -arylaldehydes 187, 188
- aryl bromides 472
- E*-aryl-dienes 172
- aryl ketones 354, 476, 477
- aryl nucleophiles 185
- aryl pyrrolidino HBDS 369–371
- aryl-alkyl thioether 353
- 2-aryl-pyrrolidine 367
- aryl-pyrrolidine H-bond donors 373
- aryl-pyrrolidine squaramides 371–372
- aryl-pyrrolidine-*tert*-leucine motif  
 development of 366–368  
 enantioselective reactions and  
 mechanisms 368–373  
 foundational studies 364–366  
 mechanisms of enantioinduction  
 374–380
- aryl-pyrrolidino thiourea catalyst  
 367
- aryl-pyrrolidino-*tert*-leucine fragment  
 367, 379
- aryl-pyrrolidino-*tert*-leucine thioureas  
 366
- aryl-pyrrolidino-*tert*-leucine-derived  
 catalysts 376
- aryl-pyrrolidino-*tert*-leucine-derived HBD  
 catalysts 378, 381
- aryl-pyrrolidino-*tert*-leucine-HBDs 371
- aryl-pyrrolidino-H-bond donors 369
- aryl-pyrrolidino-squaramide-catalyzed  
 Pictet–Spengler reaction 369
- Arylex 472
- assembly state of OA and TEMOA  
 521–523
- asymmetric autocatalysis 55, 56
- asymmetric Diels-Alder reaction 109,  
 113, 553
- asymmetric hydrogenation 161  
 axial chirality in supramolecular  
 catalyst 14–17  
 P-chiral self-assembly ligands 13–14
- asymmetric hydrogenation reactions 34,  
 35, 161, 163
- asymmetric lactonizations 468
- asymmetric metal-catalysed reactions  
 xxx
- asymmetric Michael additions 51, 72,  
 73, 442–448
- asymmetric Mukaiyama-aldol reaction  
 77, 78, 370
- asymmetric organocatalysis 70
- asymmetric oxetane openings 374
- asymmetric phase-transfer catalysis  
 124
- asymmetric Reissert reaction 389, 391
- asymmetric Reissert-type reaction 395
- asymmetric selenocyclizations 370
- Au(I) catalyzed terminal alkyne hydration  
 350
- $[\text{AuP}(\text{CH}_3)_3(\text{CH}_3)_2]^+$  277
- autocatalysis 55, 56, 247–249, 252, 605,  
 607, 610
- autocatalytic hexadeoxynucleotide 605
- axial chirality in supramolecular catalyst  
 14, 17
- axially chiral (*S*)-1,1'-binaphthyl  
 phosphates 76
- axially chiral biphenyl-derived ligands  
 57
- aza-Cope reaction 276
- aza-crown-ether motif 592
- aza-Sakurai reaction 378, 379
- azachalcone 110, 114, 553, 563
- 3-azido-7-hydroxycoumarin 497
- 1-azido-2-(2-nitrovinyl)benzenes 445
- 2,2'-azobis(2-methylpropionitrile) (AIBN)  
 215
- azlactone 48–50, 593
- Azoarcus* ribozyme 608

**b**

- Baeyer–Villiger oxidation 455–457, 464  
of ketones 455  
“bait-and-switch” strategy 219  
base-free Michael addition catalysis  
235–237  
Baylis–Hillman reaction 404  
benzaldehyde 70, 78, 307, 339, 420,  
462  
benzaldehyde *N*-allyl imine 365  
benzene-1,3,5-tricarboxamide (BTA) 94,  
107, 491  
monomers 94  
benzene-1,3-dithiol core 609  
*N*-benzhydryl aldimines 365  
benzhydryl amide 365  
benzhydryl bromide 415  
benzhydrylamide substrates 126  
(benz)imidazolium 413  
benzimidazolylidene-capped-benzylated  
CD 288  
(benzimidazolylmethyl)-bis(pyridylmethyl)  
amine (Bimpy) 497  
benzisoxazole 245, 247–249, 252  
benzo[*b*]thiophen-2(3*H*)-one derivatives  
597  
benzofuran-2(3*H*)-one 46, 597  
4-(benzo)pyranones 392  
benzoquinone 232–235, 238  
benzothiazole 139  
benzoxazole 139  
benzoyl chloride 71  
benzylamine-derived quaternary  
ammonium salts 122  
benzylation/regioselective debenylation  
sequence 287  
benzyl bromide 213  
benzylideneacetone 291, 299  
benzyl isonitrile 356  
2-benzyl nitrile based directing group  
133  
*N*-benzyloxycarbonyl-*N*-*H*-(*E*)-2-  
(2-nitrovinyl)anilines 446  
3-benzylquinolones 154  
4-benzyl-resorcinol 406  
BF<sub>3</sub> 235  
Bi(III)-HN 109  
[1,1'-biaryl]-2,2'-diol-derived phosphoric  
acid derivatives 597  
*meta*-biaryl phosphine-containing  
platform 471  
biaryl substrates 136  
BiCyD 288  
α-BiCyD<sup>Me</sup> 288  
bidentate approach 140–141  
bidentate bis-triazoles 388  
bidentate chalcogen-bonding catalyst  
434, 435  
bidentate dicationic donor 417, 418  
bidentate dicationic organoiodine(I) XB  
donor 418  
bidentate iodine(III)-based XB donor  
418, 420  
bidentate ligands xxvi, 3  
allylic substitution with allylic alcohols  
20  
asymmetric hydrogenation 13–17  
heterodimeric self-assembling ligands  
9–13  
hydration of alkynes 17–19  
hydration of nitriles 19–20  
hydrocyanation 21  
2-hydroxypyridine/2-pyridone-platform  
5–9  
bifunctional metal complexes xxx  
bimetallic catalyst 596  
bimolecular condensation reaction 607  
BINOL-based crown ether macrocycle  
71  
BINOL-derived chiral phosphate ion 46  
(*R*<sub>a</sub>)-BINOL motif 595  
bio-catalysis 476, 481, 483, 561, 568  
bioinspired catalysis  
base-free Michael addition catalysis  
235–237  
coordination-cage host-guest method  
229–231  
Diels–Alder reaction 231–235  
turning cage-catalysis inside out  
238–239

- biomacromolecules xxxvi, 93, 544, 598  
 biomimetic approach 335  
 biomimetic systems xxvii  
 biomolecular scaffold 561, 562, 569  
 biotin-derived catalytic centers xxxvi  
 biotin/(strept-)avidin combination 561  
 biphasic hydroformylation 509, 512,  
 555–558  
*ortho*-biphenol 59  
 biphenyl cyano DG 137–139  
 1-(4-biphenyl)-ethanone (PPnone) 102  
 BIPHEP 30, 57–59  
 BIPOL phosphoramidites 60  
 Bipy-containing polymer 497  
 2,2-bipyridine (Bipy) 497, 562  
 bipyridine ligand 120–123, 125, 126, 169  
 bis(heteroaryl)methanes 340  
 bis-cinchona alkaloids xxx  
 bis-Cu(II) basket 306  
 bis-mesylated  $\alpha$ -,  $\beta$ -, and  $\gamma$ -CDs 287  
 $\alpha,\omega$ -bisphosphites 594  
 bis[rhodium( $\alpha,\alpha,\alpha',\alpha'$ -tetramethyl-1,3-  
 benzenedipropionic acid)]  
 [Rh<sub>2</sub>(esp)<sub>2</sub>] 149  
 B3LYP/cc-pVDZ level of theory 60  
 bolaamphiphilic PVn derivatives 85  
 bond-breaking process 272  
 bond-forming process 272  
 borane-deprotection reaction 512  
 borane-protected  
     diphenylpropynylphosphine 512  
 Born–Oppenheimer molecular dynamic  
 (BOMD) simulation 393, 394  
 boronate 220  
 3-bromopyridine 206  
 Brønsted acid 413  
     acidity 353  
     base 236  
     -base-catalysed hydrogen abstraction  
         mechanism 610  
     -catalyzed carbonyl-olefin metathesis  
         reaction 330  
     functionality 127  
     organocatalysis 337  
     organocatalyst 339–341  
 BTA motif (BTA<sup>BA</sup>) 112–114, 491  
 BTA pendants 497  
 BTA<sup>m-PPh<sub>2</sub></sup> 95–97  
 (S)-BTA<sup>m-PPh<sub>2</sub></sup> 95–97  
 (S)-BTA-I-Pro 498, 499  
 Buchwald–Hartwig couplings 127  
 bulky tetrabutylammonium cation  
     123  
*n*-Bu<sub>3</sub>P catalysis 436  
 butanol 525  
 3-butenolate 166  
 butylbenzoquinone 234
- C**
- N*-cage 232–236  
 cage-based catalytic process 241  
 cage-catalysed Kemp elimination  
     245–246, 248  
 cage/guest binding constants 242  
 calixarenes 303  
 campholenic aldehyde 353  
 capsule I 321–325, 328–330  
 carbene based Au(I) metal complex  
     350  
 carbene precursors 172  
 carbenic C atom 354  
 carbenoid transfer reactions with  
      $\alpha$ -diazoesters 315  
 carbocationic species 353  
 carbonyl-olefin metathesis 330  
 carboxylates 108, 110, 111, 114, 147,  
     149, 150, 154, 165–169, 257, 442,  
     443, 520, 529, 531, 599  
 carboxylic acid derived ligands 552  
 (–)-caryophyllene oxide 327  
 caryophyllenyl alcohol 327, 328  
 caryophyllenyl cation 327  
 cascade reactions 331, 402, 407–409  
 cat→ZnPor complex 576  
 catalysis promoted by discrete cages,  
     capsules and other confined  
     environments xxxi–xxxiii  
 catalyst encapsulation strategies  
     258–267  
 catalyst surfactant interactions 463–464

- catalyst-promoted selective acylation
  - targeting proteins in living cells 540–543
- catalyst-substrate interaction xxiii, 558
- catalytic antibodies xxxii, 239
- catalytic low molecular weight gels (LMWGs) 81–89
- catalytic rhodium(I) species 215
- catalytic transformations 3, 78, 192, 394–395, 404, 471
- catalytically active chiral ligand-metal complexes 364
- catenanes xxix, 69, 70, 75–78, 303, 403
- [*n*]catenanes 69
- cation anion attractions xxi
- cation- $\pi$ -interactions xxi, xxxiv, 321, 322, 337, 368, 374, 378, 379
- cation-olefin polycyclization reaction 367, 369, 374
- cationic  $\pi$ -allyl palladium(II) 47
- cationic dummy atoms approach (CADA) 273, 278
- bis-cationic Pt catalyst 457
- cationic Pt complex 455
- bis-cationic Pt complexes 455, 460
- cationic XB donors 414, 417, 418, 422
- cavitands xxxv, 303, 519, 520, 522
- cavity-bound benzisoxazole 247, 248
- cavity-directed regioselective
  - copper-catalyzed hydroboration 291
- C–C and C–X bond forming reactions 457–460
- C=C double bond isomerization 457, 458
- $\alpha$ -CD-based catalyst 294, 298
- $\alpha$ -CD-based copper complexes 291
- $\beta$ -CD-based silver catalyst 298
- CD-based ligands 287, 290, 292, 294, 295
- C5 dienes 232
- CD-modified di- or triphenylphosphines 507
- CD-NHC-based ICyD ligands 289
- CD-Phosphine 1 508–510
- CD-Phosphine 2 (CD-P-2) 510–512
- CD-Phosphine 3 (CD-P-3) 512–513
- CD-Phosphine 4 (CD-P-4) 513–514
- CD-phosphines 507, 509
- CDI-activated phosphino-carboxylic acids 554
- $\alpha$ -cedrene 325
- central *syn*-2,5-disubstituted pyrrolidine 74
- cesium 4-(diphenylphosphino)phenoxide 510
- p*-CF<sub>3</sub>-benzaldehyde 339
- CF<sub>3</sub>SO<sub>3</sub>H additive 189
- C–H activation 119–129, 133–141, 161, 169, 403
- chalcogen 427
  - bonding interactions 427–430, 436
  - chalcogen bonding catalysis 431–436
- chalcogen-bonding catalysis
  - chalcogen-chalcogen bonding catalysis 431–433
- challenges in 428
- discovery of 428–431
- dual chalcogen-chalcogen bonding catalysis 433–436
- charge separation 259
- charge-assisted CH $\cdots$ X interactions 244
- charge-transfer interactions xxi
- C–H borylation 120–126, 129, 168–170
- CH-cage 230, 232–234, 236, 238
- chemical catalyst-mediated synthetic epigenetics 537
- chemical catalyst-promoted histone modifications 537
- chemical catalyst-promoted regioselective histone acylation
  - catalyst-promoted selective acylation targeting proteins in living cells 540–543
- chemical catalyst-mediated synthetic epigenetics 537
- in living cells 543–544
- supramolecular catalyst strategy for histone acetylation in vitro 538–540

- supramolecular catalyst strategy for protein modification 538  
 chiral (*S*)-BTA monomer structure 498  
 chiral *P*-spiro triaminoiminophosphorane 44  
 chiral *trans*-1,2-diamine backbone 388  
 chiral acid/base-functionalized rotaxane 73  
 chiral amidoporphyrin [Co<sup>II</sup>(P<sub>4</sub>)] 172  
 chiral amphiphilic histidine gelator 112  
 chiral anion 43, 46, 47, 125, 389, 390, 418  
 chiral benzene-1,3,5-tricarboxamide-based hydrogen-bonding motif 491  
 chiral BINOL-derived aluminium catalyst 389  
 chiral Brønsted acid 46, 47  
 chiral carbamates 446  
 chiral chromanones 392–393  
 chiral cofactors 163, 164, 592  
 chiral cyclic  $\alpha$ -amino phosphonic acid derivatives 392  
 chiral di- or tetrahydro diazaheterocycles 391  
 chiral fluorobis(sulfonyl) scaffold 419  
 chiral gating 223  
 chiral helical supramolecular structure 388  
 chiral ionic organic molecules 43  
 chiral keto azides 445  
 chiral lactams 145–148, 157  
 chiral Lewis-acid catalyst 77  
 chiral phenanthroline ligand 147, 155, 156  
 chiral phosphites 30  
 chiral photosensitizers 145  
 chiral porphyrin complexes 170  
 chiral remote inducers 592  
 chiral rhodium(II) carboxylate 150  
 chiral tetrakis-triazoles (TetraTri) 389  
 chiral TetraTri catalysts 391  
 chiral XB donors 418  
 chloride 71, 100, 127, 128, 154, 244, 246–248, 288, 329, 338, 373, 390, 393, 394, 416, 421, 508, 593  
 chloro- and bromo-pyridines 205  
*p*-chloroaniline 339  
 chloro-containing enone 434  
 $\alpha$ -chloro glycinates 373  
 1-chloroisochroman 417, 428  
 3-chlorophenolate 249  
*N*-chlorosuccinimide 373  
 chromatin 537, 540  
 4-chromenone 392  
 chromium(III)-salen moieties 596  
 Ch3-type chalcogen-bonding donor 433  
 chymotrypsin xxvi  
 cinchona alkaloid derivatives 363, 381  
 cinnamyl esters 459  
 cinnamyl methyl carbonate 45  
 circular dichroism (CD) 393, 491  
 cisoid cation 323  
 Cl<sub>2</sub>P(NEt<sub>2</sub>) 60  
 [Cl<sub>2</sub>Pt(COD)] 9  
 [Cl<sub>2</sub>Pt(L<sup>DA</sup>)(L<sup>AD</sup>)] complexes 10  
 classical C–C forming reactions 453  
 classical MDs 273  
 click chemistry 387, 512  
 closed-shell capsule xxvi  
 C18 mono-unsaturated fatty acid esters 529  
 CN directed distal C–H functionalization approach 134  
 [Co<sup>II</sup>(P<sub>4</sub>)]-catalyzed asymmetric C–H alkylation 173  
 Co<sup>III</sup> catalyst 456, 457  
 Co<sup>III</sup>-carbene 170  
 CO<sub>2</sub> xxviii, 267, 468, 610  
 Co(II) ions 241, 242  
 co-catalysts 592  
 cobalt(II) porphyrins 172  
 cobalt(II)-catalysts 170–172  
 cobalt-porphyrin complexes 172  
 cofactors xxix, 163, 179, 220, 323, 552, 592, 599, 611  
 collagen triple-helix 93  
 complementary BTA monomers 95  
 complementary P-appended guest xxxvi  
 complex [Co<sup>II</sup>(P<sub>3</sub>)] 172

- comprehensively visualized malonylated proteins 542
- concave diphenylglycoluril unit xxxiii
- concerted-metalation-deprotonation (CMD) mechanism 128, 136
- cone angle 27
- cis-configured internal alkenes 185
- conformationally flexible cyclic  
22-membered pre-transition state  
supramolecular assembly 445
- $\pi$ -coordinated alkyne species 460
- coordination cage catalysis 229, 235
- coordination cages xxix, xxxii, 229–239,  
241–252, 266, 267, 271
- coordination polymer gels 86
- coordination-cage host-guest method  
229–231
- coordination-driven self-assembly 401
- copper ion-mediated nanotube 108
- copper(I) nanoswitch complex 585
- copper(I) phenanthroline station 576,  
585
- copper(I)-catalyzed azide-alkyne  
cycloaddition (CuAAC) 86, 87,  
387, 389, 496, 497
- copper(II) trifluoroacetate 136
- copper(II)-1,10-phenanthroline  
(Cu-phen) 562, 565, 567, 568
- copper-2,2'-bipyridine (Cu-bipy) 562
- copper-based catalytic baskets 306–307
- copper-catalyzed azide-alkyne  
cycloaddition reaction (CuAAC)  
86, 87, 387, 389, 496, 497, 512
- coumarin 242, 243
- covalent anchoring 550, 561, 569
- cross-coupling xxviii, xxxi, 119–129, 205,  
389, 468, 471, 472, 476, 479, 481,  
500, 550
- cross-coupling reactions xxviii, xxxi,  
126, 205, 472, 481, 500, 550
- cross-linkable surfactant 215, 225
- (*E*)-crotonaldehyde 72, 341
- trans*-crotonaldehyde 357
- trans*-crotonophenone 418
- 18-crown-6 236, 237
- crown ethers xxii, 127, 303, 600
- cryptands xxii
- crystal engineering 402, 409, 413, 415,  
427, 436
- crystalline sponge 243
- Cu(I)@SCPNs 497
- C(sp<sup>3</sup>)-H amination 147, 154, 155
- Cu(I) catalysts 213
- Cu(I)(Xantphos)-catalyzed  
cycloisomerization 258
- Cu(I)-based SCPNs 496
- Cu(I)-catalyzed azide-alkyne  
cycloadditions (CuAAC) 86, 87,  
387, 389, 496, 497
- Cu<sup>I</sup>-PhTzVn gels 86
- Cu(II)-dmbipy based catalysts 563
- Cu(II)-HN 109, 110
- Cu(II)-HN/azachalcone systems 110
- Cu(II)-phen binding site 566
- Cu(II)-phenanthroline 565, 566
- [Cu<sup>2+</sup>]/[PBTA<sup>BA</sup>] 114
- Cu(OAc)<sub>2</sub> 98, 140
- Cu-4,4'-dimethyl-2,2'-bipyridine  
(Cu-dmbipy) 562
- CuAAC-cycloadditions 389
- cucurbit[6]uril xxvi
- cucurbiturils 303
- 3-cyanoaniline 140
- 2-cyanobiphenyl DG linked with  
diisopropylsilyl ether group 136
- cyanophenol 134, 245, 247–249, 252
- 2-cyanophenolate 245, 247–249, 252
- 2-cyanophenolate anion 245, 248, 249
- cyclic ethers 330, 340
- cyclic olefin 148
- cyclic tetramers 203
- cyclization reactions 256, 259, 289–291,  
329
- [4+3] cycloadditions 370
- cyclobutane photoproduct 401, 403, 405
- cyclobutane products 401
- cyclobutanols 525
- cyclodextrin macrocycles 335
- cyclodextrins (CDs) xxv, xxvi, xxxii,  
xxxv, 231, 287, 303, 507



- $\beta$ -cyclodextrins 549  
 cyclofarnesyl acetate (cycloFOAc) 325, 326  
 cycloFOAc 325, 326  
 (*E*)-cycloFOAc 326  
 cycloFOAc substrate 326  
 1,3-cyclohexadiene 418  
 cyclohexanone 84, 85, 444, 445, 496, 498, 594  
 cyclohexene 290, 297, 311, 527  
 cyclohexenyl compounds 238  
 cyclohexyl isonitrile 356  
 cyclooctene 311, 580  
 cyclopentadiene 110, 114, 232–234, 418, 458, 553  
 cyclopentadiene adduct 233  
 cyclopentenone 576, 577  
 cyclopropanation xxviii, 75, 111, 172, 173, 564, 565, 567, 580  
 cyclopropanation reactions xxxvi  
 cyclopropanes 172, 471  
 cyclopropyl substituted product 152  
 cycloundecanone 246, 247, 250, 251  
 cysteines 551
- d**
- dCas9-enzyme systems 537  
 Debye-Hückel theory 532  
 9-decanoate 168, 169  
 dec-1-ene 549  
 decapeptide Cbz-D-Phe-Pro-Val-Orn(Boc)-Leu-D-Phe-Pro-Val-Orn(Boc)-Leu-OMe 479  
 deep-cavity cavitands xxxv, 520  
 dehydrated 2-quinolone 152  
 dendrimers xxxii, xxxv, 489  
 densely oxidized secondary metabolites 150  
 density functional theory (DFT) 7, 76, 272, 290, 377, 469, 539  
 density functional tight binding (DFTB) method 272–273  
 deoxyoligonucleotides xxxvii  
 “designer” surfactants 468, 483  
 detergents 548  
 Dewar-Chatto-Duncanson metal ligand interactions xxi  
 dextrorotatory lactam (+) 145  
 3D fibrillar network 81  
 D-glucopyranose units 507  
*N,N*-dialkylhydrazones (DAHs) 395  
 dialkyl thioether 353  
 diamidodiindolylmethane motif 599  
 (*R*)-3,3'-diarylbinaphtholate ion 45  
 diaryl thioether 353  
 (1*R*,2*R*)-1,2-diazidocyclohexane 389  
 diazo compounds 172  
 $\alpha$ -diazoesters 304  
 diazoacetate esters 357  
 dibenzo-[24]-crown-8 macrocycle 71  
 dibenzofulvene (DBF) 610  
 dibenzyl ketone 523–526  
 3,4-dichloroarene 127  
 dichloromethane (DCM) 95, 231, 236, 309, 443, 454, 607  
 3,5-dichlorophenol 49–51, 593  
 2,6-dichloropyridine-*N*-oxide (DCPNO) 147  
 4,6-dichlororesorcinol 405  
 dichlorvos (2,2'-dichlorovinyl dimethyl phosphate) 249  
 Diels-Alder and aziridination xxviii  
 Diels-Alderase 202  
 Diels-Alder cycloaddition reaction 108  
 Diels-Alder reactions xxv, 109, 110, 113, 114, 231, 279, 321, 408, 417, 418, 457, 458, 553, 562, 575  
 diene *P*-di[2-(4-pyridyl)ethenyl]benzene 406  
 dienophiles 234, 458  
 1,1-diethoxydodecane 322  
 1,1-diethoxyethane 322  
 diethyl malonate 73, 576  
 3,7-diethylquinolone 154  
 1,2-di(furan-2-yl)-2-hydroxyethanone xxvi  
 dihydro- $\beta$ -ionone 326  
 dihydrobenzo[2,3-*b*]quinolones 149, 150  
 2,3-dihydrofuran 596  
 4,5-dihydro-1*H*-pyrazoles 357

- 4,5-dihydro-3*H*-pyrazoles 357  
dihydronaphthalenyl acetamide 600  
1,2-dihydronaphthalene 350, 351  
dihydropyrones 392  
3,4-dihydroquinolone 151, 152  
dihydroxybenzenes 304, 307  
3,4-dihydroxy-L-phenylalanine (L-DOPA) 112  
dimeric zinc(II)-porphyrin macrocycle 203  
dimethoxy cyanophenyl DG 139  
2,2-dimethoxy-2-phenylacetophenone (DMPA) 215  
4-dimethylaminopyridine (DMAP) 214, 217, 218, 539  
4-*N,N*-dimethylamino-2,2':6',2''-terpyridine 580, 583  
dimethyl anthracene 234, 235  
dimethyl benzil (\*DMB) 521  
*N,N*-dimethylbenzylamine 45  
dimethylsulfoxide (DMSO) 83, 223, 469, 476, 479  
DIMPhos 163–169  
DIMPhos ligands 165, 166, 168, 169  
(*S*)-*N*-3,5-(dinitrobenzoyl)-leucine-dimethylamide (3,5-DNB-Leu-NMe<sub>2</sub>) 59  
4,6-*trans*-diol 220  
*trans*-1,2-diphenyl ethylene diamine 420  
diphenyl monophosphine CD 508  
diphenylglycoluril xxxiii, 303, 309, 316  
diphenylglycoluril-based cavity molecules 309  
diphenylglycoluril-based derivatives 303  
6-diphenylphosphanyl-2-pyridone (6-DPPon) ligand 5  
*meta*-diphenylphosphinobenzyl-ammonium ion 45  
*ortho*-diphenylphosphinobenzyl-ammonium ion 45  
2,2'-bis(diphenylphosphino)biphenyl (BIPHEP) 30, 57–59  
2-(diphenylphosphino)ethylamine 513  
1,3-diphenyl-1,3-propanedione 72  
1,3-diphenyl-propane-1,3-dione 74  
2,6-dipicolinic acid 138  
1,3-dipolar cycloaddition (1,3-DC) xxvi, 372, 341, 403  
dipolarophiles 357  
directing group assisted *meta* C-H functionalization 133  
dirhodium(II) carboxylate 149  
distal C-H activation of arenes  
  *meta* C-H activation 134–136  
  *para* C-H activation 136–137  
distal C-H activation of heterocycles  
  bidentate approach 140–141  
  tridentate approach 138–139  
1,1-disubstituted allenes 9  
1,2-disubstituted allylic carbonates 46  
1,2-disubstituted arenes 121, 126  
3,3'-disubstituted 2,2'-bipyridyl derivatives xxxvii  
1,4-disubstituted phenyl linker 154  
1,3-disubstituted precursors 121  
1,4-disubstituted 1,2,3-triazoles 459  
di(*tert*-butyl)phenyl blocking group 311  
ditopic bis-bidentate ligands 241  
ditopic catalyst 405  
ditopic hydrogen-bond-donor resorcinol 401  
3,5-di(trifluoromethyl)phenyl group 139  
di/tripeptide amphiphiles 83  
divinylbenzene (DVB) 215  
DMAP-catalyzed PNPH hydrolysis 217  
DMAP-functionalized SCM 214, 217  
DMAP-SH (DSH) 539  
DNA 93  
  acceleration effect 563  
  base pairs 562  
  based artificial metalloenzymes 562–564  
(*R*)- or (*S*)-3,5-DNB-Ala-OEt 61  
3,5-DNB-Ala-OEt 59, 61, 63  
3,5-DNB-ΔAla-OEt 63–64  
3,5-DNB-Leu-NMe<sub>2</sub> 59, 60  
*n*-dodecane 522  
dodecanol 214, 215  
2-dodecanone 84

- dodecyl and benzene-1,3,5-tricarboxamide (BTA) 94, 107, 491
- 4-dodecyloxybenzyl)tripropargylammonium bromide 213
- 1-dodecyne 350, 351
- (*P*)-dominant PBTA<sup>BA</sup> 113
- double-stranded DNA 93
- $\beta$ -double substituted enal 189–190
- 6-DPPon ligand 5–9, 14, 18, 21, 192, 198
- drug discovery 427, 436
- dual chalcogen-chalcogen bonding catalysis 433–436
- dual Se $\cdots$ O bonding catalysis strategy 436
- dual-encapsulation method 231
- dye-sensitized photo-electrochemical cells (DC-PEC) 259
- dynamic allosteric regulation of catalysis 583–585
- dynamic BIPOl-based phosphoramidite ligands 58
- dynamic combinatorial library (DCL) 339, 609
- dynamic covalent library (DCL) 339
- dynamic phosphoramidite ligand 59
- dynamic rotaxane-catalyst 74
- dynamic self-assembly 336
- dynamic thiol-thioester exchange 539
- e**
- E. coli* dihydrofolate reductase (eDHFR) 540–542
- electron-deficient (coordinated pyrazolyl-pyridine) 242
- electron-deficient catalyst 150
- electron-poor ligand 21, 183–184
- electron-poor ruthenium and manganese complex 147
- $\pi$ -electron-rich aromatic cavity 337
- electron-rich (naphthyl) aromatic components 242
- electron-rich 2-ferrocenyl-9-mesityl-1,10-phenanthroline 577
- electron rich *tert*-butyl derivative 352
- electronic parameter 27
- electrophiles xxxiii–xxxiv, 236–237, 369–373, 380, 420, 567
- electrophilic halogen substituents 413
- electrostatic ion-pairing effect 245
- electrostatic potential fields (EPFs) 520, 530, 532–533
- elemental iodine 413, 419
- empirical valence bond (EVB) 275
- enals 8
- enamine catalysis 74, 335
- enantiodivergent catalysis 101
- enantiomerically enriched amines 150
- enantiomerically enriched hydrazones 395
- enantiomerically enriched spirocyclic ketones 151
- enantiomerically pure organic compounds 441
- enantiopure bidentate phosphines 598
- enantiopure diphosphines 592, 598
- enantiopure phosphonium chlorides 593
- enantiopure sergeants 598
- enantiopure tetraamino phosphonium salts 593
- enantioselective addition to olefins 147–150
- enantioselective anion delivery 370, 372
- enantioselective C(sp<sup>3</sup>)-H amination 154–155
- enantioselective C(sp<sup>3</sup>)-H functionalization 150–156
- enantioselective carbene transfer reactions 172
- enantioselective catalysis
- catenanes 75–77
- molecular knots 77–78
- rotaxanes 70–75
- enantioselective cobalt-catalyzed carbene and nitrene transfer reactions 170–173
- enantioselective Friedel–Crafts alkylations 369–370

- enantioselective gold-catalyzed  
   cycloisomerization and  
   hydroxycyclization reaction 295  
 enantioselective Henry reactions 596  
 enantioselective hydrogenation 58–59,  
   550, 600  
 enantioselective hydrogenation catalysts  
   xxvii, 550, 598–599  
 enantioselective Nazarov cyclizations  
   372  
 enantioselective nitro-Mannich reactions  
   372  
 enantioselective oxidation of sulfur  
   centers 156–157  
 enantioselective photocatalysis 145  
 enantioselective radical-type reactions  
   170  
 enantioselective self-amplifying catalyst  
   design 57, 58  
 enantioselective silver-catalyzed C(sp<sup>3</sup>)-H  
   amination 147  
 enantioselective sulfimidation reactions  
   147  
 enantioselective tail-to-head  
   carbocyclizations 373  
 enantioselectivity control 293–296  
 encapsulated 1-methylcyclohexene 527  
 encapsulation phenomena 347  
 endogenous Hsp90 543  
 endogenous proteins 538  
 endohedral-functionalized Pd<sub>12</sub>L<sub>24</sub>  
   nanospheres 264  
 endo-stereoisomer 341–342  
 Energy Decomposition Analysis 274,  
   278  
 enone 431–436, 566  
 environmental impact 467, 481, 490  
 environmentally egregious organic  
   solvents 479, 483  
 enynes 289–290, 293–295, 297  
 enzymatic catalysts 223  
 enzymatic reactions xxv  
 enzymes 93, 201, 489  
   catalysis xxv, 179, 197, 235, 255, 441,  
   519  
   like Michalis–Menten kinetics 217  
 2-*epi*- $\alpha$ -cedrene 325  
 19-*epi*-(-)-arborisidine 369  
 epigenetic writers 537  
 episulfonium ion ring-opening chemistry  
   379  
 episulfonium ions 371, 374–375, 379  
 episulfonium opening reaction 374  
 10-*epi*-zonarene 325  
 epoxidation  
   of low molecular weight alkenes  
     307–311  
   of polymeric alkenes 311–314  
 ESI-HRMS technique 445  
 Esomeprazole 454  
 esters 413  
   functionalized stilbazole 407  
   hydrolysis xxv, 249–251  
 ethyl diazoacetate 567, 580  
 1-ethyl-3-(-3-dimethylaminopropyl)  
   carbodiimide hydrochloride 348  
 ethyl malonyl donor 542  
 ethylene 36, 548  
 ethyleneoxy linkers 303  
 3-ethylquinolone 154  
 9-ethynyl-phenanthrene 354  
 1-ethynyl-4-phenoxybenzene 354  
 [Et<sub>3</sub>PAu(MeOH)(CH<sub>3</sub>)<sub>2</sub>]<sup>+</sup> 278  
 eucalyptol 323  
 EvanPhos 471–472  
 (EvanPhos)<sub>2</sub>Pd catalyst 472  
 evolutionary catalyst design procedure  
   31–32  
 extensive inter-ligand  $\pi$ -stacking  
   interactions 241  
 extraordinarily functionalized natural  
   enzymes 441  
 Eyring analysis 532
- f**
- face-face  $\pi$ -stacking geometry 379  
*fac* tris-chelate coordination geometry  
   243  
 (2*E*, 6*E*)-farnesol 324–325

- (2*E*, 6*Z*)-farnesyl acetate 325  
 farnesyl pyrophosphate 326  
 fatty acids xxxvii, 168–169, 529, 551  
 [FeFe](dcbdt)(CO)<sub>6</sub> 266  
 [FeFe] hydrogenase 261–262, 264–266, 268  
 5 [FeFe] mimics 264  
 [FeFe](tfbdt)(CO)<sub>5</sub>(PPy<sub>3</sub>) complex 264  
 Fe<sub>4</sub>(Zn-L)<sub>6</sub> 274–275  
 Fe<sub>4</sub>(Zn-L)<sub>6</sub> tetrahedral metallocage 274  
 Fe-2TMepyP 563  
 Fe/ppm Cu NPs 476  
 Fe/ppm Ni NPs 476  
 fibre-cofactor complex 611  
 fibre-rose bengal complex 611  
 finite coordination cages xxix  
 fluorinated arenes 128  
 fluorobis(sulfonyl)-methane scaffold 419  
 fluorogenic ester substrate 89  
 4-fluorophenyl pyrrolidine 367  
 fluorous media 467  
 foldamers 93  
   chiral triazole-based catalysts 390  
   triazoles 388–389  
 folding and cooperative multi-recognition mechanism 393–394  
 folding process 395, 490–491  
 α-formyl-alkenoic acid 185  
 formylamide hydration product 354  
 α-formyldiazoacetates 172  
 4- and 5-formyl regioisomers 341  
 four-component catalytic nanorotor 584  
 free energy barrier xxii, xxvi  
 free energy perturbation (FEP) 275  
 Friedel–Crafts (FC) benzylation 338  
 Friedel–Crafts alkylation reaction 330, 417, 565, 608  
 Friedel–Crafts product 565  
 Friedel–Crafts reaction 575  
 Friedel–Crafts enantioselective protonation 566  
 functional monomers (FMs) 215  
 functionalized 1-azido-2-(2-nitrovinyl)benzene 445  
 functionalized cyclic/acyclic ketones 447  
 functionalized tetrahydroquinolines 445  
 fungicide boscalid 478
- g**  
 [Ga<sub>4</sub>L<sub>6</sub>]<sup>12-</sup> 275–278  
 gelators 81–89, 108, 112  
 3,3-geminal-substituted 3,4-dihydroquinolones 152  
 genetic code expansion 537  
 glutamic amphiphiles 108  
 glycine 74, 610  
 glycosyl chloride 416  
 glyoxal derivatives 420  
 gold(I) catalyst 321–322  
 gold(I)-catalyzed cycloisomerization reactions 289  
 gold(I)chloride phosphine complex 256  
 gold-catalyzed alkoxy cyclization reactions 295, 296  
 gold-catalyzed cycloisomerization reactions 290, 293–294, 421  
 green methodologies 467  
 Grignard reagents 392, 468  
 guanidine hydrogen bond motif 257  
 guanidinium ions 364  
 guanidinium-functionalized M<sub>12</sub>L<sub>24</sub> nanosphere 258, 261
- h**  
 “half-Schreiner” catalyst motif 365, 366  
 2-halopyridine derivatives 205  
 H-bond donating free valence 336–338  
 H-bond organocatalysis 337  
 H-bonded self-assembled capsules 335, 336  
 H-bonding organocatalyst 338–339  
 H2A-H2B 539  
 H2BK116 540  
 H2BK120 539, 540, 543, 544  
 H2BK120 ubiquitination (H2BUB) 544

- H2BUb 544  
H3K122 539  
H3K56 539  
halide abstraction reactions 415–418  
halogen bond 414–418, 420, 427  
halogen bonding xxi  
    activation of organic functional groups  
        418–420  
    halide abstraction reactions 415–418  
    metal-halogen bond 421  
halogen bonding (XB) xxi, xxvii, 343,  
    344, 401, 405, 413–422, 432  
halogen bonding catalysis 344, 416, 422  
halogen-bond (XB) catalysis 337, 343  
halogenation 169, 414  
haloimidazolium-based bidentate halogen  
    bond donors 417  
halopyridine derivatives 205  
halopyridines 205  
HaloTag 543  
HandaPhos 472, 482  
Hantzsch ester 76, 329, 341, 415, 428  
Hantzsch ester reduction 415  
HC(N<sub>2</sub>)(Ts) 172  
HDGA/Rh<sub>2</sub> 111  
head-to-head cyclobutane 407  
health and safety 467  
Heck coupling 457, 458  
helical (supramolecular) polymers 489  
helicates 93  
helicenes 93  
M- and P-helicity ribbons 113  
2-hexanone 84  
*N*-heteroarenes 389–391  
(hetero)aryl-iodide substrates 500  
hetero-bidentate ligands 28, 36  
heterochiral dimers 55  
heterocyclic olefins 595, 596  
heterocyclobutyl adducts 238  
heterodimeric *cis*-[Cl<sub>2</sub>Pt(7)(8)]  
    complex 9  
heterodimeric combination 5, 19  
heterodimeric ligand system 5  
heterodimeric self-assembling ligands  
    9–13  
heteroleptic [Rh(1)(8)(L)<sub>x</sub>]-complex 196  
heteroleptic bidentate ligands xxvii  
“hetero” ligand combination xxvi  
*N,N'*-hexadecanedioyl-di-*l*-glutamic acid  
    108  
hexadecyl thiol 532  
hexadecylamine 349  
hexafluoroisopropanol (HFIP) 134, 137,  
    139  
hexahydroxanthenols 444  
hexameric hydrogen-bonded capsules  
    xxxiii  
hexameric resorcinarene capsule 337  
    applications of capsule I 329–330  
    background 321–323  
    Brønsted acid organocatalyst 339–340  
    H-bonding organocatalyst 338–339  
    halogen-bond (XB) catalysis 343  
    iminium catalysis 341–342  
    prerequisites 328–329  
    terpene cyclization 323–328  
2-hexanone 84  
*trans*-2-hexenal 357  
*N*-hexylthymine (HT) 73  
high throughput catalyst screenings  
    162  
highly functionalized 3D nanospaces  
    213  
highly substituted spirodihydrocoumarins  
    442  
highly-homologous *endo*-pyridyl variant  
    232  
histidine-based cyclodipeptide 82, 83  
histone H2B subtype (H2BK120) 539  
histone PTMs 537  
HN/azachalcone 110  
HNEt<sub>3</sub>PF<sub>6</sub> 264  
HOBt 479  
σ-hole 427  
homo- and heterodimeric  
    *bis*(acetylacetonato)ruthenium(II)  
        complexes 19  
homochiral dimers 55  
homochirality 55  
homocyclobutyl dimers 238

- homogeneous catalysis xxvi, xxvii, 5, 6,  
7, 13, 21, 161, 188, 197, 198, 201,  
204, 347, 453, 463, 489
- homogeneous transition metal catalysis  
22, 179
- homoleptic bidentate ligands xxvii  
(HOPh)<sub>3</sub> 48
- H<sub>2</sub>O/SDS supramolecular aggregate 458
- host cage 241–244
- host-guest chemistry mimicking enzyme  
catalysis xxv
- host-guest interactions 231, 241,  
271–274, 278
- host-guest supramolecular interactions  
xxvii
- [HRh(CO)(CD-P-2)<sub>3</sub>] 511
- [HRh(CO)<sub>2</sub>(L)<sub>2</sub>] 274
- [HRh(CO)<sub>2</sub>(L<sup>3</sup>)<sub>2</sub>] 274, 275
- HRh(CO)[P(OPh)<sub>3</sub>]<sub>3</sub> 304
- HRh[P(OPh)<sub>3</sub>]<sub>4</sub> 304, 305
- 5-HT<sub>4</sub> receptor agonist 482, 483
- Human Multifunctional Enzyme 2 551
- humulenylium cation 326
- hybrid metabolism 569
- hydration  
of alkynes 17–19  
of nitriles 19–20
- hydrocyanation 20–22, 83, 364
- hydroformylases 549, 556–558
- hydroformylation xxv, xxxvi, 457, 547  
catalysis 164–168, 256  
of alkenoic and alkynoic acids  
179–188
- γ-hydrogen abstraction 525
- hydrogen-bond (HB) 30–33  
acceptor templates 403, 404  
assisted ion pairing for supramolecule  
formation 47–51  
donor organocatalyst xxxiii, xxxiv, 96,  
388–390, 393, 395  
donors 388  
donor templates 403, 404  
interaction xxvii, 163, 443, 566  
mediated transition metal catalysis  
145, 147
- termolecular complexes xxxvii
- hydrogen bonding xxi, xxvi  
catalysis 335  
interactions 242, 336, 490
- hydrogenation xxv  
asymmetric hydrogenation 13–17,  
161  
enantioselective hydrogenation  
58–59, 550, 600
- hydrophilic poly(ethylene glycol)  
monomethyl ether 468
- hydrophobic chiral BTA substituents  
495
- hydrophobic co-factor  
tetraphenylporphyrin 611
- hydrophobic interactions xxi, xxxii,  
xxxv, 220, 459, 490, 491, 611
- hydrophobically anchored prolinamide  
(S)-27 catalyst 223
- (hydroxy)benzyl alcohols 306
- 3-hydroxy-2-methylpropionate 36
- hydroxy olefin 340
- hydroxylation 147, 151–155, 169
- 2-hydroxypyridine/2-pyridone-platform  
5–9
- hyperbranched polymers xxxii, xxxv
- i**
- [(α-ICyD)Au]<sup>+</sup> 290
- [(β-ICyD)Au]<sup>+</sup> 290
- (α-ICyD)AuCl 288, 290
- (β-ICyD)AuCl 290, 295
- (α-ICyD)CuCl 291, 298
- ICyDAuCl gold(I) complexes 289
- (α-ICyD)CuOt-Bu 298
- (β-ICyD<sup>Me</sup>)AgCl complex 298
- (β-ICyD<sup>Me</sup>)AuCl 295–297
- (ICyD)MCl complexes 288
- identically-sized pentadiene 232
- imidazol-2-ylidene-capped-benzylated CD  
287
- imidazoliums 287–288, 416
- 1-(1*H*-imidazol-2-yl)urea-based  
regulation agents 594
- imine xxxiii, 222, 224, 339, 364–366, 370

- iminium catalysis 335, 337, 341  
 iminium ion formation 567  
 iminophosphorane 48–50  
 immiscible organic solvent 454  
 immobilization of catalytic systems xxvii  
 immobilized (*S*)-*N*-pivaloylproline-  
 3,5-dimethylanilide 59  
 ImV8 83, 89  
 indane-1,3-dione (ID) 251  
 independent [HRh(29)<sub>2</sub>(CO)<sub>2</sub>] complex  
 193  
 indole derivatives 431–433  
 inducers xxix–xxx, xxxvii, 94, 97–98, 592  
 industrial water-soluble TPPTS/Rh  
 system 556  
 inherent acidity 340  
*in situ* generated pyrylium-type derivatives  
 392  
 intermediate chiral gold  
 cyclopropylcarbene intermediate  
 295  
 intermolecular acetylation 539  
 intermolecular aza-Michael addition  
 reaction 432  
 intermolecular heteroleptic copper(I)  
 complex 576  
 intramolecular copper(I) complex 578,  
 580  
 intramolecular cyclopropanation 563  
 intramolecular S-to-N acyl transfer 539  
 intrasupramolecular walking 576  
 iodide 244, 415, 500  
 iodine(III)-derived XB donors 414  
 iodine(III) derivatives 415  
 iodoacetamides 552  
 iodoaryl substrates 458  
 2-iodobenzonitrile 500  
 iodolium-based species 417  
 iodonium derivatives 413  
*p*-iodophenyltrimethyl-ammonium salt  
 343  
 5-iodo-1,2,3-triazolium-based chiral  
 halogen bond donor 416  
 ion dipole interactions xxi  
 ion pair 43  
 directed borylations 123  
 interactions 121  
 ion-paired chiral ligand  
 design and synthesis of 45  
 hydrogen-bond-assisted ion pairing for  
 supramolecule formation 47–51  
*in-situ* generation 46–47  
 palladium-catalyzed asymmetric  
 allylations 45–46  
 ionic liquids 467, 476  
 ionic substrate (guest) ion-pair complexes  
 388  
 ionic supramolecular catalysts 43, 48, 51  
 iPrOAc 128  
 iridium catalyst 169, 471  
 iridium Crabtree catalyst xxvii  
 iridium-catalyzed borylation 120  
 iron(II) *bis*-terpyridine interaction 580  
 isolongifolene 325–326  
 isomeric ethynyl-cyclohexane 350  
 isomeric rotaxanes 71  
 isonitrile 354–356, 358  
 isonitrile derivatives 354  
 isoprene 232–233, 279  
 isopropanol 416, 598  
*N*-isopropylformylamide 356  
 isoquinolines 390–391  
 isoquinolone 9–10, 18, 21  
 isotopically labeled [1-<sup>13</sup>C]-oct-2-enoic  
 acid 185
- j**
- J-aggregated rose bengal 611  
 J-motif(*Me*) 529–531  
 Jacobsen-type manganese epoxidation  
 catalyst 204  
 Jeffamine 497  
 just-mentioned solvolysis 416
- k**
- K<sub>12</sub>[Ga<sub>4</sub>L<sub>6</sub>] 275  
 Kaposi's sarcoma-associated herpes virus  
 LANA 539  
 Kemp elimination reaction 241, 245–252  
 Kemp triacid fragment xxxi



- ketene silyl acetal 428  
ketenes 172, 428  
 $\beta$ -ketoaldehyde 431  
keto-enol tautomerization 419  
 $\alpha$ -ketoesters 340  
ketones 9, 21, 84–85, 151, 153–154, 190,  
234, 236, 242, 291–292, 299, 350,  
354, 413, 418, 432–433, 442, 444,  
446–447, 455, 460, 462, 476, 479,  
496, 523–526, 592, 594  
kinetic isotope effect (KIE) 155–156,  
324, 377  
Knoevenagel reaction 576, 578
- L**
- L-glutamic acid (*E*) 84, 108  
L-HDGA 108–110  
L-isoleucine-derived aminophosphonium  
ion 49  
L-phenylalanine (*F*) 84  
L-proline (*P*) 83  
L-valine 49, 83, 84, 593  
L-valine based bolaamphiphiles (PVn)  
83, 86  
L-valine-derived tetraaminophosphonium  
ion 48  
lactam hydrogen bonding motif 145–157  
ladderanes 401, 409  
LANA-DSH 540  
LANA-DSH catalyst 539, 543  
latency-associated nuclear antigen 539  
Leucine-based phosphoramidite 36  
Lewis acid 236, 413  
catalyzed reactions 562  
metal ligand interactions xxi  
Lewis acidity 413, 417  
Lewis bases 413  
acid interactions xxvi  
catalysis 427  
Lewis-basic site 242  
ligand core stereodynamics 57–59  
ligand design 3, 28, 38, 44, 60, 161, 185,  
471–474  
ligand hemilability xxxvii  
ligand parameters 27  
ligand-conjugated DSH catalysts 539,  
544  
ligand-ligand interactions xxvii–xxviii, 5  
ligand-reagent conjugates 538  
ligand–substrate interactions xxiii,  
xxx–xxxi, 119  
light driven water-oxidation catalysis  
259  
light harvesting xxii, 259  
light-harvesting unit 259, 264  
light-induced process 500  
linear  $\alpha$ -olefins 549, 551, 558  
linear acrylic esters 458  
 $\alpha,\beta$ -linked dipyrromethane 340  
lipophilic 2-ethylhexyl acrylate 476  
liquid-assisted grinding (LAG) 402–404,  
406  
LmrR\_W96A mutant 565  
LmrR-based artificial metalloenzymes  
565, 567–569  
LmrR/Cu(II)-assembly 566  
long chain terminal alkenes 193, 551  
long-chain  $\alpha$ -olefins 547, 549, 555–556  
low molecular weight alkenes 307–311  
low molecular weight gels (LMWGs) 81  
catalytic 82  
metallocatalysis 86–87  
multicomponent supramolecular  
materials 87–89  
organocatalysis 82–86  
low-molecular-weight bolaamphiphilic  
glutamic acid gelator 108  
lysine acetylation 538–540
- m**
- “macromolecular” mimics of enzymes  
xxx  
maleimides 552, 554  
man-made catalysts 201, 207, 323  
man-made supramolecular catalysis xxv  
manganese(III)tetraphenyl porphyrin  
(MnTPP) 307–311  
Mannich reaction 88, 365, 372, 389, 404  
Mayr’s reactivity scale 391  
Me-paraaxon 250

- mechanical interlocked molecules  
(MIMs) 69, 70, 78
- mechanically point-chiral rotaxane 73,  
74
- mechanochemically-mediated cascade  
reactions 402, 405, 408
- mechanochemistry  
cascade reactions 407–409  
organic catalysis and 403–407  
state of 402–403  
studies in 403
- MeCN several polar organic species 242
- 5-membered cyclopentene ring 290
- 17-membered cyclophane type transition  
state 137
- 13- to 19-membered macrocyclic  
thio-ethers 531
- 5-membered ring product 258, 290
- 6-membered ring product 258
- $[\text{Me}_3\text{PAu}(\text{MeOH})(\text{CH}_3)_2]^+$  278
- 4-mercaptobenzoic (SED1) acid 265
- meso cyclic ketones 455
- meso*-1,2-diphenylethane-1,2-diol 71
- meso*-episulfonium ions 370, 374
- meso*- $\alpha,\alpha$ -substituted dipyrromethane  
340
- meso*-tetraphenylporphyrin xxxi, 172
- meta C–H activation 134–136
- metal catalysis 70, 161–172, 204,  
255–258, 495, 441
- metal centers protection and promotion of  
reactive species 297–299
- metal nanoparticles 461–463
- metal-anion bonding xxvi
- metal-halogen bond 421
- metal-helical nanotube (M-HN) 109
- metal-ligand interactions xxi, xxxi,  
28–30, 336, 490
- metal-organic cages (MOCs)  
molecular modelling 274  
robust computational framework  
272–274
- metal-organic frameworks (MOFs) xxix,  
203, 260, 266–268, 402, 407
- metal/ligand coordination cages 241
- metallocages xxxii, 271–274, 277–279,  
281
- metallocarbene 170
- metallocatalysis 82, 86–87
- metallogeles 86
- metalloporphyrins 202
- metalloproteins 553–555
- methanolysis 203
- 4-methoxy- and 3-nitro substituted  
 $\beta$ -nitrostyrenes 594
- $\alpha$ -methoxycarbonyl- $\alpha$ -diazosulfones  
172, 173
- methoxy-HFIP interaction 137
- 5-methoxyindole 420
- methoxyquinoline rings xxx
- N*-methylbenzamides 169
- 3-(4'-methylbenzyl)quinolone 153
- methyl but-3-enoate 181
- 1-methylcyclohexene 527
- 2,3-bis(4-methylenethiopyridyl)  
naphthalene 403
- methyl ester analogues 165
- (*S*)-1-methylheptyl side chains 95
- methyl 2-hydroxymethacrylate 162
- 3-methylindole 432
- methyl nitroacetate 236
- methyl 4-pentenoate 509, 513
- N*-methylpyrrole 338–340, 343, 500
- N*-methyl pyrrolidine 576, 577, 584
- $\alpha$ -methyl substituted enone 436
- N*-methylvinyl carbazole 238
- methyl vinyl ketone (MVK) 234, 236,  
418
- methyl viologen 303
- methyl-2-acetamido-acrylate 163
- methylated aryl-pyrrolidino-*tert*-leucine  
fragments 367
- methylvinylketone 343
- micellar catalysis 85, 453, 454, 468–472,  
479, 481–483
- micellar effects xxxv
- micellar imprinting 215, 217, 221, 225
- micellar media  
C–C and C–X bond forming reactions  
457–460

- catalyst surfactant interactions  
     463–464  
 metal nanoparticles 461–463  
 oxidation reactions 454–457  
 micellar phase xxxv  
 micelles xxv, xxix, xxxii, xxxv, 213–226,  
     247, 453, 456, 457, 460, 463, 464,  
     468, 469, 471, 472, 475, 476, 478,  
     479, 484  
 Michael addition 404, 417  
     of 2-unsubstituted azlactone to  
         nitroolefins 50–51  
 Michaelis–Menten catalytic profile 83  
 Michaelis–Menten constant 165  
 Michaelis–Menten kinetics 162, 165  
 MIL-125(Ti)-NH<sub>2</sub> 267  
 minimalistic biocatalysts xxix  
 MINP(5)-CONHNaph 217  
 MINP(5)-COOH 217  
 MINP-based artificial enzymes for  
     asymmetric catalysis and tandem  
     catalysis 223–225  
 MINP-based artificial esterase  
     217–219  
 MINP-based artificial glycosidase  
     219–223  
 mirror symmetry-broken supramolecular  
     systems 112  
 mixed-linker MOF-catalysts 266  
 Mizoroki–Heck reactions 205, 475  
 M<sub>8</sub>L<sub>12</sub> cubic coordination cage 241  
 M<sub>12</sub>L<sub>24</sub> nanosphere 256–258, 261, 263,  
     265  
 M<sub>12</sub>L<sub>24</sub> type structures 256  
 M<sub>12</sub>M<sub>24</sub> nanosphere 263  
 Mn oxo centre xxxi  
 Mn(III) center 307  
 Mn(TPFPP)Cl 154, 155  
 Mn-catalyzed C–H oxidation xxxi  
 Mn-functionalized BTA helices 95  
 model imine hydrocyanation (Strecker)  
     reaction 364  
 modular cooperative catalysts xxviii  
 modularly designed organocatalysis/  
     synergistic catalysis 441  
 molecular cages  
     for proton reduction catalysis 261–265  
     for water oxidation catalysis 260–261  
 molecular catalysis xxiii  
 molecular docking programme 242  
 Molecular Dynamics (MD) 273, 274,  
     329, 501, 566  
 molecular gels 81  
 molecular knots 69, 70, 77–78  
 Molecular Mechanics (MM) approaches  
     272–274, 281, 329  
 molecular modelling 86, 179, 274, 309,  
     313, 530  
 molecular recognition events xxxvi  
 molecularly imprinted nanoparticles  
     (MINPs) 215–217, 220, 225  
 molecularly imprinted polymers (MIPs)  
     xxxii  
 molecularly-imprinted cross-linked  
     micelles xxxii  
 mono(6-*O*-tosyl)-β-CD 508, 510  
 mono- and bidentate iodine(III)  
     compounds 418  
 mono- and multidentate halogen bond  
     donors 415  
 mono-6-iodo-6-deoxy-β-CD 513  
 mono-substituted arenes 121  
 monoalkylated adduct 340  
 monocarbonyl compounds 420  
 monocationic XB donors 417  
 monodentate iodine(III) compounds  
     418  
 monodentate iodobenzimidazolium  
     derivatives 418  
 monodentate phosphine ligands 3, 21  
 monodentate phosphine rhodium ArMs  
     556  
 monodentate PPh<sub>3</sub> rhodium catalyst 13  
 monomeric *bis*-cationic Pt complexes  
     460  
 monosaccharide-derived catalyst 223  
 monounsaturated fatty acids (MUFAs)  
     168  
 Mosher ester analysis 150  
 motif(CO<sub>2</sub>Me) 529

- Mukaiyama aldol reaction 77, 78, 109, 370, 419, 420
- multi-component assemblies xxviii–xxx
- multi-component building blocks 107
- multi-component catalysts xxxvii, 107, 111
- multicomponent aza-Sakurai allylations 374, 378
- multicomponent supramolecular materials 87–89
- multidentate  $C_2$ -symmetric chiral ligands 363
- multidentate triazole-based H-donor 395
- multiple chain polymeric nanoparticles (MCPNs) 494, 495
- multitopic pyridine-based gelator 82
- myristoleic acid 168
- n**
- nanocatalyst 347–359
- nanoconfinement effects 347
- nanohelices xxiii–xxx
- nanometer-sized particles 493
- nanomicelles 468, 471, 475–476, 478, 484
- nanoreactor 348–352, 357, 467–484, 496
- nanoswitch 576, 578, 581–583, 585–586
- “nano-to-nano” effect 475–476, 483
- nanotubes xxx, 108–111
- naphthalene 522, 523
- native chemical ligation 537
- native cyclodextrins (CDs) 507
- natural bite angle 27
- natural enzymes 154, 213, 323, 328, 335, 408, 441, 501, 557
- natural host molecules xxv
- nature 575
- catalysts 255
- molecular recognition 179
- Nazarov cyclization 276, 371–372
- Nazarov reaction 419
- (*n*BuO)<sub>2</sub>P-OTMS 392
- NCIPlot software 274
- N4-Cu(NO<sub>3</sub>)<sub>2</sub> 553
- negative catalysis xxvi
- Negishi-like cross-couplings 468
- nerol 323–324
- neutral designer surfactants 453
- neutral diazoacetate esters 357
- neutral isonitriles 355
- neutral multidentate XB donors 414
- neutral surfactants 454–457, 460
- Nguyen’s dimeric zinc(II)-porphyrin derivative 203
- NHC-capped cyclodextrins xxxiii
- “N–H effect,” xxix
- N*-heterocyclic carbene (NHC) ligand 287
- N*-heterocyclic carbene (NHC)-capped cyclodextrins (CD)
- cyclization reactions 289–291
- enantioselectivity control 293–296
- protection of metal centers and promotion of reactive species 297–299
- regioselectivity control 291–293
- substrate selectivity 296–297
- nitrate 244
- nitrene radicals 170
- nitrene transfer reactions 170–173
- 4-nitrobenzaldehyde 84–85, 498
- $\alpha$ -nitrocarboxylates 45–47
- $\gamma$ -nitrocarbonyl compounds 442
- nitrogen-based ligands 552
- nitrogen-containing building blocks 202
- nitrogen-containing reagents 202
- nitrogen-donor-functionalized phosphine/phosphite ligands 29
- nitrogen-functionalized CD xxxvi
- $\alpha$ -nitro ketones 592
- nitron xxxiii, 341–342
- 4-nitrophenolate anions 250
- p*-nitrophenyl  $\beta$ -D-glucopyranoside 220
- 2-nitrophenyl-dimethylphosphate 249, 250
- 4-nitrophenyl-dimethylphosphate 250
- 2-(4-nitrophenyl)-1,3-dioxolane 224
- $\beta$ -nitrostyrene 85, 339, 420, 594

- (*E*)-2-(2-nitrovinyl)anilines 446–447  
 2-(2-nitrovinyl)phenols 442–445  
 Nitschke-type cage 264  
 Nitschke type subcomponent  
     self-assembled cages 256  
*n*-nonane 522  
 2-nonanone 84  
 non-anhydrous dichloromethane 236  
 non-canonical metal binding amino acids  
     561  
 non-coordinating BAR<sup>F</sup><sub>4</sub> counterions  
     418–419  
 non-covalent interactions (NCIs) xxxvi,  
     366  
     analyses 274, 293  
     studies via NMR spectroscopy 61–63  
 non-fluorinated heterocyclic *N*-oxides  
     128  
 non-modified CDs xxvi  
 non-natural amino acid *tert*-leucine  
     365  
 non-polar solvents 43, 390, 417  
 non-sulfonated bipyridine ligands 123  
 nonchiral bidentate ligand 163  
 noncovalent organocatalysis 418  
 nonsteroidal anti-inflammatory drugs  
     217  
 nonsymmetrical bidentate ligands 3  
 Norrish type I AB product 525  
 Norrish type II chemistry 525  
 Norrish type-I reactions 525  
 Novartis 481  
 Noyori–Ikariya catalyst xxx  
 N<sub>2</sub>Phos 472  
 NPnol 98, 100, 102–103  
 NPnone 98–103  
 N3-Ru(*p*-cymene)(OH<sub>2</sub>) 553  
*n*-type semiconductor 259  
 nucleophiles 391  
     *C*-nucleophiles 392  
     dearomatization of pyrylium derivatives  
         392–393  
 nucleosomes 537, 539–540, 544  
 nucleotide-based replicators 605  
 N<sub>3</sub>VnN<sub>3</sub> 86–87
- O**  
 octa-acid (OA) 520  
 2-octanone 84  
 octa-quaternary ammonium Positand-1  
     520  
 octahydro-1*H*-4,7-methanoisindol-1-one  
     carbon skeleton 146–148  
 1-octene 9–13, 193, 555–557  
 oct-2-enoic acid 185, 187, 194, 196  
 1-octyne 350–351  
<sup>3</sup>O<sub>2</sub>-induced quenching 527  
<sup>18</sup>O-labelled linalool 324  
 olefin metathesis reactions 330, 471  
 olefination 133–134, 136–137, 139–141  
 α-olefins 547–549, 551, 554–556, 558  
 oligo(ethylene glycol) (oEG) grafts 491  
 oligo(ethylene glycol)-based layer 497  
 oligonucleotides xxxvii, 563  
 one-side-blocked polybutadiene chain  
     312  
 one-side-blocked polymers 312  
 organic guests binding 242–244  
 organic reactions xxxv, 202–203, 207,  
     321, 335, 337, 358, 380, 403–404,  
     407, 413–422, 483–484, 495, 498  
 organic solvents xxxiv–xxxvi, 85, 124,  
     216, 223, 225, 231, 242, 295, 307,  
     453–454, 456–458, 463–464,  
     467–469, 471, 475–476, 478–479,  
     481–483, 491, 501, 510, 519, 594  
 organocatalysis 82, 335, 441, 498, 607  
 organocatalysts 329, 335  
     L-proline 442  
     transformations 404  
 organolithium 468  
 organometal complexes 489–490  
 organometallic catalysts xxv, xxxii, 461,  
     507, 513  
 organometallic gelators 86  
 OrthoDIMPhos 166  
 orthogonality principle 59  
 OsO<sub>4</sub> xxx  
 oxa-Michael additions 562  
 oxalic acid 140  
 α-oxidation of alkanes 550

- oxidation reactions xxxi, 454–457, 464, 495
- oxidized BIPHEPO ligands 58–59
- oxidoreductase 476
- $\mu$ -oxo-bridged Mn(IV) dimers 308–309
- oxo ruthenium complex 151
- oxocarbenium alkylation reactions 367–368
- oxocarbenium ions 366, 369–371
- oxyallyl cations 370
- oxygen heterocycles 392
- p**
- palladacycles 472, 474
- palladium catalysis 125, 129, 136
- palladium precursor 592
- palladium salt 136
- palladium-based catalysts 592
- palladium-catalyzed asymmetric allylations 45–46
- palladium-catalyzed cross-coupling reactions 126, 205
- p*-aminophenylalanine (pAF) 567
- para C–H activation 136–137
- [2.2]paracyclophane 407
- Paraoxon-methyl 250
- $\epsilon$ -patchoulene 325
- (+)-PBTA<sup>BA</sup>/Cu<sup>2+</sup> 114
- (–)-PBTA<sup>BA</sup>/Cu<sup>2+</sup> 114
- P-chiral self-assembly ligands 13–14
- Pd mediated Heck coupling 458
- Pd nanoparticles (NPs) 461, 469, 471, 475, 476, 481, 483
- Pd<sub>2</sub>L<sub>4</sub> homolog metallocages 278
- Pd<sub>2</sub>L<sub>4</sub> metallocages 279
- Pd<sub>2</sub>L<sub>4</sub> 229–239, 278, 279
- Pd(OAc)<sub>2</sub> 60, 83, 205, 461, 463, 471, 472, 497
- Pd-catalysed cross coupling reactions 550
- Pd-catalyzed C–H functionalization processes 128
- Pd-catalyzed cross couplings 468
- Pd<sub>2</sub>L<sub>4</sub><sup>CH</sup> structure 230
- Pd(II)@SCPNs 497
- PEG-containing surfactants 475
- PEG-PBG di-block co-polymer 89
- pegylated LANA-conjugated DSH catalysts 543
- 2-pentanone 84
- (*Z*)-pent-3-enoic acid 183, 184
- pent-4-enoic acid 181
- pentadiene 232–234
- pentameric resorcinarene capsule 343
- pentanuclear circular helicate 244
- pentapeptide 609, 610, 612
- 4-pentynoic acid 258
- peptide amphiphiles 83–85
- peptide based analogues 169
- peptide ligands 540
- peptide synthesis 468, 469
- peptides xxii, xxix, xxxvi, xxxvii, 93, 215, 217, 479, 539, 543, 609
- perchlorate 244, 594
- perfluoroalkyl iodides 415
- peripheral 2-pyridone units 204
- permethylated  $\beta$ -CD 509, 512
- pH-responsive hydrogels 83
- phenanthroline (Phen) 497, 576
- 1,10-phenanthroline 123, 155, 562, 565, 577
- phenethylamine-derived salts 122
- phenothiazine (PTH) 499, 500
- L-phenylalanine 84, 112, 445, 446
- phenyl boronic acid 205, 206, 220
- 4-phenyl butyne 322, 350, 351
- phenyl isocyanate 339
- 3-phenyloxetane 376, 378
- 3-phenylpyridine 140
- phenyl pyrrolidine 367, 378, 379
- phenyl-pyrrolidine derivative 367
- phenyl-pyrrolidine thiourea 379
- phenylalanine methyl esters 83
- phenylalanine-derived central secondary ammonium-group 71
- phenylpropylamine-derived salts 122
- phosphate ester hydrolysis 249–251
- phosphine based DIMPhos 166
- phosphine ligands xxvi, 3, 9, 18, 21, 126, 189, 197

- phosphine ligands with acylguanidinium groups
- aldehyde reduction and tandem hydroformylation-Hydrogenation 188–197
  - hydroformylation of alkenoic and alkynoic acids 179–188
- phosphine modification of proteins 554–555
- phosphine oxide-based catalysts 163
- phosphine sulfonate ligands 257
- phosphines xxvii, 5, 30, 44, 46, 166, 299, 507, 509, 554, 555, 598
- phosphite-porphyrinato-zinc(II) compounds 28–29
- phospholipid-derived vesicles 468
- phosphonate ester 136
- phosphoramidite N–H 162
- phosphoramidites 30, 60
- photo-switchable *bis*-cationic diarylethene guest 356
- Photoactive Yellow Protein (PYP) 554
- photocatalysis 145, 500–501, 610–612
- photocatalytic dyads xxviii
- photochemistry 408, 409, 523–528
- [2+2] photocycloadditions 401–402
- [2+2] photodimerization 401, 402, 405–407, 409
- photoexcitable benzophenone 121
- photoredox catalysis xxviii, 119, 500, 501
- photosensitive *o*-nitrobenzyl ester bond 217
- phthalazine xxx
- PhTzVn 86, 87
- physically crosslinked polymer gels 81
- pillararenes 303
- PIP-DSH 7 catalyst 539
- piperidine 479, 576, 578, 582
- pivalic acid 128
- (*S*)-*N*-pivaloylproline binding sites 59
- (*S*)-*N*-pivaloylproline-3,5-dimethylanilide 59
- plant-derived  $\beta$ -sitosterol 469
- plasticizers 548
- pnictogen 427
- p*-nitrophenyl acetate (PNPA) xix, 83, 214
- p*-nitrophenyl hexanoate (PNPH) 214, 217–219
- polar  $\pi$ -systems 370
- polarized organohalogen compounds 415
- poly(ethyleneglycol) methyl ether (PEGMA) 495, 498
- poly(pentafluorophenyl acrylate) 492
- poly(quinoxaline-2,3-diyl)s 93
- polyacrylamide-based polymers 492
- polybutadiene xxxiii, 312–314, 316
- polyclonal antibodies 217
- cis-polyepoxide 313
- polyfluorinated alkyl/aryl moieties 413
- (poly)fluorophenyl pyrrolidines 378
- polymer chain folding 491–495
- polymer-based scaffolds 490
- polymer-supported Cu(I) and Pd(II) catalysis in water 496–498
- polymer-supported organocatalysis in water 498–499
- polymer-supported photocatalysis in water 500–501
- polymer-supported Ru(II) catalysis in water 495–496
- polymeric alkenes 311–314
- polymeric BTA<sup>BA</sup> segment (PBTA<sup>BA</sup>) 113
- polymerizable zinc complex 218
- polymethacrylate-based graft copolymers 491
- polymethacrylate-based polymers 492
- polypeptides 93, 468, 479, 490, 558
- polypyridine copper(II) complexes 562
- polytetrahydrofuran-derived polymers 312
- porphyrins 500
- cage catalyst 307–316
  - complex 147, 149, 151, 152, 155, 170, 172
- porphyrin cage catalysts
- carbenoid transfer reactions with  $\alpha$ -diazoesters 315–316

- porphyrin cage catalysts (*contd.*)  
     epoxidation of low molecular weight alkenes 307–311  
     epoxidation of polymeric alkenes 311–315  
 porphyrinic receptors 231  
 porphyrin@SCPNs 500  
 Positand-1 520, 530  
 post-translational modifications (PTMs) 537, 538, 540  
 post-translational mutagenesis 537  
 PPh<sub>3</sub> ligand 183  
 ppm Au-catalyzed alkyne hydration 479, 481  
 ppm-level catalyst 433  
 precursor caryophyllenyl alcohol 328  
 presilphiperfolan-1 $\beta$ -ol 326, 327, 328, 331  
 “privileged” catalyst scaffolds 363  
 L-pro-catalyzed reactions 498  
 pro-nucleophiles 236, 237  
 Process Mass Intensity (PMI) 481–483  
 product-catalyst adduct 57, 59–60  
 product-catalyst adducts and catalysts synthesis 59–60  
 product-catalyst interaction principle 57  
 Production Mass Intensity (PMI) 481–483  
 D-proline 444–447  
 L-proline 83–85, 341, 342, 442, 444, 498, 499, 594  
 L-proline methyl ester 341  
 propargyl alcohol 497  
*N*-propargyloxycarbonyl-caged rhodamine 497  
 3-propenylquinolone 149  
 propylene 548  
 L-Pro@SCPN system 498, 499  
*N*-protected amino acids 136  
*N*-protected-*N*-*H*-(*E*)-2-(2-nitrovinyl) anilines 446, 447  
 protein of interest (POI) 538, 540  
 protein scaffolds xxxvi, 550, 551, 553–558, 561, 564  
 protein templates for shape-selective ArMs 551–552  
 protein trans-splicing 537  
 protein-accelerated catalysis 565  
 protein-based artificial metalloenzymes 561–569  
 protein-based catalysts 490  
 protometabolism 612  
 proton reduction catalysis 260–267  
 proton reduction catalysis using MOF's 266–267  
 proton transfer reactions 566  
 proximal lysine residue 539  
 pseudo-axial anionic intermediate 237  
 (pseudo)halides 126  
 PTH@SCPNs 500  
 p-type semiconductor 259  
 putative oxo ruthenium(VI) species 147  
 PV8+SucV8 88  
 PVC12 gel 88  
 pyranine acetate 89  
 pyrene (Py) 520  
 pyridazine xxx  
 pyridine methanol 581  
 pyridine-tagged [FeFe] complex 266  
 pyridinium chlorochromate 151  
 2-(3-pyridinyl)phenol based DG 136  
 2-pyridone/2-hydroxypyridine tautomers 5  
*trans*-1,2-bis(4-pyridyl)ethylene 401  
 pyridylphosphine ligand xxix  
 pyrogallolarene capsule 328  
 pyrogallolarene hexamer 322  
 pyrone-derived vinylogous oxocarbenium ions 370  
 4-pyrones 393  
 pyrrole-imidazole polyamide (PIP) 539, 540  
 pyrrolidines 173, 367, 378  
 pyrylium salts 392
- q**  
 quantum mechanics (QM) 272, 329  
 Quantum Mechanics/Molecular Mechanics (QM/MM) methods 272, 274, 276, 329  
 quaternized dihydroquinine analogues 125



- quinidine thiourea 444–446  
 quinine thiourea 442–447  
 quinolines 395, 415  
   derivates 390  
   template complex 138  
 quinolones 140, 148–154, 157, 204  
 2-quinolone units 204  
 quinones 231–233, 238, 278–279, 321
- r**
- $R_3PAuI(CH_3)_2$  277  
 R-substituted benzyl radical 525  
 racemic 3,5-DNB-Ala-OEt 61  
 radical-cation “exo-catalysis” 238  
 radical-type carbene transfer reactions  
   170, 172  
 radical-type group transfer catalysis 172  
 radical-type nitrene transfer reactions  
   172  
 randomly methylated  
   mono-6-azido-6-deoxy- $\beta$ -CD 512  
 randomly methylated- $\beta$ -CD  
   (RAME- $\beta$ -CD) 512  
 Rauhut–Currier-type reaction 434  
 Re(dcbpy)(CO) $_3$ Cl 267  
 reaction flasks xxix, 519–533  
 reaction kinetics 167, 193  
 reactive acetyl pyridinium ion 539  
 recyclable aqueous rhodium-TPPTS  
   ligand system 548  
 redox-innocent triazole ligands 264  
 regioselectivity control 291–293  
 Registration, Evaluation, Authorization  
   and Restriction of Chemicals  
   (REACH) 467  
 regulation agent (RA) 591, 594, 599–600  
 Reissert-type reaction 389–391, 395  
 remotely functionalized alcohols 154  
 reservoir effect 476–478  
 resorcin[4]arene 348, 350, 352–357  
 resorcin[4]arene capsule  
   nanocatalyst 352–357  
   nanoreactor 348–352  
 resorcinarene units xxxiii  
 reversible monomer-dimer association  
   complexes 55
- Rh(acac)(CO) $_2$  34, 187, 192, 511, 555  
 cis-Rh $_2$ (tfa) $_2$ (OAc) $_2$  110–111  
 [Rh(COD) $_2$ ]BF $_4$  36, 60  
 [Rh(nbd) $_2$ ]BF $_4$  34, 598–599  
 Rh(II) carboxylate 147  
 Rh-phosphine complex 274  
 Rh1cFe4(Zn-L) $_6$  274–275  
 rhodium catalyzed hydroformylation  
   6–7, 9–13, 17, 22, 120, 180, 192,  
   197, 511, 554, 600  
 rhodium complex of ligand 187, 190  
 rhodium hydroformylases 556–558  
 rhodium metalloproteins 555  
 rhodium(I)hydrido complex 164  
 rhodium-based catalytic baskets  
   304–306  
 rhodium-catalyzed asymmetric  
   hydrogenation 15–16, 29  
 rhodium-catalyzed hydroformylation  
   reactions xxix, 6–7, 9–13, 17, 22,  
   120, 180, 188, 192, 197, 511, 554,  
   600  
 rhodium-phosphine complexes 547,  
   556  
 Rinskor 472  
 Ritter-type reaction 428–429  
 Ritter-type solvolysis 415–417  
 RNA ribozyme 608  
 Roche ester 36–37, 162  
 Rose Bengal (RB) 527, 611  
 rotated geometry 262  
 rotaxanes xxix, 70, 303  
   isomeric rotaxanes 71  
   [n]rotaxanes 69  
 Ru(bda)(pic) $_2$  260  
 [Ru(bpy) $_3$ ] $^{2+}$  266  
 [Ru(bpy) $_3$ ] $^{2+}$ .(OTf) $_2$  350–351  
 [RuCl $_2$ ( $\eta^6$ -arene)(PR $_3$ )] catalysts 460  
 Ruhrchemie/Rhône-Poulenc process  
   548  
 Ru(II)@SCPNs 496  
 ruthenium carbenes 471  
 ruthenium porphyrins 315  
   catalyst 148  
   complex 147

- ruthenium pyridine-2,6-bisoxazoline  
(pybox) complex 147
- S**
- salmon testes DNA 562–563
- Sanders's pioneering zinc(II)-porphyrin-  
derived tricyclic Diels-Alderase  
203
- saturated aldehyde 185, 189, 194,  
329
- Schiff base motif 365
- Schreiner's thiourea 415–416
- SCM[(PPh<sub>3</sub>)<sub>2</sub>Rh<sup>+</sup>] 214
- SCP-2L 551–558
- SCP-2L A100C-4-P3-Rh 556–557
- SCP-2L V83C 555, 557
- SCPN approach 499
- Se···O bonding catalysis 434
- secondary aromatic amides 169–170
- secondary phosphine oxides (SPO)  
xxviii
- meta*-selective borylation 121–123
- selectively acetylated H4K77 539
- seleniranium ions 370–371
- self-amplifying asymmetric catalysis  
56–57
- self-amplifying catalytic systems 57
- self-amplifying hydrogenation of  
3,5-DNB-ΔAla-OEt 63–64
- self-assembled bidentate ligands  
hydrogen bonds 30–33  
metal-ligand interactions 28–30  
substrate pre-organization 36–37  
supramolecular pincer-type complexes  
34–36
- self-assembled capsules 335–336
- self-assembled gelators 86
- self-assembled H-bonded capsules 335
- self-assembled helical single-walled  
nanotube 109
- self-assembled multi-wall nanotube 108
- self-assembled nanostructures xxviii–xxx
- self-assembled nanotubes 108
- self-assembled tetrahedron  
supramolecular metallogage 275
- self-assembling cavitands 519
- self-assembly 107, 162  
dynamic self-assembly 336  
P-chiral self-assembly ligands 13
- Self-Consistent Reaction Field (SCRF)  
273
- self-replication 605  
organocatalysis 607–610  
photocatalysis 610–612
- δ-selinene 325
- Semi-Empirical Quantum Mechanical  
(SQM) methods 272–273
- separation of mixtures xxi
- sequential Michael–lactonization  
reactions 442–443
- sergeants xxix, 97–101, 398, 592
- sergeants-and-soldiers (S&S) effect  
98–99
- serum albumin proteins 564
- shape selective artificial metalloenzyme  
catalyst design 549–550
- shape-selective ArMs, protein templates  
for 551–552
- [Si<sub>4</sub>L<sub>6</sub>]<sup>8-</sup> 277
- silver hexafluorophosphate 155
- silver salt 134, 295
- silyl enol ethers 78, 373, 392, 417
- silyl ketene acetals 369, 390, 392
- silyl ketene thioacetals 392
- silyl Lewis acids 370
- silylation of phenethyl 136
- silylketene acetals 389–391
- simple S<sub>N</sub>2 reaction 213
- single chain polymeric nanoparticles  
(SCPNs) 490–491, 493–501
- single-chain nanoparticles (SCNPs) xxxv
- single-step operation porphyrin 206
- single-walled helical nanotube 108
- site directed mutagenesis 550
- site-selective Suzuki–Miyaura coupling  
127

- six-membered iodonium compounds 415
- slider-on-deck systems 584
- SLS/TPGS-750-M surfactants 460
- small bite angle diphosphinamine PNP ligands 460
- small-molecule asymmetric catalysis xxxiv, 363
- small-molecule ditopic receptor 401, 405
- small-molecule non-covalent catalysts 374
- SNAr 481
- Soai's asymmetric autocatalysis 56
- sodium 1-adamantanecarboxylate (ACNa) 508–514
- sodium dodecylsulfonate 462
- sodium lauryl sulfosuccinate 462
- solar fuel related reactions 258–267
- solvent waste stream 467
- solvent-separated ion pair 43–44
- solvent-shared ion pair 43–44
- SOMO catalysis 335
- sonidegib 472
- Sonogashira couplings 127, 472
- Sonogashira cross-couplings 389, 476
- spatially organized three-dimensional pre-transition state structure 442
- specifically designed self-amplifying catalyst 57
- spherands xxii
- spherical SCPNs 494
- SPhos 126–127
- P*-spirocyclic chiral tetraaminophosphonium ion 48
- spirocyclic oxindoles 151, 156
- spirodithiolanes 156–157
- squaramides 364
- H-bond donors 375
- type anion receptor catalysts 388
- $\pi$ -stacking xxvi, 3, 241, 379–381, 564, 566
- $\pi$ - $\pi$  stacking xxi, xxx, 303, 609
- standard substrate vinylacetic acid 180
- stereodynamics of the ligand core 57–59
- stereoselectivity 49, 71, 73–74, 82, 84–85, 88, 179, 295, 378, 390, 404, 442, 553, 593
- steroid carrier protein-2L (SCP-2L) 551–558
- stimuli-responsive systems xxxvii
- stop codon suppression 561, 567
- Strecker reactions xxxiv, 364–366
- (stret)avidin xxxvi
- structurally diverse RAs 597
- structurally related 3-alkenylquinolones 149
- structurally-defined supramolecules 48
- para*-substituted analogues 417
- 4-substituted benzaldehyde-derivatives 78
- 3-substituted benzofuran-2(3H)-ones 46
- substituted chiral 1,2-dihydro-quinolines 390
- substituted cyclobutanone 456–457
- 3-substituted cyclobutanones 456
- 4-substituted cyclohexanones 455
- meta*-substituted dicationic donors 415, 417
- 1-substituted 1*H*-tetrazole cycloaddition products 356
- substituted imidazole-2-ylidene ligand 459–460
- 2-substituted pyridine derivatives 203
- 3-substituted quinolones 153
- substrate orientation
- in C–H borylation 168–170
- in hydroformylation catalysis 164–168
- substrate pre-organization 36–38, 161, 167, 169, 201, 206
- substrate selectivity xxxi, 82, 203–204, 206, 220, 223, 256, 296–297, 349–352, 458–459, 462–463
- SucV8 gel 88
- sulfamate 123–124, 155–156
- sulfonate-containing Au catalyst TPPMSAu<sup>+</sup> 257
- sulfonated anionic surfactant 461–462

- sulfonated nixantphos 514
- sulfoxide 147, 156–157, 350–353, 358
- sulfoxonium ylides 372
- supercritical CO<sub>2</sub> 467–468
- supramolecular (asymmetric)
  - photochirogenesis xxxii
- supramolecular bidentate ligands
  - xxviii–xxxiv, 28–34, 36–37, 162
- supramolecular binding effects xxviii
- supramolecular catalysis xxiii, 201, 271, 607
  - copper-based catalytic baskets 306–307
  - by ditopic receptors 404–405
  - and mechanochemistry 405–407
  - porphyrin cage catalysts 307–316
  - rhodium-based catalytic baskets 304–306
- supramolecular catalysis in water xxv, xxxiv–xxxvi, 507–514
- supramolecular catalyst strategy
  - for histone acetylation in vitro 538–540
  - for protein modification 538
- supramolecular chemistry xxi, xxii, xxvi, 3, 37, 55, 69, 201–202, 241, 259, 264, 271, 273, 303, 336, 387, 402–403, 408, 501
- supramolecular chirogenesis xxiii, xxix, 95
- supramolecular gels 81–90, 112
- supramolecular helical catalysts
  - amplification of chirality in three-component 98–100
  - amplification of chirality in two-component 97–98
  - dual stereocontrol 101–103
  - induction of chirality to metal centres 94–97
  - switchable asymmetric catalysis 100–101
- supramolecular ion pair catalysis
  - discovery of 48–50
  - Michael addition of 2-unsubstituted azlactone to nitroolefins 50–51
- supramolecular iridium catalyst 169
- supramolecular organometallic complexes (SOCs) 271
- supramolecular pincer-type complexes 34–36
- supramolecular regulation 591–600
- supramolecular template methods 69
- supramolecularly regulated enantioselective catalysts
  - examples 593–597
  - prochiral ligand or catalyst 597–600
  - seminal work 592
- SUPRAphos library 28–30
- surface binding of anions 244–245
- surface-bound hydroxide ions 247–248
- surface-cross-linked micelles (SCMs) 213–217
- surfactant aggregation number 216
- surfactant design 471
- surfactant sodium dodecylbenzene sulfonate 462
- surfactant-derived nanomicelles 468, 475
- Suzuki–Miyaura cross-couplings (SMCs) reaction 127, 169, 206, 471–472, 481, 482
- switchable asymmetric catalysis 100–101
- switchable rotaxane-catalysts 71–72, 75
- SXantphos (Sulfoxantphos) 258–259
- symmetrical phosphinamides 126
- syn*-enamine 445
- synergistic catalysis 441, 567–569
- synthetic H2BK120 acetylation 544
- synthetic macromolecules 489
- synthetic modulator systems 537
- synthetic polymers 93, 490, 498
- syn*-preorganized XB donor 418
- syn*-preorganized chiral bidentate halogen bond donor 420
- syn*-preorganized dicationic XB donor 418

- synthetic replicators xxxvii, 606, 610  
 systems chemistry 606
- t**
- tail-to-head terpene (THT) cyclization 323
- Takata's chiral rotaxanes 70–71
- tandem deprotection/coupling of Cbz-protected oligopeptides 479
- Taxol 454
- T···O bonding catalysis 433
- telescoping sequences 478–481
- template approach for [2+2] photocycloadditions 401
- template ligand strategies for encapsulation 255–258
- template-directed solid-state [2+2] photoreactions 402
- template-directed solid-state strategy 402
- template-HFIP hydrogen bonding 139
- tens-of-nanomolar dissociation constants ( $K_d$ ) 217
- terminal alkynes 8–9, 17, 291, 350, 352, 353
- terminal disubstituted alkenes 164
- terminal unsaturated carboxylates 165
- terpene cyclases 323
- terpene cyclization 323–329, 331
- $\alpha$ -terpinene 323, 329
- $\alpha$ -terpineol 323–324
- $\alpha$ -terpinyl cation 323–324
- 4-*tert*-butylcyclohexanone 496
- tert*-butyl diazoacetate 357
- tert*-butyl 2-nitropropionate 45
- 4-*tert*-butylpyridine (Bupy) 308–309, 312
- tert*-leucine amide 365–366, 368, 374, 378–379, 381
- tetraamino-phosphonium moiety 593
- tetraaminophosphonium ion 48
- tetrabutylammonium chloride (TBACl) 393
- tetra-(4-carboxyphenyl)porphyrin 266–267
- tetracene 522–523
- 1,2,4,5-tetracyanobenzene 243
- tetra-endo*-methyl octa-acid (TEMOA) 520–523
- tetrafluoroborate 242, 244, 594, 599
- tetrahedral metallocages xxxii, 274–275, 277
- tetrahydro-4*H*-pyran-4-on 496
- 7,8,9,10-tetrahydro-6(5*H*)-phenanthridinone 155
- tetrahydroquinolines 76, 428, 445
- tetrakis(4-pyridyl)cyclobutane 401
- tetrakis(triphenylphosphite)rhodium(I) hydride complex 304
- tetrakis[3,5-bis(trifluoromethyl)phenyl] borate anion (BARF) 17, 230, 231, 594
- tetraphenylborate 244
- tetraphenylporphyrin 611
- tetra(4-pyridyl)[2.2]paracyclophane 406
- TetraTri anion-binder 392
- TetraTri catalyst 390–391, 393, 395
- 1*H*-tetrazole 356
- tetrel 427
- thermal reactions 528–533
- thermodynamic and kinetic features of the capsular complexes 520–521
- thiol oxidation 610–611
- thiol-thioester exchange 539
- thiophenol 576–577
- thioureas 364, 388
- amino-acid-derived thioureas 364
- catalyzed cation-olefin polycyclization reaction 367, 374
- Thorpe-Ingold effect 137
- three-dimensional metallo-cages xxvi, xxix
- thymine-derived amino acid 607
- Ti(O*i*Pr)<sub>4</sub> 598
- time to market 27, 31
- TMP-DSH catalyst 541
- N*-tosylhydrazones 172
- TPGS-750-M 468–469, 475–476, 481–482

- trans- $\beta$ -nitrostyrene 85, 420
- transition metal catalysis 70, 204, 495
- asymmetric hydrogenation 161–164
  - catalyst encapsulation strategies 258
  - enantioselective cobalt-catalyzed
    - carbene and nitrene transfer reactions 170–172
  - substrate orientation in C–H borylation 168–170
  - substrate orientation in
    - hydroformylation catalysis 164–168
  - template ligand strategies for
    - encapsulation 255–258
- transition metals 119
- based homogeneous catalysis 489
  - catalysts 161, 204, 214, 255–258, 268, 350, 568
  - catalyzed CH bond activation 168–169
  - containing nanoparticles (NPs) 475–476
  - phosphine complexes 554
- tri- and tetra-substituted alkenes 164
- trialkylphosphines 434
- triarylphosphine ligand 120
- triazoles 387
- based anion receptors 387
  - based foldamer system 392
  - catalyst 391
  - foldamer systems 387
- 1,2,3-triazoles 459
- triazolium 71–72, 413, 416
- 1,2,3-triazolium derivatives 413
- triazolylidene-capped CDs complexes 288
- 1,2,4-trichlorobenzene 462
- 2,2,2-trichloroethoxycarbonyl chloride (TrocCl) 390
- 2,2,2-trichloroethoxysulfonyl (Tces) group 150
- tricyclic Diels-Alderase 203
- tricyclic sesquiterpene isolongifolene 325
- TriCyD 288
- n*-tridecyl thiol 531
- tridentate approach 138–140
- triflic acid 340
- trifluoroacetyl-protected amides 123
- 3,5-bis(trifluoromethyl)aryl substituent 365
- 3,5-bis-(trifluoromethyl)phenyl groups 185
- trimeric deoxynucleotides 605
- trimeric zinc(II)-porphyrin macrocycles 202
- trimethoprim (TMP) 541
- 1,5,7-trimethyl-3-azabicyclo[3.3.1]nonan-2-one backbone 146–147
- 2,3,3-trimethyl-3*H*-indole 31–33
- 2,4,6-trimethylphenyl (Mes) 147
- trimethylsilyl azide 356
- triphenylphosphine monosulfonate 257
- tripodal neutral XB donors 418
- tripropargylamine 213
- tris(3-sodium sulfonatophenyl)phosphine sodium salt (TPPTS- $P(m-C_6H_4SO_3Na)_3$ ) 513
- tris-pyridyl phosphine ligands 255–256
- tris[(1-benzyl-1*H*-1,2,3-triazol-4-yl)methyl]amine (TBTA) 86
- trishydrazone gelator 89
- 1,3,5-trisubstitued arenes 121
- Triton-X114 456
- N*-Troc-pyridium salt 393
- Trojan horse approach 562
- Trojan horse Methodology 561
- turning cage-catalysis inside out 238–239
- turnover frequency (TOF) xxii, 11, 20, 167, 180–181, 183, 258, 261, 433, 496, 595
- turnover number (TON) xxii, 63, 147, 184, 217, 232, 265, 309, 314, 555–557
- two-point hydrogen bonding 145, 157
- type 2 diabetes 537
- U**
- Über Polymerisation 489
- ubiquinol 471

- unactivated hydroxyolefins 340  
 unactivated sp<sup>3</sup> carbon-hydrogen (C–H)  
     bonds 150  
*n*-undecyl thiol 530  
 α,β-unsaturated acylbenzotriazole 48, 49  
 α,β-unsaturated  
     2-acyl(*N*-methyl)imidazoles 565,  
     568  
 unsaturated aldehyde 9, 74, 185, 189,  
     190, 329, 341, 458, 462, 463, 567,  
     607  
 α,β-unsaturated aldehydes 74, 189, 341,  
     458, 462, 463, 567, 607  
 α,β,γ,δ-unsaturated aldehyde 190  
 γ,β-unsaturated aldehydes 9  
 unsaturated carbonyls 419  
 α,β-unsaturated carbonyl activation 419  
 unsaturated carboxylic acids 180, 197  
 α,β-unsaturated ester surrogates 593  
 α,β-unsaturated ketones 291, 292, 299,  
     432  
 2-unsubstituted azlactone 48–51  
 unsubstituted 1,10-phenanthroline 155  
 unsymmetrically 1,1-disubstituted  
     allenes 9  
 urea functionalized ligand 30, 31, 34  
 urea-based ligand building blocks 30  
 urea-functionalized ligands 30, 31  
 UREAphos library 31  
 ureas 364
- V**
- L-valine 48, 49, 83, 84, 86, 593  
 L-valine-derived iminophosphorane 49  
 valuable water-soluble CD-phosphine  
     513  
 Van der Waals forces xxi  
 Van der Waals interactions xxi, xxx, 3,  
     173, 519  
 vesicles xxix, xxxii, xxxv, 468, 469  
 vinyl 2- and 3-carboxyarenes 167  
 vinyl arenes xxx  
 vinylacetic acid 180, 181, 183  
 vinylogous Friedel–Crafts alkylation  
     reaction 565  
 vinylogous Friedel–Crafts alkylations of  
     indoles 562  
 4-vinylphenyl boronic acid 220  
 vinylphenylboroxole 221  
 vinylquinolones 149, 150  
 3-vinylquinolone 147  
 viologen derivatives 304, 307  
 vitamin E 468, 469
- W**
- W96A mutation 566  
 Wagner-Meerwein alkyl shift 326  
 Warnmark's zinc(II)-porphyrin-based  
     dynamic supramolecular  
     manganese catalysts 204  
 water 468  
     compatible grafts 495  
     oxidation catalysis 260–261  
     saturated CDCl<sub>3</sub> 336–342  
     sculpting 475  
     sensitive organozinc intermediates  
         468  
     sensitive reagents 468  
     sensitivity 468  
     soluble CD-modified phosphines 507  
     soluble ICyD<sup>Me</sup> ligands 295  
     soluble metalloenzyme 214  
     soluble rhodium species 511  
     soluble transition metal catalysts 214  
 water nucleophilic attack (WNA)  
     mechanism 260, 261  
 water-soluble yoctoliter reaction flasks  
     assembly state of OA and TEMOA  
         521–523  
     deep-cavity cavitands 520  
     photochemistry 523–528  
     thermal reactions 528–533  
     thermodynamic and kinetic features of  
         the capsular complexes 520–521  
 water/cetyltrimethylammonium bromide  
     459  
 weakly Lewis basic compounds 413  
 singlet oxygen photosensitizer 611  
 5'-WGWWWW-3' sequence 539  
 wild-type (WT) eDHFR-GFP 542

**X**

- xantphos 180, 258
- XB donor-halide adducts 417
- XB-based quinoline activation 418
- XB-donor-catalyzed nucleophilic addition reactions 419
- XPhos 136

**Y**

- yocto-liter 519, 520, 523, 533

**Z**

- zinc porphyrin (ZnPor) xxix, 576–578, 582–585
- zinc(II)-containing scaffolds 205, 206
- zinc(II)-porphyrins 28, 202–207
  - building blocks 256
  - scaffolds 203
  - units 264
- zinc(II)-salphen 205, 207
- Zn(II)TPP 255, 266
- Zn-MINP 218























