

Index

a

- α -acetamido carboxamides 340, 519
 acetanilides 255
 acetoacetamides 310, 312, 314
 acetoacetates 156, 212, 322, 364
 acetoacetic esters 310
 acetonitrile 4, 119, 223, 227, 294, 297, 412, 416, 426, 432
 acetophenone 165, 230, 249, 269, 270, 277, 289–292, 497, 567
 3-acetyldihydrofuran-2(3*H*)-one 322
 acetylenedicarboxylate 33, 214
N-acetyloxy amides 244
 activated aldehydes 498, 529
 activated aziridines 24
 acute myeloid leukemia (AML) 112, 349
 acylated 4-aminophenylalanine 151
 acyl chlorides 78–80, 414, 559
O-acyl ketoximes 567
 α -acyloxy carboxamides 519, 522
N-acylpyrazoles 498
N-acylsaccharins 414
 adenosine 5'-triphosphate (ATP) 388
 adenosine receptor A3 inhibitor 142
 Ag(I)-mediated 1,3-dipolar cycloaddition 154
 aldehydes 2, 4, 19, 21, 27, 48, 51–54, 64, 71, 73, 83, 93, 96, 97, 99, 100, 108, 111, 112, 116, 118, 119, 121, 122, 140, 142, 144, 145, 147–154, 156, 165, 173, 176, 178, 212–214, 216, 218, 220, 222, 223, 226, 229, 230, 253, 255, 264, 268, 272, 273, 291–294, 297, 299, 302, 303, 306, 309–315, 317–326, 340, 349, 353, 354, 364, 368, 370, 371, 379, 382, 388, 392, 397, 415, 435, 447, 450, 456, 459, 462, 463, 470, 474, 476, 482, 494, 496–498, 500, 504, 506, 509, 514, 519, 521–523, 525, 527, 529, 530, 552, 561, 567, 568
 aldimines 4
 aliphatic aldehyde-derived alkylidenes 525
 aliphatic aldehydes 147, 156, 213, 253, 264, 272, 273, 498, 500, 514, 521–523, 525, 527
 5-alkoxyoxazoles 525
 2-alkoxytetrahydroquinolines 255
 alkylamines 16
 alkylated quinoxalinones 276
 alkylboranes 142
 alkyl chloride 274, 275
 alkyl 6,7-dihydropyrazolo[1,5-*a*]pyrimidine-5-carboxylate 294
 alkyl 7-hydroxy-4,5,6,7-tetrahydropyrazolo[1,5-*a*]pyrimidine-7-carboxylates 294
 bis-alkynylbenziodoxole 557
N-alkyl-2-(2-oxoazepan-1-yl)-2-arylacetamide 462, 463
 alkyl propiolates 19, 412, 414

- alkyl 2-siloxycyclopropanecarboxylates 450
- 4-alkyl-substituted 2-piperidones 500
- alkyne-1,2-diones 412
- alkyne homocoupling 412
- alkyne hydroarylation 19, 191
- alkynoates 4
- alkynones 412–416, 420, 422, 427, 429, 432, 442
- alkynoyl intermediates 411–442
- alkynylbenziodoxoles 557
- alkynylthioimidazoles 19
- allenylpalladium 554
- allyl amines 19
- allyl boronates 498
- almorexant synthesis 121
- aluminum-lithium bis(binaphthoxide)-complex 494
- Amenamivir 121
- amine- or amino acid-based catalysts 496
- α -amino acids 4, 152, 340, 498, 527
- aminoacetaldehyde 114, 178
- 14-amino-acid amphipathic α -helical peptide 151
- α -aminoacyl amides 48, 99, 100
- aminoazoles 21, 27, 297, 303, 306, 309, 310, 312, 314, 318, 322, 323, 325
- 2-aminobenzimidazole 299
- 2-aminobenzimidazole 272, 318
- 2-aminobenzonitrile 78, 572
- 2-aminobenzothiazoles 322
- aminocoumarin 2, 306
- aminocrotonates 145, 429
- 3-(2-aminoethylamino)propyl-functionalized MCM-41-immobilized palladium(II) complex [MCM-41-2N-Pd(OAc)₂] 416
- aminoheterocycles 5
- 3-aminoimidazo[1,2-*a*]pyridines 271
- aminoimidazo[1,2-*a*]pyrimidines 213
- 4-amino iminocoumarines 572
- aminoindazoles 33
- aminoisoxazole 303, 306, 322
- 3-amino-5-methylisoxazole 294, 296
- 5-amino-3-methylisoxazole 299, 302, 322, 325
- 5-amino-3-methyl-1-phenylpyrazole 297
- 2-amino-5-methylthiazole 322
- α -amino nitriles 340, 494
- 5-aminooxazoles 521
- p*-aminophenol 61
- 5-amino-1-phenyl-3-methylpyrazole 322
- (3-aminopropyl)piperazine 51
- 5-aminopyrazoles 299
- 5-aminopyrazole 293, 294, 303, 305, 309, 310, 313, 315, 317, 318, 320
- aminopyrazoles 21, 36, 273, 297, 303, 306, 322
- 3-aminopyrazol-5-ones 322
- 3-aminopyridine imines 4
- aminopyridines 24, 27, 33, 36, 232, 270
- 4-aminoquinolines 572
- 8-aminoquinoline 262, 263
- 5-aminotetrazole 309
- 2-aminotetrazole 318
- aminothiazoles 21, 226
- 2-amino-2-thiazoline 318
- 2-amino thiophenes 108, 119, 157
- 3-amino-1,2,4-triazoles 289, 290, 292, 297, 306, 309, 310, 313, 318
- 5-amino-1,2,4-triazols 310, 311
- 5-amino triazoles 562
- aminotriazoles 21, 178, 290, 292, 299, 306, 313
- 6-aminouracil 19, 306
- 3-(2-aminovinyl)quinoxalines 435, 438
- 5-amipyrazoles 313
- 2-aminochromenes synthesis 215
- ammonium acetate 71, 73, 165, 212, 370, 429, 567
- aniline 2, 4, 27, 49, 54, 56, 73, 116, 121, 147, 149, 165, 173, 216, 221, 240, 242, 243, 245, 255, 256, 268, 303, 447, 470, 476, 497, 500, 560, 568

- para*-anisidine 500
 annulation reactions 200–207, 575
 anti-bacterial Hantzsch DHPs 368–370
anti- β -amino- α -hydroxycarbonyls 497
 antibody drug conjugate (ADC) 121, 123
 anti-tuberculosis 1,4-dihydropyridines 370
 Argo–Gel Wang resin 142
 aromatic aldehydes 147, 151, 214, 216, 222, 226, 273, 291, 293, 294, 297, 299, 309–311, 313, 315, 317, 318, 370, 459, 462, 463, 470, 476, 496–498, 509, 522, 523, 525, 527, 530
 aromatic amines 2, 61, 217, 449, 494, 500, 525, 527
 aryl aldehydes 144–146, 165, 178, 435, 561
 3-arylaminoacrylates 16
N-arylation/Knoevenagel condensation 561
 4-aryl-1,4-dihydropyridine libraries 145
 arylglyoxal hydrates 303
 arylglyoxal moiety 303
 aryl halides 268, 414, 449, 559, 574
 arylhydrazines 506
 5-aryl-7-hydroxy-4,5,6,7-tetrahydro[1,2,4]triazolo[1,5-*a*]pyrimidine-6-carboxylates 310
 arylidenacetones 292
 arylidencyclohexanones 293
 arylidenebarbituric acid 313
 arylidenpyruvic acids 293, 294
 arylidenpyruvic esters 294
 aryl iodides 240, 256, 261–263, 265, 414, 553, 557, 559, 560, 562, 568, 570
 aryl ketoximes 243, 244
 3-aryl propiolates 414, 416
 aryl propiolates 414
 4-arylpyridines 504
 arylpyruvic acids 293, 297, 306, 309, 318
 4-aryl-substituted 1,4-dihydropyridines 504
 aryne MCRs 12, 13
 asymmetric Biginelli reaction 509
 asymmetric counterion-directed catalytic (ACDC) system 497
 asymmetric Lewis acid-catalyzed Mannich MCRs 498
 asymmetric Mannich three-component reaction 494, 497
 asymmetric Petasis MCRs 498
 asymmetric Povarov three-component reaction 500
 asymmetric (truncated) Passerini reactions 521
 atmospheric-pressure chemical ionization mass spectrometer (APCI-MS) detector 216
 atorvastatin 115, 116
 atropisomeric 4-arylpyridines 504
 A3-type MCRs 20
 Au/Ag-catalysis 19
 Au(Ag)-catalyzed MCR post-transformations 22
 Aza-Darzens three-component synthesis 447, 448
 aza-Diels–Alder reaction 146, 148, 313, 500, 502
 aza-Henry or nitro-Mannich reaction 498
 aza-Michael addition 19, 464, 468
 azaspiro tetracycles 464, 467
 azepan-2-one (caprolactam) scaffold 462
 azepinoindoles 4, 191, 196, 306
 2-azidoacetamide 250
 azidotetrahydrofurans 4
 azine-2-carbaldehydes 19
 azine-aryne MCRs 12
 azines 4, 10, 11, 21, 24, 33, 36, 38, 246, 273
 (*S*)-aziridine aldehyde dimer 153
 aziridines 11, 24, 142, 153, 447, 448
 azirines 27, 564
 azolopyrimidines 21

- azomethine ylide 4, 142, 165, 173, 176, 191, 200, 223, 297, 473–475, 482, 483, 485, 574
- b**
- barbituric acids 172, 313, 315, 371, 374
- benign prostatic hyperplasia (BPH) 110
- benzaldehyde 4, 14, 54, 146, 151, 170, 176, 219, 220, 223–225, 230, 265, 292, 322, 509
- benzamides 252, 262
- benzamidine hydrochloride 416
- o*-benzenediamine 165
- O*-benzoylhydroxylamine 562
- benzimidazole-2-one 96
- benzimidazoles 154, 266
- benzimidazolones, p53 MDM2 antagonists 99
- benzo[4,5]imidazo[1,2-*a*]pyrimidin-4(*1H*)-one 299
- benzo[*b*]thiophenes 258
- benzobisthiazoles 265
- benzocycloalkanones 292
- benzodiazepinedione 96, 98, 191, 199
- benzonitriles 252
- benzoxazepinone synthesis 227, 228
- benzoxazine 54–59, 61, 63
- benzoxazocine 322
- benzylamines 99, 100, 178, 213, 216, 223, 224, 271, 343, 346, 456, 482, 485
- 1,4-*N*-benzylidene-bis(4-chloro-benzene sulfonamide) 80
- 4-benzyl-3-phenylmorpholin-2-ol synthesis 459, 460
- Bestatin synthesis 110, 111
- β -alkyl-substituted vinylketene acetals 500
- β -aminomethylindoles 11
- β -(*o*-amido)aryl ketones synthesis 108
- β -amino carbonyls 52, 494
- β -aminoketones 27, 497
- β -dicarbonyl radicals 11
- β -dypnone 289–291
- β -Lactams, p53/MDM2 103
- β -lactams 448, 449, 574
- β -nitroamine derivatives 498
- β -nitrostyrenes 165, 223
- BF₃-catalyzed MCR 21
- bicyclic amidines 429
- bicyclic aziridine products 153
- bicyclic hydantoines 27
- bifunctional guanidine–amide organocatalyst 514
- Biginelli-3CR 144, 145, 154, 156, 157
- Biginelli reaction 64–69, 71, 72, 144, 176, 225, 370–379, 459, 461, 506–511, 535
- Biginelli-type MCRs 21
- Biginelli-type multi-component polymerizations 64–70
- Bilharzia 114
- BINOL-based bisphosphorylimide 506
- biocompatible polyamides 51
- biopolymers 139, 154, 156
- bisethyl dicarboxylates 422
- bisindole-piperidines 2
- bisnucleophile 142
- bisphenol-A 54, 56–58, 61
- bisphenol F isomers 58, 59, 61
- bistetrazole 173, 175
- N*-Boc-3-aminoindole 27
- boceprevir 112, 113
- N*-Boc protected dihydropyrazines 27
- BODIPYs 33, 37
- borane 142
- boron-activating aldehydes 498
- boronic acids 19, 36, 458, 459, 498
- 4-boronohydrasonodienes 149
- borono–Mannich or Petasis three-component reaction 498
- BOROX catalyst 527
- Brønsted acid 470, 494, 509, 519, 529
- Brønsted base (*N,N*-dimethylcyclohexylamine) 498
- bridged-dihydrothiazolines 191
- ortho*-bromo anilides 427

- 1-(4-bromobenzyl)piperazine 427
 1-bromo-2-butene 310
 3-bromo-1-butene 310
 2-(2-bromoethyl)benzaldehyde 33
 2-bromo-6-isocyanopyridine 24, 343
 bis(2-bromophenyl)methanone 250
 5-bromothieryl derivatives 437
 Bucherer–Bergs MCR 456
 Bucherer–Bergs reaction 218, 458
n-BuLi 392, 566
n-butanal 509
t-butyl isocyanide 49, 51, 122, 151, 153,
 178, 468
tert-butyl isocyanide 122, 151, 468
 butylphenylacetylene 253, 258
- C**
- Ca(II)-channel modulators 504
 calixarene-based polysulfonic acid
 catalysis 2
 10-camphorsulfonic acid (CSA) 116
 Camps cyclization 251
 carbodiimides 78, 386, 555
 carbonylative cross-coupling Sonogashira-
 reaction 414
 carbonylative transition-metal catalyzed
 MCRs 21
 1,1'-carbonyldiimidazole (CDI) 200
 carbonyl/imine polar MCRs 1, 19–24
 4-carboxy-2-acylaminomethylthiazoles
 142
 carboxylic acids 24, 48, 93, 100, 113, 114,
 121, 122, 149, 153, 176, 178, 232,
 255, 256, 258, 263, 267, 293, 306,
 309, 340, 353, 412, 463, 514, 519,
 522, 523, 527, 532, 535, 557
 cardiac troponin I interacting kinase
 (TNNI3K) 108
 cardiovascular disease (CVD) 71, 115,
 349, 392, 504
 carfentanil 116, 117, 343, 346,
 347
 C-aryl glycosides 16
 catalyst (PyBOX)Sn(OTf)₂ 521
 catalytic generation of alkynes
 412–415
 Catellani reaction 256, 265
 Catellani-type arylation 16
 cationic azahelicenes 36
 cellulose-supported DKP 155
 cellulose-supported peptide 155
 cesium carbonate 250
 CF₃-indole radical 16
 C–H functionalization
 multicomponent synthesis of
 heterocycles 240–259
 transition-metal-free 269–277
 chiral 2-(1-aminoalkyl)-5-aminooxazoles
 525
 chiral anion-binding triazoles 24
 chiral β-amino acid ester derivatives 496
 chiral binaphthyl diamine-derived
 bisphosphoramidate 521
 chiral catalysts 2, 273, 470, 493, 504, 521,
 559
 chiral (depsi)peptides 519
 chiral dicarboxylic acid catalyst 525
 chiral ionic liquids (CILs) 496, 506, 509
 chiral Lewis acid 506, 519, 522
 chiral Lewis acid-catalyst Yb(OTf)₃ 506
 chiral Mg(II)-*N,N'*-dioxide Lewis acid
 catalyst 522
 chiral organocatalysts 498
 chiral Pd-catalysts 498
 chiral phosphoric acids (CPAs) 11, 24,
 259, 343, 353, 470, 494, 496, 506,
 509
 chiral (salen)Al(III)Cl complex 521, 522
 chiral squaramide 260, 498
 chiral sulfonic acid 506
 chloroformate promoted silyl ketene
 acetal additions 24
m-chloroperoxybenzoic acid (*m*CPBA)
 151
 chlorotrimethylsilane 290
 2-chlorotrityl chloride resin 141, 142

- 2-chlorotrityl/Rink amide resins 140
chromeno-indolizinoindoles 19
chromenopyrazolopyridinone 297
cinchona alkaloid-based catalysts 494
cinchona alkaloid moiety 496
cinchona-based thioureas 496
ciprofloxacin 233, 234, 368, 485
Claisen–Schmidt reaction 230, 297
click chemistry 64, 122, 127, 173, 561
clopidogrel 116, 118
compatible aldehydes 509
complex functionalized
 chromenonaphthyridines 3–4
concerted MCRs 1–11
concomitant oxidation 19
consecutive five-component Ugi-
 insertion-alkynylation-
 deprotection-cycloisomerization
 synthesis 437
consecutive MCRs 163, 176–186, 207,
 287, 463–466
consecutive one-pot reaction 411, 429,
 442
controlled pore glass (CPG) beads 154
convertible 1-cyclohexenyl isocyanide
 155
copolymerization 71
copper iodide 250, 253, 564
copper-catalyzed azide–alkyne
 cycloaddition 251, 561
copper(II)-catalyzed dehydrogenative
 coupling 261
copper-catalyzed intramolecular C–H
 arylation reaction 251
copper-catalyzed radical MCR 11
copper-catalyzed Stephens–Castro
 alkynylation 435
coumarin-fused pyrimidines 21
coumarines 21, 432–435, 571
coupled I₂-Flavin catalysis 36
C(sp²)-H functionalization 259–267
C(sp³)-H functionalization 267–269
C3-spiro trifluoromethylindolines 11
C^α-tetrasubstituted amino nitriles 494
Cu(I)-catalyzed alkyne azide cyclization
 (CuAAC) 218
Cu^I-catalyzed azide/alkyne cycloaddition
 (CuAAC) 468
Cu(I)-catalyzed azide-alkyne
 cycloaddition (CuAAC) 66, 468
Cu(I)-catalyzed MCP of diynes, azides
 and carbodiimides/nitriles 78
Cu-based catalytically active reactor 227
Cu-catalyzed alkyne-azide cycloaddition
 (CuAAC) 437
CuAAC 561, 563–565, 572
Cu/Pd transmetalation 562
cyanoacetic acid 100, 142
cyanomalonates 24
4-cyanopyridine 11
2-(2-cyanovinyl)-3-oxo-cyclohex-1-enes
 325, 327
cyclic carbonates 449, 450
cyclic pentadepsipeptoids synthesis 178,
 465, 466
cyclic thio-substituted β-aminoesters
 21
cyclization reactions 187–199
N-cycloalkyl thiomorpholinones 152
1,3-cyclohexanedione 165, 313, 317, 322,
 326
cycloisomerization process 435, 437,
 556, 557
[2 + 2 + 2] cycloaddition 504, 566
[3 + 2] cycloaddition 2, 4, 33, 115, 165,
 176, 187, 191, 200, 575
[4 + 3] cycloaddition process 4
cycloaddition reactions 200, 207, 453,
 473, 476, 504, 572, 575
cycloaddition-type MCRs 7
cyclocondensations 291, 297, 566
 of 3-amino-1,2,4-triazoles 289
 of pyruvic acids 306
cyclohexalidencyclohexanones 289
cyclohexane-1,3-dione 303
cyclohexanedione moiety 303

- cyclohexanone 36, 289, 293, 327
 cyclohexylacetylene 556
 cyclopentanone 297
 cyclopeptoid 178, 185
 cystic fibrosis transmembrane regulator (CFTR) 361
- d**
- Danishefsky's diene 146
 debenzoylation 118, 435
 Debus–Radziszewski-type multi-component polymerizations 73–76
 decane-1,10-diamine 49
 degree of polymerization (DP) 46
 dehydrated aldol-like intermediate 4
 delta-opioid receptors (DOR) 346
 densely functionalized nitrogen heterocycles 149
 deprotection-cyclization-cleavage procedure 155
 design-make-test-analyze cycle (DMTA) 93
 designed multiple ligands (DML) 356
 Dess–Martin periodinane (DMP) 504
 DHPM-5-carboxylic acid derivatives 144
 1,4-dihydropyridines 2
 5,5''-diacceptor substituted terthiophenes 424
 diacetoacetates 67, 69
 di(acyl chlorides) 78
 1,5-diacyl-5-hydroxypyrazolines 415
 dialdehydes 67, 69, 73
 5,5''-diamide substituted terthiophenes 422
 diamines 49, 50, 57, 58, 61, 73, 142, 463, 498
 1,2-diaminoarenes 435
 4,4'-diaminodiphenylmethane 57
 1,6-diaminohexane 57
 2,6-diaminopyrimidin-4-one 297
 2,4-diaminopyrimidine 176
 2,4-diaminopyrimidine 27
 diarylidencyclopentanone 297
 5-((diarylphosphoryl)methyl)oxazolidin-2-ones 449
 5,7-diarylsubstituted 4,7-dihydro-1,2,4-triazolo[1,5-*a*]pyrimidines 291
 diastereoselective three component Petasis/intramolecular Diels–Alder tandem reaction 19
 diastereoisomers 322
 1,5-diazabicyclo[4.3.0]non-5-ene (DBN) 429
 1,8-diazabicyclo[5.4.0]undec-7-ene (DBU) 429
 1,3-dicarbonyl compound 151, 327, 364, 459, 509
 α -dicarbonyl compound 73
 1,2-dichloroethane 246
 dichloromethane 412, 426, 473
 Diels–Alder reaction 170, 201, 205, 476
 dienophile maleimide component 149
 diethyl terthiophene-5,5'-dicarboxylates 422, 425
 difluoro oxazaborinines 432, 434
 1,2-difunctionalized quinoline-type derivatives 19
 1,2-dihalo alkenes 556
 di(hetero)aryl-ketones 16
 3,5-di(hetero)aryl-substituted isoxazoles 420
 dihydrobenzooxazinones 200
 dihydrobenzoxazines 200
 dihydrochromenopyrazolopyridinone 297
 dihydrofurans 4
 dihydroimidazole 100, 382
 4,5-dihydroisomers 289
 4,7-dihydroisomers 289
 1,2-dihydroisoquinolines 525, 526
 dihydroisoxazolopyridinones 303
 dihydropyrazolepyrimidine 290, 293
 1,4-dihydropyridine (DHP) 71, 145, 146, 212, 213, 370, 504
 4-dihydropyridines 213

- dihydropyridines 21
 dihydropyrimidine (DHPM) 144, 316, 506
 dihydropyrimidine-thione (DHPS) 371
 dihydropyrimidinones 154
 2,3-dihydropyran 504
 2,3-dihydro-4-pyridones 146
 3,4-dihydropyrimidin-2(1H)-ones (DHPM) 64, 71, 156, 370
 4,7-dihydro[1,2,4]triazolo[1,5-*a*]pyrimidine-6-carboxylates 30, 289, 310
 dihydrotriazolopyrimidines 290
 1,5-dihydroxy naphthalene 61
 1,4-diidobenzene 416
 diimidazopyrimidines 176, 179
 diimines 80
 2,4-diiminoazetidine rings 78
 1,6-diisocyanohexane 49
N,N'-diisopropylcarbodiimide (DIPC) 116
 diisopropylethylamine (DIPEA) 156, 356
 1,3-diketones 174, 364, 416
 diketopiperazines (DKPs) 27, 155, 207
 dimedone 71, 220, 229
 2,4-dimethoxybenzylamine 435
 dimethyl acetylenedicarboxylate (DMAD) 220, 453
 dimethylacetamide (DMA) 233, 388
 3-(*N,N*-dimethylamino)-2-isocynoacrylate 142, 144
N,N'-dimethylethane-1,2-diamine (DMEDA) 250
 di(*N*-sulfonyl imines) 78
 1,4-dioxane 190, 268, 412, 415, 565
 dioxanes 250, 264, 266, 268, 273
 dioxolanes 268
 diphenylacetylene 250
 1,3-dipolar cycloaddition 140, 141, 149, 154, 218, 453, 473, 474, 482, 553, 559, 561, 565
 [3 + 2] dipolar cycloaddition MCRs 8, 11
 dipolar cycloadditions 1
 dipolarophiles 4, 33, 140, 154, 214, 470, 473, 474, 482, 483, 553, 575
 3,4-disubstituted 5-aminopyrazoles 293
 disubstituted thiazoles 144
 1,4-disubstituted triazoles 219
 4,4'-disulfonylazidophenyl ether 78
 disulfonyl azides 78
 (1,5,3-dithiazepan-3-yl)alkanoic acids 462
 divanillin 67
 divergent PdI₂/KI-catalyzed amino-carbonylation-cyclization pathways 19
 diversely substituted aminotriazoles 21
 diversely substituted indoles 21
 diversity-oriented synthesis (DOS) 45, 287, 412, 437, 572
 diyne 78, 422
 DNA-coupled heterocycles 154
 DNA-encoded library (DEL) 105, 154, 386
 domino insertion-alkynylation synthesis 426
 domino one-pot reaction 411
 donor-acceptor-substituted 3,5-diarylpyrazoles 416
 double Povarov process 2
 dye-sensitized solar cells (DSSCs) 412
 dypnone 290
- e**
- E*-configured merocyanines 432
 electron-deficient nitrobenzaldehydes 500
 electron-donating groups (EDG) 147, 244, 462, 500
 electron-rich heteroarenes 435
 electron-rich (hetero)aryl- and vinylboronic acids 416, 498
 electron-rich π -nucleophiles 412
 electrophilic benzenethiosulfonate 562
 enamino esters 506

- enantioenriched α -hydroxy carboxamides 521
 enantioselective Mannich MCR 494
 endocyclic reaction 306
 enehydrazino esters 506
 energy-dispersive X-ray Spectroscopy (EDS) 225
 enol ether 4, 147, 230
 enolizable carbonyl compounds 52, 494
 Eosin-catalyzed photoredox transformation 11
 epoxides 11, 356
 epoxies 61
 erectile dysfunction (ED) 110
Escherichia coli neutral M1-aminopeptidase (ePepN) 153
 3-ethoxycarbonyl 2-methylpyridines 429
 ethyl acetoacetate 165, 225, 370, 429, 459
 ethyl 3-aminocrotonate 429
 ethyl diazoacetate (EDA) 261, 447
 ethyl 2-mercaptoacetate 422
 ethylphenylacetylene 256
 ethyl propiolate 414, 416
 ethynylmagnesium bromide 414
 5'-ethynyllappaconitine 429
 1,2-bis(4-ethynylphenyl)-1,2-diphenylethane 78
 3-ethynylquinoxaline chromophores 437
 3-ethynylquinoxaline derivatives 435, 437
 EtOH 165, 191, 207, 218, 299, 310, 316, 325, 426, 459
- f**
- Ferrier rearrangement 4
 1,1'-ferrocenediyl-bis(diphenylphosphine) (DPPF) 554
 Fiesselmann reaction 422
 five-center and four-component reaction (5C4CR) 172, 164
 five-component carboxylation-propargylation-CuAAC-Michael addition synthesis 424
 five-membered heterocycles
 indolones 424–427
 isoxazoles 420
 pyrazoles 416–420
 pyrazolines 415
 thiophenes 422–424
 triazoles 420–422
 five-membered ring heterocycles 140–144, 449–456
 α -fluorinated α -aryl ketones 494
 fluorophore-linked isoquinoline 36
 fluorophores 33, 412
 fluorous tags 187
 Fmoc-Gly-OH 151
 (-)-folicanthine alkaloid 260
 formal aza-DA reaction 147
 formaldehyde 19, 54, 56, 61, 63, 75, 105, 114, 116, 121, 173, 187, 246, 273, 462
 2-formylbenzoic acids 217, 221, 527
 4-formylbenzoic acid 142
 formyl-BODIPYs 33
 formylchromones 24
 4-(4-formyl-3-methoxyphenoxy)ethyl (FMP) 152
 four-component alkynylation-cyclocondensation-desilylation-CuAAC synthesis 419
 four-component alkynylation-Michael addition-cyclocondensation-ammonolysis synthesis 427
 four-component coupling-addition-borylation synthesis 434
 four-component insertion-alkynylation-Michael addition-Suzuki synthesis 430
 four-membered cyclic amines 11
 four-membered ring heterocycles 448–449
 Friedel–Crafts alkylation 264
 functionalized *N*-acyl-aziridinecarboxamides 27
 functionalized piperazinones 153

- furan-containing compounds 175
 furane-alkyne Ugi adduct 19
 2,5-furandicarboxylic acid (FDCA) 49
 furanone 293, 294
 2-(furan-3-yl)acetamides 557, 558
 furnishing cyclopenta[b]indoles 261
 furo[2,3-b]pyrrole 470, 471
 furo[3,4-*d*]pyrimidines 145
 furoisoquinolines 435, 437
 fuopyrrolamines 554
 furylboronic acid 21
 5,5,6-fused azaspiro tetracycle systems 464
 fused azaspiro tricycles 464, 467, 468
 fused bicycle [5 + 5] furan 149
 fused heterocycles 150, 246, 249, 361, 464–481
 fused heterocyclic ring systems 147–150
 fused imidazoazines 36
 fused imidazo-heterocycles 16
 fused isoquinoline-imidazolium salts 33
 fused quinolines 16
 fused tetrahydroquinoline 147–149
 fused-tricyclic pyrans 21
 fused tricyclic quinoxaline adducts 27
- g**
- γ -aminobutyric acid (GABA) urea derivative 144
 γ -butyrolactones 511, 514
 γ -lactams 451
 GBB-type MCRs 32, 34
 Gewald reaction (G-3CR) 108, 109, 119, 142, 156, 361
 glass transition temperature 46, 83
 α -glucosidase inhibition 453
 glyoxylate-functionalized Merrifield resin 147
 glyoxylic acid chlorides 435
 gold coated microwave reactor 222
 Goldberg intermolecular amidation 251
 Griesbaum co-ozonolysis 484, 485
 Groebke–Blackburn–Bienaymé (GBB-3CR) reaction 27, 154, 176, 213, 353–361
- h**
- Hantzsch/Biginelli synthesis 72, 215
 Hantzsch 3-CR 145, 146
 Hantzsch DHP synthesis 368–370
 Hantzsch dihydropyridine (DHP) synthesis 222, 364–370
 Hantzsch-products 506
 Hantzsch reaction 46, 71, 72, 120, 213, 364, 368, 504–506, 535
 Hantzsch thiazole synthesis 214–215
 Hantzsch-type MCR 21, 25
 Hantzsch-type multicomponent polymerizations 71–73
 Hayashi-Jørgensen catalyst 500, 504
 H₈-BINOL-derived CPA catalyst 527
 hemiaminal formation 340, 506
 hepatitis C virus (HCV) 474
 heptacyclic ring system 473, 474
 Herrmann–Beller palladacycle (HBP) 253
 (hetero)aromatic aldehydes 500
 (hetero)aromatic isocyanides 522
N-heteroaromatics (quinolines) 19
 (hetero)aroyl chlorides 427
 5-(hetero)aryl-thien-2-yl substituted 3-ethynyl quinoxalines 440
 hetero Diels–Alder processes 1, 303, 500, 512, 513
 hetero-tetracycles synthesis 474, 475
 heterocycle–peptidomimetic hybrids 152
 heterocycles 343
 as inputs in MCRs 2
 synthesis on solid-supported amino acids 150–153
 heterocyclic adducts 1
 heterocyclic amines 24
 heterocyclic drug multicomponent reactions 339–340

- Passerini reaction 353
 Ugi reaction 340–353
 heterocyclic *N*-acylenamines 19
N-heterocyclic substituents 412
 heterodinuclear Ga/Yb-Schiff base complex 521
 1,1,1,3,3,3-hexafluoroisopropanol (HFIP) 264
 3,4,6,7,9,10-hexahydroacridine-1,8-diones 317
 hexahydro-2*H*-pyrido[1,2-*a*]pyrimidine 429
 hexahydropyrimidine-4-carboxylates synthesis 459, 461
 hexahydropyrimidines synthesis 459, 461
 hexahydropyrroloisoquinolines 191, 194
 high-order MCRs 163–177, 207, 289, 293
 high-throughput screening (HTS) platform 216, 386, 456
 Chiral-at-metal rhodium catalyst 498
 homoallylic amines 498, 500
 huge emission solvatochromicity 416
 Huisgen and cyclization reactions 190
 Huisgen and radical reactions 192
 Huisgen and Staudinger/aza-Wittig reactions 193
 Huisgen [3 + 2] cycloaddition 165, 187, 191, 200
 Huisgen 1,4-dipolar cycloaddition 214
 human serum albumin (HSA) 453
 hydantoin nucleus 456
 hydantoinimides 151, 152
 hydantoins synthesis 456, 458
 hydrazines 145, 165, 178, 416
 hydrazoic acid 152, 219, 340, 522
 1,5-hydride transfer 19
 hydrotriazole fused rings 468, 469
 α -hydroxy- or α,α,α -trifluoroaceto-phenone 514
 (*Z*)-*N*-hydroxybenzamidines 251
 hydroxylamines 140, 233, 340
 hydroxylammonium chloride 420
 2-(1-hydroxyalkyl)-5-aminooxazoles 521
 4-hydroxychromen-2-one 21, 297
 α -hydroxylated aldehydes 21
 3-hydroxyisoquinolines 435, 436
 5-(hydroxymethyl)furfural (HMF) 49
 hydroxymethyl polystyrene resin 142
 hydroxymethyl polystyrene resin 4-chloroacetoacetate 145
 3-hydroxy pyrazoles 416, 418
- i**
- IMCR protein conjugation 124
 imidazo-fused heterocycles 249
 imidazoindoles synthesis 468
 imidazole/imidazolium rings 73
 imidazole[1,5-*a*]quinoxaline 385, 386
 imidazolidine 270, 559, 560
 imidazolone system 559
 imidazoquinazolinones 303
 imidazo-thiazinones 19
 imidazo-thiazoles 19
 imidazotriazoles 178, 182
 imidazo[2,1-*b*]thiazoles 226, 227
 imine-based MCRs
 Biginelli reaction 506–509
 Hantzsch reaction 504–506
 Mannich reaction 494–504
 Strecker reaction 494
 iminization-aromatization reaction 165
 2-iminocoumarins 258
 immobilized palladium catalyst 416
 immuno-oncology therapeutics 397
 indene-1,2,3-trione 165
 indium (III)-catalyzed protocol 21
 indoleamine 2,3-dioxygenase (IDO1) 391
 indole-based triarylmethanes 21
 indole-2-carbaldehyde 2, 33
 indole-3-carbaldehyde 2, 33, 96
 indole-7-carbaldehyde 2
 indole carbaldehydes 33
 indole derivatives 2, 3, 266
 indole-fused heteroacenes 36

- indolizidines 4
indolizines 19, 269, 270, 575
indolizino-indoles 19
indolocabazoles 33
indolones 424–427
insertion-alkynylation reaction 435
in situ generated alkynone 420
in situ generated cyclic ketimines 36
in situ generated imines 19, 146
in situ generated isoquinolinium salts 4
in situ generated Knoevenagel adduct 24
in situ generated *N*-Boc-isoquinolinium ions 24
in situ generated Pd-nanoparticles (PdNPs) 416
in situ *N*-activated azines 21
insoluble crosslinked polyamide 49
insulin-regulated aminopeptidase (IRAP) inhibitors 221
intramolecular dearomative cyclization 19
intramolecular Diels–Alder cycloaddition 200, 207
intramolecular Friedel–Crafts reaction 240, 500
intramolecular heterocyclizations 317
intramolecular Huisgen [3 + 2] cycloaddition 187
inverse electron-demand aza-Diels–Alder reaction 500
2-iodobenzamides 420, 422
3-iodobutanoic acid 556
2-iodopyrazole 266
iodo-substituted fused imidazopyrroles 33
2-iodotoluene 261
5-iodotriazoles 562
5-iminopyrrolones 554–556
ionic liquid effect (ILE) 509
isatins cyclic β -diketones 4, 21
ischemia-reperfusion (IR) 108
isobutyraldehyde 49, 151
isochromenylium ions 4
isocitrate dehydrogenase-1 (IDH1) 112
isocotinine synthesis 452
isocyanide 1, 16, 24–33, 35, 36, 46, 48, 49, 93, 96, 99, 100, 105, 111–116, 118, 121, 122, 142, 149–155, 173, 176, 178, 191, 213, 216, 267, 271, 339, 340, 343, 349, 353, 354, 379, 450, 458, 463, 468, 470, 494, 514–529, 535, 554, 555
isocyanide-aldehyde- β -keto lactam adduct 150
isocyanide-based [3 + 2]-cycloaddition 525
isocyanide-based MCRs 24–33, 46, 154–529
 isocyanide-based [3 + 2]-cycloaddition 525
 Passerini reactions 521–525
 Ugi-type reactions 525–529
isocyanide-based Passerini- and Ugi(-type) MCRs 494
 α -isocyanoacetamides 521, 559
2-isocyanoethylindole 178, 473
isoindolin-1-one-3-phosphonates 220, 221
isoindolocarbazoles 24
isomeric 3-vinyl derivatives 2
isonitrile 111, 178, 200, 343, 353, 435
6-isopropyl-3,4-DHPMs 509
isoquinolinols 435
isoxazole 248, 275, 299, 420–422, 483
isoxazolidines synthesis 141, 453, 456
isoxazolobenzoxazocine 322
isoxazoloquinolinones 325
ivosidenib synthesis 112, 349, 351
- j**
Joullié MCR 24, 27, 31
- k**
Kabachnik-Fields reaction 91, 220
Kemp elimination 572, 573
 δ -ketoacid derivatives 514

- β -ketoesters 71, 144, 145, 174, 416, 504, 506
 β -keto lactam 149, 150
 Knoevenagel adduct 21
 Knoevenagel condensation 149, 172, 214, 229, 361, 514, 561
 Knoevenagel–Michael cascade reaction 173, 511–514
 Knoevenagel/Ugi/click reactions 173, 174
 kynurenine (Kyn) 391
- l***
- lacosamide 118, 119
 LDL cholesterol (LDL-C) 392
 levulinic acid 49, 50
 Lewis acid-mediated P-3CR 522
 Lewis acid phosphorus oxychloride (POCl₃) 504
 Lewis acid Yb(fod)₃ 509
 linked diamides 27
 lipitor synthesis 349, 350
 5-lipoxygenase (5-LO) 356, 359
 liquid–liquid microextractor 232
 low-density lipoprotein receptors (LDLR) 392
 Lys side chain 151
- m***
- macroarray heterocycle assembly 155
 macrobead-anchored urea 144
 macrocyclic p53/MDM2 104
 maleimides 16, 24, 149–151, 165, 187, 191, 200, 242, 274, 275, 555, 556
 M1-aminopeptidase inhibitors 153
 Mannich bases 61, 64, 494
 Mannich coupling 448
 Mannich–Michael process 146
 Mannich-type MCR of indoles 19
 Mannich-type multicomponent polymerizations 52–64
 Markovnikov's rule 250
 MBHA resin-linked Fmoc-cysteine 152
 mechanical stirring 322
 medicinal chemistry 1, 2, 27, 45, 91–127, 287, 339, 353, 388, 453
 Meldrum's acid 165, 168, 173, 297, 299, 300, 302, 303, 514
 mercaptoacetic acid locking imine (MALI) reaction 80–83
 merocyanine-triarylamine bichromophores 427
 Merrifield resin 147, 149
 metal-catalyzed multicomponent reactions (MC-MCR) 16, 551
 five-membered heterocycles with one heteroatom 552–558
 five-membered heterocycles with three heteroatom 561–566
 five-membered heterocycles with two heteroatom 558–560
 four-membered *N*-heterocycles 574–576
 seven-membered benzofused *N*-heterocycles 574–576
 six-membered heterocycles with one heteroatom 566–571
 six-membered *O*-heterocycles 571–573
 methoxymethylphenylacetylene 256
p-methyl aniline 147
 methyl aryl ketones 271
N-methyl-3-cyano-1,4-dihydropyridine 147
 methylene malonates 504
 methylene nitriles 327
 methyleneoxetanones 244
O-methylisourea 145
 methyl ketones 16, 270
 methylphenylacetylene 256
N-methyl-2-pyrrolidone (NMP) 212
 α -methylquinolines 4
 Michael addition 260
 Knoevenagel–Michael cascade reaction 511–514
 Michael–Henry cascade reaction 514

- Michael addition (*contd.*)
 oxa-Michael/Michael/Michael/aldol
 condensation cascade reactions
 509–511
- Michael–Henry cascade reaction 514
- microwave-assisted continuous flow
 organic synthesis (MACOS) 220,
 222
- microwave devices 220
- microwave-mediated synthesis 463, 466
- mild base K_2CO_3 527
- Minisci MCRs 11
- modified Asinger four-component
 reaction (A-4CR) 470
- modified Sonogashira cross-coupling
 412
- modified substrate activity screening
 (MSAS) 354
- monoamine oxidase-N (MAO-N) 113
- multicomponent aza-Diels–Alder reaction
 146
- multicomponent 1,3-dipolar
 cycloadditions 149
- multicomponent polymerization (MCP)
 45–84
- multicomponent reaction (MCR) 91,
 163, 287, 411, 493
 active packed-bed columns 223–226
 advantages 91
 attributes of 94
 Bestatin synthesis 111
 biopharmaceutical application
 121–122
 carfentanil synthesis 117
 clopidogrel syntheses 118
 computational methods 122–127
 consecutive 176–186
 cyclization reactions 187–199
 cycloaddition/annulation reactions
 200–207
 hazardous reagents 217–219
 high-order 164–176
 ivosidenib synthesis 112
- marketed and clinical stage drugs
 110–121
 name reactions 92
 peptide stapling 107
 phenserine synthesis 110
 piracetam synthesis 118, 119
 praziquantel synthesis 114
 scaffolds and chemical space
 108–109
 special conditions 219
 standard flow conditions 212–217
 steroidal thiazolidinones synthesis
 454
 telaprevir synthesis 113
 telescoped reactions 229–233
- multicomponent synthesis of heterocycles
 154–157, 211–234, 240–259,
 269–273
- multiple MCRs 176
- Mumm rearrangement 24, 173, 340, 341,
 353, 354, 519
- n**
- N*-heterocyclic carbene (NHC) 4, 225,
 252, 476, 553, 558
- Nifedipin synthesis 120, 368
- nitroalkenes 19, 219, 260, 509, 514
- 3-nitro-indole or -benzothiazole 36
- nitro-Mannich/lactamization reaction
 224
- nitrones 140, 448, 453
- 4-nitropyrazoles 266
- 3-nitropyrrolidines synthesis 457
- nitrostyrene 151, 223
- non-enolizable aldehydes 494
- non-isocyanide-based MCRs 46
- norbornadiene (NBD) 265
- norbornene (NBE) 18, 242
- nucleic acids 139, 150, 551
- nucleophilic boronic acid 498
- bis-nucleophilic/electrophilic reagents
 476

O

- olanzepine 120
 on-resin methodology 153
 on-resin Ugi-4CR 152, 153
 organocatalyzed asymmetric
 Hantzsch-type reactions 504
 organocatalyzed Petasis MCR 500
 organophosphorus compounds 458
 Orru-3CR reaction 102
 oxa-Michael/Michael/Michael/aldol
 condensation cascade reactions
 509–511
 oxadiazoles synthesis 154, 232, 233
 oxazaborinines 432, 434
 oxazepanones 200
 oxazinanones 200, 204
 oxazines 272, 273, 456, 458
 oxazolidin-2-ones syntheses 450
 oxazolidine 4, 141, 142, 473
 oxazolidine-2,4-diones synthesis 449
 oxazolidinones 200, 449, 568
 oxindole pyrrolidine 8-nitroquinolone
 hybrids 483, 485
 oxindoles 240, 483, 485
 oxochromones 24
- P**
- P53/MDM2 94, 95
 benzodiazepinediones 98
 β-lactams 103
 G-3CR product 105
 Orru-3CR reaction 102
 protein–protein interactions 392
 Ugi-4CR 99
 packed-bed reactor 224, 226
 palladium-catalyzed Sonogashira
 coupling 414
 paraformaldehyde 57, 61, 118, 178, 242,
 243, 463, 473
 paroxetine 506
 Passerini three-component reaction
 (P-3CR) 514, 522–525
 Passerini-type two-component reactions
 521–522
 Pauson–Khand-type reaction 553
 PBA precursor 54, 57, 58, 60–63
 Pd-catalyzed MCP of imines, acyl
 chlorides, and *N*-sulfonyl imines
 78–80
 penicillamine 111
 peptidic moiety 151
 peptidomimetics 112, 139, 151–154, 392
 perfluoroalkylated isoxazoles 248
 Petasis borono-Mannich (PBM) 459,
 460, 498
 phenanthridinones 245
 phenol-alkynyl Ugi adducts 19
 phenolic resins 52
 phenol-substituted pyrrole 36
 phenserine 110
 phenylacetylene 427, 555
 phenyldiazene 553
p-phenylenediamine 49, 174
 phenylpropiolamide 240
 3-phenylpropargyl chloride 66
 2-phenylpyridine-3-carbonitriles 253
 2-phenylpyridines 242, 262
 phenylpyruvic acid 309
 phenyl vinyl thioether 151
 photoredox-catalyzed process 4
 Pictet–Spengler reaction 110, 114, 118,
 121, 178, 184, 207
 piperazine 53, 61, 63, 91, 233, 427
 3-piperazinyl propenylidene indolone
 bichromophores 427, 429, 430
 3-piperazinyl propenylidene indolone
 merocyanines 427, 428
 3-piperazinyl propenylidene indolones
 426
 polyacrylonitrile fiber (PANF) 225
 polyamides 49–53
 polyaminopolyazines 27
 polybenzoxazines (PBAs) 52, 54
 polycondensed chromene 322, 324
 polycyclic adduct 24

- polycyclic alkaloid arrangements 19
 polycyclic compounds 170, 176, 178, 200
 polycyclic 3,3'-pyrrolidinyl-dispirooxindoles 483
 polycyclic spiroindolines 21, 191
 poly(DHPM) 64, 66
 poly(DHPM(T)s) 65, 66, 69, 70
 poly(*N,N'*-dichloro-*N*-ethyl-benzene-1,3-disulfonamide) (PCBS) 370
 polydihydropyrimidin-2(1*H*)-one (poly(DHPM)) 64
 poly(1,4-dihydropyridine)-*co*-poly(3,4-dihydropyrimidin-2(1*H*)-(thi)one)- (poly(1,4-DHP)-*co*-poly(3,4-DHPM(T))) 71
 poly(1,4-dihydropyridine) (poly(1,4-DHP)) 71
 poly(3,4-dihydropyrimidin-2(1*H*)-ones (poly(DHMPs)) 67
 poly(dihydropyrimidin)-2(1*H*)-thione (poly(DHPMT)) 66
 polydispersity 46, 83
 polyethylene glycols (PEGs) 51, 155
 polyfunctional reactant 288
 polyheterocycles 169, 173, 181, 200, 201, 206, 242
 polyimidazoles 74
 polysaccharides 139
 polysubstituted α -hydroxyalkyl piperidines 149
 polysubstituted fused heterocycles 150
 polysubstituted imidazolidines 559
 polysubstituted tetrahydropyridines 24
 2-position *N,N*-dimethylaniline 437
 postpolymerization modification (PPM) 66
 potassium *L*-prolinate -catalyzed (**P1**) synthesis 497
 pot, atom and step economy (PASE) 163
 Povarov-3CR 151, 154, 156
 Povarov pseudo-three-component reaction 500
 Povarov-type multicomponent aza-DA reaction 147
 praziquantel (PZQ) 114 115
 Preyssler heteropoly acids 459
 primary amines 19, 49, 93, 96, 97, 100, 105, 145, 173, 174, 212, 220, 221, 229, 450, 453, 506, 519, 553, 559
 process mass intensity (PMI) 163, 225, 233
L-prolinate 496, 497
 proline-based catalysts 494, 500, 506, 514
 proline-based chiral ionic liquids (CILs) 496
 proline derivatives 349, 496, 529
 propargyl amine 271, 496, 497, 568
 propargyl bromide 422
 propiolic acid 435, 468
 propiolic ester 506
 proprotein convertase subtilisin/kexin type 9 (PCSK9) 392
 propynylidene indolones 424, 426
N-protected dihydropyrrole 4
 protein-protein interaction (PPI) P53-MDM2 94-107, 392
 PCSK9/LDLR 392-397
 protein tyrosine phosphatase 142
 pseudo five-component coupling-cyclocondensation synthesis 425
 pseudo-MCRs 164
 pseudo-seven-component coupling-coupling-cyclocondensation synthesis 416
 pseudo-three-component Michael/Michael/Henry cascade reaction 514
 pseudoenantiomeric catalysts 496
p-toluenesulfonic acid (PTSA) 176, 461, 462
 purinergic P2X7 receptor (P2X7R) 388-391
 pyranones 427

pyrazoles 165, 170, 220, 246, 248, 266,
 275, 415–421
 pyrazolines 415
 pyrazolo[3,4-*b*]quinolin-5-one 313
 pyrazolo[4,3-*c*]quinolizin-9-one 316
 pyrazolobenzoxadiazocine 318
 pyrazolobenzoxazocines 318
 pyrazolopyridines 293, 306, 316
 pyrazolopyridopyrimidines 313
 pyrazolopyrimidines 294, 317
 4-pyrazolyl-1,2,3-triazoles 416
 pyridines 4, 11, 111, 244, 246, 261, 264,
 269, 270, 275, 276, 299, 306, 318,
 427–429, 431, 450, 504, 566, 567,
 569, 574
 pyridinium salt 149, 269, 567, 568
 2-pyridinone 16
 pyridinopyrroledione 556
 pyrido-fused tetrahydroquinolines 147,
 148
 α -pyridones 427
 pyridopyrimidines 172, 313
N-pyridin-2-ylisoquinolinone 264
 pyridyl-substituted heterocycles 262
 pyrimidines 19, 21, 246, 273, 289, 292,
 310, 313, 353, 416, 417, 429–433,
 459
 pyrimido[4,5-*d*]pyridazines 145
 α -pyrone derivatives 427
 pyrrole–peptide conjugates 151
 pyrrolidine cycloadducts 4
 pyrrolizidines 4, 470, 474, 475, 483
 pyrrolo[3,4-*d*]pyrimidines 145
 pyrrolone 294, 306
 pyruvic acid 293–297, 306, 308, 309, 318,
 320

q

quinapril 116, 118
 quinoline 4, 11, 16, 19, 21, 78, 151, 170,
 171, 242, 255, 263, 273, 356, 360,
 435, 525
 quinoline-aldehydes 21

quinoline-containing poly(*N*-
 sulfonylimine) 78
 quinolone-functionalized amino acids
 151
 quinolones 151, 244, 245, 379
 quinoxalines 27, 91, 273, 277, 385, 386,
 435–441

r

Racetams 118
 radical MCRs 11–17
 Radziszewski reaction 212
 Raymond Tetrahedron 447
 regeneratable Ph_3P 191
 Reissert-type reactions 21, 28
 renewable dialdehydes 67
 renin-angiotensinaldosterone system
 116
 resin-anchored amino acids 151, 153
 resin-anchored maleimides 149, 150
 resin-bound 4-aminophenylalanine
 151
 resin-bound 4-aryl-1,4-dihydropyridine
 145
 resin-bound β -ketoester 144
 resin-bound β -keto- γ -lactam 145
 resin-bound Biginelli-3CR products
 145
 resin-bound 1,4-dihydropyridine
 derivatives 145
 resorcinol 61
 reusable cellulose-supported CuI
 nanoparticles 165
 rhodacycle 252, 255
 rhodanine 173, 175, 453
 Ritter-type domino process 4

s

(salen)Al(III)Me complex 522
 salicylaldehydes 571
 salicylaldehyde 4, 322, 325, 571
 salicylic aldehydes 317–326
 salicylideneacetone 318

- saturated heterocycles synthesis, MCRs
 - five-membered ring heterocycles 449–456
 - four-membered ring heterocycles 448–449
 - fused heterocycles 464–481
 - macrocycles 463–464
 - seven-membered ring heterocycles 462–463
 - six-membered ring heterocycles 456–462
 - spiro heterocycles 482–485
 - three-membered ring heterocycles 447–448
- scanning electron microscopy (SEM) 225
- secondary amines 2, 4, 19, 27, 33, 49, 118, 146, 154, 268, 340, 432, 435, 449, 494, 498, 527, 557, 571
- sensitive 2,5-diethynyl thiophene 422
- sequentially catalyzed alkyne carboxylation-propargylation-CuAAC process 422
- sequentially copper-catalyzed azidation-alkyne-azide cycloaddition process 420
- sequentially Pd-catalyzed alkynone formation 416
- sequential MCRs 176, 287, 411
- seven-membered ring heterocycles 462–463
- shorter chained polyamide 49
- site-selective azine-based radical MCRs 15
- six-membered heterocycles
 - coumarines 432–435
 - oxazaborinines 432
 - pyranones 427
 - pyridines 427–429
 - pyrimidines 432–435
 - quinolines 435
 - quinoxalines 435–441
 - six-membered ring heterocycles 144–146, 152, 456–462
- six sonogashira cross-coupling-based protocols 413
- size exclusion chromatography-electrospray ionization mass spectrometry (SEC-ESI MS) 49
- small ring heterocycles 447
- SO₂ photoredox MCR 16
- sodium acetate 420
- sodium azide 153, 165, 219, 248, 273, 420
- solid-phase Biginelli reaction 144
- solid-phase 1,3-dipolar cycloadditions 141
- solid-phase MCRs 139, 140
- solid-phase multicomponent construction of DNA-encoded heterocycle libraries 153–154
- solid-phase synthesis (SPS) 107, 139, 143, 313
- solid-phase Tsuge reaction 149
- soluble epoxide hydrolase (sEH) 356
- soluble polystyrenes 155
- solution-phase synthesis 139
- Sonogashira alkynylations 412
- Sonogashira coupling 414, 416, 422, 553
- Sonogashira cross-coupling 16, 412, 413, 562, 563
- Sonogashira reaction of aryl iodides 416
- Sonogashira-type coupling 556, 557
- spermine 49
- spiro-bicyclic β -keto- γ -lactam 145
- spirochromenes 165
- spiroheterocycles 303, 313, 482–485
- spiroimidazole GBB adduct 27
- spiroindolenines 27
- spiroindolines 21, 24, 191, 195, 343, 345, 473
- spiroindolones 424, 482, 483
- spiro-oxindole dihydroquinazolinones 221
- split-and-pool Biginelli synthesis 144

- spontaneous oxidative Pictet–Spengler transformation 33
- stapled peptides 100, 105, 107
- stepwise Mannich–aminal MCR 19
- steroidal thiazolidinones synthesis 453, 454
- Strecker reaction 111, 217, 340, 494, 495
- structure–activity relationship (SAR) 100, 349, 361, 388
- subsequent Hinsberg cyclization 435
- 3-substituted isoindolinone 149, 150
- N*-substituted maleimides 149
- substituted *N*-heterocyclic phosphines 21
- 1,3,5-substituted pyrazoles 416
- succinic acid anhydride/5-hydroxy-furfural-derived linker 142
- succinic acid-end-capped polyethylene glycols (S-PEGs) 51
- sulfamate-derived cyclic imines 33
- 3-*N*-sulfonylamidine coumarines 571
- N*-sulfonyl ketimines 253
- sulfur-containing five-membered ring heterocycles 143
- supervised molecular dynamics (SuMD) 392
- supramolecular methanoproline–thiourea catalyst 509
- Suzuki–Miyaura cross-coupling 504
- symmetrical dipyrazole 416
- synthetic hubs 93
- synthetic polymers 45
- t**
- Tadalafil 110, 111
- tartaric acid-derived phosphate (TPA) 497
- telaprevir 112, 113
- telescoped reactions 229–233
- TentaGel S RAM resins 151
- terephthalaldehyde 67
- terminal alkynes 19, 249, 256, 269, 270, 414, 416, 420, 422, 424, 427, 432, 448, 555, 556, 561–565, 571, 572
- tert*-butyl hydroperoxide (TBHP) 215, 246
- terthiophene diesters 422
- tethered alkynoyl moiety 424
- N,N,N',N'*-tetrachlorobenzene-1,3-disulfonamide (TCBDA) 370
- tetracyclic indolines 504
- tetrahydrobenzoxazocines 200
- 1,5,6,7-tetrahydrocyclopenta[*b*]pyrazolo[4,3-*e*]pyridines 297
- 3,6,7,8-tetrahydrocyclopenta[*d*]pyrazolo[3,4-*b*]pyridine 297
- Tetrahydrofurans (THF) 230
- tetrahydro-3 *H*-pyrrolo[1,2-*a*]imidazole 429
- tetrahydroisochromenes 511
- tetrahydroisoquinolines (THIQ) 19, 114, 118, 267, 272, 273
- tetrahydropentaazaphenalene-1,3-dione 214
- tetrahydropyrazolopyridinones 297
- tetrahydropyridines 24, 146, 504
- tetrahydropyrimidines 313, 318
- tetrahydropyrimidinone amides 176, 180
- tetrahydropyrrolodiazepinones 191, 193
- tetrahydroquinolin-8-amine 27
- 1,2,3,4-tetrahydroquinolines (THQs) 500
- tetrahydroquinolines (THQs) 2, 147, 148, 149, 151, 154, 157, 216, 255, 273, 476, 480, 481, 568
- tetrahydrotriazolopyrimidines 292, 306
- tetrahydroxanthrenones 325
- tetraketones 73
- 1,1,3,3-tetramethylbutyl isocyanide 450
- tetrasubstituted imidazoles 212
- tetrasubstituted thiophene derivatives 156
- tetrazole-forming method 153

- tetrazole-forming Ugi-azide-4CR 152, 153
- tetrazole-peptidomimetics 153
- tetrazoles 27, 91, 151–154, 456, 458, 522, 524
- tetrazolopiperazinones 178, 183
- thermal degradation temperature 46, 83
- thermal ring-opening polymerization 54, 56–58, 61–63
- thermodynamic control 309–313, 315, 318
- 1,3,5-thiadiazinane-2-thiones (THTTs) 463
- thiazo/benzo[d]thiazol-2(3H)-ones 16
- thienodiazepine-2,5-dione synthesis 105, 106
- thiazolidinones 142, 447, 453–455
- 4-thiazolidiones 83
- thiazolo-quinazolinones 21
- 2-(thiazol-2-yl)acetonitriles 327
- 3-(1,3-thiazol-2-yl)-7,8-dihydroquinoline-2,5(1*H*,6*H*)-diones 327
- thieno[2,3-*b*]pyridine amines 108
- thieno[3,2-*e*]pyrrolo[1,2-*a*]pyrimidine 364
- thiobenzoic acid 153
- thiocarbamates 258
- thiocarboxylic acid 142, 144
- (thio)ethers 11
- α -thiofunctional β -lactams 449
- thiophenes 100, 108, 119, 142, 143, 156, 157, 244, 248, 261, 264, 265, 266, 275, 422–424
- thiophenol 153, 340
- thiophenyl-substituted tetrahydroquinoline product 151
- thio-substituted imidazopyridines 36
- 3-thio-1,2,4-triazole derivatives synthesis 231
- thiouracil derivatives 24
- (thiourea-based) cinchona alkaloids 514
- thiourea catalysts 496, 498, 504, 506, 509
- (thio)urea component 144
- three- and four-component coupling-Bagley–Bohlmann–Rahtz syntheses 427
- three-component activation-alkynylation-cyclocondensation synthesis 439
- three-component alkynylation-cyclocondensation synthesis 418, 422
- three-component aza-[4 + 2]/allylboration reaction 149
- three-component reactions (3CRs) 19, 54, 63, 100, 142, 164, 213, 215, 219, 226, 227, 242, 249, 253, 259, 262, 265, 266, 268, 271, 273, 275, 276, 289, 290, 293, 294, 297, 299, 303, 306, 309, 310, 313, 315, 322, 343, 447–449, 453, 458, 462, 463, 468, 470, 474, 476, 485, 497, 498, 500, 514, 522–525, 527, 531, 554, 558–563, 565, 567, 568, 570–572, 575
- three-membered ring heterocycles 447–448
- Ti-TADDOL complex 522
- TMS azide 4
- tobacco mosaic virus (TMV) 496
- Togni's reagent 16, 248, 570
- toluene 58, 118, 223, 226, 227, 233, 249, 250, 259, 412, 415, 458, 556
- p*-tolylsulfonylmethyl isocyanide 379
- o*-tosylhydroxylamine 16, 249
- transforming growth factor β (TGF β) 397
- transient *N*-acyliminium ion 144
- transition-metal-free C–H functionalization
- multicomponent of heterocycles 273–277
- multicomponent synthesis of heterocycles 269–273
- triamine tris(2-aminoethyl)amine 49
- tri- and tetrasubstituted pyridines 429, 431

- triazole-tethered spirochromenocarba-
 zoles 165, 166
 triazoles 24, 187, 219, 420–422, 562–566
 triazolopyrimidin-5-ones 297, 299
 triazolopyrimidines 292, 306, 309, 564
N-(1,2,4-triazol-5-yl)acetamide 299
 2-(1,2,3-triazolyl)benzamides 420, 423
 1,2,3-triazolylmethyl 3-amino
 3-arylacrylates 422, 424
 1,2,3-triazolylmethylarylpropiolates 422
 triazolylpyrrolones 306
 3-triazolylquinoxalines 437, 441
 tricyclic 2-aminopyridinium salts 429,
 432
 tricyclic chromanes 511
 tridentate indane (PyBOX)Cu(II) complex
 522
 triethylamine (TEA) 223, 316, 392, 412,
 414, 416
 trifluoroacetic anhydride 36
 2,2,2-trifluoroethanol (TFE) 112, 343
 triflyl coumarins 432
 (triisopropylsilyl)butadiyne 416
 trimethylsilyl azide 4, 152
 2,5-bis(trimethylsilyl-ethynyl) thiophene
 422
 triple Michael/Michael/aldol condensa-
 tion reaction 511
 1,4,5-trisubstituted imidazole 96
 2,3,5-trisubstituted tetrahydrofurans
 synthesis 230
 tryptamines 19
 Tsuge-type reaction 149
 tubulysins 122, 353
 turnover frequencies (TOF) 229
 tyramine 61
- U**
- Ugi-derived dipeptide skeleton 155
 Ugi four-component condensation
 (U4CC) 468
 Ugi four-component reaction (U-4CR)
 340, 435, 514
 acid component 344
 alternative mechanism 342
 antibody drug conjugates 123
 carfentanil 347
 fluorinated indole-based MDM2 101
 proposed mechanism 341
 tadalafil synthesis 111
 tetracyclic spiroindolines 343, 345
 Ugi-4C3CR 173, 178, 183–186, 191, 198,
 199
 Ugi-mediated synthesis 468
 Ugi/Michael/Aza-Michael cascade
 reaction (UMAM) protocol 464
 Ugi reaction 173, 340
 FDA approved drugs 343–348
 isocotinine synthesis 452
 ivosidenib synthesis 349
 lipitor synthesis 349
 natural product synthesis 343
 rapid lead optimization 349–353
 Ugi–Smiles approach 24
 Ugi three-component reaction (U-3CR)
 470
 Almorexant synthesis 121
 quinapril synthesis 118
 xylocaine 118
 Ugi-type-4CRs 152
 Ugi-type multicomponent
 polymerizations 48–52
 Ugi-type reaction 267, 470, 573, 525–529
 Ullmann coupling 36
 Ullmann-type reaction 468, 561
 Ullman-type condensation 564, 565
 ultrasonication 294, 299, 306, 310, 313,
 316–318, 322, 325
 4-unsubstituted 5-aminopyrazoles 303
 unsaturated nitro derivatives 36
 unsaturated 2-pyridones 19
 2,5-unsubstituted tetrahydropyridines
 504
 urea 21, 64, 66, 67, 69, 71, 144, 145, 187,
 225, 356, 370, 371, 459, 494, 506,
 509

- urokinase plasminogen activator (uPA)
354, 357
- ustiloxins 343, 346
- V**
- 3C-van Leusen reaction 383–386, 394
- van Leusen reaction
- deprotection/cyclization 383–386
 - DNA-conjugated 386–388
 - drug discovery 388–397
 - indoleamine 2,3-dioxygenase 391
 - P53/MDM2 protein–protein interactions 392
 - PCSK9/LDLR protein–protein interactions 392–397
 - purinergic P2X7 receptor 388–391
 - Staudinger/aza-wittig/cyclization 386
 - TGFβR1, immuno-oncology therapeutics 397
 - tosmic-mediated cyclization toward nitrogen-containing heterocycles 379–383
- N*-vinylacetamide 11
- 2-vinylindoles 2
- vinylodonium salt 566, 567
- N*-vinylpyridinium cations 246
- vinyllogous Mannich pathway 500
- vinyllogous Mukaiyama aldol reaction (VMAR) 230
- virtual screening 99, 100, 126
- W**
- Wang resin-anchored amino acids 153
- Wang resin-anchored aniline 147
- water or bio-based solvents 163
- X**
- X-ray photoelectron spectroscopy 261
- xylocaine 116, 118
- Y**
- Yb(fod)₃ 509
- ynediones 414, 415, 435
- Yonemitsu MCR 21
- Z**
- Zn-based coordination polymer 225
- ZnCl₂ catalysis 290
- zone of inhibition (ZOI) 369
- zwitterion 275, 474
- zwitterionic intermediate 260, 468, 504, 564

