

## Index

### **a**

*ab initio* molecular dynamics (AIMD)  
 simulations 197, 211, 215, 232  
*ab initio* real-time time-dependent  
 density functional theory  
 (TDDFT) 145  
 adsorbed hydrogen ( $H^*$ ) 201, 211  
 Ag/AgCl plasmonic photocatalytic models  
 178  
 AgBiP<sub>2</sub>Se<sub>2</sub>/CrI<sub>3</sub> heterostructure 40, 41  
 ammonia synthesis 205  
 angle-resolved photoemission (ARPES)  
 90  
 anomalous magnetoresistance 113  
 antibonding p bands 12  
 antiferroelectric semiconductor 40  
 antiferromagnetic (AFM) 107  
 honeycomb lattice 22, 23  
 states 24, 65  
 topological insulators 107–112  
 antiferromagnetic-Néel (AFM-N) 68  
 antiferromagnetic-stripy (AFM-SR) 68  
 antiferromagnetic-zigzag (AFM-ZZ) 68  
 antisymmetric wave functions 2  
 armchair and zigzag directions 65  
 Arrhenius type equation 202  
 $\alpha$ -AsP/GaN type-II heterobilayer excitonic  
 solar cells 174  
 atomic hydrogen 202  
 atomic nuclei 2  
 Au-Ti antibonding states 179

### **b**

band-fill factor 173  
 band gap renormalization 129, 130–133,  
 135, 138  
 Bernevig–Hughes–Zhang (BHZ) 82  
 Berry curvatures 17, 19, 20, 23, 84, 85,  
 92, 93, 95, 105, 106, 110, 113, 114,  
 117, 118  
 biological nitrogen ( $N_2$ ) fixation 204  
 BiS<sub>2</sub>-based systems 44  
 Bloch eigenstates 91  
 Bloch function 11  
 Bloch wave functions 9, 10, 85, 167  
 Boltzmann constant 172, 201, 203, 208,  
 231  
 bonding and anti-bonding states 88, 91  
 Born–Oppenheimer approximations 2  
 Brillouin zone 17, 38, 42, 82, 83, 85, 88,  
 91, 93, 94, 128, 135, 137, 149, 197,  
 222  
 bulk magnetic substrates 37

### **c**

carrier separation/recombination 145  
 charge carrier mobility 161, 172  
 charge density 131, 166, 221, 224  
 charge doping 49–51  
 charge transfer induced Schottky barrier  
 179  
 chemical vapor deposition (CVD) method  
 53, 153, 154, 180

- Chern number 81, 84–86, 91–93,  
95–100, 103–109, 111, 113–115
- classical electrostatic interaction energy  
6
- classical path approximation (CPA)  
147
- climbing image nudged elastic band  
(CINEB) method 203, 213, 231
- closed 3d and 4s shells 34
- co-doping configuration 34
- cohesive energies 222
- conduction band 17, 19, 22, 25–27,  
29–32, 34–36, 38–42, 44, 46–54,  
70–72, 82, 84, 90, 93, 130, 137, 148,  
160, 163, 173, 179
- conduction band minimum (CBM) 26,  
30, 31, 38, 40, 47, 48, 51, 52, 54, 72,  
89–93, 97, 109, 118, 130, 137, 149,  
150, 162, 172, 174
- CO<sub>2</sub> reduction reaction (CO<sub>2</sub>RR) 195,  
197, 210
- correlation density 7
- Coulomb hole and screened exchange  
(COHSEX) 136
- Coulomb interaction of, electrons 2
- Cr-doped monolayer MoS<sub>2</sub> 32
- crystal orbital Hamilton population  
(COHP) 227, 228
- crystalline mirror symmetry 91, 96, 100,  
113, 118
- cubic lattice 12
- Curie temperature 24, 26, 30, 38, 42, 66,  
68, 70, 71, 73
- d**
- $D_{2d}$  symmetry 109
- density functional theory (DFT) 125, 164  
and derivatives  
first Hohenberg–Kohn theorem 3–4  
GGA 8  
Heyd–Scuseria–Ernzerhof density  
functional 9–11  
Kohn–Sham equations 5–7  
LDA 7–8  
LDA+U method 8–9  
N-electron system 1–3  
second Hohenberg–Kohn theorem  
5  
Thomas–Fermi theory, for electron  
density 3
- dielectric constant 168, 181
- dielectric function 125, 126, 129, 131,  
135
- differential hydrogen adsorption energy  
202
- dipole plasmon resonance (DPR) 177
- Dirac  $\gamma_i$  matrices 13
- Dirac notation 2
- Dirac point 68, 83, 89, 91, 100, 107, 108,  
113, 209, 213
- Dirac semimetal phase 108
- discrete dipole approximation (DDA)  
176, 179, 181
- donor band gap 173
- doped Cr atom 36
- doped graphene 116
- doping atoms 33
- dual topological character (DTC) 96, 98
- dual topological insulator 96–100
- dye-sensitized solar cells 162, 176
- Dyson’s equation 126, 127
- Dzyaloshinskii–Moriya interaction 113
- e**
- electric dipole approximation 178
- electric field effect 177
- electrochemical reactions, simulations for  
electrocatalytic activity 209–220  
HER 199–203  
NRR 204–209  
simulations 220–232  
OER 203  
ORR 204  
single atom catalysts 195–197  
stability of, catalyst 197–199
- electrode potential 199, 201, 203, 211,  
227
- electron acceptor state 152
- electron density 1–4, 7, 145–147
- electron–electron correlations 123, 129
- electron–electron operator 2
- electron–hole Coulomb attraction 154

- electron–hole elastic/inelastic scattering 145
- electron–hole interactions 123, 128, 132
- electron–hole recombination 148–151, 153–155, 159, 161, 163, 164, 169, 171
- electron–hole recombination time 153, 154, 169
- electron–phonon coupling 134–136, 154
- electron–photon interaction 136, 168
- electronic contribution 74
- electronic momentum operator 167, 168
- electrostatic potential 3, 18, 39, 53
- elementary band representations (EBRs) 83, 84
- energy gap fluctuations 149
- energy of the system 2
- energy relaxation/transfer 145
- exchange–correlation energy 7–9
- exchange–correlation energy density 7
- exchange–correlation functional 7, 8, 210
- exchange–correlation potential 1, 6, 7
- exchange current 202, 214, 215
- excited-state properties, calculation of
- electron–phonon effects 133–136
  - excitonic effects and band gap renormalization 130–133
  - Green’s function many-body perturbation theory 123–130, 136
  - optical properties of, van der Waals heterostructures 137–138
- exciton binding energy 130–133, 137, 138, 163, 172, 173, 181
- exciton effective reduced mass 172
- excitonic effects 123, 129–133, 137
- exfoliation energy 27–31, 70
- exotic correlations 131
- external potential  $v_{ne}(r)$  3
- f**
- Faraday constant 199
- Faraday efficiency (FE) 204, 221, 227, 231, 232
- Fermi level 23, 24, 27, 29, 32, 36, 37, 50–52, 67, 68, 70, 72–74, 85, 86, 88, 92, 94, 98, 102, 104, 105–107, 110, 118, 174, 179, 196, 213, 218, 227, 228
- ferromagnetic lattice 23
- ferromagnetic ordering 65–75, 105
- ferromagnetic semiconductor 23, 24, 26, 27, 42, 70–72
- ferromagnetic states 24, 65, 74
- ferromagnetism 23, 66, 67, 68, 71, 73, 109
- fewest-switches surface hopping (FSSH) 147, 154
- Fe-X-Fe angle 70
- field effect transistors (FETs) 51, 174
- first Hohenberg–Kohn theorem 3–4
- “Five-Step” strategy 208
- Fock exchange energy 9
- formation energy 47, 149, 199, 209
- Fourier transformation 124
- free electron mass 172
- free-standing hydrogen 201
- Fu-Kane approach 85
- g**
- generalized gradient approximation (GGA) 1, 8, 9, 210
- Gibbs free energy 201, 203, 209, 211, 213–219, 225–227, 229, 231
- gigantic energy gaps 86
- Goodenough–Kanamori–Anderson rule 27, 29, 72
- Goodenough–Kanamori rules 70
- gradient-expansion approximation (GEA) 8
- gradients of, density 8
- graphene lattice 10
- Green’s function 93, 123–130, 136, 164–166, 168
- ground state density 3–5
- ground state electron density 3, 4
- ground state energy 1, 2, 4, 5
- ground state properties of, materials 1
- ground state wave functions 4
- h**
- Hall conductance 81, 82, 103, 104
- Hamiltonian matrix 11
- Hartree–Fock theory 9

- Hedin's equations 125–127
- hexagonal lattice 24, 27, 29, 47, 53, 86, 209
- hexagonal lattice parameter 86
- hexagonal layered structure 27
- Heyd–Scuseria–Ernzerhof (HSE)
- functional 9
  - density functional 9–11
  - exchange-correlation energy 9
- H4,4,4-graphyne monolayer 209
- Hohenberg–Kohn theorems 3
- homogeneous electron gas 7
- hopping energy 10, 108
- hot electron generation efficiency (HEGE) 179
- hot electron injection efficiency (HEIE) 179
- H poisoning effect 227
- hydrogen adsorption energy 201, 202, 211
- hydrogen evolution reaction (HER) 195, 199–203, 208–211, 215, 219, 220, 221, 223, 226, 227
- hydrogenic model 172
- i**
- ideal gas constant 201
- implementation of, diagonalization 11
- in-plane magnetization 29–31, 101–103
- independent chemical potential 3
- insulating bulk energy gap 91
- integrated COHP (ICOHP) 227, 228
- interaction matrix 176
- interlayer direct transitions 138
- interlayer electric field 39
- interlayer polarization 150
- intrinsic antiferromagnetism 109
- intrinsic ferromagnetic order 65
- in 1D molecular nanowires 73–75
  - in 2D materials 66–73
- intrinsic ferromagnetism 66–68, 71, 73, 75
- intrinsic property 17
- inversion symmetry 17, 19, 22, 26, 29, 34–36, 39, 44, 45, 47, 51, 52, 54, 82, 85, 86, 90, 97, 111, 213
- Ising model 26, 68
- IV–VI monolayers 93
- IV–VI semiconductors SnTe and PbTe 93
- j**
- Janus monolayer MoSSe 35
- Janus monolayer TMDs 25
- k**
- Keldysh non-equilibrium Green's function (NEGF) formalism 164–166, 169, 170, 174
- kinetic energy operator 2
- Kohn–Sham equations 5–7
- Kohn–Sham spectrum 9
- Kohn–Sham method 145
- Kohn–Sham orbitals 145–147
- k*·*p* perturbation theory 11
- explicit Hamiltonian of 12–13
  - non-degenerate bands
  - degenerate bands, solution for 12
  - solution for 11–12
- Kubo formula 103
- l**
- Lagrange multipliers 6
- Landau's symmetry-breaking theory 103
- Lehmann representation 124
- light–energy conversion process 145, 148, 151
- linear combination of atomic orbital (LCAO) space 166
- local density approximation (LDA) 1, 7–8
- m**
- magnetic anisotropy energy 29, 41, 67–71
- magnetic coupling 27, 65, 71, 74
- magnetic moment 17, 19, 21, 24, 25, 27, 29–32, 34, 36–39, 65–74, 101, 105, 109
- magnetic shape anisotropy (MSA) energy (EMSA) 67
- magnetization orientation 25, 29–31, 33, 42
- magnetocrystalline anisotropy (MCA) energy (EMCA) 67

- magnetocrystalline anisotropy energy  
     24, 26, 27, 30  
 magnetocrystalline energy 23  
 magneto-optical Kerr effect microscopy  
     66  
 magnitude of, strain 95  
 Maxwell's electrodynamics equations  
     179  
 Maxwell's equations 176  
 M-d orbital 19, 89, 225, 227  
 Mermin-Wagner theorem 66  
 mirror symmetry 51, 53, 88, 91, 93,  
     95–97, 99, 100, 113–116, 118  
 mixed topological semimetals 113–118  
 molecular dynamic simulations 31, 52,  
     66, 70, 71  
 molecular nanowires 73–75  
 molecular spintronics 75  
 monolayer H-Tl<sub>2</sub>O 20  
 monolayer MoS<sub>2</sub> 21, 22, 24, 31–34, 38,  
     131, 180  
 monolayer MoSSe 35  
 monolayer Tl<sub>2</sub>O 36, 37  
 Monte Carlo simulation 26, 68, 70, 71  
 Mott insulators 9  
 multilayer multiconfiguration  
     time-dependent Hartree  
     (ML-MCTDH) method 147
- n**
- Na<sub>3</sub>Bi monolayer 97–99, 118  
 nanoscale materials 145  
 nearest-neighbor atoms 10  
 N-electron system 1–3  
 new physical effects, on band structure  
     Rashba effects 43–54  
     valley physics 17–43  
         spontaneous valley polarization  
             22–31  
         valley polarization, by foreign atom  
             doping 31–37  
         valley polarization, in van der Waals  
             heterostructures 37–43  
 nitrogen reduction reaction (NRR) 195,  
     204–210, 220, 221, 223–227,  
     229–232  
 N<sub>2</sub> lone-pair electrons 225
- N<sub>2</sub> molecule 205, 206, 224, 227  
 nonadiabatic molecular dynamics  
     (NAMD) 145–155  
 non-equilibrium density matrix 165, 166  
 non-Hermitian 129, 165  
 non-relativistic approximations 2  
 nonsymmorphic symmetry 108, 109  
 nontrivial materials 81  
 N<sub>2</sub> reduction reaction (NRR) 195,  
     204–210, 220, 221, 223–226, 227,  
     229–232  
 n-type mobile carrier density 34
- o**
- O atomic layer 36  
 octahedral crystal field 25, 72  
 one-particle Green's function 123–127  
 on-site Coulomb interaction 32  
 optical pumped valley polarization 22  
 orbital magnetic moment 17  
 orthogonal Wannier function 10  
 oxygen evolution reaction (OER) 200,  
     203–204, 209–211, 215–220, 223  
 oxygen reduction reaction (ORR) 195,  
     204, 209, 210, 220
- p**
- Pauli matrices 13, 96, 99, 100, 108  
 PbTe monolayer 92, 93  
 Perdew–Burke–Ernzerhof (PBE) 210  
     correlation energy 9  
     exchange energy 9  
 periodic potential V(r) 11  
 perovskite solar cells 152, 162  
 phonon spectra calculations 31, 38, 40,  
     52, 54, 66, 70, 71  
 phonon spectrum 197, 222  
 photocatalytic (photoelectrochemical)  
     reactions 159  
 photocatalytic materials, simulations for  
     localized surface plasmon resonance,  
     simulation for 163, 174–181  
 photocatalysis and photocatalytic  
     reactions 159–164  
 photoresponsivity and photocurrent,  
     from simulations 164–174

- photocatalytic systems 151, 160, 179  
 photoexcitation dynamic 148, 151, 163  
 photoexcitation processes 131  
 photoinduced charge carrier transfer  
     171  
 photo-induced nonequilibrium processes  
     148  
 photoluminescence circular polarization  
     21  
 photoluminescence polarization 21  
 photon energy 136, 138, 173, 174  
 photovoltaic and photocatalytic processes  
     145, 151  
 Planck constant 81, 171, 201, 208  
 plasmon–exciton coupling 181  
 plasmonic metal nano-particles (NPs)  
     174–181  
 plasmonic NPs 175, 181  
 plasmonic photodetectors 181  
 plasmon-induced interfacial charge  
     transfer transition 180  
 Poisson's ratio 199  
 potential-determining step (PDS)  
     215–217, 219–221, 225, 231  
 potential electrocatalysts 220  
 power conversion efficiency (PCE) 173,  
     174  
 practical valleytronic applications 27, 39  
 primitive-lattice translational symmetry  
     107  
 pristine H4,4,4-graphyne 213  
 probability density 2  
 projected density of states (PDOS) 72,  
     206, 218, 227, 228  
 proton–electron pair 206, 219  
 prototype filter device 39  
 pump–probe spectroscopy 138, 150, 152
- q**
- quadratic non-Dirac band dispersions 34  
 quadrupole plasmon resonance (QDR)  
     177  
 quantum anomalous Hall (QAH) effect  
     82, 83, 103–108, 114, 115  
     insulator 104  
 quantum dot-sensitized solar cells 162
- quantum Monte Carlo (QMC)  
     calculations 7  
 quantum spin Hall (QSH) effect 82–84,  
     86–90, 104, 105, 107, 114, 115  
     insulator 104  
 quantum-transport applications 21  
 quantum yield 132, 171  
 quasi-particle approximation 125  
 quintuple layers (QLs) 105–107, 109–112
- r**
- Rashba effects 43–54  
 Rashba Hamiltonian 43  
 Rashba parameter 43, 44, 47, 49–54  
 Rashba spin splitting 43, 44, 47, 49–54  
 Rashba spin splitting energy 49  
 rate-determining step (RDS) 207, 231  
 resonant oscillation 175  
 robust intrinsic ferromagnetism 67  
 R-scheme and Z-scheme transfer  
     mechanism 169  
 Rydberg constant 172
- s**
- scanning tunnelling microscopy (STM)  
     measurements 90  
 Schottky junction solar cells 162  
 Schrödinger equation 2, 3, 5, 11  
 second Hohenberg–Kohn theorem 5  
 $s$ - $\tau$ -selective circular dichroism (CD) 22,  
     23  
 self-consistent field (SCF) theory 164,  
     165, 169, 170, 174  
 semi-hydrogenated bismuth 116  
 semi-metallic 37, 86, 213  
 silicon-based solar cells 173  
 silicon inversion layer 17  
 single atom catalysts (SACs) 195–198,  
     204, 209, 210, 213, 215, 217, 220  
 single-particle equation 125  
 single-particle Kohn–Sham orbital 145  
 single particle orbital 5  
 SnTe monolayer 93  
 SnTe nanoribbon 93  
 SnTe thin films 91–93  
 solar energy flux 173  
 solar-to-hydrogen 159, 160

- space-spin coordinates 2
- spin Chern number  $C_s$  85, 95–98, 108, 111
- spin degeneracy 24, 27, 36, 52, 167
- spin-down electrons 22
- spin for, spintronics 17
- spin-gapless semiconductor 34
- spin-orbit coupling (SOC) 17, 19, 23–37, 40–49, 51–54, 67–68, 81–83, 85, 86, 88–90, 92–98, 100, 102, 105–113, 118, 130
- spin orientation 29, 69
- spin-polarized band structure 23, 26, 29, 31, 34–36, 68–69, 73
- spin polarized calculations 27, 65, 68
- spin polarized systems 8
- spin-up electrons 22
- spin-valley coupling 20, 22
- spontaneous valley polarization 22–31
- strain effect 25, 27, 30, 37, 49
- strain induced band edge shift 172
- strain-induced phase transition 95
- strain-induced 2D insulators 95
- symmetry matrix 13
- t**
- Tamm–Dancoff approximation 129
- tensile strain 47, 49, 65, 95, 169–171
- ternary monolayer systems 71
- thermal stability 198, 209, 232
- Thomas–Fermi theory 3  
for electron density 3
- 3D Brillouin zone 85
- 3d<sup>5</sup> configuration 109
- three-dimensional (3D) DTC system 96
- tight-binding approximation 9–10  
graphene model 10–11  
matrix elements of  
tight-binding Hamiltonian 10  
Wannier function 10
- tight-binding model 10, 22, 100–101, 108–110
- time-dependent density functional theory (TDDFT) 129, 145–155
- time-reversal invariant momentum (TRIM) 85, 86, 91, 94, 101
- time-reversal inversion symmetry 35–36
- time-reversal symmetric insulator 84–85
- time-reversal symmetry (T) 13, 22, 24, 33, 35, 37, 39–40, 82–83, 85, 91, 93, 96, 99–100, 104–105, 107–108
- TKNN number 103
- topological crystalline insulators (TCIs) 81–82, 91–103, 113–114
- topological insulators (TIs) 82  
graphene 82–83  
HgTe/CdTe quantum wells 83–84  
large gap quantum spin hall insulators 86–90  
 $Z_2$  invariant and spin Chern number 84–86
- topological nodal-line semimetal 113
- topological phase transition, b/w 2D TCI and TI 94–96
- topological semimetals 107, 113–118
- total magnetic moment 27, 31–32, 34, 36–37, 74
- trajectory surface hopping (TSH) 147
- transition metal atom-*d* orbitals 225, 227
- transition metal carbides and nitrides (MXenes) 161, 174, 209, 220–221
- transition metal dichalcogenides (TMDs/TMDCs) 19–22, 24–25, 34, 37, 41–42, 70, 89, 130–132, 135, 137–138, 149–151, 153–154, 161, 173–174, 180, 181
- transition metal dihalides 42, 69–71
- transition-metal dinitrides (TMDNs) 24
- triangulene-based spin-photovoltaic devices 174
- turnover frequency (TOF) 202, 230–232
- 2D alkali metal subnitrides 73
- 2D antiferromagnet 108–109
- 2D Heisenberg ferromagnet 66
- two-dimensional (2D) systems 17, 43, 81–118, 172
- two-dimensional materials, TDDFT and NAMD 148–155
- two-dimensional topological states  
antiferromagnetic topological insulators 107–112  
mixed topological semimetals 113–118

- two-dimensional topological states  
(*contd.*)
- quantum anomalous hall effect
    - 103–107
  - topological crystalline insulators 91
    - dual topological insulator 96–100
    - IV-VI monolayers 93
    - SnTe thin films 91–93
    - TCI in, 2D ferromagnets 100–103
    - topological phase transition, b/w 2D  
TCI and TI 94–96
  - topological insulators 82
    - graphene 82–83
    - HgTe/CdTe quantum wells  
83–84
    - large gap quantum spin hall  
insulators 86–90
    - $Z_2$  invariant and spin Chern number  
84–86
  - two-dimensional transition metal  
dichalcogenides (TMDCs)
    - 130–132, 135, 137–138, 148–151,  
153–154, 180–181
  - 2D monolayer 93
  - 2D nonstoichiometric compounds 72
  - 2D valleytronic materials 20, 26, 30, 31,  
37, 40
  - two-particle correlation function 127
  - type-II band alignment 38, 43, 137–138,  
145, 149–150, 160, 171
  - type-II donor–acceptor heterostructure  
148
- u**
- ultralow exfoliation energy 27
  - uncorrelated electron–hole pair 128
  - uniform electron gas 1, 8
  - universal density functional 5
- v**
- valence band maximum (VBM) 20, 24,  
26, 30–31, 36, 38, 40, 47, 51, 54, 72,  
89–93, 109, 118, 130, 137, 149–150,  
172
  - valley-based information storage 23
  - valley Hall effect 17, 19, 23, 34, 41
  - valley physics
    - spontaneous valley polarization 22–31
    - valley polarization, by foreign atom  
doping 31–37
    - valley polarization, in van der Waals  
heterostructures 37–43
  - valley-spin locking relationship 22
  - valley spin splitting 19, 24, 32–40
  - valleytronic devices 21–23, 35, 41
  - valleytronic materials 20–21, 25, 26,  
29–31, 35–37, 40
  - valleytronic properties 24–25, 27, 32–34,  
38–39, 41
  - van der Waals (vdW)
    - crystal 116
    - heterostructures 145, 151
    - homostructures 132
  - vanadium naphthalene (Vn–1Npn) 73
  - variational theorem 2, 4
  - V atoms 25–27, 29, 35–36, 38, 65, 68–69,  
73, 116
  - V-doped MoS<sub>2</sub> 32–33
  - V-d orbital 30
  - vibrational entropy of gas molecules 201
  - Vienna *ab initio* simulation package  
(VASP) 210
  - VNp sandwich nanowire (SWN) 73
- w**
- water splitting reaction 200, 209
  - Wilson loop method 103
  - WSe<sub>2</sub>/CrI<sub>3</sub> heterostructure 39
- x**
- X-*p* orbital 89
- y**
- Young’s modulus of graphene 199
- z**
- zero-point energy (ZPE) 135, 201–203,  
211