

## Contents

**Preface** *xv*

**About the Editors** *xvii*

### **Part I Introduction** *1*

- 1 Current Diagnostic Approach for COVID-19** *3*  
*Nitika Thakur and Rachit Sood*
- 1.1 Introduction *3*
- 1.2 Recommended Laboratory Diagnosis for COVID-19 *3*
- 1.2.1 SARS-CoV-2 Testing: Detection Approach by Screening Suitable Specimen Cultures *3*
- 1.2.2 SARS-CoV-2 Detection: The Nucleic Acid Approach *4*
- 1.2.2.1 COVID-19 Detection Approach Through Real-Time PCR *4*
- 1.2.2.2 Detection Approach Through Nested RT-PCR *5*
- 1.2.2.3 Detection and Analysis Approach via Droplet Digital PCR *6*
- 1.2.2.4 Lab-on-chip Approaches Using Nucleic Acid as Chief Target Points *6*
- 1.2.2.5 Analysis Through Nanoparticle Amplification Process *7*
- 1.2.2.6 Portable Methodology: The Concept of Benchtop-Sized Analyzer *7*
- 1.3 Antigenic Approach for COVID-19 Diagnosis *8*
- 1.4 Antibody Diagnostic Strategies for Detection of COVID-19 *10*
- 1.4.1 Enzyme-Linked Immunosorbent Strategies: The Vircell and Euroimmun ELISA *11*
- 1.4.2 Immunoassay-Based Detection Approach: Immunofluorescence and Chemiluminescence Assay *11*
- 1.5 Point-of-care/Lab-on-chip Approaches: The LFA (Lateral Flow Assay) *12*
- 1.6 Miniaturization Detection Approach: Combining Microarray with Microfluidic Chip Technology *12*
- 1.7 Neutralization Detection Approaches Toward COVID-19 *13*

1.8 Genomic Sequencing Detection Approach: The Amplicon, Hybrid Capture, and Meta-transcriptomic Strategy 13

1.9 Conclusion 14

References 14

## 2 COVID-19 Diagnostics: Current Approach, Challenges, and Technology Adaptation 23

*Prama Bhattacharjee, Santanu Patra, Abhishek Mishra, Trupti R. Das, Hemlata Dewangan, Rajgourab Ghosh, Sudheesh K. Shukla, and Anshuman Mishra*

2.1 Introduction 23

2.2 Diagnosis of COVID-19 25

2.2.1 Clinical Diagnosis 25

2.2.2 Sample Collection and Testing 26

2.3 Understanding Genetic Consequences 27

2.3.1 SARS-CoV-2 Genome and Database 27

2.3.2 Infection and Genetic Diagnosis 27

2.3.3 Real-Time PCR 27

2.4 Understanding Immunological Consequences 28

2.4.1 Role of Immunological Test 28

2.4.2 Rapid Antigen Testing 29

2.4.3 Rapid Antibody Tests 29

2.5 Protein Testing 29

2.5.1 Computed Tomography 29

2.6 Challenges 30

2.6.1 Challenges of Developing COVID-19 Tests 30

2.6.2 Sample Collection and Tests 31

2.7 Advanced Diagnosis Technologies and Adaptation 31

2.8 Adaptation of a New Approach 31

2.8.1 Emerging Diagnostic Tests for COVID-19 33

2.8.2 Role of siRNA, Nanoparticle Toward COVID-19 33

2.8.3 RT-LAMP Nucleic Acid Testing 34

2.8.4 Point-of-care Testing 34

2.8.5 FNCAS9 Editor-Limited Uniform Detection Assay 34

2.8.6 Development of a Novel Technology for COVID-19 Rapid Test 34

2.8.7 Specific High-Sensitivity Enzymatic Reporter Unlocking 35

2.9 Digital Healthcare Technologies 35

2.9.1 Artificial Intelligence and Mass Healthcare 36

2.9.2 Standard Healthcare Management During Pandemic Crisis 36

2.10 Implications of Technology-Based Diagnosis and Testing 36

2.10.1 Benefit of Diagnosis 37

2.11 Conclusion 37

2.12 Future Prospects 38

Acknowledgment 39

References 39

|          |   |           |
|----------|---|-----------|
| <b>3</b> | <b>Current Scenario of Pandemic COVID-19: Overview, Diagnosis, and Future Prospective</b>   | <b>43</b> |
|          | <i>Bindu Mangla, Shinu Chauhan, Shreya Kathuria, Prashant, Mohit, Meenakshi, Santanu Patra, Sudheesh K. Shukla, and Chaudhery Mustansar Hussain</i> |           |
| 3.1      | Introduction  | 43        |
| 3.2      | Diagnosis and Treatment   | 47        |
| 3.3      | Infection and Control   | 49        |
| 3.4      | Current Status of COVID-19  | 50        |
| 3.5      | Recommendation  | 51        |
| 3.6      | Conclusion  | 52        |
|          | References  | 53        |

## **Part II Bio-analytical Strategies for SARS-CoV-2/COVID-19**

57

|          |   |           |
|----------|---|-----------|
| <b>4</b> | <b>COVID Detection via Nanotechnology: A Promising Field in the Diagnosis and Analysis of Novel Coronavirus Infection</b> | <b>59</b> |
|          | <i>Nitika Thakur, Sudheesh K. Shukla, and Chaudhery M. Hussain</i>  |           |
| 4.1      | Introduction  | 59        |
| 4.1.1    | Pandemic Outbreak of COVID-19: A Tour Around the Globe from Wuhan   | 59        |
| 4.1.2    | Nanotech Solutions for Faster Detection Analysis of COVID-19  | 60        |
| 4.2      | Methodologies from Lab to People: Advantages of Nanovaccines in Providing Point-of-care Diagnosis                         | 60        |
| 4.3      | An Overview: The Potential Strategies Related to Nanotechnology for Combating COVID-19                                    | 61        |
| 4.3.1    | Loop-Mediated Isothermal Reverse Transcriptase Coupling with Nanobiosensors   | 62        |
| 4.3.2    | Nanopoint-of-care/Lab-on-chip Diagnosis: A Strategy to Reach out the Resource-Poor Areas                                  | 63        |
| 4.3.3    | Tagging up the Biosensor with Optics for Reducing the Long Detection Time   | 63        |
| 4.3.4    | Sequencing Strategy Involving the Nanopore-Assisted Target Sequencing (NTS)   | 63        |
| 4.4      | Screening of Potential Agents for Restricting the Rapid Spread of COVID-19  | 64        |
| 4.5      | Potential New Generation Vaccines: A Journey from Nucleoside, Subunit, Peptide Analogs to Nanoformulation                 | 65        |
| 4.5.1    | Nucleoside Analog Vaccines: Searching Potential Candidates Among DNA, RNA, and mRNA                                       | 65        |
| 4.5.2    | Nano-VLP Subunit Vaccines: A Stable and Ordered Vaccine Complex   | 67        |
| 4.5.3    | Nanopeptide-Based Vaccines: “Hitchhiking Through Albumin”   | 68        |

|          |   |           |
|----------|---|-----------|
| 4.6      | Future Prospective: Resolving the Big Pandemics   | 68        |
| 4.7      | Conclusion  | 69        |
|          | References  | 69        |
| <b>5</b> | <b>Biosensing Approach for SARS-CoV-2 Detection</b>   | <b>75</b> |
|          | <i>Varun Rawat, Sonam, Diksha Gahlot, Kritika Nagpal, and Seema R. Pathak</i>   |           |
| 5.1      | Introduction  | 75        |
| 5.2      | SARS-COVID-19 Structure and Genome  | 76        |
| 5.3      | SARS-COVID-19 Sensors   | 77        |
| 5.3.1    | Localized Surface Plasmon Resonance (LSPR) Sensor   | 77        |
| 5.3.2    | Field Effect Transistor (FET)   | 78        |
| 5.3.3    | Cell-Based Potentiometric Biosensor   | 79        |
| 5.3.4    | eCovSens  | 79        |
| 5.3.5    | CRISPR/Cas12  | 80        |
| 5.3.6    | DNA Nanoscaffold Hybrid Chain Reaction (DNHCR)-Based Fluorescence Biosensor   | 81        |
| 5.4      | Biomarkers  | 83        |
| 5.5      | Conclusion  | 84        |
|          | References  | 84        |
| <b>6</b> | <b>Role of Nanotechnology in Coronavirus Detection</b>  | <b>87</b> |
|          | <i>AbdulGafar O. Tiamiyu, Bashir Adelodun, Hashim O. Bakare, Fidelis O. Ajibade, Kola Y. Kareem, Rahmat G. Ibrahim, Golden Odey, Madhumita Goala, and Jamiu A. Adeniran</i> |           |
| 6.1      | Introduction  | 87        |
| 6.2      | Application of Nanomaterials  | 88        |
| 6.2.1    | Silver Nanoparticles  | 88        |
| 6.2.2    | Gold Nanoparticles  | 88        |
| 6.2.3    | Carbon Nanotubes  | 89        |
| 6.3      | Nanotechnology and Application in Medicine  | 90        |
| 6.3.1    | Biobarriers   | 90        |
| 6.3.2    | Molecular Imaging   | 90        |
| 6.3.3    | Early Detection   | 91        |
| 6.3.4    | Nanodiagnosics  | 91        |
| 6.4      | Biosensors for Infectious Disease Detection   | 92        |
| 6.4.1    | Biosensors  | 93        |
| 6.4.2    | Nano-Based Biosensors   | 93        |
| 6.5      | Coronavirus Detection   | 93        |
| 6.5.1    | Biosensors for COVID-19 Detection   | 94        |
| 6.5.2    | Nano-Based Biosensors for Coronavirus Detection   | 95        |
| 6.6      | Emerging Concerns on COVID-19   | 96        |
| 6.6.1    | Nanotechnology in COVID-19 Contaminated Water   | 97        |
| 6.7      | Nanotoxicity  | 98        |
| 6.8      | Conclusion  | 98        |
|          | References  | 99        |

### Part III Biosensors for Analysis of SARS-CoV-2/COVID-19 105

- 7 Sensor Development for Coronavirus 107**  
*Ranjita D. Tandel, Nagappa L. Teradal, and Sudheesh K. Shukla*
- 7.1 Introduction 107
- 7.2 Conclusions 118
- 7.3 Future Perspectives 119
- References 119
- 8 Chemical Sensor for the Diagnosis of Coronavirus 123**  
*Gyandshwar K. Rao, Ashish K. Sengar, and Seema R. Pathak*
- 8.1 Introduction 123
- 8.2 Multiplexed Nanomaterial-Based Sensor 124
- 8.3 Nanomaterial-Mediated Paper-Based Sensors 126
- 8.4 Molecularly Imprinted Polymer-Based Technology 127
- 8.5 Dual-Functional Plasmonic Photothermal Sensors for SARS-CoV-2  
Detection 128
- 8.6 Zirconium Quantum Dot-Based Chemical Sensors 128
- 8.7 Calixarene-Functionalized Graphene Oxide-Based Sensors 129
- 8.8 AlGa<sub>N</sub>/Ga<sub>N</sub> High Electron Mobility Transistor-Based Sensors 130
- 8.9 Conclusion 132
- References 132
- 9 Lab on a Paper-Based Device for Coronavirus Biosensing 137**  
*Lucas Felipe de Lima, Ariana de Souza Moraes, Paulo de Tarso Garcia, and  
William Reis de Araujo*
- 9.1 Paper-Based Technology as Point-of-care Testing Devices 137
- 9.1.1 Fabrication Methods 140
- 9.1.2 Main Detection Methods Coupled to PADs 141
- 9.2 Current Outbreak and Coronavirus Biology 142
- 9.3 Main Approach Used to COVID-19 Biosensing 144
- 9.4 Paper-Based Analytical Devices for COVID-19 Diagnostics 145
- 9.5 Challenges and Perspectives 155
- Acknowledgments 156
- References 157

### Part IV Commercialization and Standardization of Analytical Technologies 163

- 10 Nanobioengineering Approach for Early Detection of  
SARS-CoV-2 165**  
*Sidra Rashid, Umay Amara, Khalid Mahmood, Mian H. Nawaz, and  
Akhtar Hayat*

|          |  |     |
|----------|--|-----|
| 10.1     | Introduction   | 165 |
| 10.2     | Can Nanobioengineering Stand in the Battle Against SARS-CoV-2? | 166 |
| 10.3     | Sequential and Molecular Data Analysis                         | 167 |
| 10.3.1   | Role of Nanobioengineering for SARS-CoV-2 Detection            | 168 |
| 10.4     | Nanobioengineering-Based Detection of SARS-CoV-2               | 169 |
| 10.4.1   | Nucleic Acid-Based Molecular Detection                         | 169 |
| 10.4.1.1 | Reverse Transcription Polymerase Chain Reaction (RT-PCR)       | 169 |
| 10.4.1.2 | Loop-Mediated Isothermal Amplification (LAMP)                  | 172 |
| 10.4.2   | Protein-Based Detection  | 172 |
| 10.4.3   | Lymphopenia-Based Assessment                                   | 175 |
| 10.4.4   | Bioengineered Surfaces for SARS-CoV-2 Detection                | 177 |
| 10.4.5   | Nanobioengineered Prototypes                                   | 177 |
| 10.4.6   | Digital Radiographical Biosensing Platforms                    | 177 |
| 10.4.7   | Other Methods for SARS-CoV-2 Detection                         | 179 |
| 10.5     | Discussion   | 179 |
| 10.6     | Conclusions  | 180 |
| 10.7     | Expert Opinion   | 180 |
| 10.8     | Future Directions  | 181 |
|          | References   | 181 |

## **11 Development of Electrochemical Biosensors for Coronavirus Detection** 187

*Fulden Ulucan-Karnak, Cansu İ. Kuru, and Zeynep Yilmaz-Sercinoglu*

|          |  |     |
|----------|--|-----|
| 11.1     | Introduction   | 187 |
| 11.2     | Detection of Viral Infections                                      | 187 |
| 11.2.1   | Detection of Virus   | 187 |
| 11.2.1.1 | Electron Microscopy  | 187 |
| 11.2.1.2 | Viral Culture  | 188 |
| 11.2.2   | Detection of Viral DNA/RNA   | 188 |
| 11.2.2.1 | Real-Time Reverse Transcriptase Polymerase Chain Reaction (RT-PCR) | 188 |
| 11.2.2.2 | Microarrays  | 189 |
| 11.2.3   | Detection of Post-infection Antibodies                             | 189 |
| 11.2.3.1 | Lateral Flow Immunoassays (LFIAs)                                  | 190 |
| 11.2.3.2 | Enzyme-Linked Immunosorbent Assay (ELISA)                          | 190 |
| 11.2.3.3 | Chemiluminescent Immunoassay (CLIA)                                | 191 |
| 11.3     | Current Biosensor Candidates for COVID-19 Detection                | 193 |
| 11.3.1   | Electrochemical Biosensors for SARS-CoV-2 Detection                | 193 |
| 11.3.1.1 | Impedimetry  | 195 |
| 11.3.1.2 | Potentiometry  | 196 |
| 11.3.1.3 | Conductometry  | 197 |
| 11.3.1.4 | Voltammetry  | 197 |
| 11.3.1.5 | Amperometry  | 198 |
| 11.4     | Conclusions  | 199 |
|          | References   | 201 |

|           |   |            |
|-----------|---|------------|
| <b>12</b> | <b>Electrochemical Biosensor Fabrication for Coronavirus Testing</b>  | <b>207</b> |
|           | <i>Monika Vats, Parvin, Mukul Taliyan, and Seema Rani Pathak</i>  |            |
| 12.1      | Introduction  | 207        |
| 12.2      | Application of Electrochemical Biosensors   | 209        |
| 12.3      | Fabrication of Electrochemical Biosensors   | 210        |
| 12.4      | Fabrication of Electrochemical Biosensors for COVID-19 (Immunosensors)  | 212        |
| 12.5      | Conclusion  | 214        |
|           | References  | 215        |
| <br>      |   |            |
|           | <b>Part V Outlook</b>   | <b>219</b> |
| <br>      |   |            |
| <b>13</b> | <b>Effects of COVID-19: An Environmental Point of View</b>  | <b>221</b> |
|           | <i>Kola Y. Kareem, Bashir Adelodun, AbdulGafar O. Tiamiyu, Fidelis O. Ajibade, Rahmat G. Ibrahim, Golden Odey, Madhumita Goala, Hashim O. Bakare, and Jamiu A. Adeniran</i> |            |
| 13.1      | Introduction  | 221        |
| 13.2      | Methodological Approach   | 224        |
| 13.3      | Effects of COVID-19 on Socioeconomic Development in the Environment   | 225        |
| 13.4      | Environmental Management as an Important Factor for COVID-19 Transmission   | 225        |
| 13.5      | Environmental Impact Assessment of COVID-19   | 226        |
| 13.5.1    | Environmental Variables Related to COVID-19   | 226        |
| 13.5.2    | Effects of COVID-19 on Global Physical Environment: Air Quality and Environmental Pollution   | 228        |
| 13.5.3    | COVID-19 Impacts on Water Resources and Aquatic Life  | 231        |
| 13.5.4    | COVID-19 Impacts on Ecological Parameters and Soil Systems  | 233        |
| 13.5.5    | COVID-19 Impacts on Noise Pollution, Increased Solid Wastes, and Recycling  | 234        |
| 13.5.6    | COVID-19 Impacts on Wastewater Quality and Sanitary Systems   | 234        |
| 13.5.7    | Socioeconomic Environmental Impacts of COVID-19   | 235        |
| 13.5.8    | Indirect Effects of COVID-19 on the Environment   | 235        |
| 13.6      | Conclusion  | 236        |
|           | References  | 237        |
| <br>      |   |            |
| <b>14</b> | <b>COVID-19 Pandemic and CO<sub>2</sub> Emission in the United States: A Sectoral Analysis</b>  | <b>243</b> |
|           | <i>Afees A. Salisu, Tirimisiyu F. Oloko, and Idris A. Adediran</i>  |            |
| 14.1      | Introduction  | 243        |
| 14.2      | Stylized Facts on the Effect of COVID-19 Pandemic on Sectoral CO <sub>2</sub> Emission  | 245        |
| 14.3      | Data Issues and Methodology   | 249        |

|           |  |            |
|-----------|--|------------|
| 14.4      | Empirical Results  | 251        |
| 14.4.1    | Preliminary Results  | 251        |
| 14.4.2    | Main Results   | 251        |
| 14.5      | Conclusion   | 255        |
|           | References   | 257        |
| <b>15</b> | <b>Theranostic Approach for Coronavirus</b>  | <b>261</b> |
|           | <i>Anushree Pandey, Asif Ali, and Yuvraj S. Negi</i>   |            |
| 15.1      | Introduction   | 261        |
| 15.2      | Conventional Medicines   | 262        |
| 15.3      | Role of Nanoparticles in COVID-19 Detection  | 265        |
| 15.4      | Reverse Transcription Loop-Mediated Isothermal Amplification (RT-LAMP) Coupled with a Nanoparticle-Based Biosensor (NBS) Assay | 265        |
| 15.5      | Point-of-care Testing  | 266        |
| 15.6      | Optical Biosensor Nanotechnology   | 268        |
| 15.7      | Nanopore Target Sequencing (NTS)   | 268        |
| 15.8      | Role of Nanotechnology in the Treatment  | 269        |
| 15.9      | Conclusion   | 270        |
|           | References   | 270        |
|           | <b>Index</b>   | <b>275</b> |