

## Index

### **a**

absorption-catalytic  
     graphitization-oxidation process 187  
 activated carbon materials 2, 149, 163  
 activated carbons (ACs) 1, 4, 19, 27, 28, 34, 42, 64, 70, 76, 93, 147–164, 184, 217–219, 222, 231, 236, 257, 259–261, 283, 285, 294, 303, 319, 325, 326, 328  
 activated PC 294, 296–302, 308  
 active carbons 294  
 active nanofibers 17  
 adsorbent–adsorbate 165, 322  
 adsorption intensity 150  
 Ag/AgCl electrode 222  
 Ag–graphene composite hydrogel 80, 318  
 aggregation-induced emission  
     enhancement (AIEE) effect 142, 320  
 Ag nanoparticles 64  
 agro-residues 3  
 amalgamate PVs 328  
 amino dextran-coated Fe<sub>3</sub>O<sub>4</sub>  
     nanoparticles 142  
 ammonium molybdate tetrahydrate (AMM) 186  
 animal-based biomass 7–8  
 antimicrobial agents 64, 67, 68, 79, 80, 84, 317  
 antimicrobial nanoagents 64  
 antimicrobial nanomedicine 64  
 antimicrobial properties 71, 73, 74, 76, 77, 81, 82, 318  
 antimicrobial resources 63

antimicrobial therapeutic drugs 67  
 artificial neural network (ANN) model 153

### **b**

bimetallic sulfides 188, 189  
 bio-carbon electrodes 287  
 biochar 4, 5, 7, 8, 11, 13, 147, 158, 160, 188, 223, 285, 297, 302, 305, 326  
 bio-derived carbon-based nanomaterials 94, 218  
 bioengineering, carbonaceous materials 79  
     biosafety 83–84  
     nanoantibiotic formulations 82–83  
     surface modifications (coating) on  
       medical devices 81–82  
     wound dressing 80–81  
 biological precursor 215, 324  
 biomacromolecules HA 135  
 biomass, composition 3–4  
 biomass carbon sources 113, 188, 283  
 biomass CDs (BCDs) 113, 320  
 biomass-derived carbon  
     activation methods  
       chemical activation 13, 14  
       combination of, physical and  
       chemical activation 14  
       modification and structure control of  
       14–17  
       physical activation 11–13  
 batteries characteristics 172–174  
 batteries classification 172  
 biomass resources and composition  
     animal-based biomass 7, 8  
     fruit-based biomass 5–7

- biomass-derived carbon (*contd.*)
- microorganism-based biomass 7
  - plant-based biomass 4, 5
  - carbonaceous materials 179–181
  - carbonization
    - hydrothermal carbonisation 9, 10
    - pyrolysis 10, 11
  - cost analysis 19
  - electrochemical performances
    - LIBs 181–189
    - Li-S batteries 195–199
    - SIBs 189–195
    - Zn-air batteries 199–201
  - heteroatom-doped carbon electrodes
    - dual-heteroatom-doped 204–206
    - single-heteroatom-doped 202–204
  - mechanism
    - LIBs 174, 175
    - Li-S 175–176
    - SIBs 176–178
    - ZAB 178–179
  - precursor selection of, biomass-derived carbon 8
  - production methods of 8, 9
  - production process description 17, 18
  - biomass-derived catalysts 236
  - biomass-derived ORR catalyst 238–245
  - biomass-derived PC materials 294
  - biomass materials 64
    - carbon and its derivatives 65–66
    - synthesis of CNTs 99
  - biomass precursor 3–5, 8, 71, 149, 182, 184, 187, 190, 194, 199, 215, 217, 218, 222–224, 309, 324
  - biomass pyrolysis 8, 10, 215, 324, 327
  - biomass, recycling of 293
  - biomass, resources 3–4
  - biosafety 83–85, 143, 319, 321
  - bio-wasted carbon 262, 266
  - bisphenol A (BPA) 303
  - bizarre microstructures 1
  - boron-doped diamond (BDD) 305
  - Bougainvillea spectabilis 222, 264
  - Brunauer–Emmert–Teller (BET) 30, 32, 40–43, 47, 50, 153, 162, 183, 187, 198, 243, 244, 259, 268, 299, 306
  - 1-butyl-3-methylimidazolium
    - hexafluorophosphate 142
  - butyrylcholinesterase (BChE) 123
- C**
- Candida albicans* 68
  - capacitor 171, 193, 253–258, 269, 294, 317, 323, 324
  - carbohydrates 3, 7
  - carbonaceous materials 17, 20, 33, 37, 64, 66, 69–85, 149, 151, 175, 179–182, 190, 202, 206, 231, 237, 294, 295, 297, 308, 317–319, 325–327
  - carbon-based multifunctional DDS
    - strategy 131
  - carbon-based nanostructures 70, 117
  - carbon black (CB) 2, 4, 18, 238, 262, 327
  - carbon-dependent catalysts 201
  - carbon dots (CDs)
    - application of
      - anion sensors 122, 123
      - metal ion sensing 117–122
      - miscellaneous molecules 123
    - characterization of 114, 115
    - optical properties 115
    - synthesis of
      - chemical oxidation method 116, 117
      - hydrothermal carbonization method 116
      - microwave method 116
      - pyrolysis 117
  - carbon fibers 2, 34, 152, 176, 179, 182, 183, 191, 206, 218, 263, 283
  - carbonization, hydrothermal
    - carbonization 9, 10
  - carbon materials 1–20, 27, 30, 35, 39, 42, 45, 47, 48, 79, 93, 94, 102, 104, 115, 116, 148–150, 157, 158, 161–163, 165, 176, 181, 184, 187, 188, 190, 194, 195, 201–203, 206, 207, 216, 224, 230–232, 236, 239, 242, 243, 245, 258, 259, 262, 264, 265, 267, 269, 283, 284, 293–309, 317–329
  - carbon monoliths 152
  - carbon nanomaterials 129, 215
  - carbon nanoplates 222
  - carbon nanotubes (CNT) 1, 2, 17, 64, 65, 70, 77, 94, 99–102, 104, 113, 129, 147, 176, 200, 218, 220, 223, 224, 230, 257, 262, 283, 284, 320, 327
  - carbon powder 3, 181, 191, 306
  - carbon quantum dots (CQDs) 65, 74, 102–104, 113–124, 216, 319

- catalyst support materials 234–236  
 cationic radical intermediate 219  
 CD44 receptors 131, 138  
 cellulose/carbon nanotube  
   nanocomposite fibers 17  
 chemical demineralization 8  
 chemical oxidation method 116–117  
 chemophotothermal synergistic therapy  
   129  
 chitin 3, 7, 8, 187, 305, 306  
 chitin-catecholamine 7  
 cobalt-impregnated NPAC (Co-NPAC)  
   catalyst 303  
*Coccinia indica* 118, 319  
 coconut shell (CSC) 12, 17, 27, 64, 154,  
   204, 205, 218, 259, 294, 298, 317  
 coffee waste (CW) 159, 244, 245, 283,  
   284  
 CO<sub>2</sub> gasification 14, 29  
 coir pith 159, 184, 185, 191, 196, 199, 294  
 coir pith-derived carbon (CPC) 184, 193,  
   196  
 commercial-grade activated carbon (CAC)  
   152, 155  
 conduction band minimum (CBM) 280  
 confocal laser scanning microscopy  
   (CLSM) 138  
 congo red (CR) 151  
 controlled hierarchical porous carbon  
   (HPC) 158  
 copolymer-templated nitrogen-doped  
   mesoporous carbon (CTNC) 139  
 copper (Cu<sup>2+</sup>) ions 118, 120–122, 157,  
   223, 320  
 cornstalk-derived carbon (CSC) electrodes  
   186  
 correlation coefficient (R<sup>2</sup>) 150, 152  
 counter electrode (CE) 222, 262, 275,  
   277, 278, 282–287, 326  
 crude fiber 7  
 cucumber peel (CP) 153  
 cyclic voltammetry (CV) 220, 236, 239,  
   255, 262, 264, 267  
 cyclic voltammogram (CV) 184, 185
- d**
- degradation mechanism 234  
 deproteinization 8  
 dichloro-dihydro-fluorescein diacetate  
   (DCFH-DA) 73  
 2,4-dichlorophenol (2,4-DCP) 162
- N,N*-dimethylformamide 218  
 disorganized carbons 11  
 dopamine 142, 218, 222  
 dopamine's fortitude (DA) 142  
 doping, B-d-CMs 15  
 doxorubicin (DOX) 130, 138, 320  
 dried raw biowaste precursor 149  
 drug delivery systems (DDS) 129–131,  
   320  
 dual-heteroatom-doped carbon electrodes  
   204–206  
 dye-sensitized and perovskite solar cells  
   biomass-derive carbon counter  
   electrode 283–287  
 development of  
   hole transport material 282–283  
   perovskite solar cells architecture  
   281–282  
   working principle 281  
 DSSC components  
   counter electrode 278  
   dye sensitizer 277  
   electrolyte 278  
   photoanode 277  
   TCO 277  
 DSSC working principle 276  
 perovskite solar cells 278–280  
 tunability of bandgap energy 280  
 dye-sensitized solar cells (DSSCs)  
   280–287, 326  
 dye sensitizer 277, 278
- e**
- eco-friendly synthesis approach 216  
 edible fungi residue (EFR) 153  
 Eichhornia crassipes (EC) 201, 223, 285  
 electrical double-layer capacitor (EDLS)  
   activated carbon electrodes 257  
   carbon nanotubes and graphene  
   electrodes 257  
 electrical double-layer supercapacitor  
   256  
 electrocatalytic activity 47, 48, 107, 142,  
   200, 201, 217, 222, 224, 236–240,  
   242, 243, 284, 287, 301, 325  
 electrochemical active surface area  
   (ECSA) 234  
 electrochemical capacitor 171, 253,  
   323  
 electrochemical detection 217, 218, 222,  
   223, 323

- electrochemical energy storage devices  
3, 171, 237, 243, 245, 259, 269, 322,  
323, 325
- electrochemical energy storing system  
applications 14
- electrochemical impedance spectroscopy  
(EIS) 262
- electrochemical method 74, 175
- electrochemical (redox) reactions 172
- electrochemical sensors 215–225,  
323–324
- electrochemical storage 3, 15, 17, 19, 20,  
231, 324, 325
- electrode materials for batteries  
171–207, 322–323
- electrode reactions 177
- electro-Fenton (EF) process 305
- electrolyte, DSSC 255, 278
- electrolyte's iodide molecule 276
- electrolytic oxidation 237
- electron transfer reaction 234, 235
- elemental sulfur (S) 175, 176, 195, 203
- embedded fluorescent CDs 138
- energy density 171–174, 178, 190, 195,  
206, 207, 254–256, 258, 263, 264,  
269, 323, 328, 329
- environmental monitoring 216–218
- Environmental Protection Agency (EPA)  
160
- Eragrostis plana* Nees (EPN) biomass  
163, 164
- f**
- fatal bacterial infections 68
- fibrous structure 33, 263
- fluorescence intensity 117, 119, 122
- fluorescent carbon nanoparticles  
113
- fluorescent nitrogen-doped carbon  
nanoparticles (FNCPs) 118
- fluorescent porous carbon nanocapsules  
(FPC-NCs) 138
- fluorine doped tin oxide (FTO) 277
- folic acid-conjugated polydopamine  
(PDA) 77
- fossil fuels 3, 171, 229, 230, 257, 259,  
322–324, 326
- Freundlich model 150
- fruit-based biomass 5–7
- fuel cells  
applications 324–329  
classification of 233
- theory and fundamentals 233
- 2,5-furandicarboxylic acids (FDCA)  
308
- g**
- glassy carbon electrode 216–218, 220,  
222–224
- glutathione disulfide (GSSG) 73
- glycosaminoglycans (GAGs) 141
- GO-based wound dressing 80
- Goldschmidt tolerance factor (t) 279
- graphene electrodes 257
- graphene nanocomposites 220
- graphene nanosheets 72, 76, 104, 319
- graphene oxide (GO) 65, 72, 76, 94, 95,  
147, 223, 224
- graphene quantum dots 74, 79, 95, 223,  
318
- graphite compound (LiC<sub>6</sub>) 177, 202
- graphitic carbon capsules (FeS@GCC)  
189, 192
- graphitic carbon fibers 182
- graphitic shells like carbon nano onions  
(GS-CNOs) 243
- h**
- halide p-state orbital 280
- halide perovskite 278–280, 283
- hard carbon microtubes (HCT) 194
- heavy metal adsorption 158
- heavy metals removal 159
- hematoxylin and eosin (H&E) 135
- hemicellulose 4, 5, 7, 182, 186, 296
- heteroatom doping 14, 15, 43, 47–48,  
103, 116, 202, 238, 285, 295, 300
- heterogeneous catalysis, applications  
302–306, 308
- heterogeneous Fenton catalyst 302
- highly pathogenic human coronavirus  
(HCoV) 81
- high-resolution transmission electron  
microscopy (HRTEM) 100, 114
- hollow carbon nanospheres (HCSs) 132
- hollow mesoporous carbon (HMC) 130
- HSF-1 protein homotrimers 132
- human hair (HHC) 3, 203, 204, 259
- hyaluronic acid (HA) 131, 135
- hybrid capacitors 258
- hybrid MnO<sub>2</sub>/CNT electrode 16, 17
- hydrochar material 9
- hydrogenation of furfural (FAL) 305, 307
- hydrophobic contacts 130

- hydrophobic graphitic mesoporous carbon core 132
- hydrothermal carbonization (HTC) 8–10, 65, 116, 181, 182, 191, 215, 231, 296, 297, 324, 325
- hydrothermal dealing 116
- 5-hydroxymethylfurfural (HMF) 308
- i**
- identical mesoporous carbon spheres (UMCS) 135
- indium-doped tin oxide (ITO) 277
- inhibitory concentration (IC<sub>50</sub>) 139
- insertion mode 71
- internal rate of return (IRR) 17
- intracellular hyaluronidase-1 131, 135
- in vivo real-time imaging 129, 130
- ion thermal carbonization (ITC) 325
- ionic liquid 95, 142, 255
- ionothermal (ITC) 232
- iron (Fe<sup>3+</sup>) ions 119, 319
- iron (Fe<sup>3+</sup>) sensor 119–120
- iron sulfide (FeS) 189
- isoniazid drugs 68
- j**
- jamun seed-derived carbon (JSC) 199
- k**
- kapok fibers (KFCNTs) 199
- kiwi peel (KP) 153
- KOH activation 14, 30, 34, 162, 182, 184, 191, 196–198
- KOH-activated carbons 184
- l**
- Langmuir adsorption isotherm 150
- Li<sup>+</sup> intercalation/deintercalation anode reaction 175
- linear sweep voltammetry (LSV) 220, 239
- Li-S batteries (Li-S) 175, 176, 195–199, 204, 206, 207
- Li-S discharge processes 176
- lithium-ion batteries (LIBs) 20, 173–175, 181, 229, 263, 284, 322, 328
- biomass-derived carbon nanocomposite electrodes 186–189
- biomass-derived undoped carbon electrodes 181–186
- lithium metal anode 175
- lithium sulfide (Li<sub>2</sub>S) 176
- lithium-sulfur batteries (Li-S) 173, 322
- lysosomal membrane permeation (LMP) 132, 133
- lysosome dysfunction 83, 318
- m**
- magnetic resonance (MR) imaging 142, 143, 321
- malachite green (MG) 105, 151, 152
- material physicochemical properties
- oxidative stress
- extraction of lipid 78, 79
- metabolic inhibitory effect 79
- photothermal effect 77, 78
- ROS-dependent oxidative stress 73–75
- ROS-independent oxidative stress 75–76
- wrapping effect 76, 77
- structural destruction 70–73
- maximum adsorption amounts (Q<sub>max</sub>) 163
- mercury (Hg<sup>2+</sup>) ions 118
- mesocrystals 268–269
- mesoporous activated carbon (MAC) 76, 151
- dyes removal
- activated carbon from cattail biomass (CAC) 152
- activated carbon from Rattan waste 152
- coconut coir dust 154
- Corozo oleifera* shell 154
- edible fungi residue (EFR-AC) 153
- GWAC adsorbent 150, 151
- macadamia nutshell waste (MNS), for MB 155
- meso/micropore-controlled hierarchical porous carbon 158
- Neobalanocarpus heimii wood saw dust (WSAC) 155
- novel magnetized activated carbon, for heavy metal ions sorption 157
- plant wastes for, methylene blue (MB) 154
- RH derived mesoporous activated carbon (AC) 151, 152
- wood sawdust waste activated carbon (WACF-P) 152, 153
- metal ions removal 155–157
- phenolic compounds removal 158–164

- mesoporous carbon 148–149  
mesoporous carbon nanoparticles (MCN)  
  controlled/targeted DDS 131  
  immediate-released DDS 130  
  sustained-release DDS 130–131  
mesoporous materials 148, 308  
mesoporous silica shell 132, 133, 320  
metabolic inhibitory effect 79  
metal ion sensing 117  
  copper ( $\text{Cu}^{2+}$ ) sensor 120–122  
  iron ( $\text{Fe}^{3+}$ ) sensor 119–120  
  lead ( $\text{Pb}^{2+}$ ) sensor 120  
  mercury ( $\text{Hg}^{2+}$ ) sensor 118–119  
  miscellaneous metal ions 122  
metallic potassium 13, 30  
metal s-state orbital 280  
metanil yellow (MY) 150–151  
methicillin-resistant *S. aureus* (MRSA)  
  68  
methylene blue (MB) 103, 105, 150–155,  
  298, 302  
microbial cells 67, 70, 72, 76–79, 318  
microbial contamination 81  
microbial diversity 63  
microbicidal 66, 67  
  material physicochemical properties  
  70  
  mechanism of action 67  
  resistance 68  
microorganism-based biomass 7, 8  
microwave-based synthesis 299, 300  
microwave method 116  
mitochondrial disruption 83, 318  
molecular dynamics simulation 79  
mushroom precursors 7
- n**  
*N*-acetylcysteine (NAC) 73  
Na-intercalated binary graphite  
  compound (b-GIC) 177  
Na-ion batteries (SIBs) 176–178,  
  189–190  
nanochannel-confined graphene  
  quantum dots 223  
nanocomposite coatings 82, 318  
nanoporous activated carbon (NPAC)  
  303  
nanoporous graphene-like sheets 223  
nanorod coated glassy carbon electrodes  
  224  
nanoscale dewetting 79, 318  
nanostructured carbon materials 2, 202,  
  216, 230  
N-CNO catalyst 239, 241  
N-CNT 200, 306  
N-doped carbon 305  
N-doped carbon microspheres (NCSs)  
  194  
N-doped carbon nanotube aerogels  
  (N-CNT-As) 200  
N-doped nano PC (NNC) 308  
N-doped PC material (PNCM) 306  
N-doping 45, 193, 201, 202, 243, 299  
near-infrared (NIR) 129, 277, 320  
net present value (PPV) 17  
 $\beta$ -nicotinamide adenine dinucleotide  
  222  
Ni/NiO/NiCo<sub>2</sub>O<sub>4</sub> nanoparticles (NPs)  
  200  
nitrogen atmosphere 151, 152, 154, 162,  
  186, 266, 267, 306  
nitrogen-doped biomass 7  
nitrogen-doped fullerene-like carbon shell  
  (NDCS) 201  
nitrogen sorption isotherm pattern  
  150–152, 154  
4-nitrophenol 218  
*N*-methyl-2-pyrrolidone (NMP) 262
- o**  
O<sub>2</sub><sup>-</sup>-independent oxidative stress 75  
okara 223  
one-step electrochemical method 74  
organic molecule melamine 300  
organic–inorganic hybrid layers 282  
oxidation–reduction reaction (ORR)  
  104, 325  
oxidative esterification method 308  
oxygen evolution reaction (OER) 107,  
  178  
oxygen reduction reaction (ORR) 230,  
  231, 236–238, 309, 325  
oxygen reduction response (ORR) 178
- p**  
paper electrode 222  
p-chlorophenol (PCP) 163  
penetration mode 71  
penicillin 67, 68  
peptidoglycan (PG) 79  
peroxymonosulfate (PMS) 303, 304  
persulfate (PS) 302, 303  
phenol adsorption 161, 162  
phosphoric acid modification 154  
photoacoustic imaging 139–140  
photoanode 275–278

- photoexcitation 77, 318  
 photoluminescence (PL) stability 65  
 photoluminescent blue emission 65  
 photosensitizers 77, 105, 275, 318, 319  
 photo-supercapacitor 328  
 photothermal conversion capacity 129  
 photothermal effect 77–78, 131–134  
 photothermal therapy (PTT)  
   biosensing 140–142  
   cell labeling 135–139  
   magnetic resonance imaging 142  
   photoacoustic imaging 141–140  
   synergistic therapy 135  
   therapeutic biomolecule delivery 140  
   toxic substances, removal of 139  
   transmembrane delivery 139  
 picric acid (acceptor) 123  
 plant-based biomass 4–6  
*plasmodium genus* 68  
 platinum (Pt) 235  
*Plectranthus amboinicus* 224  
*p*-nitrophenol 222  
 polyacrylonitrile-block-poly (*n*-butyl acrylate) (PAN-b-PBA) 139  
 polyatomic doping 245  
 polyethylene (PE) 73, 174  
 polypropylene (PP) 174  
 polyvinylidene fluoride (PVDF) 262  
 porous carbon 198  
   materials 10, 13, 148, 149, 158, 162, 195, 202, 231, 236, 242, 243, 293–309, 325, 326, 329  
   nanomaterials 2  
   synthesis from different biomass 237–238  
 porous heteroatoms-rich carbon (PHC) 200  
 porous structure 10, 11, 14, 28, 29, 162, 187, 193, 202, 206, 238, 265–269  
 potassium carbonate 29, 30, 153, 155  
 potassium ferricyanide 218  
 potato peel (PP) 153  
 power density 132, 134–136, 171, 172, 174, 206, 254, 255, 257, 258, 262, 263, 267, 323, 328  
*p*-*p* stacking interaction 142  
 precarbonization 151  
 pristine materials 202  
 progesterone 218, 219  
 propidium iodide (PI) 72, 134  
*Prosopis africana* seed hulls (PASH-AC) 163  
 protein (glucose oxidase) 142  
 pseudo-second-order model 151–155, 162, 163  
 pseudocapacitor 257, 258  
 pyrolysis 4, 5, 7–11, 13, 28, 30, 32–34, 46, 47, 64, 79, 94, 97, 117, 162, 163, 181–183, 190, 193–195, 201–204, 215–217, 223, 231, 238–240, 242, 243, 295–297, 300, 301, 303, 305, 306, 308, 317, 324–327  
 pyrolysis carbonization method 239, 327  
 pyrophosphate (PP) 305
- q**  
 quantum hall effect 220
- r**  
 Raman spectrum 46, 74, 114, 182  
 rattan wastes 152  
 rechargeable batteries (RBs) 172–179, 323, 328  
 redox reaction 13, 172, 187, 257, 302  
 reduced graphene oxide (rGO) 65, 223, 224  
 return on investment (ROI) 17  
 revised half-cell test (RHT) 194  
 rhodamine B (RhB) 153, 303  
 rice husk or rice hull (RH) 150, 151  
 rifampicin 68  
 rose-derived CDs 123, 320
- s**  
 screen-printed carbon electrode (SPCE) method 224  
 self-doped nitrogen porous carbon nanosheets (NPCNS) 240, 241  
 separation factor ( $R_L$ ) 150  
 sheet structure 263–265  
 shuttle effect 199  
 silver (Ag) nanoparticles 64  
 silver-based antimicrobial agents 64  
 silver-coated GO nanocomposites (GO-IONP-Ag) 82  
 simple hyacinth pyrolysis 201  
 simply payback period (SPP) 17  
 single-heteroatom doped carbon electrodes 202–204  
 single-walled carbon nanotubes (SWCNTs) 65, 99, 113  
 SnO<sub>2</sub> nanoparticles 74  
 sodium-ion batteries 173, 176, 177, 232, 322  
 solid-electrolyte interface (SEI) 189  
 solid waste production 293

- soybean curd residue (SCR) 306
  - soybean root-derived carbons (SRC) 266, 267
  - sp<sup>2</sup>-based carbon nanomaterials 129
  - spherical structure 33, 263
  - spontaneous reaction 172
  - S protein through pseudolectin interactions 81
  - sulfathiazole (STZ) 305
  - supercapacitors 255
    - activated carbon, from biomass 259
    - battery 254
    - capacitor 253, 254
    - EDLS 256, 257
    - electrochemical measurements 262
    - electrode material 205
    - energy density 255
    - hybrid capacitors 258
    - power density 255
    - pseudocapacitor 257
    - structural diversities of biomass 262
      - fibrous structure 263
      - mesocrystal structure 268–269
      - porous structure 265–268
      - sheet structure 263–265
      - spherical structure 263
      - tubular structure 263
  - supramolecular p–p stacking 129, 130, 320
  - surface incorporation 17
  - surface modification
    - coating on medical devices 81–82
    - heteroatom doping 15
  - synthesis procedures 295
    - carbonization 295–296
    - chemical activation 298–299
    - functionalization/ doping/ composites, of ACs 300, 301
    - hydrothermal carbonization 296–297
    - mesoporous carbons 148, 149
    - microwave based synthesis 299, 300
    - physical activation 297–298
    - physicochemical activation 299
    - pyrolysis 297
  - synthesized carbonaceous materials 64, 317
  - synthetic methods 3, 115, 231, 232, 283, 306, 309
- t**
- tea leaf PC (TPS) 304
  - ternary graphite intercalation compound (t-GIC) 177
  - tetracycline (TC) 67, 123, 320
  - theoretical lithium storage capacity 175
  - theranostic functions 130
  - theranostic utility 129
  - therapeutic biomolecule delivery 140
  - 3D bacterial cellulose-derived carbon nanofibres 188
  - three-dimensional (3D) hybrid nanoaerogels 200
  - three-dimensional (TD) hierarchical 304
  - thrombin-binding aptamers 139
  - $\alpha$ -tocopherol 73
  - topical ointment formulation 64
  - toxic chemical removal 147–165, 321–322
  - transparent conducting substrate (TCO) 277
  - 2,4,6-trichlorophenol 162
  - triple-phase boundary (TPB) 234, 235
  - tubular furnace 155, 305, 306
  - tubular structure 102, 263
  - tungsten-based bimetal oxide 285
  - 2D hierarchical porous carbon nanosheets (HPNC-NS) 203
  - 2D/3D porous carbon 329
- u**
- ultracapacitor 253
  - uniform oxygen 10
- v**
- van der Waals interaction 79, 318
  - verapamil (VER) 138
- w**
- water-wettability 65
  - wound dressing 80, 81
  - wrapping effect 76–77
- z**
- zero-dimensional structures 216
  - zinc-air batteries (ZABs) 173, 178–179, 199–201, 322